

Reference List

1. Binkowski, J. Erreurs en microanalyse organique elementaire. Effet de la presence du chlore ou du brome. *Pure & Appl Chem.* 1972; **29**:1.
2. Binkowski, J. Skrócenie czasu oznaczania azotu w związkach organicznych metodą Dumasa. *Chem Anal.* 1972; **18**:381.
3. Bodalski, R. and Pietrusiewicz, K. M. A new route to the phospholane ring-system. *Tetrahedron Lett.* 1972; **41**:4209-4212.
4. Chojnowski, J.; Stańczyk, W. A., and Kowalski, J. The cleavage of α -halogen substituted alkyl from silicon. I. Kinetics and mechanism of base-catalysed solvolysis of dichloromethyltrimethylsilane in protic solvents. *Bull Pol Acad Sci Chem .* 1972; **XX**:765.
5. Kryszewski, M. Formation of supermolecular structures in thin polymers layers. *Pure & Appl Chem.* 1972; **31**:21.
6. Kryszewski, M.; Jabłoński, W., and Sapięha, S. Structure of single hole breakdown. Polarisation and conductivity insulating polymers; Bratysława. 1972: 125.
7. Kryszewski, M. and Pakuła, T. A study of the elongation ration of deformed spherulites. *Polymer Symp.* 1972; **38**:87.
8. Kryszewski, M.; Sapięha, S., and Cygler, M. On some electrical properties of thin polymer films. Polarisation and conductivity insulating polymers; Bratysława. 1972: 113.
9. Kubisa, P. and Słomkowski, S. Wpływ zasadowości monomerów na procesy polimeryzacji. *Wiadomości Chemiczne.* 1972; **26**:427.
10. Michalski, J. and Mikołajczyk, M. Stereochemia nukleofilnego zamieszczenia u tiofosforilnego centra. *Khimia i Primienienije Fosforoorganicheskikh Sojedinienij.* 1972(181-188).
11. Michalski, J. and Stec, W. J. Chemie und Stereochemie schwefel- und selenhaltiger organischer Phosphorverbindungen. *Chemiker-Zeitung.* 1972; **96**:499-502.
12. Mikołajczyk, M. and Drabowicz, J. Optically active O-alkyl alkylsulphinates. *Tetrahedron Lett.* 1972:2379.
13. Mikołajczyk, M. and Omelańczuk, J. ^{31}P NMR nonequivalence of (-)- α -phenylethylammonium salts of chiral phosphorus thioacids. *Tetrahedron Lett.* 1972:1539.
14. Mikołajczyk, M.; Omelańczuk, J., and Para, M. Configuration of the optically active phosphorus thioacids. I. Chemical correlation of the configuration of O-alkyl alkylphosphonothioic acids. *Tetrahedron.* 1972; **28**:3855.
15. Mikołajczyk, M.; Para, M.; Omelańczuk, J.; Kajtar, M., and Snatzke, G. Configuration of the optically active phosphorus thioacids. II. Chiroptical properties of O-alkyl alkylphosphonothioic acids and alkylphosphinothioic acids and their derivatives. *Tetrahedron.* 1972; **28**:4357.
16. Mikołajczyk, M. and Łuczak, J. DMSO oxidations. A new method for the conversion of C=S and C=Se groups into a carbonyl group. *Chem and Ind.* 1972:76.
17. ---. Stereochemistry of organophosphorus cyclic compounds. I. Stereospecific synthesis of cis- and trans-2-hydroxy-2-thio(seleno)-4-methyl-1,3,2-dioxaphosphorinanes. *Tetrahedron.* 1972; **28**:5411.

18. Nedkov, E.; Michajlov, M.; Kryszewski, M.; Milczarek, P., and Gałęski, A. Light scattering by large unit structures of poly-oxy-methylene-diacetate with and without additives. *Vysokomol Soedin.* 1972; **7**:1788.
19. Pelzbauer, Z. and Gałęski, A. Growth rate and morphology of polyoxymethylene supermolecular structures. *J Polym Sci: C* . 1972; c **38**:23.
20. Penczek, S. Copolymerization of heterocyclic compounds above their ceiling temperature I. The composition equation. *Bull Pol Acad Sci Chem* . 1972; B20:437.
21. Sapieha, S. and Kryszewski, M. Dielectric breakdown in thin polymer films. Polarisation and conductivity insulating polymers; Bratysława. 1972: 119.
22. Stańczyk, W. A. and Chojnowski, J. Procesy chlorowania polietylenu. *Polimery.* 1972; **17**:597.
23. Stec, W. J. Wzaimodziejstwie chloristowo sulfurila i dwuokisi siery s netriewymi soliami dialkilofosfitow. *Chimia i Primienienije Fosforoorganicznych Soedinienij -Trudy IV Kazanskoj Konferencji*; Moskwa. Wydawnictwo Nauka; 1972: str. 121.
24. Stec, W. J.; Morgan, W. E.; Albridge, R. G., and Van Wazer, J. R. Measured binding energy shifts of the "3p" and "3d" electrons in arsenic compounds. *Inorg Chem.* 1972; **11**:219.
Notes: Staż
25. Stec, W. J.; Morgan, W. E.; Van Wazer, J. R., and Proctor, W. G. Inner-orbital photoelectron spectroscopy of several pairs of similar phosphorus compounds. *J Inorg Nucl Chem.* 1972; **34**:1100.
Notes: Staż
26. Stec, W. J.; Okruszek, A.; Uznański, B., and Michalski, J. Nuclear spin-spin coupling between directly bonded ³¹phosphorus and ⁷⁷selenium. *Phosphorus.* 1972; **2**:97-99.
27. Stec, W. J.; Van Wazer, J. R., and Goddard, N. Influence of protonic solvents on spin-spin coupling involving phosphorus directly bonded to hydrogen, fluorine or another phosphorus in phosphoryl and thiophosphoryl molecules. *J Chem Soc Perkin 2.* 1972:463.
Notes: Staż
28. Łopusiński, A. and Michalski, J. Synthese von Dineopentyl-phosphorthiocyanatidat, der ersten Verbindung mit
>P(O)-S-C≡N Struktur. *Angew Chem.* 1972; **84**:896.
29. Binkowski, J. Analiza elementarna związków fosforoorganicznych. V. Grawimetryczne oznaczanie węgla i wodoru. *Chem Anal.* 1973; **18**:989.
30. Gustowski, W.; Kocór, M., and Michalski, J. Steroids with attached heterocyclic ring. *Bull Pol Acad Sci Chem* . 1973; **21**:887-891.
31. Jabłoński, W. and Kryszewski, M. Postępy w dziedzinie badań rozpraszania światła przez roztwory polimerów. Cz. I. Opracowanie wyników badań rozpraszania światła przez roztwory rozcieńczone. *Polimery.* 1973; **18**:512.
32. Konwerska-Hrabowska, J. and Kryszewski, M. Molecular inicates of the state of crystalline orientation of partly crystalline polymers. *Bull Pol Acad Sci Ser Math Astr Phys.* 1973; **21**:673-680.
33. Konwerska-Hrabowska, J. and Kryszewski, M. The study of deformation mechanism in partly crystalline polymers. *Bull Pol Acad Sci Ser Math Astr Phys.* 1973; **21**:771-776.

34. Krawiecka, B.; Skrzypczyński, Z., and Michalski, J. Optical resolution of organophosphorus monoseleoacid. Enantiomeric tert-butylphenylphosphinoselenoic acids and some of their derivatives. *Phosphorus and Sulfur*. 1973; **3**:177-178.
35. Kryszewski, M. Herstellung von dünnen Polymerschichten in Gästentlandungen und ihre Eigenschaften. *Plaste Und Kautschuk*. 1973; **20**:885.
36. Kryszewski, M. Über die Diffusion von Komponenten in der Grenzflächenschichten von Polymermischungen. *Plaste Und Kautschuk*. 1973; **20**:743.
37. ---. Zależność właściwości elektrycznych cienkich warstw wielkocząsteczkowych dielektryków organicznych od struktury. I Ogólnopolskie Sympozjum "Fizyka Cienkich Warstw"; Szczyrk. INTE; 1973.
38. Kryszewski, M.; Gałęski, A.; Pakuła, T., and Grębowicz, J. Transport phenomena on interfaces in blends of polypropylene and polyethylene. *J Colloid and Interface Science*. 1973; **44**:85-94.
39. Kryszewski, M. and Nadolski, B. On the application of electron spectroscopy of photochromic substances to the determination of molecular interaction. *Adv in Molecular Rel Proc*. 1973; **6**:111-116.
40. Kryszewski, M.; Sapieha, S., and Nadolski, B. Electrical conduction of photochromic substances in polymeric matrices. Perlman, M. M. *Elect. charge storage and transport in dielectrics*. Princenton: The Electrochem Soc; 1973; p. 370.
41. Kubisa, P. and Penczek, S. Reversible cationic copolymerization of heterocyclic monomers above the ceiling temperature. Part II. Tetrahydrofuran-oxetanes systems. *Roczniki Chemii*. 1973; **47**:1875.
42. Mikołajczyk, M. and Drabowicz, J. Organosulfur compounds. I. Magnetic non-equivalence and optical activity in amidosulfites. *Sulfur Chemistry Part A*. 1973; **8**:349.
43. Mikołajczyk, M. and Omelańczuk, J. Configuration of the optically active phosphorus thioacids-III. Synthesis and optical resolution of O-methyl isopropylphosphonothioic acid. *Phosphorus*. 1973; **3**:47.
44. Mikołajczyk, M. and Zatorski, A. Organosulfur compounds. II. α -Phosphorylsulfoxides. I. Synthesis. *Synthesis*. 1973:669.
45. Mikołajczyk, M. and Zatorski, A. Part II. Organosulfur compounds. α -Phosphorylsulphoxides I: Synthesis. *Synthesis*. 1973:669.
46. Pakuła, T.; Gałęski, A., and Kryszewski, M. Study of deformation of a single spherulite. *J Polym Sci: C*. 1973; **42**:753.
47. Penczek, S. Polimeryzacja. *Polimery*. 1973:118.
48. Penczek, S.; Fejgin, J.; Kubisa, P.; Matyjaszewski, K., and Tomaszewicz, M. New highly efficient initiators for the polymerization of 1,3-dioxolane with 1,3,5-trioxane based on the derivatives of trifluoromethanesulfonic acid. *Makromol Chem*. 1973; **172**:243.
49. Penczek, S. and Kubisa, P. Kinetics and mechanism of cyclic acetals polymerization initiated by stable carbonium salts II. Confirmation of the initiation mechanism for triphenylmethyl hexachloroantimonate in the polymerization of 1,3-dioxolan. *Makromol Chem*. 1973; **165**:121.
50. Penczek, S. and Słomkowski, S. Kinetics of the nonstationary polymerization involving polymer in the initiation step. *Bull Pol Acad Sci Chem* . 1973; **21**:573 .

51. Piechucki, C. and Michalski, J. 1,2-Cyclopropane ring cleavage in the reactions of 1-cyano-1-(2'-pyridyl)-2-alkyl(aryl)cyclopropanes with hydrochloric acid. *Bull Pol Acad Sci Chem* . 1973; **6**:439-444.
52. Piechucki, C. and Michalski, J. Preparation of secondary and tertiary β -(2-pyridyl)-alkanols. *Synthesis*. 1973:204-206.
53. Saenger, W. and Mikołajczyk, M. Kristall- und Molekülstruktur des 2-Hydrogen-2-Oxo-4-Methyl-1,3,2-Dioxaphosphorinanes. Eine P-H...O-wassersto. *Chem Ber*. 1973; **106**:3519.
54. Skowrońska, A. Stereochemistry of oxidation of trivalent phosphorus compounds with ozone and m-chlorobenzoic acid. *Bull Pol Acad Sci Chem* . 1973; **6**:459.
55. Skowrońska, A.; Mikołajczak, J., and Michalski, J. Diastereoizomeric 2-chlorothio-2-oxo-4-methyl-1,3,2-dioxaphosphorinans. *Bull Pol Acad Sci Chem* . 1973; **6**:451-453.
56. Stec, W. J. Organophosphorus compounds of sulfur and selenium. Stereochemistry of silver-ion promoted solvolysis of some halogenoanhydrides and thiolesters of organophosphorus acids. *Bull Pol Acad Sci Chem* . 1973; **21**:709.
57. Stec, W. J. and Mikołajczyk, M. Stereochemistry of organophosphorus cyclic compounds II. Stereospecific synthesis of cis- and trans-2-halogeno-2-oxo-4-methyl-1,3,2-dioxaphosphorinans and their chemical transformations. *Tetrahedron*. 1973; **29**:539.
58. Stec, W. J.; Okruszek, A., and Michalski, J. Stereochemistry of oxidation of P(III) compounds with amine N-oxides. Equatorial preference of N,N-dimethyloamino group in 4-methyl-1,3,2-dioxaphosphorinanyl ring system. *Bull Pol Acad Sci Chem* . 1973; **21**:445-449.
59. Stec, W. J.; Uznański, B., and Michalski, J. Assignment of the cis-trans geometry in diastereomeric 2-thiono- and 2-seleno-2-hydrogen-4-methyl-1,3,2-dioxaphosphorinans. *Phosphorus*. 1973; **3**:235-236.
60. ---. The synthesis and stereochemical transformations of 2-hydrogen-4-methyl-1,3,2-diooxaphosphorinan. *Phosphorus*. 1973; **3**:237-239.
61. Stec, W. J. and Łopusiński, A. Stereochemistry of organophosphorus cyclic compounds. III. The stereospecific synthesis of cis- and trans-2-N-phenylamino-2-oxo-4-methyl-1,3,2-dioxaphosphorinans. *Tetrahedron*. 1973; **29**:547-551.
62. Urbański, T.; Kryszewski, M.; Kosiński, K., and Sas, W. Charge transfer in simple organic compounds. *Roczniki Chemii*. 1973; **47**:757-765.
63. Binkowski, J. Badania nad automatyzacją grawimetrycznej metody oznaczania węgla i wodoru. I. *Chem Anal*. 1974; **19**:879 .
64. Binkowski, J. and Rudnicki, A. Analiza elementarna związków fosforoorganicznych. VI. Grawimetryczne oznaczanie węgla i wodoru. *Chem Anal*. 1974; **19**:1059.
65. Blackburne, L. D.; Katritzky, A. R.; Read, D. M.; Bodalski, R., and Pietrusiewicz, K. M. The conformational analysis of saturated heterocycles. part LXII. Cis-trans-equilibria of 4-phospha-analogues of 2,6-dimethylonecyclohexanon. *J Chem Soc Perkin 2*. 1974:1155-1160.

66. Bluj, S.; Borecka, B.; Łopusiński, A., and Michalski, J. Synthesis of dineopentoxoyoxophosphoranesulphenyl chloride and some other organic phosphorus derivatives with neopentoxy group. *Roczniki Chemii*. 1974; **48**:329-332.
67. Borecka, B.; Jezierska, B.; Bluj, S., and Michalski, J. Synthesis and chemical properties of dialkoxoyoxophosphorane sulphenates $(RO)_2P(O)-S-OR$. *Bull Pol Acad Sci Chem* . 1974; **21**:201-205.
68. Chojnowski, J.; Mazurek, M.; Ścibiorek, M., and Wilczek, L. Cationic polymerization of siloxanes-approach to the mechanistic studies. *Makromol Chem*. 1974; **175**:3299.
69. Chojnowski, J. and Stańczyk, W. A. Cleavage of α -halosubstituted alkyl groups from silicon. The effect of halogen in the base-catalysed solvolysis of α -dihalogeno-methyl/ trimethylsilanes. *J Organomet Chem*. 1974; **73**:41.
70. Gałęski, A. and Kryszewski, M. Small angle light scattering from hedrites, ovoids and spiral ovoids. I. Theoretical consideration. *J Polym Sci B: Polym Phys*. 1974; **12**:455-469.
71. ---. Small angle light scattering from hedrites, ovoids and spiral ovoids. II. Experimental. *J Polym Sci B: Polym Phys*. 1974; **12**:471-484.
72. Gloede, J.; Mikołajczyk, M.; Łopusiński, A., and Omelańczuk, J. Darstellung von reinen Phosphorigsäure-Diäthylester-Chlorid. *Journal Für Praktische Chemie*. 1974; **316**:703.
73. Kowalski, J.; Chojnowski, J.; Stańczyk, W. A., and Mazurek, M. Oznaczanie zawartości cyklicznych oligomerów w polidwumetylosiloksanie, metoda chromatografii gazowej z zastosowaniem detektora płomieniowo-jonizującego. *Polimery*. 1974; **19**:77.
74. Krawiecka, B.; Michalski, J.; Mikołajczak, J.; Mikołajczyk, M.; Omelańczuk, J., and Skowrońska, A. Stereochemistry of desulphurisation and deoxygenation of oxophosphoranesulphenyl chlorides by trivalent phosphorus compounds. *J Chem Soc Chem Commun*. 1974:630-631.
75. Krawiecka, B.; Michalski, J., and Skrzypczyński, Z. The stereochemistry of acid - catalysed solvolysis at sterically hindered thiophosphoryl centre. *J Chem Soc Chem Commun*. 1974:1022-1023.
76. Kryszewski, M. Electrical properties of amorphous and semicrystalline organic solids. "Elektryczne Własności Organicznych Ciał Stałych"; Karpacz. Wyd. Politechniki Wrocławskiej; 1974: 29.
77. ---. Fizyka polimerów. *Polimery*. 1974; **19**:20.
78. Kryszewski, M.; Gałęski, A.; Jabłoński, W., and Sapięha, S. Formation of supermolecular structure in thin polymer films. *Polymer*. 1974; **15**:211-215.
79. Kryszewski, M.; Gałęski, A., and Milczarek, P. Bestimmung von Größe und Struktur der in Polymeren entstehenden Sphärolithzentren. *Plaste Und Kautschuk*. 1974; **2**:656-658.
80. Kryszewski, M. and Nadolski, B. Some relations between iodine swelling in polyacrylonitrile films and their preparation techniques. *Roczniki Chemii*. 1974; **48**:2007-2017.
81. Kryszewski, M.; Pakuła, T., and Grębowicz, J. Nadmolekularna struktura mieszej polipropylenu i polietylenom. *Vysokomol Soedin*. 1974; **16A**:1569-1575.
82. Kryszewski, M.; Sapięha, S.; Tyczkowski, J., and Zieliński, M. Electrical and photoelectrical properties of glassy photochromic substances. *Elektryczne własności organicznych ciał stałych*; Karpacz.

Wyd. Politechniki Wrocławskiej; 1974: 390.

83. Malinowski, R. and Mikołajczyk, M. The synthesis and investigation of some insecticidally active enolphosphonates. *Prace IPO*. 1974; **6**:95.
84. Matyjaszewski, K.; Kubisa, P., and Penczek, S. Ion-ester equilibrium in the living cationic polymerization of tetrahydrofuran. *J Polym Sci A: Polym Chem*. 1974; **12**:1333.
85. Matyjaszewski, K. and Penczek, S. Comments on the paper: "NMR studies on the polymerization of cyclic ethers" by Pruckmayer and T. K. Wu. *Macromolecules*. 1974; **7**:136.
86. ---. The macroester-macroion equilibrium in the cationic polymerization of THF observed directly by 300 MHz ¹H NMR. *J Polym Sci A: Polym Chem*. 1974; **12**:1905.
87. Michalska, M.; Michalski, J., and Orlich, I. Glycosylation of organic thio- and selenoacids of phosphorus. *Bull Pol Acad Sci Chem* . 1974; **22**:1053-1057.
88. Michalski, J.; Młotkowska, B., and Skowrońska, A. Organophosphorus compounds. Part CL. Synthesis of "stable" tetra-O-alkyl sym-monothiopyrophosphates. *J Chem Soc Perkin 1*. 1974:319-323.
89. Mikołajczyk, M. and Drabowicz, J. Asymmetric synthesis of amidothiosulphites. Substitutions at sulphur with retention of configuration. *J Chem Soc Chem Commun*. 1974:775.
90. ---. Asymmetric synthesis of sulphinic esters with sulphur atom as a sole chirality centre. *J Chem Soc Chem Commun*. 1974:547.
91. ---. Organosulfur compounds. III. One-step synthesis of alkyl tert-alkanesulfinates. *Synthesis*. 1974:124.
92. Mikołajczyk, M.; Krzywański, J., and Ziemnicka, B. Synthesis of the diastereomerically pure trans-2-halogeno-4-methyl-1,3,2-dioxaphosphorinan-2-thiones and conformational studies. *Phosphorus*. 1974; **5**:67.
93. Mikołajczyk, M. and Łuczak, J. Dimethyl sulphoxide oxidations: a general method for the conversion of a thio- or selenophosphoryl group into a phosphoryl group. *Chem and Ind*. 1974:701.
94. ---. Dimethyl sulphoxide oxidations: a new selective conversion of the thiocarbonyl-containing nucleic acid components into their oxygen analogues. *Synthesis*. 1974:491.
95. Pakuła, T.; Gałęski, A., and Kryszewski, M. Wyznaczanie rozkładu rozmiarów cząsteczek zawiesin. I. Metoda wyznaczania rozkładu rozmiarów cząsteczek. *Chem Anal*. 1974; **19**:603 .
96. Pakuła, T.; Kryszewski, M.; Grębowicz, J., and Gałęski, A. Two-dimensional model of mechanical properties of polymer blends: application to polypropylene and polyethylene blends. *Polymer J*. 1974; **6**:94-102.
97. Pakuła, T. and Soukup, Z. New apparatus for studies on supermolecular structures of thin polymer films by salts. *J Polym Sci B: Polym Phys*. 1974; **12**:2437.
98. Penczek, S. Aktualne problemy polimeryzacji kationowej. *Polimery*. 1974:450.
99. ---. Hydride ion transfer process and cationic polymerization of cyclic acetals. *Makromol Chem*. 1974; **175**:1217.
100. Sapięha, S.; Jabłoński, W., and Kryszewski, M. The structure of incomplete destructive breakdown spots in thin polymer films. *Electro-Component Science and Technology*. 1974; **1**:65-73.

101. Sapieha, S. and Kryszewski, M. Elektryczna i optyczna stymulacja przebieg w cienkich warstwach dielektryków. *Archiwum Elektroniki*. 1974; **23**:739-748.
102. Stec, W. J. Heteronuclear spin-spin coupling constants between directly bonded atoms as a probe of configuration at phosphorus atom involved in diastereoisomeric 4-methyl-1,3,2-dioxaphosphorinans. *Z Naturforsch* . 1974; **19b**:109.
103. Stec, W. J.; Konopka, A., and Uznański, B. Synthesis of a dialkyl phosphoroisocyanidate. *J Chem Soc Chem Commun*. 1974:923.
104. Stolarczyk, A.; Kubisa, P., and Penczek, S. Ion association and free ion formation effects on the ¹NMR parameters of 1,3-dioxolan-2-ylidene salts in the polymerization of 1,3-dioxolan. *Bull Pol Acad Sci Chem* . 1974; **22**:431.
105. Słomkowski, S. and Penczek, S. The carbenium-oxonium ion equilibrium. Part I. Reversible reaction on non-paired triphenylmethyl cation with ethers and acetals. *J Chem Soc Perkin 2*. 1974:1718.
106. Wróbel, A. M. and Kryszewski, M. The structure and thermal stability of glow discharge polysilazane. *Bull Pol Acad Sci Chem* . 1974; **23**:471-478.
107. Łapienis, G. and Penczek, S. Kinetics and thermodynamics of the polymerization of the cyclic esters of phosphoric acid II. Cationic polymerization of 2-methoxy-2-oxo-1,3,2-dioxaphosphorinane 1,3-propylene methyl phosphate. *Macromolecules*. 1974; **7**:166.
108. Bartczak, T. J.; Christensen, A.; Kinas, R., and Stec, W. J. Cis-2-t-butylamino-2-seleno-4-methyl-1,3,2-dioxaphosphorinan, C₈H₁₈NO₂PSe. *Crystal Structure Commun*. 1975; **4**:701.
109. Bartczak, T. J.; Christensen, A.; Kinas, R., and Stec, W. J. Synthesis and cis-trans-geometry assignment in diastereoisomeric 2-t-butylamino-4-methyl-1,3,2-dioxaphosphorinans and their 2-seleno derivatives. *Tetrahedron Lett*. 1975:3243.
110. Bodalski, R.; Pietrusiewicz, K. M., and Koszuc, J. A new synthesis of 2-phospholene-1-oxides. Reaction of sec-benzylphosphine oxides and related compounds with α , β - unsaturated ketones. *Tetrahedron*. 1975; **31**:1907-1910.
111. Borecka, B.; Jezierska, B., and Michalski, J. Synthesis, chemical properties and stereochemistry of oxophosphorane-sulphenates. *Organic Sulphur Chemistry*. 1975:375.
112. Chojnowski, J. and Mazurek, M. Anionic polymerization of siloxanes-mechanism of initiation with triorganosilanolates. *Makromol Chem*. 1975; **176**:2999.
113. ---. Anionnaja polimerizacija cikliczeskich siloksanow. Kinetika inicirowanija polimerizacji giekсаметилциклотрисилоксана фенилдиметил силанолатом калия. *Advances in Anionic Polymerization*. 1975:71.
114. Chojnowski, J. and Stańczyk, W. A. Cleavage of α -halosubstituted alkyl groups from silicon. The mechanism of catalysis by ammonia buffer. *J Organomet Chem*. 1975; **99**:359.
115. Degórski, A. and Kryszewski, M. Transfer of excitation energy in rigid solutions containing charge - transfer complexes. I. Quenching of fluorescence. *J Chem Soc Faraday 2*. 1975; **71**:1503-1512.
116. Degórski, A. and Kryszewski, M. Transfer of excitation energy in rigid solutions containing charge - transfer complexes. II. Photoconductivity. *J Chem Soc Faraday 2*. 1975; **71**:1513-1525.

117. Ishmaeva, E. A.; Mikołajczyk, M.; Remisov, A., and Pudovik, A. Conformation of $P(O)SCH_3$ and $P(O)SeCH_3$ groups in 1,3,2-dioxaphosphorinans. Doklady Akademii Nauk. 1975; **223**:351.
118. Ishmaeva, E. A.; Mikołajczyk, M.; Remisov, A., and Pudovik, A. Issledovanie konformatsii $P(O)SCH_3$ i $P(O)SeCH_3$ grupp v 1,3,2-dioksa-fosforinakh . Dokl Acad Nauk SSSR, Khimia. 1975; **223**:351.
119. Kałużyński, K.; Libiszowski, J.; Łapienis, G., and Penczek, S. Kinetika i termodinamika ravnoviesnoj kationnoj polimerizacji cikliczeskich efirow fosfornoj kisloty. Adv Ionic Polym. 1975:181.
120. Kinas, R.; Pankiewicz, K., and Stec, W. J. The synthesis of enantiomeric cyclophosphamides. Bull Pol Acad Sci Chem . 1975; **23**:981.
121. Kryszewski, M.; Gałęski, A.; Pakuła, T., and Grębowicz, J. Supermolecular structures in mixtures of polypropylene and polyethylene with and ethylene-propylene terpolymer. Sint Fiz Khim Polim. 1975; **1b**:47.
122. Kryszewski, M. and Nadolski, B. Electrochromism of indolinobenzospirans dissolved in rigid amorphous polymer matrices. J Polym Sci A: Polym Chem. 1975; **12**:345-355.
123. Kubisa, P. and Vogl, O. Kationnaja polimerizacja chloralia. Vysokomol Soedin. 1975; **17**:929.
124. Lesiak, K.; Uznański, B., and Stec, W. J. Stereochemistry of the Michaelis-Backer reaction of cis- and trans-2-hydro-2-oxo-4-methyl-1,3,2-dioxaphosphorinan with methyl iodide. Phosphorus. 1975; **6**:65.
125. Markowska, A.; Michalski, J., and Olejnik, J. Reaction of triaryl phosphites with orthophosphoric and phosphonic acids. A general method of synthesis of arylphosphates and O-arylphosphonates. Bull Pol Acad Sci Chem . 1975; **23**:977-979.
126. Markowska, A.; Olejnik, J., and Michalski, J. Selective Alkylierung von mehrbasigen Säuren des 4-bindingen Phosphors mit Trialkylphosphit. Chem Ber. 1975; **108**:2589-2592.
127. Matyjaszewski, K.; Kubisa, P., and Penczek, S. Kinetics and mechanism of the cationic polymerization of tetrahydrofuran in solution I. THF- CCl_n system. J Polym Sci A: Polym Chem. 1975; **13**:763.
128. Michalski, J. Chemistry and stereochemistry of organophosphorus compounds. Zjazd Japońskiego Towarzystwa Chemicznego; 1975: 66-68.
129. ---. Chemistry and stereochemistry of selenium phosphorus compounds. Chem Scripta. 1975; **8A**:58-63.
130. Michalski, J. and Orlich, I. Base - catalyzed intramolecular cyclization of β -keto-N-benzyl nitrones. Synthesis of flavono[3,4-d]oxazoles. Bull Pol Acad Sci Chem . 1975; **23**:655-659.
131. Michalski, J. and Skrzypczyński, Z. Stereoselective deselenisation of tert-butylphenylphosphinoselenoic acids. Stereochemical relationship between tert-butylphenylphosphinoselenoic acids and their sulphur analogues. J Organomet Chem. 1975; **97** :C31-C32.
132. Mikołajczyk, M.; Drabowicz, J.; Omelańczuk, J., and Fluck, E. Optically active trivalent phosphorus acid esters: an approach by asymmetric synthesis. J Chem Soc Chem Commun. 1975:382.
133. Mikołajczyk, M.; Gajl, M., and Reimschüssel, W. Chlorine isotopic exchange at sulphur on sulphonyl chlorides. Acceleration effect of the ortho-alkyl groups. Tetrahedron Lett. 1975:1325.
134. Mikołajczyk, M.; Grzejszczak, S.; Midura, W. H., and Zatorski, A. Organosulfur compounds. VII. Synthesis of α,β -unsaturated sulphides, sulfoxides and sulphones by the Horner-Witting reaction

in two-phase system catalyzed by quaternary ammonium salts and crown ethers. *Synthesis*. 1975:278.

135. Mikołajczyk, M.; Grzejszczak, S., and Zatorski, A. Organosulfur compounds. VI. α -phosphoryl-sulfoxides II. Synthesis of α,β -unsaturated sulfoxides and configurational assignments to geometrical isomers. *J Org Chem*. 1975; **40**:1979.
136. Mikołajczyk, M.; Grzejszczak, S.; Zatorski, A.; Montanari, F., and Cinquini, M. α -Phosphoryl sulphoxides and sulphones: new catalyst in two-phase alkylation of ketones. *Tetrahedron Lett*. 1975:3757.
137. Mikołajczyk, M.; Krzywański, J., and Ziemnicka, B. Diastereoisomeric 2-fluoro-4-methyl-1,3,2-dioxaphosphorinan-2-thiones. Retention stereochemistry in nucleophilic substitution at thiophosphoryl phosphorus. *Tetrahedron Lett*. 1975:1607.
138. Mikołajczyk, M. and Leitloff, M. Stereokhimia opticheski aktivnikh tiokislot fosfora. *Usp Chim*. 1975; **XLIV**:1419.
139. Mikołajczyk, M. and Łuczak, J. Dimethyl sulphoxide oxidations: an iodine catalysed conversion of thio- or selenophosphoryl and carbonyl compounds into their oxygen analogues. *Synthesis*. 1975:114.
140. Okruszek, A. and Stec, W. J. Axial preference of methylthio- substituent in dioxaphosphorinanyl ring system. *Z Naturforsch* . 1975; **30b**:430-436.
141. Omelańczuk, J.; Kiełbasiński, P.; Michalski, J.; Mikołajczak, J.; Mikołajczyk, M., and Skowrońska, A. Reaction of oxophosphoranesulphenyl chlorides with phosphorus trichloride. A new synthesis of dialkyl phosphorochloridothionates and their optically active analogues. *Tetrahedron*. 1975; **31**:2809-2814.
142. Penczek, S. Wpływ budowy anionu na kinetykę reakcji elementarnych w kationowej polimeryzacji heterocyklicznych monomerów. *Adv Ionic Polym*. 1975:147.
143. Skowrońska, A.; Mikołajczak, J., and Michalski, J. Five-coordinate and phosphonium intermediates in reactions of phosphorus thionoesters $=P(S)OR$ with elemental chlorine and sulfur chloride. *J Chem Soc Chem Commun*. 1975:986-988.
144. ---. Pentacovalent intermediate in the Arbuzow reaction. *J Chem Soc Chem Commun*. 1975:791-792.
145. Stec, W. J.; Lesiak, K.; Mielczarek, D., and Stec, B. Assignment of cis-trans geometry in diastereoisomeric 2-benzyl-4-ethyl-1,3,2-dioxaphosphorinans and their 2-oxo- and 2-seleno derivatives. *Z Naturforsch* . 1975; **30b**:710.
146. Stec, W. J.; Lesiak, K., and Sudol, M. Reaction of carbonyl isothio(seleno)cyanates with trivalent phosphorus esters. *Synthesis*. 1975:785.
147. Stec, W. J. and Okruszek, A. Axial preference of a 2-anilino substituent in 4-methyl-1,3,2-dioxaphosphorinan. *J Chem Soc Perkin 1*. 1975:1828-1832.
148. Stec, W. J.; Sudol, T., and Uznański, B. Deselenization of dialkyl phosphoroisoselenocyanatidite. *J Chem Soc Chem Commun*. 1975:467.
149. Stec, W. J.; Uznański, B.; Houalla, D., and Wolf, R. Sur quelques reactions du dineopentoxyphosphanne. *C R Acad Sci Paris*. 1975; **C-727**:281.
150. Stec, W. J.; Zielińska, B., and Van Wazer, J. R. Electron impact induced rearrangement of organic hypophosphates. *Org Mass Spectrom*. 1975; **10**:485.

151. Słomkowski, S. and Penczek, S. Kinetika i mechanizm pierienosa H^- aniona k swobodnym Pn_3C^+ kationom w iniciowaniu kationowej polimerizacji. *Adv Ionic Polym.* 1975:201.
152. Uznański, B. and Stec, W. J. Synthesis of dialkyl phosphorocyanidates. Axial preference of the P-cyano group in the dioxaphosphorinane ring system. *Synthesis.* 1975:735.
153. Łopusiński, A. and Michalski, J. The cyanide cleavage of bis-phosphinyl disulphides. Chemistry of phosphinylthio- and isothiocyantes. *Bull Pol Acad Sci Chem.* 1975; **23**:411-415.
154. Łopusiński, A.; Michalski, J., and Stec, W. J. Ein neuer Weg zu Phosphor- und Phosphinocyanatidaten. *Angew Chem.* 1975:134-135.
155. ---. Stereochemistry of thiocyano-isothiocyano rearrangement $P(O)SCN \rightarrow P(O)NCS$ in 2-oxo-4-methyl-1,3,2-dioxaphosphorinanyl ring system. *Bull Pol Acad Sci Chem.* 1975; **23**:235-239.
156. ---. Synthesis and properties of diastereoisomeric 2-isothiocyano-2-oxo-4-methyl-1,3,2-dioxaphosphorinans. The role of nucleophilic catalysis in their epimerisation. *Bull Pol Acad Sci Chem.* 1975; **23**:229-234.
157. Bartczak, T. J.; Christensen, A.; Kinas, R., and Stec, W. J. Trans-2-t-butylamino-2-seleno-4-methyl-1,3,2-dioxaphosphorinan, $C_8H_{18}NO_2PSe$. *Crystal Structure Commun.* 1976; **5**:21.
158. Binkowski, J.; Giziński, S.; Kamiński, R., and Reimschüssel, W. Untersuchung des Verhaltens der bei der Verbrennung phosphoroorganischer Verbindungen entstehenden P-oxide und ihrer Absorption an geeigneten Substanzen mittels ^{32}P -markierten Verbindungen. I. *Mikrochim Acta.* 1976:623.
159. Bukowska-Strzyżewska, M.; Dobrowolska, W.; Michalski, J.; Młotkowska, B., and Skoweranda, J. Crystal data for some bicyclic organic pyrophosphates and thiopyrophosphates. *Roczniki Chemii.* 1976; **50**:1009-1011.
160. Bukowska-Strzyżewska, M.; Michalski, J.; Młotkowska, B., and Skoweranda, J. The crystal and molecular structures of bis(5,5'-dimethyl-2-oxo-1,3,2-dioxaphosphorinanyl)sulphide. *Acta Crystallogr.* 1976; **B32**:2605-2608.
161. Buyle, A.; Matyjaszewski, K., and Penczek, S. Neighbouring group participation in the kinetics of the macroester-macroion pair interconversion in the cationic polymerization of THF. *J Polym Sci Polym Lett Ed.* 1976; **14**:125.
162. Chojnowski, J.; Mazurek, M., and Wilczek, L. Spectrophotometric microdetermination of silicon-bonded hydrogen with carbenium ion reagents. *Analyst.* 1976; **101**:286.
163. Chojnowski, J. and Ścibiorek, M. Cationic polymerization of siloxanes - kinetically controlled oligomerization in hexamethylcyclotrisiloxane / D_3 / - linear dimethylsiloxane systems. *Makromol Chem.* 1976; **177**:1413.
164. Cox, P. J.; Farmer, P. B.; Jarman, M.; Jones, M.; Stec, W. J., and Kinas, R. Observations on the differential metabolism and biological activity of the optical isomers of cyclophosphamide. *Biochem Pharm.* 1976; **25**:993.
165. Davies, A. G.; Parrott, M. J.; Roberts, B., and Skowrońska, A. An electron spin resonance study of phosphoranyl radicals derived from tetra-alkyl esters of phosphorous phosphoric anhydride $(RO)_2POP(O)(OR)_2$. *J Chem Soc Perkin 2.* 1976:1154.

166. Drabowicz, J. and Mikołajczyk, M. Organosulfur compounds. XI. A mild and efficient reduction of sulfoxides by means of lithium alanate of titanium (IV) chloride. *Synthesis*. 1976:527.
167. Fejgin, J.; Penczek, S., and Tomaszewicz, M. Usieciowane poliacetale. *Polimery*. 1976:446.
168. Franta, E.; Reibel, L.; Lehman, J., and Penczek, S. Use of mono- and multifunctional oxocarbenium salts in the polymerization of THF. *J Polym Sci Polym Symp*. 1976; **56** :139.
169. Gałęski, A. and Kryszewski, M. Small angle light scattering from square and hexagonal hedrites. *J Polym Sci B: Polym Phys*. 1976; **14**:181-186.
170. Ishmaeva, E. A.; Witczak, M.; Mikołajczyk, M., and Pudovik, A. Conformation of the P(O)SCH₃ and P(O)OSiMe₃ groups in 1,3,2-dioxaphosphorinanes. *Izvestia Akad Naul SSSR, Ser Khim*. 1976:1880.
171. Kałużyński, K.; Libiszowski, J., and Penczek, S. A new class of synthetic polyelectrolytes acidic polyesters of phosphoric acid. *Macromolecules*. 1976; **9**:365.
172. Kowalski, J. and Lasocki, Z. N,N-bis/halogenomethyl-dimethylsilyl/acetamides and their reactivity. *J Organomet Chem*. 1976; **116** :75.
173. Kryszewski, M. and Ciesielski, W. Electrical and magnetic properties of complexes of TCNQ anion radical salt
III. The class transition and crystallinity of complexes. *Roczniki Chemii*. 1976; **50**:1169.
174. ---. Electrical and magnetic properties of complexes of TCNQ anion radical salts.
I. Electrical properties. *Roczniki Chemii*. 1976; **50**:947.
175. ---. Electrical and magnetic properties of complexes of TCNQ anion radical salts.
II. Magnetic properties. *Roczniki Chemii*. 1976; **50**:1159.
176. Kryszewski, M.; Gałęski, A., and Milczarek, P. Destruction of polymers with crystalline unhomogeneities under the influence of intense laser beam. *J Polym Sci Polym Lett Ed*. 1976; **14**:365 .
177. Kryszewski, M.; Nadolski, B., and Fabrycy, A. The photochromic effect of solid mercury dithiozonate solutions in macromolecular amorphous polymeric matrices. *Roczniki Chemii*. 1976; **49**:2077-2087.
178. Kubisa, P. Ion-ester equilibria in the polymerization of 1,3-dioxolane initiated by triphenylmethyl salts. *Bull Pol Acad Sci Chem* . 1976; **24**.
179. Michalski, J.; Radziejewski, C., and Skrzypczyński, Z. Evidence for a sulphene intermediate in the base hydrolysis of the methanesulphonic anhydrides of phosphinothioic acids. *J Chem Soc Chem Commun*. 1976:762-763.
180. Michalski, J.; Łopusiński, A.; Stec, W. J., and Fluck, E. Inhibitor-Effect von BF₃ auf die Umlagerung von O=P-SCN in O=P-NCS. *Z Naturforsch* . 1976; **31B**:1431-1433.
181. Mikołajczyk, M.; Costisella, B.; Grzejszczak, S., and Zatorski, A. Synthesis of O,S-thioacetals of formylphosphonates. *Tetrahedron Lett*. 1976:477.
182. Mikołajczyk, M. and Drabowicz, J. Asymmetric reduction of chiral sulfoxides by optically active lithium aluminium hydride complexes with alcohols. *Phosphorus, Sulfur and Silicon*. 1976; **1**:301.
183. ---. Optically stable thiosilphinate S-esters: asymmetric synthesis and nucleophilic substitution at sulphinyl

sulphur. J Chem Soc Chem Commun. 1976:220.

184. Mikołajczyk, M.; Drabowicz, J., and Bujnicki, B. Acid-catalysed conversion of sulphinamides into sulphinates. A new synthesis of optically active sulphinates. J Chem Soc Chem Commun. 1976:568.
185. Mikołajczyk, M.; Grzejszczak, S.; Midura, W. H., and Zatorski, A. Organosulfur compounds. X. Horner-Witting reaction in two-phase system in the absence of a typical phase-transfer catalyst. Synthesis. 1976:396.
186. Mikołajczyk, M.; Grzejszczak, S., and Zatorski, A. Organosulfur compounds. IX. NMR and structural assignments in α,β -unsaturated sulfoxides using additive increments method. Tetrahedron. 1976; **32**:969.
187. Mikołajczyk, M.; Grzejszczak, S.; Zatorski, A., and Młotkowska, B. A new general synthesis of ketene thioacetals. Tetrahedron Lett. 1976:2731.
188. Mikołajczyk, M.; Kielbasiński, P., and Schiebel, H. M. Organosulfur compounds VIII. Reaction of monothiocarboxylic acids with dicyclohexylcarbodiimide and other reactions leading to monothioanhydrides. J Chem Soc Perkin 1. 1976:564-569.
189. Mikołajczyk, M.; Witczak, M.; Wieczorek, M. W.; Bokij, N. G., and Struchkov, Y. T. Stereochemistry of organophosphorus compounds. IV. Synthesis and geometrical isomerism in cyclic five-membered phosphorus thioacids. Crystal and molecular structure of imidazolium salt of cis-2-hydroxy-4-methyl-1,3,2-dioxaphospholan-2-thione. J Chem Soc Perkin 1. 1976:371.
190. Okruszek, A. Procesy permutacyjnej izomeryzacji połączeń pięciowiązalnego fosforu. Wiadomości Chemiczne. 1976; **30**:747-762.
191. Okruszek, A. and Stec, W. J. The axial preference of fluorine atom in 2-fluoro-4-methyl-1,3,2-dioxaphosphorinanyl ring system. Z Naturforsch . 1976; **31b**:354-360.
192. Omelańczuk, J. and Mikołajczyk, M. Stereochemistry of nucleophilic substitution at the optically active trivalent phosphorus atom. J Chem Soc Chem Commun. 1976:1025.
193. Pakuła, T. and Kryszewski, M. Determination of the temperature dependence of spherulite growth rate in low density polyethylene using the small angle light scattering. Europ Polym J. 1976; **12**:47-51.
194. Pakuła, T.; Kryszewski, M., and Pluta, M. The dynamic of spherulite deformation in relation to the morphological parameters. Polymer Preprints. 1976; **17**:112 .
195. Pakuła, T.; Kryszewski, M., and Soukup, Z. Determination of spherulite size distribution by small angle light scattering. Europ Polym J. 1976; **12**:41-45.
196. Penczek, S. Polymerization of cyclic ethers of phosphoric acid. Pure & Appl Chem. 1976; **48**:363.
197. Penczek, S. and Matyjaszewski, K. Ions and macroesters in the living cationic polymerization of THF. J Polym Sci Polym Symp. 1976; **56**:255.
198. Stańczyk, W. A. and Chojnowski, J. Cleavage of α -halosubstituted alkyl groups from silicon. general base catalysis in silicon-carbon bond cleavage. J Organomet Chem. 1976; **117**:219.
199. Stec, W. J.; Kinas, R., and Okruszek, A. Configurational assignments to 2-X-2-Y-4-methyl-1,3,2-dioxaphosphorinans. Z Naturforsch . 1976; **31b**:393-395.

200. Stec, W. J. and Lesiak, K. A novel route to 1-aminoalkylphosphonic acids. *J Org Chem.* 1976; **41**:3757.
201. Stec, W. J.; Okruszek, A.; Lesiak, K.; Uznański, B., and Michalski, J. New synthesis of S(Se)-alkylphosphorothio(seleno)lates from the corresponding phosphoroanilidates. Stereospecific cleavage of the phosphorus-nitrogen bond in chiral phosphoroanilidates. *J Org Chem.* 1976; **41**:227-233.
202. Stec, W. J.; Okruszek, A., and Michalski, J. Organophosphorus compounds of sulfur and selenium. Stereochemistry of oxidation of thiono- and selenophosphoryl compounds with hydrogen peroxide. *J Org Chem.* 1976; **41**:233-238.
203. Stec, W. J.; Uznański, B.; Bruzik, K. B., and Michalski, J. Protic acid catalyzed thiono-thiolo rearrangements of phosphorus esters. *J Org Chem.* 1976; **41**:1291-1293.
204. Szymański, R.; Wieczorek, H.; Kubisa, P., and Penczek, S. New synthetic route to trialkyloxonium salts: alkylation of ethers. *J Chem Soc Chem Commun.* 1976:33.
205. Słomkowski, S. and Penczek, S. Influence of dibenzocrown ether on the kinetics of anionic polymerization of propiolactone. *Macromolecules.* 1976; **9**:367.
206. Wieczorek, M. W.; Karolak-Wojciechowska, J.; Goliński, B.; Bartczak, T. J.; Mikołajczyk, M., and Witczak, M. Imidazolium salt of DL-2-hydroxy-4,5-dimethyl-1,3,2-dioxaphospholan-2-thione. $C_7H_{13}NO_2O_3PS$. *Crystal Structure Commun.* 1976:739.
207. Wróbel, A. M.; Kryszewski, M., and Gazicki, M. Mechanism of polysilazane thin films formation during glow discharge polymerization of hexamethylcyclotrisilasane. *Polymer.* 1976; **17**:673.
208. ---. Structure of glow discharge polysilazane thin films. *Polymer.* 1976; **17**:679.
209. Zieliński, W. S.; Leśnikowski, Z. J., and Stec, W. J. New approach to the synthesis of nucleoside phosphorothioates. *J Chem Soc Chem Commun.* 1976:772.
210. Adamiak, D. A.; Kinas, R.; Saenger, W., and Stec, W. J. Absolute Konfiguration des cancerostaticums S(-)-cyclophosphamid (Cytosan, Endoxa, NSC-26271). *Angew Chem.* 1977; **89**:336.
211. ---. X-ray diffraction study and determination of absolute configuration of the anticancer drug S(-)-cyclophosphamide (Endoxan, Cytosan, NCS-26271). *Z Naturforsch.* 1977; **32c**:672.
212. Binkowski, J. and Giziński, S. Untersuchung der Absorption der bei der Verbrennung phosphororganischer Verbindungen entstehenden P-oxide mittels ^{32}P -markierten Verbindungen. II. *Mikrochim Acta.* 1977; **II**:487.
213. Binkowski, J. and Rudnicki, A. Elementaranalyse phosphoroorganischer Verbindungen. VII. Phosphorbestimmung in selenhaltigen Substanzen. *Mikrochim Acta.* 1977:371.
214. Brzezińska, K.; Chwiałkowska, W.; Kubisa, P.; Matyjaszewski, K., and Penczek, S. Ion-trapping in cationic polymerizations. *Makromol Chem.* 1977; **178**:2491.
215. Chojnowski, J.; Cypriak, M.; Fortuniak, W., and Michalski, J. Methods of synthesis of O,O-bis(trimethylsilyl) phosphorothiolates. *Synthesis.* 1977:683-686.
216. Chojnowski, J.; Wilczek, L., and Fortuniak, W. The mechanism of the hydride transfer from silicon to the carbonium ion in a weakly nucleophilic medium. *J Organomet Chem.* 1977; **135**:13.
217. Chojnowski, J.; Ścibiorek, M., and Kowalski, J. Mechanism of the formation of macrocycles during the

cationic polymerization of cyclotrisiloxanes - end to end ring closure *versus* ring expansion. Makromol Chem. 1977; **178**:1351.

218. Cox, P. J.; Farmer, P. B.; Foster, A. B.; Griggs, L. J.; Jarman, M.; Kinas, R.; Pankiewicz, K., and Stec, W. J. Application of deuterium labelling. Mass spectrometry in a study of the metabolism of the enantiomers of cyclophosphamide. Biomed Mass Spectrom. 1977; **4**:371.
219. Farmer, P. B.; Jarman, M.; Facchinetti, T.; Pankiewicz, K., and Stec, W. J. The metabolism and antitumor activity of the enantiomers of cis- and trans-4-methylcyclophosphamide. Chem Biological Interactions . 1977; **18**:47.
220. Gazicki, M.; Wróbel, A. M., and Kryszewski, M. Studies on soluble fraction of glow discharge polysilazane formed from hexamethylcyclotrisilazane. J Appl Polym Sci. 1977; **21**:2013.
221. Gałdecki, Z.; Głównka, M. L.; Michalski, J.; Okruszek, A., and Stec, W. J. P-Methyl-P-phenylpropylphosphine selenide. Acta Crystallogr. 1977; **B33**:2322-2324.
222. Gałęski, A.; Kastelic, J.; Baer, E., and Kohn, R. R. Mechanical and structural changes in rat tail tendon induced by diabetes mellitus and aging. J Biomechanics. 1977; **18**:775.
223. Gałęski, A.; Milczarek, P., and Kryszewski, M. Heart conduction in two-dimensional spherulite. J Polym Sci B: Polym Phys. 1977; **15**:1267.
224. Gałęski, A.; Pakuła, T., and Kryszewski, M. Small angle light scattering from helically twisted fibers. J Polym Sci Polym Symp. 1977; **61**:35.
225. Gogolczyk, W.; Słomkowski, S., and Penczek, S. Ion -pair dissociation equilibria for trityl AsF₆ - and SbF₆⁻ in polar solvents. J Chem Soc Perkin 2. 1977:1729.
226. Kałużyński, K.; Libiszowski, J., and Penczek, S. Poly(2-hydro-2-oxo-1,3,2-dioxaphosphorinane). Preparation and NMR spectra. Makromol Chem. 1977; **178**:2943.
227. Kinas, R.; Pankiewicz, K.; Stec, W. J.; Farmer, P. B.; Foster, A. B., and Jarman, M. Synthesis and absolute configuration of the optically active forms of 2-[bis(2-chloroethyl)amino]-4-methyltetrahydro-2-H-1,3,2-oxazaphosphorine 2-oxide(4-methylcyclophosphamide). J Org Chem. 1977; **42**:1650.
228. Kowalski, J. and Lasocki, Z. Structure of disilylacetamides. J Organomet Chem. 1977; **128**:37.
229. Kowalski, J.; Ściabiorek, M., and Chojnowski, J. Correlation of the response factors of thermal conductivity detector with molecular weight for methylsiloxanes *versus* ring expansion. J Chrom. 1977; **130**:351.
230. Krawczyk, E.; Michalski, J.; Pakulski, M., and Skowrońska, A. Novel five-coordinate phosphorus system *via* oxidative addition of pseudohalogens to organic phosphites. Tetrahedron Lett. 1977:2019-2022.
231. Kubisa, P. Kinetics of nucleophilic substitution in the 1,3-dioxolan-2-yl cation. Bull Pol Acad Sci Chem . 1977; **25**.
232. ---. Kinetics of polymerization of 1,3-dioxolan initiated by C₆H₅CO⁺SbF₆⁻ and (C₆H₅)₃C⁺SbF₆⁻ salts. J Macromol Sci Chem. 1977; **A 11**:2247.
233. Kubisa, P. and Penczek, S. ¹H NMR studies of the 1,3-dioxolan (C₂H₅)₃O⁺SbF₆⁻ system, end groups and structure of the active species. Macromolecules. 1977; **10**:1216.

234. Lesiak, K. and Stec, W. J. Synthesis of asymmetric S,S,S,-trialkyl phosphorotrithioates. *Synthetic Commun.* 1977;339.
235. Matyjaszewski, K. and Penczek, S. Influence of concentration of living ends on the equilibrium between macroesters and macroions in the cationic polymerization of THF. *J Polym Sci A: Polym Chem.* 1977; **15**:247.
236. Mazurek, M. and Chojnowski, J. Anionic polymerization of siloxanes. II. Internal multifunctional assistance of siloxane system to the siloxane bond cleavage by alkali metal silanolates. *Makromol Chem.* 1977; **178**:1005.
237. Michalski, J. New aspects of organophosphorus-sulphur chemistry. Synthesis of phosphinyl sulphenyl chlorides and their reactions as an example. 1st International Congress on Phosphorus Compounds; Rabat. 1977: 63-71.
238. Michalski, J. and Skrzypczyński, Z. Novel reaction of phosphinothioic metanesulphonic anhydride with aluminium halides. Stereoselective synthesis of phosphonothioic halides. *J Chem Soc Chem Commun.* 1977:66-67.
239. Mikołajczyk, M.; Bujnicki, B., and Drabowicz, J. Inversion of the sulphinamide configuration. *Bull Pol Acad Sci Chem* . 1977; **XXV**:267.
240. Mikołajczyk, M.; Kielbasiński, P.; Barlow, J. H., and Russell, D. R. Reaction between dithioacetic acid and dicyclohexyl-carbodiimide-structure of products. Crystal and molecular structure of trans-2,4-dimethyl-2,4-bis-thioacetylthio-1,3-dithietane. *J Org Chem.* 1977; **42**:2345-2347.
241. Mikołajczyk, M.; Kielbasiński, P., and Goszczyńska, Z. Direct observation, isolation and structure of 1:1 adducts from carbodiimides and dialkyl phosphorothio(seleno)ic acids. *J Org Chem.* 1977; **42**:3629-3630.
242. Mikołajczyk, M.; Krzywański, J., and Ziemnicka, B. Stereochemistry of organophosphorus cyclic compounds. VI. Stereochemistry of the reaction between sulfenyl chlorides and trivalent phosphorus compounds. *J Org Chem.* 1977; **42**:190.
243. Mikołajczyk, M. and Witczak, M. Stereochemistry of organophosphorus cyclic compounds. V. Synthesis and configuration of geometrical isomers of some 4,5-distributed 1,3,2-dioxaphospholan-2-thiones and stereochemistry of nucleophilic displacement reactions at phosphorus. *J Chem Soc Perkin 1.* 1977:2213.
244. Młotkowska, B.; Gross, H.; Costisella, B.; Mikołajczyk, M.; Grzejszczak, S., and Zatorski, A. α -Substituierte Phosphonate. XXIII. Synthese von offenkettigen und cyclischen S,S-Acetalen des Formylphosphonsäureesters. *Journal Für Praktische Chemie.* 1977; **319**:17.
245. Okruszek, A. Stereochemiczne aspekty udziału pięciowiązalnych związków pośrednich w reakcjach podstawienia nukleofilowego przy czterokoordinacyjnym atomie fosforu. *Wiadomości Chemiczne.* 1977; **31**(8):503-522.
246. Okruszek, A.; Stec, W. J., and Harris, R. K. The axial/equatorial preference of the diphenylphosphino group bonded to the phosphorus of a 2-oxo-1,3,2-dioxaphosphorinanyl ring. *Org Magn Res.* 1977; **9**:497-498.
247. Pakuła, T. and Kryszewski, M. Analyse und Deutung der mechanischen eigenschaften von heterogenen hochmolecular Stoffen unter Anwendung von mechanischen Modellen. *Plaste Und Kautschuk.* 1977; **24**:761.

248. Pakuła, T.; Kryszewski, M., and Pluta, M. Mechanical and rheo-optical studies of the low-density polyethylene dynamic deformation. *Europ Polym J.* 1977; **13**:141 .
249. Sikorski, R. T.; Kowalczyk, M.; Krzywański, J., and Mikołajczyk, M. ¹H NMR Spectroscopic studies on the reaction of methoxymethylisocyanate with alcohols and the side reactions. *Makromol Chem.* 1977; **178**:2763.
250. Stec, W. J. and Okruszek, A. Mechanism of the reaction between tertiary phosphines and hydroxylamine derivatives. *J Chem Res (S).* 1977:142-143.
251. Stolarczyk, A.; Kubisa, P., and Penczek, S. Polymerization of 1,3--dioxolan initiated with 1,3-dioxolenium salts: dual role of the ambident initiator. *J Macromol Sci Chem.* 1977; **A 11**:2047.
252. Tyczkowski, J. and Kryszewski, M. The kinetics of formation of the coloured forms in glassy photochromic spiropyrans. *Roczniki Chemii.* 1977; **51**:89.
253. Zieliński, M. and Kryszewski, M. Thermal sampling technique for the thermal stimulated discharge in polymers - model calculations. *Phys Stat Sol A.* 1977; **42**:305.
254. Zieliński, M. and Samoć, M. Investigation of Poole-Frenkel effect by thermally stimulated current techniques. *J Phys D: Appl Phys.* 1977; **10**:L 105.
255. Zieliński, W. S. and Stec, W. J. Stereospecific synthesis of thymidine cyclic 3',5'- (Sp)⁻ and (Rp)-phosphorothioates. *J Am Chem Soc.* 1977; **99**:8365.
256. Łapienis, G. and Penczek, S. Cationic polymerization of 2-alkoxy-2-oxo-1,3,2-dioxaphosphorinanes (1,3-propylene alkyl phosphate). *Macromolecules.* 1977; **10**:1301.
257. ---. Kinetics and thermodynamics of anionic polymerization of 2-methoxy-2-oxo-1,3,2-dioxaphosphorinane. *J Polym Sci A: Polym Chem.* 1977; **15**:371.
258. Łopusiński, A.; Michalski, J., and Stec, W. J. Synthese, Chemie und Stereochemie von Phosphororganischer Thiocyanaten P(X)SCN und Isothiocyanate P(X)NCS. Umlagerung der Thio- in die Isothiocyanate. *Justus Liebigs Annalen Der Chemie.* 1977:924-947.
259. Abel, G. ; Cox, P. J.; Farmer, P. B.; Haskins, N. J.; Jarman, M.; Merai, K., and Stec, W. J. Isolation and identification of a metabolic intermediate in the selective dechloroethylation on one of the four stereoisomerie of 4-methylcyclophosphamide. *Cancer Res.* 1978; **38**:2592.
260. Brzezińska, K.; Matyjaszewski, K., and Penczek, S. Macroion-pairs and macroions in the kinetics of polymerization of hexamethylene oxide (oxepane). *Makromol Chem.* 1978; **179**:2387.
261. Burski, J.; Kieszkowski, J.; Michalski, J.; Pakulski, M., and Skowrońska, A. Novel synthesis of isothiocyanatophosphoranes and isothiocyanatophosphonium salts *via* ligand substitution. Versatile reagents for converting hydroxyl groups into thiocyanate and isothiocyanate functions. *J Chem Soc Chem Commun.* 1978:940-941.
262. Carpino, L. A.; Williams, J. K., and Łopusiński, A. Polymeric de-blocking agents for the fluoren-9-ylmethoxycarbonyl (Fmoc) amino-protecting group. *Chem Commun.* 1978:450.
263. Chojnowski, J.; Cypryk, M., and Michalski, J. The nature of interaction between HMPT and trimethylhalosilanes; cations containing tetravalent silicon as possible intermediates in nucleophile-induced substitution of silicon halides. *J Organomet Chem.* 1978; **161**:C31-C35.

264. ---. The selective displacement of O-alkyl by trialkylsilyl in some derivatives of acids of phosphorus. *Synthesis*. 1978:777-779.
265. Cox, P. J.; Farmer, P. B.; Jarman, M.; Kinas, R., and Stec, W. J. Stereoselectivity in the metabolism of the enantiomers of cyclophosphamide in mice, rats and rabbits. *Drug Metabolism Disp.* 1978; **6**:617.
266. Drabowicz, J. and Mikołajczyk, M. Organosulfur compounds. XIX. A facile and selective oxidation of organic sulphides to sulfoxides with hydrogen peroxide/selenium dioxide system. *Synthesis*. 1978:758.
267. ---. Organosulfur compounds XV. A rapid and mild reduction of sulfoxides with titanium (II) chloride. *Synthesis*. 1978:138.
268. ---. Organosulfur compounds. XVII. An iodine-catalysed reduction of sulfoxides by formamidisulphinic acid. *Synthesis*. 1978:542.
269. Gałęski, A. Analiza obrazów mikroskopowych. Cz. I. Efekty instrumentalne. *Polimery*. 1978; **23**: 241.
270. ---. Analiza obrazów mikroskopowych. II. Ilościowa analiza obrazów mikroskopowych. *Polimery*. 1978; **23**:385.
271. ---. DC-electric field influence on crystallization of low molecular weight poly (ethylene oxide). *SCI Pap of the Inst of Organic and Physical Chemistry, Tech Univ Wrocław*. 1978; **16**:121.
Notes: Electrical and related properties of organic solids
272. Ishmaeva, E. A.; Pacanovskij, I. I.; Mikołajczyk, M.; Ziemnicka, B.; Krzywański, J., and Pudovik, A. Polarizability of the P-F and P-Br bonds. *Dokłady Akademii Nauk*. 1978; **242**: 620.
273. Ishmaeva, E. A.; Pacanovskij, I. I.; Stec, W. J.; Uznański, B., and Pudovik, A. N polarity, polarizability and conformation of phosphorocyanatides. *Dokl Acad Nauk SSSR*. 1978; **240**:1361.
274. Kapur, S.; Matsushige, K.; Gałęski, A., and Baer, E. The effect of pressure and environment on the fracture and yield of polymers. *Advances in research on the strength and fracture of materials*. New York: DNR Taplin Ed; 1978; pp. 1076-1086.
275. Kastelic, J.; Gałęski, A., and Baer, E. The multicomposite structure of teudon. *J Connect Tissue Res*. 1978; **6**:11.
276. Kinas, R.; Pankiewicz, K.; Stec, W. J.; Farmer, P. B.; Foster, A. B., and Jarman, M. The synthesis of the optical isomers of 2-(2-chloroethylamino)-3-(2-chloroethyl)tetrahydro-2-H-1,3,2-oxazaphosphorine 2-oxide(isophosphamide). *Bull Pol Acad Sci Chem* . 1978; **26**:39.
277. Kinas, R.; Stec, W. J., and Kruger, C. The molecular structure of cis-2-t-butylamino-2-seleno-4,4,6-trimethyl-1,3,2-dioxaphosphorinane C₁₀H₂₂NO₂PSe, an example of the twist-boat conformation. *Phosphorus and Sulfur*. 1978; **4**:295.
278. Kotyński, A. and Stec, W. J. Synthesis of 1-aminoethylphosphonic acid. *Polish J Chem*. 1978; **52**:659.
279. ---. Synthesis of enantiomers of 1-amino-2-phenylethylphosphonic acid. *J Chem Res (S)*. 1978:41.
280. Kowalski, J.; Lasocki, Z.; Eaborn, C., and Walton, D. R. M. Mechanism of solvolysis of N,N-bis(halogenomethyl)dimethylsilyl/ acetamides. *J Organomet Chem*. 1978; **146**:121.
281. Kryszewski, M. Doped amorphous inorganic semiconductors and amorphous organic materials-similarities

and contrast. Electrical Properties of Organic Solids. 1978; **16**:347.
Notes: Sci Pap of the Inst of Organic and Physical Chem, Wrocław, Techn Univ

282. ---. Einige Probleme der elektrischen Leitfähigkeit von amorphen Polymeren-Mischungen mit niedermolekularen Verbindungen. Wiss Zeitschr Pedagog Hochschule. 1978; **14**:27.
Notes: Erfurt
283. Kryszewski, M. and Brehmer, H. Ladungs trägerbeweglichkeit in ieder und hochmolekularen organischen Festkörper.
Teil I. Niedermolekulare organische Festkörper. Faserforschung Und Textiltechnik. 1978; **29**:501.
284. Kryszewski, M. and Brehmer, H. Ladungs trägerbeweglichkeit in ieder und hochmolekularen organischen Festkörper. Teil II. Polymerfestkörper. Faserforschung Und Textiltechnik. 1978; **29**:552 .
285. Kryszewski, M. and Nadolski, B. The degradation anthracene - doped polymers by singled oxygen. Randy, B. and Rabels, J. F., Eds. Singled oxygen - reaction with organia comp. and polymers. New York: Wiley; 1978; p. 244.
286. Kryszewski, M.; Pakuła, T.; Gałęski, A.; Milczarek, P., and Pluta, M. Über einige Ergebnisse der Untersuchung der Korrelation der Morphologie und mechanischen Eigenschaften in Kristallinen Polymeren. Faserforschung Textil Technik Z Für Polymers. 1978; **29**:76.
287. Kryszewski, M.; Wróbel, A. M., and Tyczkowski, J. Plasma polymerized thin polyorganosilicon films - preparation and properties. Polymer Preprints. 1978; **19**:457 .
288. Krzyżanowska, B. and Stec, W. J. A new approach to the synthesis of primary amines, isothiocyanates and 1-aminoalkanephosphonates *via* N-phosphinyl aldoximes and ketoximes. Synthesis. 1978:521.
289. Kubisa, P. Reakcje elementarne w polimeryzacji cyklicznych acetalu. Zeszyty Naukowe Politechniki Łódzkiej . 1978; 5:1.
Notes: Rozprawy Naukowe
290. Kubisa, P. and Penczek, S. Kinetics and mechanism of the polymerization of cyclic acetals 5. Spectroscopic studies of the polymer end groups in poly(1,3-dioxolane). Makromol Chem. 1978; **179**:445.
291. Kudzin, Z. H. and Stec, W. J. Synthesis of 1-aminoalkanephosphonates *via* thioureidoalkanephosphonates. Synthesis. 1978:469.
292. Lasocki, Z. and Kowalski, J. Rate studies of silylation with silylamides. J Organomet Chem. 1978; **152**:45.
293. Lesiak, K. and Stec, W. J. The stereochemistry of P-N bond cleavage in the Staudinger-Witting type reaction of 2-anilido-3,4-dimethyl-5- phenyl-1,3,2-oxazaphospholidine-2-thiones. Z Naturforsch . 1978; **33b**:782.
294. Leśnikowski, Z. J.; Smrt, J.; Stec, W. J., and Zieliński, W. S. A new route to O,O-dinucleoside esters of phosphorothionic acid. Bull Pol Acad Sci Chem . 1978; **26**:661.
295. Leśnikowski, Z. J.; Stec, W. J., and Zieliński, W. S. Synthesis of P-enantiomeric deoxyadenosine cyclic 3,5-phosphorothioates. Nucl Acid Res Special Publ. 1978; **4**:49.
296. Libiszowski, J.; Kałużyński, K., and Penczek, S. Polymerization of cyclic esters of phosphoric acid. VI. Poly(alkyl ethylene phosphates). Polymerization of 2-alkoxy-2-oxo-1,3,2-dioxaphospholanes and structure of polymers. J Polym Sci A: Polym Chem. 1978; **16**:1275.

297. Mastriukova, A.; Michalski, J.; Uriupin, A. B.; Skrzypczyński, Z., and Kabaczniak, M. I. O reakcji selenokisłot fosfora z diazoacetonom. *Zh Obshch Khim.* 1978; **48**:463.
298. Mazurek, M. and Chojnowski, J. Cross-aggregation of active centres in a model anionic polymerization system. The kinetics of the reactions. *Macromolecules.* 1978; **11**(2):347.
299. Michalska, M.; Michalski, J., and Orlich, I. Glycosylation of organic thio- and selenoacids of phosphorus. The reaction of organic monothio acids of phosphorus with glycosyl bromides. Thiono-thiolo rearrangement of glycosyl phosphorothiolates. *Tetrahedron.* 1978; **34**:617-622.
300. Michalska, M.; Orlich-Krężel, I., and Michalski, J. Glycosylation of organic phosphorus thio- and selenoacids. II. The reaction of organic phosphorus thioselenoacids with glycosyl bromides under kinetically and thermodynamically controlled conditions. *Tetrahedron.* 1978; **34**:2821-2824.
301. Michalski, J. Organic sulfur-phosphorus compounds. VIII th International Symposium in Organic Sulphur Chemistry; Portoraz. 1978: 261-288.
302. Michalski, J.; Mikołajczak, J.; Pakulski, M., and Skowrońska, A. The stereochemistry of dealkylation step in the Arbuzov reaction involving five-coordinate intermediate. Evidence for equilibrium between phosphorane and phosphonium species. *Phosphorus and Sulfur.* 1978:233-234.
303. Michalski, J.; Mikołajczak, J., and Skowrońska, A. Chemistry of thiono- and selenophosphoranes. A mechanistic study of chlorination reactions of phosphorus thionoesters P(S)OR. Reactive intermediates and stereochemistry. *J Am Chem Soc.* 1978; **100**:5386-5390.
304. Michalski, J.; Reimschuessel, W., and Kamiński, R. Organiczeskie monotiropirofosfaty. *Usp Chim.* 1978; **47**:1528-1540.
305. Mikołajczyk, M. and Drabowicz, J. Organosulfur compounds. XIII. Optical resolution of chiral sulfinyl compounds *via* β -cyclodextrin inclusion complexes. *J Am Chem Soc.* 1978; **100**:2510.
306. Mikołajczyk, M.; Grzejszczak, S.; Zatorski, A.; Młotkowska, B.; Gross, H., and Costisella, B. Organosulfur compounds XVIII. A new and general synthesis of ketene S,S- and O,S-thioacetals based on the Horner-Witting reaction. *Tetrahedron.* 1978; **34**:3081.
307. Mikołajczyk, M.; Midura, W. H.; Grzejszczak, S.; Zatorski, A., and Chęćzyńska, A. Organosulfur compounds. XII. α -Phosphoryl sulfoxides. III. Dimethylphosphorylmethyl p-tolyl sulfoxide-resolution, stereospecific synthesis and the Horner-Witting reaction. A new synthesis of optically active α,β -unsaturated sulfoxides. *J Org Chem.* 1978; **43**:473.
308. Mikołajczyk, M.; Omelańczuk, J.; Leitloff, M.; Drabowicz, J.; Ejchart, A., and Jurczak, J. ^1H , ^{31}P and ^{13}C Nuclear Magnetic Resonance nonequivalence of diastereomeric salts of chiral phosphorus thioacids with optically active amines. A method for determining the optical purity and configuration of chiral phosphorus thioacids. *J Am Chem Soc.* 1978; **100**:7003.
309. Mikołajczyk, M.; Zatorski, A.; Grzejszczak, S.; Costisella, B., and Midura, W. H. Organosulfur compounds. XVI. α -phosphoryl sulfoxides. 4. The Pummerer rearrangements of α -phosphoryl sulfoxides and asymmetric induction in the transfer of chirality from sulfur to carbon. *J Org Chem.* 1978; **43**:2513.
310. Mikołajczyk, M. and Łuczak, J. Organosulfur compounds. XIV. Dimethyl selenoxide oxidation of trivalent phosphorus compounds, thio- and selenophosphoryl compounds and thiocarbonyl compounds. Stereochemical studies and selective modification of the thiocarbonyl nucleic acid compounds. *J Org Chem.* 1978; **43**:2132.

311. Milsted, R. A. V.; Jarman, M.; Smyth, J. F.; Kinas, R.; Pankiewicz, K., and Stec, W. J. Comparative metabolism of cyclophosphamide and its enantiomers in man. *Proc Amer Assoc Cancer Res.* 1978; **19**:50.
312. North, A. M.; Pethrick, R. A.; Kryszewski, M., and Nadolski, B. Solvent effects on the lowest singlet - singlet transition in chlorophylls A and B. *Acta Phys Polonica A.* 1978; **A 54**:797.
313. Pakuła, T.; Grębowicz, J., and Kryszewski, M. Wpływ struktury fazowej mieszanin polimerów na niektóre ich własności mechaniczne. *Polimery.* 1978; **23**:425.
314. Pakuła, T.; Pluta, M., and Kryszewski, M. Wpływ morfologii na własności lepkosprężyste polietylenu. *Polimery.* 1978; **23**:286.
315. Penczek, S.; Ślęzak, R., and Duda, A. Anionic copolymerization of elemental sulfur. *Nature.* 1978; **273**:738.
316. Stec, W. J. and Uznański, B. Synthesis of dialkyl phosphoroselenocyanatides and their rearrangement to dialkyl phosphoroiselenocyanatides. *Synthetic Commun.* 1978; **8**:473.
317. Tyczkowski, J.; Zieliński, M., and Kryszewski, M. On the mechanism of electrical conduction in glow discharge polysilazane films. *Thin Solid Films.* 1978; **55**:253 .
318. Uznański, B. and Stec, W. J. An improved preparation of trimethylsilyl cyanide. *Synthesis.* 1978:154.
319. Wieczorek, M. W.; Karolak-Wojciechowska, J.; Mikołajczyk, M., and Witczak, M. Stereochemistry of organophosphorus cyclic compounds. Part 7. The structure of imidazolium salt of 2-hydroxy-1,3,2-dioxaphospholan-2-thione. *Acta Crystallogr.* 1978; **B34**:3138.
320. Wieczorek, M. W.; Karolak-Wojciechowska, J.; Mikołajczyk, M.; Witczak, M., and Sheldrick, W. S. Stereochemistry of organophosphorus cyclic compounds. Part 8. Imidazole complex of 2-hydroxy-4,4,5,5-tetramethyl-1,3,2-dioxaphospholan-2-thione. *Acta Crystallogr.* 1978; **B34**:3414.
321. Wieczorek, M. W.; Sheldrick, W. S.; Karolak-Wojciechowska, J.; Mikołajczyk, M., and Ziemnicka, B. Stereochemistry of cyclic organophosphorus compounds. Part 10. The crystal and molecular structures of axial-equatorial and axial-axial bis-(4,6-dimethyl-2-thio-1,3,2-dioxaphosphorinane) oxide. *Acta Crystallogr.* 1978; **B35**:2339.
322. Wróbel, A. M. and Kryszewski, M. Effect of glow-discharge conditions on structure and thermal properties of polysilazane thin films. *J Macromol Sci Chem.* 1978; **A 12**:1041.
323. ---. Thermal modification of plasma polymerized organosilazane thin films. *Polymer Preprints.* 1978; **19**:521.
324. Wróbel, A. M.; Kryszewski, M.; Rakowski, W.; Okoniewski, M., and Kubacki, Z. Effect of plasma treatment on surface structure and properties of polyester fabric. *Polymer.* 1978; **19**:908.
325. Zielińska, B. and Stec, W. J. Mass spectrometric fragmentation of some diastereoisomeric 4-methyl-1,3,2-dioxaphosphorinanes. *Org Mass Spectrom.* 1978; **13**:65.
326. Zieliński, M.; Jeszka, J. K., and Kryszewski, M. The TDS calculations for the many body model of dielectric relaxation. *SCI Pap of the Inst of Organic and Physical Chemistry, Tech Univ Wrocław.* 1978; **16**:333.
Notes: Electrical and related properties of organic solids

327. Zieliński, M.; Kryszewski, M., and Sapieha, S. Thermally stimulated current in poly(n-vinylcarbazole). Annual Report Conf on Electrical Insulation and dielectric Phenomena Washington: Nat Acad of Science; 1978: 73.
328. Zieliński, M.; Świdorski, T., and Kryszewski, M. Electrical properties of amorphous and crystalline poly(n-vinyl-carbazol) by thermally stimulated currents with optical excitation. Wiss Zeitschr Pedagog Hochschule. 1978; **14**:93.
329. ---. Thermal sampling in polymers with distributed relaxations: PMMA. Polymer. 1978; **19**:883.
330. Baraniak, J.; Kinas, R.; Lesiak, K., and Stec, W. J. Stereospecific synthesis of adenosine 3',5'-(Sp)- and -(Rp)-cyclic phosphorothioates (cAMPS). J Chem Soc Chem Commun. 1979:940.
331. Baraniak, J.; Lesiak, K., and Stec, W. J. Assignment of absolute configuration at phosphorus in diastereoisomeric adenosine 3',5'-cyclic phosphorothioates (cAMPS). Polish J Chem. 1979; **53**:1387.
332. Binkowski, J. and Leśniak, E. Elementaranalyse phosphoroorganischer Verbindungen. VIII. Bestimmung von Chlor und Brom. Mikrochim Acta. 1979; **II**:383.
333. Borecka, B.; Chojnowski, J.; Cypryk, M.; Michalski, J., and Zielińska, J. Synthetic and mechanistic aspects of the reaction of trialkylsilyl halides with thio- and seleno-esters of phosphorus. J Organomet Chem. 1979; **171**:17-34.
334. Bruzik, K. B. and Stec, W. J. The stereochemistry of thiono-thiolo rearrangement of phosphorothioic esters. Part II. J Org Chem. 1979; **44**:4488.
335. Burgers, P. M. J.; Eckstein, F.; Hunneman, D. H.; Baraniak, J.; Kinas, R.; Lesiak, K., and Stec, W. J. Stereochemistry of hydrolysis of adenosine 3',5'-cyclic phosphorothioate by the cyclic phosphodiesterase from beef heart. J Biol Chem. 1979; **254**:9959.
336. Chojnowski, J. Mechanizm kationowej polimeryzacji siloksanów. Wykorzystanie badań oligomeryzacji do wyjaśnienia mechanizmów polireakcji. Polimery. 1979; **24**:285.
337. Chojnowski, J. and Wilczek, L. Mechanism of the polymerization of hexamethylcyclotrisiloxane /D₃/ in the presence of a strong protonic acid. Makromol Chem. 1979; **180**:117.
338. Drabowicz, J.; Midura, W. H., and Mikołajczyk, M. Organosulfur compounds. XX. A convenient procedure for oxidation of sulphides to sulphoxides by bromide/aqueous potassium hydrogen carbonate reagent in a two phase system. Synthesis of ¹⁸O-sulphoxides. Synthesis. 1979:39.
339. Gałdecki, Z.; Głowska, M. L.; Bodalski, R., and Pietrusiewicz, K. M. Crystal structure and conformation of methyl 2-methyl-3-benzyl(phenyl)-phosphinyl/butyrate. J Chem Soc Perkin 2. 1979:1720-1722.
340. Gałęski, A. and Piórkowska, E. Relationship between primary nucleation and spherulite size distribution. 26 IUPAC Int Symp on Macromolecules; 1979: 1330.
341. Grębowicz, J.; Pakuła, T.; Kryszewski, M., and Pelzbauer, Z. SEM studies on helically oriented polypropylene fibres. Polymer. 1979; **20**:1281.
342. Jarman, M.; Cox, P. J.; Farmer, P. B.; Foster, A. B.; Milsted, R. A. V.; Kinas, R., and Stec, W. J. The use of deuterium-labeled analogs in a study of the metabolism of the enantiomers of cyclophosphamide. Klein, E. R. and Klein, P. D., Eds. Proceedings of the Third International Conference "Stable Isotopes" New York: Academic Press; 1979: 363.

343. Jarman, M.; Milsted, R. A. V.; Smyth, J. F.; Kinas, R.; Pankiewicz, K., and Stec, W. J. Comparative metabolism of 2[bis(2-chloroethyl)-amino]-tetrahydro-2H-1,3,2oxazaphosphorine-2-oxide (cyclophosphamide) and its enantiomers in humans. *Cancer Res.* 1979; **39**:2765.
344. Jarman, M. and Stec, W. J. Formation of diastereoisomeric derivatives from the enantiomers of the antitumor agent cyclophosphamide by reaction with 1-phenethyl alcohol, and their separation by thin-layer chromatography. *J Chrom.* 1979; **176**:440.
345. Jeszka, J. K.; Zieliński, M., and Kryszewski, M. Model TSC calculations from amorphous materials. Wada, Y.; Perlman, M. M., and Kokado, H., Eds. *Charge storage, charge transport and electrostatics with their applications.* Amsterdam: Elsevier; 1979.
346. Karolak-Wojciechowska, J.; Wieczorek, M. W.; Mikołajczyk, M.; Kielbasiński, P.; Struchkov, Y. T., and Antipin, M. Y. Organosulfur compounds. XXI. The crystal structure of N-diphenylphosphoryl-N,N'-dibenzyl thiourea. *Acta Crystallogr.* 1979; **B35**:877-881.
347. Kałużyński, K. and Penczek, S. Anionic polymerization of 2-hydro-2-oxo-1,3,2-dioxaphosphorinane. Thermodynamics. *Makromol Chem.* 1979; **180**:2289.
348. Kotyński, A.; Lesiak, K., and Stec, W. J. New synthesis and assignment of absolute configuration of enantiomers of O,S-dimethyl phosphorodithioate. *Polish J Chem.* 1979; **53**:2403.
349. Kowalski, J.; Stańczyk, W. A., and Chojnowski, J. Kierunki zastosowań związków cynoorganicznych w chemii polimerów. Część II. Polimery cynoorganiczne. *Polimery.* 1979; **24**:185.
350. Kryszewski, M. The effect of modification of supermolecular structure on the properties of polymers. *Pure & Appl Chem.* 1979; **51**:2395.
351. Kryszewski, M.; Ulański, J., and Gałęski, A. Mechanical properties of polycarbonate antiplasticized with a charge - transfer complex. *J Appl Polym Sci.* 1979; **23**:1271.
352. Kryszewski, M.; Wróbel, A. M., and Tyczkowski, J. Plasma polymerized organosilicon thin film structure and properties. Shen, M. and Bell, A. T., Eds. *Plasma polymerization.* Washington: ACS; 1979; p. 220.
353. Kubisa, P.; Matyjaszewski, K.; Szymański, R.; Brzezińska, K.; Chwiałkowska, W., and Penczek, S. Zastosowanie spektroskopii magnetycznego rezonansu jądrowego w badaniu mechanizmów polimeryzacji. *Polimery.* 1979; **24**:270.
354. Kubisa, P. and Penczek, S. Determination of secondary and tertiary oxonium ions in the polymerization of cyclic acetals initiated by HOSO_2CF_3 . *Makromol Chem.* 1979; **180**:1821.
355. Lesiak, K.; Leśnikowski, Z. J.; Stec, W. J., and Zielińska, B. A new approach to synthesis of organic phosphoroselenoates and phosphorodiselenoates. Proof of absolute configuration assignment in enantiomers of cTMPS. *Polish J Chem.* 1979; **53**:2041.
356. Lesiak, K.; Stec, W. J., and Zieliński, W. S. Synthesis of 5'-O-(R,S)-(1-aminoethane-1-phosphonyl)uridine and -adenosine. *Polish J Chem.* 1979; **53**:327.
357. Markowska, A.; Olejnik, J., and Michalski, J. Reaction of orthophosphoric acid with substituted trialkyl phosphites. A convenient synthesis of mono-, di- and triesters of orthophosphoric acid containing readily removable alkyl groups. *Bull Pol Acad Sci Chem.* 1979; **27**:115-119.
358. Matyjaszewski, K. Zastosowanie metody magnetycznego rezonansu jądra ^{19}F w chemii polimerów. *Wiadomości Chemiczne.* 1979; **33**:463.

359. Matyjaszewski, K.; Diern, T., and Penczek, S. Rate constants of propagation of THF on macroesters and macroions. *Makromol Chem.* 1979; **180**:1817.
360. Matyjaszewski, K. and Słomkowski, S. Budowa i reaktywność ośrodków aktywnych polimeryzacji jonowej monomerów heterocyklicznych. *Polimery.* 1979; **24**:276.
361. Matyjaszewski, K.; Słomkowski, S., and Penczek, S. Kinetics and mechanism of the cationic polymerization of THF in solution THF-CH₃NO₂. *J Polym Sci A: Polym Chem.* 1979; **17**:69.
362. ---. Kinetics and mechanism of the cationic polymerization of THF in solution THF-CH₂Cl₂ and THF-CH₂Cl₂/CH₃NO₂. *J Polym Sci A: Polym Chem.* 1979; **17**:2413.
363. Matyjaszewski, K. and Zieliński, M. Influence of temperature and polarity of the medium on rate and equilibrium constants in the cationic polymerization of THF. *J Macromol Sci Chem.* 1979; **13**:193.
364. Michalska, M.; Michalski, J., and Orlich-Krężel, I. Glycosylation of organic phosphorus thio- and selenoacids. Part III. Reaction of organic phosphorus seleno acids with glycosyl bromides. Synthesis of O-glycosyl phosphoroselenoates and their thermal rearrangement. *Polish J Chem.* 1979; **53**:253-264.
365. Michalski, J. Wkład Polskiej Akademii Nauk do rozwoju przemysłu chemicznego. *Przemysł Chem.* 1979; **58**:577-578.
366. Mikołajczyk, M.; Drabowicz, J., and Ślebocka-Tilk, H. Nucleophilic substitution at sulfur. Kinetic evidence for inversion of configuration at sulfinyl sulfur in acid-catalyzed transesterification of sulfinates. *J Am Chem Soc.* 1979; **101**:1302.
367. Mikołajczyk, M.; Grzejszczak, S.; Chefczyńska, A., and Zatorski, A. Organosulfur compounds. XXIII. Addition of elemental sulfur to phosphonate carbanions and its application for synthesis of α -phosphoryl organosulfur compounds. Synthesis of aromatic ketones. *J Org Chem.* 1979; **44**:2967.
368. Mikołajczyk, M.; Grzejszczak, S., and Zatorski, A. Application of the additive increments method to the calculation of chemical shift of olefinic protons in aromatic ring. *Tetrahedron.* 1979; **35**:1019.
369. Mikołajczyk, M.; Omelańczuk, J., and Drabowicz, J. Chemical shift of diastereotopic protons in chiral and prochiral phosphorus monothioacids and their salts. *Polish J Chem.* 1979; **53**:317.
370. Mikołajczyk, M.; Omelańczuk, J., and Perlikowska, W. Optically active trivalent phosphorus compounds. I. Diastereoisomeric O-menthyl ethylphenylphosphinites: synthesis, chirality at phosphorus and stereochemistry of nucleophilic displacement reaction. *Tetrahedron.* 1979; **B35(1541)**:ZOZS.
371. Omelańczuk, J. and Mikołajczyk, M. Reactivity of alkylthio- and alkylseleno-phosphonium salts. The first stereospecific synthesis of chiral phosphinite. *J Am Chem Soc.* 1979; **101**:7292.
372. Pacanovskij, I. I.; Ishmaeva, E. A.; Ziemnicka, B.; Mikołajczyk, M., and Pudovik, A. Spatial structure of methyl-substituted 2-thio-2-chloro-1,3,2-dioxaphosphorinanes. *Zh Obshch Khim.* 1979; **XLIX**:1970.
373. Pakuła, T.; Gałęski, A.; Piórkowska, E., and Kryszewski, M. Method of determining the kinetics of spherulite primary nucleation from the truncation of spherulites. *Polym Bull.* 1979; **1**:275.
374. Pankiewicz, K.; Kinas, R.; Stec, W. J.; Foster, A. B.; Jarman, M., and Van Maanen, J. M. S. Synthesis and absolute configuration assignment of enantiomeric forms of ifosphamide, sulfosphamide and

trofosphamide. J Am Chem Soc. 1979; **101**:7712.

375. Penczek, S. Cationic ring-opening polymerization. Makromol Chem Suppl. 1979; **3**:17.
376. ---. Comments on the kinetics of cationic polymerization of tetrahydrofuran. Macromolecules. 1979; **12**:1010.
377. ---. Mechanism ionnoy polimerizacji cikliczeskich efirow fosfornej kisloty. Vysokomol Soedin. 1979; **11**.
378. ---. Polimeryzacja monomerów heterocyklicznych. Perspektywy rozwoju. Polimery. 1979; **24**:262.
379. Rudnicki, A. and Binkowski, J. Półautomatyczny aparat do oznaczania siarki i chlorowców w związkach organicznych. Chem Anal. 1979; **24**:827.
380. Skowrońska, A.; Pakulski, M., and Michalski, J. Reaction between chlorophosphoranes and benzyl-tri-n-butylammonium or trimethylsilyl azides. Direct observation of hexacoordinate intermediates in displacement reactions at pentacoordinate phosphorus. J Am Chem Soc. 1979; **101**:7412-7413.
381. Stańczyk, W. A.; Kowalski, J., and Chojnowski, J. Kierunki zastosowań związków cynoorganicznych w chemii polimerów. Część I. Stabilizatory i katalizatory związków. Polimery. 1979; **24**:111.
382. Wieczorek, M. W.; Sheldrick, W. S.; Karolak-Wojciechowska, J.; Mikołajczyk, M., and Witczak, M. Stereochemistry of cyclic organophosphorus compounds. Part 9. Tetramethylammonium cis-2-hydroxy-4,5-diphenyl-1,3,2-dioxaphospholan-2-thione monohydrate. Acta Crystallogr. 1979; **B35**:198.
383. Wróbel, A. M. and Kryszewski, M. Thermal modification of plasma - polymerized organosilazane thin films. Shen, M. and Bell, A. T., Eds. Plasma polymerization. Washington: ACS; 1979; p. 237.
384. Łapienis-Grochowska, D.; Kryszewski, M., and Nadolski, B. Electronic structure of merocyanide from of indolinobenzospirans determined by electrospectroscopy and dielectric measurements. J Chem Soc Faraday 2. 1979; **77**:312.
385. Adamiak, D. A.; Gdaniec, M.; Pankiewicz, K., and Stec, W. J. Absolute configuration of the cancerostatic S(-)- isophosphamide. Angew Chem Int Ed Engl. 1980; **19** :549.
386. Baraniak, J.; Lesiak, K.; Sochacki, M., and Stec, W. J. Stereospecific synthesis of cyclic adenosine 3',5'-(Sp)-cyclic-[¹⁸O]-phosphate. J Am Chem Soc. 1980; **102**:4533.
387. Binkowski, J. Analiza elementarna związków fosforoorganicznych. IX. Oznaczanie węgla i wodoru oraz siarki i chlorowców. Biuletyn WChiR. 1980; **126**:2.
388. Binkowski, J. and Giziński, S. Untersuchung der Absorption der bei der Verbrennung phosphororganischer Verbindungen entstehenden P-oxide mittels ³²P-merkierten Verbindungen. III. Absorption der P-oxide bei der Verbrennung in sauerstoffarmer Atmosphäre. Mikrochim Acta. 1980:387.
389. Bodalski, R.; Michalski, T. J., and Monkiewicz, J. Addition of lithium dialkylcuprates to vinylphosphonic acid esters. Nucleophilic properties of adducts. Phosphorus and Sulfur. 1980; **9**:121.
390. Bodalski, R.; Pietrusiewicz, K. M.; Monkiewicz, J., and Koszuk, J. A new efficient synthesis of substituted Nazarov reagents. A Wittig-Horner-Emmons approach. Tetrahedron Lett. 1980; **21**:2287.
391. Bodalski, R.; Rutkowska-Olma, E., and Pietrusiewicz, K. M. Optically active phosphine oxides. Synthesis and absolute configuration of (menthoxy-carbonylmethyl)phenylvinyl phosphine oxide.

Tetrahedron. 1980; **36**:2353-2355.

392. Bruzik, K. B.; Katritzky, A. R.; Michalski, J., and Stec, W. J. ³¹P NMR reinvestigation of iodine-oxidation process of dialkyl phosphoroselenothioates. Polish J Chem. 1980; **54**:141-144.
393. Chojnowski, J. and Ziętera, J. Kinetics of the reaction of sodium polystyryl with some permethylpolysiloxanes. Bull Pol Acad Sci Chem . 1980; **17**:555.
394. Corley, L. S.; Vogl, O.; Biela, T.; Michalski, J.; Penczek, S., and Słomkowski, S. Kinetics of zwitterion formation from β -propiolactone and tertiary phosphines. Macromol Rapid Comm. 1980; **2**:47-50.
395. Drabowicz, J. Rapid deoxygenation with pyridinium chlorochromate hydrogen peroxide system. Synthesis. 1980:125.
396. Drabowicz, J. and Mikołajczyk, M. A simple procedure for oxidation of thiols to disulphides by means of bromine/aqueous potassium hydrogen carbonate in a two phase system. Synthesis. 1980:32.
397. Duda, A. and Penczek, S. Anionic copolymerization of elemental sulfur with 2,2-dimethylthiirane. Makromol Chem. 1980; **181**:995.
398. Dąbkowski, W.; Łopusiński, A.; Michalski, J., and Radziejewski, C. Synthesis of S-sulphonyl-phosphinothioates and phosphinodithioates, a novel organophosphorus-sulfur structure. Phosphorus and Sulfur. 1980; **8**:375.
399. Fauve, A.; Kergomard, A.; Renard, M. F.; Michalski, J., and Skrzypczyński, Z. Multifunctional catalysis XI. Asymmetric catalysis of the mutarotation of tetramethylglucose by optically active phosphinothioic acids. Tetrahedron Lett. 1980; **21**:4721-4724.
400. Gałdecki, Z.; Główna, M. L.; Musierowicz, S., and Michalski, J. Stereochemistry of phosphinylacetic acids. Determination of absolute configuration of optically active O-methyl-phenylphosphinylacetic acid by the X-ray method. Polish J Chem. 1980; **54**:539-542.
401. Gałęski, A. and Kaliński, R. Polymeric modifier for filled polypropylene. Martuscelli, E.; Palumbo, R., and Kryszewski, M., Eds. Polymer blends: processing, morphology and properties. New York: Plenum Publ; 1980; p. 431.
402. Gałęski, A. and Kaliński, R. Recent development of mechanical models for heterogeneous polymeric materials. Martuscelli, E.; Palumbo, R., and Kryszewski, M., Eds. Polymer blends: processing, morphology and properties. New York: Plenum Publ Comp; 1980.
403. Gałęski, A. and Piórkowska, E. Method of determining the kinetics of spherulite primary nucleation from the spherulite shapes in bulk samples. Polym Bull. 1980; **2**:1.
404. Grzejszczak, S. and Mikołajczyk, M. Zasada odwracania reaktywności chemicznej związków organicznych (Umpolung) i zastosowanie wybranych klas związków siarkoorganicznych w syntezie układów karbonylowych. Wiadomości Chemiczne. 1980; **34**:337.
405. Grębowicz, J. and Pakuła, T. Crystallization and melting of components in blends of polyethylene and polypropylene. Martuscelli, E.; Palumbo, R., and Kryszewski, M., Eds. Polymer blends: processing, morphology and properties. New York: Plenum Publ.; 1980.
406. Grębowicz, J.; Pakuła, T.; Wróbel, A. M., and Kryszewski, M. Electron microscopy studies of plasma-polymerized organosilicon thin films. Thin Solid Films. 1980; **65**:351.
407. Grębowicz, J.; Szyłow, W. W.; Priwałko, W. P.; Lebiediew, J. W.; Lipatow, Ju. S., and Kryszewski, M.

Stan fazowy i niektóre własności mechaniczne mieszanin polistyrenu z poli/metakrylanem metylu. Polimery. 1980; **XXV**:326.

408. Jeszka, J. K.; Zieliński, M., and Kryszewski, M. Computer stimulation of dispersive transport in amorphous materials: time - of - flight signals. J Non-Cryst Solids. 1980; **37**:149.
409. John, A. ; Koralewska, M.; Zielińska, B., and Sochacki, M. Analiza jakościowa lekkiej frakcji prasmoły metodą chromatografii gazowej połączonej ze spektrometrią masową. Koks, Smoła, Gaz. 1980; **25**:95-100.
410. Kieć-Kononowicz, K.; Zejc, A.; Mikołajczyk, M.; Zatorski, A., and Wieczorek, M. W. Reaction of 5,5-diphenyl-2-thiohydantion with 1,3-dibromopropane. Crystal and molecular structure of 2,3,4,5-tetra-hydro-6,6-diphenylimidazo 2,1-b-thiazine-7 6H-one. Tetrahedron. 1980; **36**:1070.
411. Kopycki, W. and Binkowski, J. Automatyczne metody analizy elementarnej I. Automatyczny podajnik próbek. Chem Anal. 1980; **25**:129.
412. Kopycki, W.; Fraisse, D., and Binkowski, J. Automatyczne metody analizy elementarnej. II. Automatyczne oznaczanie tlenu. Chem Anal. 1980; **25**:829.
413. Kowalski, J. and Chojnowski, J. Mechanistic and synthetic aspects of the reaction of alkyl esters of phosphorus with trimethylstannyl halides. J Organomet Chem. 1980; **193**:191.
414. Krawczyk, E. and Skowrońska, A. A new synthesis of bis phosphinyl disulfides $(RO)_2P(O)S_2$. Phosphorus and Sulfur. 1980; **9**:189.
415. Krawiecka, B.; Michalski, J., and Tadeusiak, E. Stereochemistry of chlorination of the phosphorus-sulfur bond in thioesters of organic phosphorus thio acids. Reaction of S-methyl tert-(buthylphenylphosphino)thiolate with halogen and sulfur chloride. J Am Chem Soc. 1980; **102**:6582-6584.
416. Kryszewski, M. and Czeremuszkin, G. Verstärkte Polymermischungen mit Gradientenstruktur. Plaste Und Kautschuk. 1980; **27**:605 .
417. Kryszewski, M.; Nadolski, B.; North, A. M., and Pethrick, R. A. Kinetric matrix effect (response and density distribution functions) ring closure reaction of indolinobenzospiropyranes in glassy poly(alkyl methacrylates). J Chem Soc Faraday 2. 1980; **76**:351.
418. Kubisa, P. and Vogl, O. Haloaldehyde polymers. 20. Thermodynamics of polymerization. Polymer. 1980; **21**:525.
419. Kudzin, Z. H. and Stec, W. J. Phosphohomocysteine derivatives. Synthesis. 1980:1032.
420. Landini, D.; Maia, A.; Montanari, F., and Mikołajczyk, M. Self dealkylation of trialkylsulphonium halides in low polarity aprotic solvents. Nouveau Journal of Chimie. 1980; **4**:723.
421. Leśnikowski, Z. J.; Stec, W. J., and Zielińska, B. Some aspects of the electron impact induced fragmentation of diastereoisomeric thymidine cyclic 3',5'-phosphoranilidothioates. Org Mass Spectrom. 1980; **15**:454.
422. Leśnikowski, Z. J.; Stec, W. J., and Zieliński, W. S. Thymidine 3'-(2-chlorophenyl)phosphoranilidate as a key intermediate in the synthesis of tetrathymidylic acid bearing phosphoryl or phosphorothioyl end groups. Synthesis. 1980:397.
423. Malinowski, R.; Legocki, J., and Mikołajczyk, M. Synthesis of new enol phosphates and phosphonates

containing 2-iodovinyl groups. Polish J Chem. 1980; **54**:1821.

424. Matyjaszewski, K.; Zieliński, M.; Kubisa, P.; Słomkowski, S.; Chojnowski, J., and Penczek, S. Kinetically controlled formation of macrocyclic oligomers in the ring - opening polymerization. Makromol Chem. 1980; **181**:1469.
425. Mazurek, M.; Ziętera, J.; Sadowska, W., and Chojnowski, J. Anionic polymerization of 1,1-diphenyl-3,3,5,5-tetramethyl-cyclotrisiloxane /D₂P/ - model siloxane monomer. Makromol Chem. 1980; **181**:777.
426. Mazurek, M.; Ścibiorek, M.; Chojnowski, J.; Zavin, B. G., and Zdanov, A. A. Thermodynamic enhancement of oligomers in dynamic living polymer system involving end-group interaction. Europ Polym J. 1980; **16**:57.
427. Michalski, J.; Chojnowski, J.; Jezierska, B., and Borecka, B. Reactions of compounds of phosphorus having positively polarized divalent sulfur with disilathianes. Synthetic and mechanistic aspects. Phosphorus and Sulfur. 1980; **8**:263-268.
428. Michalski, J.; Pakulski, M., and Skowrońska, A. Arbuzov reaction of alkyl and silyl phosphites with halogens involving four- and five-coordinate intermediates. J Chem Soc Perkin 1. 1980:833-836.
429. Michalski, J.; Pakulski, M.; Skowrońska, A.; Gloede, J., and Gross, H. Reaction of triphenyl phosphite with elemental bromine and chlorine. J Org Chem. 1980; **45**:3122-3123.
430. Michalski, J.; Radziejewski, C.; Skrzypczyński, Z., and Dąbkowski, W. Evidence against phosphacylium cation participation in nucleophilic substitution at tetracoordinated phosphorus. J Am Chem Soc. 1980; **102**:7974-7976.
431. Mikołajczyk, M. Optically active trivalent phosphorus acid esters: synthesis, chirality and some transformations. Pure & Appl Chem. 1980; **52**:959.
432. Mikołajczyk, M.; Bałczewski, P., and Grzejszczak, S. Sulphenylation of phosphonates. A facile synthesis of α -phosphoryl sulphides and S,S-thioacetals of fromylphosphonates. Synthesis. 1980:127-128.
433. Mikołajczyk, M.; Reimschuessel, W.; Ślebocka-Tilk, H., and Gajl, M. Kinetics of the chlorine isotopic exchange reaction between chloride ion and O,O-diarylphosphorochloridates. J Chem Kinetics . 1980; **12**:979.
434. Monkiewicz, J.; Pietrusiewicz, K. M., and Bodalski, R. Lithium cyclohexylisopropylamide as reducing reagent. A convenient synthesis and a new rearrangement of phosphinothionates. Bull Pol Acad Sci Chem . 1980; **28**:351.
435. Myśliński, P. and Kryszewski, M. The effect of spherulite structure of polypropylene on the thermally stimulated electred depolarization current. Polym Bull. 1980; **2**:761.
436. Niewiarowski, W.; Stec, W. J., and Zieliński, W. S. Synthesis of 4-nitrophenyl esters of thymidine 3'-phosphate and 3'-phosphorothioate using a new phosphorylating agent. J Chem Soc Chem Commun. 1980:524.
437. Omelańczuk, J.; Perlikowska, W., and Mikołajczyk, M. Stereospecific synthesis of diastereoisomerically pure $\pm$ -Rp/-O-menthyl methylphenylphosphinite and ethylphenylphosphinite: a key intermediates in synthesis of chiral tertiary phosphines. J Chem Soc Chem Commun. 1980:24.
438. Pakuła, T. The renormalization group method in modelling of mechanical properties of heterogeneous materials. Polym Bull. 1980; **3**:415.

439. Pakuła, T.; Grębowicz, J., and Kryszewski, M. The kinetics of spontaneous changes in the phase structure of molten two - component polymer systems. *Polym Bull.* 1980; **2**:799.
440. Penczek, S. Mechanism of ionic polymerization of cyclic esters of phosphoric acid. *J Polym Sci.* 1980:149.
441. ---. Models of biopolymers by ring-opening polymerization of cyclic phosphorus containing compounds. Stec, W. J., Ed. *Phosphorus chemistry directed towards biology.* Oxford, New York: Pergamon Press; 1980; p. 133.
442. Penczek, S.; Kubisa, P., and Matyjaszewski, K. Cationic ring-opening polymerization of heterocyclic monomers. I. Mechanism. *Adv Polym Sci.* 1980; **36**:1.
443. Penczek, S. and Szymański, R. The carbenium ion - onium ion equilibria in cationic polymerization. *Polymer J.* 1980; **12**:617.
444. Skowrońska, A.; Pakulski, M.; Michalski, J.; Cooper, D., and Trippet, S. The Arbuzov reaction of triethyl phosphite with elemental iodine. *Tetrahedron Lett.* 1980:321-322.
445. Sochacki, M.; Sochacka, E., and Małkiewicz, A. Formation of the $b+41^+$ ion in the mass spectra of 2-thiouridines. *Biomed Mass Spectrom.* 1980; **7**:257-258.
446. Stasiak, M.; Jeszka, J. K.; Zieliński, M.; Plans, J., and Kryszewski, M. Thickness depended TSC peak in poly(n-vinylcarbazole). *J Phys D: Appl Phys.* 1980; **13**:L 221.
447. Stańczyk, W. A. and Chojnowski, J. Catalytic reactions in Sn-C bond cleavage in basic media. *J Organomet Chem.* 1980; **193**:31.
448. ---. Isotope effect in the base cleavage of /dihalomethyl/trimethyltins, additional evidence for proposed mechanistic pathways. *J Organomet Chem.* 1980; **202**:257.
449. Stec, W. J. Chiral anticancer oxazaphosphorinanes-stereospecific synthesis, configurational assignments and biological evaluations. Stec, W. J., Ed. *Phosphorus chemistry directed towards biology.* Oxford, New York: Pergamon Press; 1980; p. 95.
450. Stec, W. J.; Zielińska, B., and Van de Graaf, B. Studies on the mechanism of electron-impact induced SH radical loss from the diastereoisomeric 2-dimethylamino-2-thiono-4-methyl-1,3,2-dioxaphosphorinanes. *Org Mass Spectrom.* 1980; **15**:105.
451. Stec, W. J. and Zieliński, W. S. ^{31}P - ^{15}N spin-spin coupling as a probe for assignment of the absolute configuration in Rp- and Sp-thymidine cyclic 3',5'-phosphordimethylamidates. *Tetrahedron Lett.* 1980; **21**:1361.
452. Słomkowski, S. and Penczek, S. Macroions, macroion pairs in the anionic polymerization of β -propiolactone (β -PL). *Macromolecules.* 1980; **13**:231 .
453. Wenschuh, E.; Dolling, K.; Mikołajczyk, M., and Drabowicz, J. Aktuelle Ergebnisse zur Synthese und Reaktivität der Sulfinsäuren und ihrer Derivate. *Zeitschrift Für Chemie.* 1980; **20**:122.
454. Wieczorek, M. W.; Mikołajczyk, M., and Witczak, M. Stereochemistry of organophosphorus cyclic compounds. XI. The structure of the imidazolium salt of trans-2-hydroxy-4,6-dimethyl-1,3,2-dioxolophospholan-2-sulphide monohydrate. *Acta Crystallogr.* 1980; **B36**:1452.
455. Wróbel, A. M.; Wertheimer, M. R.; Dib, J., and Schreiber, H. P. Polymerization of organosilicones in

microwave discharges. J Macromol Sci Chem. 1980; **A 14**:321.

456. Zieliński, M.; Jeszka, J. K., and Kryszewski, M. On the application of the many -body model of universal to thermally stimulated depolarization. Phys Stat Sol A. 1980; **58**:385.
457. Świątosławski, J. and Morawiec, J. Dispersive mixing of polymer melts. Martuscelli, E.; Palumbo, R., and Kryszewski, M., Eds. Polymer blends: processing, morphology and properties. New York: Plenum Publ.; 1980.
458. Baraniak, J.; Leśnikowski, Z. J.; Niewiarowski, W.; Zieliński, W. S., and Stec, W. J. Stereospecific synthesis and assignment of absolute configuration at phosphorus in nucleoside 3'- and 5'-O-arylphosphorothioates and nucleoside cyclic 3',5'-phosphorothioates. Quinn, L. D. and Verkade, J. G., Eds. Washington; 1981; p. 77.
Notes: Proc Int Conf on Phosphorus Chemistry
459. Bodalski, R.; Michalski, T. J.; Monkiewicz, J., and Pietrusiewicz, K. M. Addition of lithium dialkylcuprates to α,β -unsaturated phosphoryl compounds. Nucleophilic properties of adducts. Phosphorus Chemistry, Proceedings of the 1981 International Conference; 1981: 243-246.
Phosphorus Chemistry, Proceedings of the 1981 International Conference.
460. Bruzik, K. B. and Stec, W. J. Stereochemistry and product distribution in the thiono-thiolo rearrangement of phosphorothioic esters. 4. Role of leaving-group solvation. J Org Chem. 1981; **46**:1625.
461. ---. Thiono-thiolo rearrangement and solvolysis of the secondary alkyl phosphorothioates. 3. J Org Chem. 1981; **46**:1618.
462. Bruzik, K. B.; Stec, W. J.; Houalla, D., and Wolf, R. Bicyclic phosphoranes with PH_2 group: stable tautomers and potential precursors of cyclic dialkoxyposphoranes. J Chem Res (S). 1981:348.
463. Chojnowski, J. Metody przepływowe badania kinetyki reakcji chemicznych. Kinetyka reakcji chemicznych w roztworze. Ossolineum; 1981; p. 107.
464. Chojnowski, J.; Cypryk, M., and Michalski, J. The mechanism of the reaction of the organic phosphites with trialkyl-silyl iodide.
Jodoanhydrides of PIII acids as intermediates. J Organomet Chem. 1981; **215**:355-365.
465. Chojnowski, J.; Cypryk, M.; Michalski, J., and Woźniak, L. A. Reactions of triorganosilyl halides with esters of tricoordinated and tetraordinated phosphorus. Quinn, L. D. and Verkade, J. G., Eds. Phosphorus Chemistry. ACS; 1981; pp. 521-524.
Notes: Proceedings of the 1981 International Conference
466. Ciesielski, W.; Dworżańska, M.; Kryszewski, M., and Kaszyński, A. Zastosowanie metody zaniku potencjału powierzchniowego w ocenie efektywności modyfikacji antyelektrostatycznej dzianin poliamidowych. Przegląd Włókienniczy. 1981; **35**:219.
467. Drabowicz, J. A convenient preparation of sulphinic esters from sulphinyl chlorides and chlorosulphites using hexamethyldisiloxane as chloride anion acceptor. Chemistry Letters. 1981:1753.
468. Drabowicz, J.; Bujnicki, B., and Mikołajczyk, M. Stereochemistry of the conversion of sulfoxides into aminosulfonium salts. J Org Chem. 1981; **46**:2788.
469. Drabowicz, J. and Mikołajczyk, M. Organosulfur compounds XXVII. An improved method for oxidation of sulfides to sulfoxides with hydrogen peroxide in methanol. Synthetic Commun. 1981; **11**:1025.
470. ---. Resolution of chiral sulfinyl compounds via β -cyclodextrin inclusion compounds. Szejtli, J., Ed. Proc

of the 1st Int Symposium on Cyclodextrins; Budapest. Akademiai Kiado; 1981: 205.

471. Drabowicz, J. and Pacholczyk, M. Organosulfur compounds. Part XXIV. Kinetic resolution of racemic sulfoxides by reduction with formamidinesulfonic acid/optically active amine/iodine reagent. *Phosphorus and Sulfur*. 1981; **10**:233.
472. Drabowicz, J.; Łyżwa, P., and Mikołajczyk, M. Organosulfur compounds. Part XXVI. Reduction of sulfilimines to sulfides: new procedures. *Synthesis*. 1981:890.
473. Erneux, C.; Couchie, D.; Dumont, J. E.; Baraniak, J.; Stec, W. J.; Abbad, E. G.; Petridis, G., and Jastorff, B. Specificity of cyclic GMP activation of a multi-substrate cyclic nucleotide phosphodiesterase from rat liver. *European J Biochem*. 1981; **115**:503.
474. Gałęski, A. Computer simulation of two - dimensional spherulite growth. *J Polym Sci B: Polym Phys*. 1981; **19**:721.
475. ---. Determination of the spherical inclusion size distribution from microscope studies of fracture surfaces and ultrathin sections. *International Polymer Science and Technology*. 1981; **7**:T/28.
476. Gałęski, A. and Piórkowska, E. Computer simulation of three-dimensional spherulite growth. *J Polym Sci B: Polym Phys*. 1981; **19**:731.
477. Grzejszczak, S. and Mikołajczyk, M. Wybrane związki siarko- i fosforoorganiczne jako odczynniki maskujące w syntezie układów karbonylowych. *Wiadomości Chemiczne*. 1981; **35**:231.
478. Haas, A. and Łopusiński, A. Umsetzungen von $\text{CF}_3\text{XXCF}_3/\text{X}=\text{S}, \text{Se}/$ mit Phosphorsäureestern. *Chem Ber*. 1981; **114**:3176.
479. Jastorff, B.; Abbad, E. G.; Petridis, G.; Tegge, W.; de Wit, R. J. W.; Erneux, C.; Stec, W. J., and Morr, M. Systematic use of cyclic nucleotide analogues-mapping of essential interactions between nucleotides and proteins. *Nucl Acids Res Symp Ser*. 1981; **9**:219.
480. Kabanov, V. A.; Kargina, O. V.; Mishustina, L. A.; Lubanov, S. Yu.; Kałużyński, K., and Penczek, S. A new family of crystallizable polyelectrolyte complexes. *Macromol Rapid Comm*. 1981; **2**:343.
481. Kaliński, R.; Gałęski, A., and Kryszewski, M. Low density polyethylene filled with chalk and liquid modifier. 1981; **26**:3983.
482. Kieć-Kononowicz, K.; Zejc, A.; Mikołajczyk, M.; Zatorski, A., and Karolak-Wojciechowska, J. Reaction of 5,5-diphenyl-2-thio-hydantoin with 1,3-dibromopropane under phase transfer catalytic conditions. Crystal and molecular structure of 2,3,4,5-tetrahydro-7,7-diphenylimidazo-2,1-b-thiazine-6/7H/-one. *Tetrahedron*. 1981; **37**:409.
483. Kowalski, J.; Stańczyk, W. A., and Chojnowski, J. Organotin polymers-synthesis and applications. *Reviews on Silicon, Germanium, Tin and Lead Compounds VI*. 1981:228.
484. Krawiecka, B.; Michalski, J., and Tadeusiak, E. Halogenolysis of the phosphorus-sulfur bond in thioesters of organic phosphorus thioacids. *Phosphorus Chemistry, Proceedings of the 1981 International Conference*; 1981: 525-528. ACS Symposium Series.
485. Kryszewski, M. and Pakuła, T. Morphology and viscoelastic properties of isotropic and oriented polypropylene films. *Makromol Chem Suppl*. 1981; **4**:207.
486. Kryszewski, M.; Pęcherz, J., and Ciesielski, W. Decomposition of complexes of TCNQ anion radical salts as a function of time. *Acta Polymerica*. 1981; **32**:524.

487. Leśnikowski, Z. J.; Stec, W. J.; Zieliński, W. S.; Adamiak, D. A., and Saenger, W. Crystallographic assessment of absolute configuration in 2'-deoxyadenosine cyclic 3',5'-(Rp)-phosphoranilidate. Direct $^{31}\text{P}^{15}\text{N}$ spin-spin coupling as a probe for configurational assessment. *J Am Chem Soc.* 1981; **103**:2862.
488. Matyjaszewski, K. and Penczek, S. Ion-trapping in cationic polymerization. II. Relative rates of trapping and relative chemical shifts for structurally differing phosphines as trapping agents. *Makromol Chem.* 1981; **182**:1795.
489. Mikołajczyk, M.; Grzejszczak, S., and Korbacz, K. Addition of elemental selenium to phosphonate carbanions-a key step in the synthesis of vinylphosphonates. A new synthetic approach to 1,4-dicarbonyl systems. *Tetrahedron Lett.* 1981; **22** :3097.
490. Mikołajczyk, M.; Grzejszczak, S.; Midura, W. H.; Popielarczyk, M., and Omelańczuk, J. Phosphonates containing sulfur and selenium. Synthesis, reactiona and new applications. *Phosphorus Chemistry, Proceedings of the 1981 International Conference*; 1981: 55. ACS Symposium Series.
491. Mikołajczyk, M. and Kie łbański, P. Recent developments in the carbodiimide chemistry. *Tetrahedron.* 1981; **37**:233-284.
492. Mikołajczyk, M.; Popielarczyk, M., and Grzejszczak, S. Organosulfur compounds. Part XXV. Synthesis of distryl sulfides, sulfoxides and sulfones by Horner-Witting reaction in two-phase system. *Phosphorus and Sulfur.* 1981; **10**:369.
493. Miller, A.; Wieczorek, M. W.; Karolak-Wojciechowska, J.; Mikołajczyk, M., and Ziemnicka, B. Stereochemistry of organophosphorus cyclic compounds XIV. The crystal and molecular structure of 4-methyl-2-fluoro-2-thio-1,3,2-dioxaphosphorinane. *Acta Crystallogr.* 1981; **B37**:1951.
494. Misiura, K.; Pankiewicz, K.; Stec, W. J., and Jarman, M. The synthesis of enantiomers of 4-ketocyclophosphamide. *Experientia.* 1981; **37**:216.
495. Niewiarowski, W. and Zieliński, W. S. Further studies on the substrate specificity of calf spleen phosphodiesterase /EC 3.1.4.18/. *Nucl Acids Res Symp Ser.* 1981; **9**:235.
496. Omelańczuk, J. and Snatzke, G. Bestimmung der Absoluten Konfiguration von Alkylphenylphosphino and O-Alkyl-alkyl-Phosphono-Thionsäuren aus dem CD ihrer Komplexe $\text{MO}_2/\text{O}_2\text{CCH}_3/4$. *Angew Chem.* 1981; **93**:815 .
497. Pakuła, T. and Fisher, E. W. Instabilities of the deformation. Process durring cold drawing of polyethylene terephthalate and other polymers. *J Polym Sci B: Polym Phys.* 1981; **19**:1287.
498. Penczek, S. Comments on the paper " Über die polymerisation von 1-chlor-2,3-epoxypropan". *Macromol Rapid Comm.* 1981; **2**:401.
499. ---. Reakcje łańcuchowe. Kinetyka reakcji chemicznych w roztworze II. Ossolineum; 1981; p. 174.
500. Penczek, S. and Duda, A. Anionic copolymerization of elemental sulfur. *Pure & Appl Chem.* 1981; **53**:1679.
501. Piórkowska, E.; Gałęski, A., and Kryszewski, M. Collagen precipitation on tendon collagen fibrils. *Acta Polymerica.* 1981; **32**:486.
502. Plans, J.; Zieliński, M., and Kryszewski, M. Theory of the TSC - stimulated current transport peak. Application to a dispersive transport case. *Phys Rev B.* 1981; **23**:6557.

503. Plans, J.; Zieliński, M.; Świdorski, T., and Kryszewski, M. Theory of transport peak: application to poly(N-vinyl carbazole). *Medzagotyra (Materials Science)*. 1981; **7**:297.
504. Pęcherz, J.; Ciesielski, W., and Kryszewski, M. Synthesis and electrical conductivity of TCNQ complex salts with polycations containing sulphur atoms in the main chain. *Macromolecules*. 1981; **14**:1139.
505. Rampal, J. B.; Macdonell, G. D.; Edasery, J. P.; Berlin, K. D.; Rahman, A.; van der Helm, D., and Pietrusiewicz, K. M. Carbon-phosphorus heterocycles. Conformational analysis of substituted 1-phenyl-4-phosphorinanones and derivatives. Single-crystal, X-ray diffraction analysis of 1-r, cis 2/a, trans-6/e/-triphenyl-4-phosphorinanone-1-sulfide. *J Org Chem*. 1981; **46**:1156-1165.
506. Reimschuessel, W.; Tilk, S.; Mikołajczyk, M., and Ślebocka-Tilk, H. Studies of the effect of the cation nature on the kinetics of the isotopic exchange reaction between chloride ion and O,O-diphenylphosphorochlorodithioate in acetonitrile. *Int Chem Kinetics*. 1981; **13**:417.
507. Skowrońska, A.; Nowakowski, M., and Stanek-Gwara, J. Nucleophilic substitution at pentacoordinated phosphorus. Addition elimination mechanism. *Phosphorus Chemistry, Proceedings of the 1981 International Conference*; 1981: 453-456. ACS Symposium Series.
508. Stec, W. J. Conversion of organic phosphoroamidates into corresponding phosphorothioates and phosphoroselenoates. Krisanov, A. V., Ed. *Khimia i primienienije fosforoorganicznych sojedinienij*. Kiev: Naukova Dumka; 1981; p. 281.
509. Stec, W. J. and Uznański, B. O,O-dialkyl phosphoroselenocyanatide: synthesis and chemical reactions. Krisanov, A. V., Ed. *Khimia i primienienije fosforoorganicznych sojedinienij*. Kiev: Naukova Dumka; 1981; p. 357.
510. Słomkowski, S. Zastosowanie dynamicznego rezonansu magnetycznego do badań kinetyki reakcji szybkich. *Kinetyka reakcji chemicznych w roztworze II*. Ossolineum ; 1981; p. 81.
511. Słomkowski, S. and Penczek, S. Kinetics and mechanism of anionic polymerization of lactones. McGrath, J. E., Ed. *Anionic Polymerization*. 1981; p. 271.
512. Tyczkowski, J. and Kryszewski, M. Photoinjection into plasma - polymerised organosilicon thin films I. Surface effect. *J Phys D: Appl Phys*. 1981; **14**:983.
513. Tyczkowski, J.; Kryszewski, M., and Czeremuszkin, G. The structure of energy - levels in plasma - polymerized silicon thin films. *Medzagotyra (Materials Science)*. 1981; **7**:371.
514. Tynenska, B.; Gałęski, A., and Kryszewski, M. Crystallization of polymers in the presence of electronic fields. *Polym Bull*. 1981; **4**:171.
515. Wenschuh, E.; Kuhne, U.; Mikołajczyk, M., and Bujnicki, B. Zur Reaktion von Aminosulfensäureestern mit Halogenalkanen. *Zeitschrift Für Chemie*. 1981; **21**:217-218.
516. Wilczek, L. and Chojnowski, J. Acidolytic ring-opening of cyclic siloxane and acetale monomers - role of hydrogen bonding in cationic polymerization initiated with protonic acid. *Macromolecules*. 1981; **14**:9.
517. Wróbel, A. M.; Klemberg-Sapieha, J. E.; Wertheimer, M. R., and Schrabber, H. P. Polymerization of organosilicones in microwave discharges II. Heated substrates. *J Macromol Sci Chem*. 1981; **A 12**:197.
518. Ścibiorek, M. and Chojnowski, J. Cationic telomerization of hexamethylcyclotrisiloxane /D₃/ with silones

containing alleoxy, aryloxy and acyloxy functions bound to silicon. *Europ Polym J.* 1981; **17**:413.

519. Łopusiński, A.; Łuczak, L.; Michalski, J.; Kabachnik, M. M., and Moriyama, M. Stereochemistry of the acyclic phosphono- and phosphino- thiocyanide isomerisation into corresponding isothiocyanidates. Synthesis of optically active thiocyanidates $>P(O)SCN$, isothiocyanidates $>P(O)NCS$, isocyanidates $>P(O)NCO$ and related phosphorylated derivatives of carbonic acid. *Tetrahedron.* 1981; **37**:2011-2020.
520. Badran, B. M.; Gałęski, A., and Kryszewski, M. High density polyethylene filled with modified chalk. *J Appl Polym Sci.* 1982; **27**:3669.
521. Baraniak, J.; Mejbaum, P., and Stec, W. J. Diastereomeric nucleoside cyclic 3',5'-phosphorothioates. The synthesis and configurational assignments of uridine and cytidine derivatives. *Polish J Chem.* 1982; **56**:441.
522. Biela, T.; Słomkowski, S., and Penczek, S. Racemic and optically active poly-4-methyl-2-hydro-2-oxo-1,3,2-dioxaphospholane. Synthesis and oxidation to poliacids. *Macromol Rapid Comm.* 1982; **3**:667.
523. Bodalski, R.; Koszuk, J.; Krawczyk, H., and Pietrusiewicz, K. M. An efficient synthesis of the enantiomeric 17-phosphasteroid system. *J Org Chem.* 1982; **47**:2219-2220.
524. Brody, R. S.; Adler, S.; Modrich, P.; Stec, W. J.; Leśnikowski, Z. J., and Frey, P. A. The stereochemical course of nucleotidyl transfer catalyzed by bacteriophage T⁷-induced DNA polymerase. *Biochemistry.* 1982; **21**:2570.
525. Bruzik, K. B. and Stec, W. J. Internal recombination of the ion-pair and external nucleophilic attack in the thiono-thiolo rearrangement of benzyl dialkylphosphorothioates. Part VI. *Polish J Chem.* 1982; **56**:753.
526. Chwiałkowska, W.; Kubisa, P., and Penczek, S. Preparation of living mono- and dicationically growing polyacetals and attempts to prepare block copolymers thereof. *Makromol Chem.* 1982; **183**:753.
527. Ciesielski, W.; Pęcherz, J., and Kryszewski, M. Electrical properties of TCNQ complex salts of ionenes containing aromatic rings in the main chain. *Acta Polymerica.* 1982; **33**:318.
528. de Wit, R. J. W.; Hoppe, J.; Stec, W. J., and Jastorff, B. Interaction of cAMP derivatives with the "stable" cAMP-binding site in the cAMP- dependent protein kinase type I. *European J Biochem.* 1982; **122**:95.
529. Drabowicz, J.; Bujnicki, B., and Mikołajczyk, M. Organosulfur Compounds XXX. Improved procedure for synthesis of chiral sulfoxides. *J Org Chem.* 1982; **47**:3325.
530. Drabowicz, J. and Mikołajczyk, M. Synthesis of sulfoxides. A review. *Organic Preparations and Procedures International.* 1982; **14**:45.
531. Duda, A. and Penczek, S. Anionic copolymerization of elemental sulfur with propylene sulfide. *Macromolecules.* 1982; **15**:36.
532. Dąbkowski, W.; Michalski, J.; Radziejewski, C., and Skrzypczyński, Z. Phosphoric and phosphinic sulfonic anhydrides - reinvestigation and corrections. New methods of synthesis. *Chem Ber.* 1982; **115**:1636-1643.
533. Dąbkowski, W.; Michalski, J., and Skrzypczyński, Z. Phosphino sulphonates, a type of P(III)-anhydride and their isomerisation into phosphinoyl sulphinates: a novel rearrangement in phosphorus-sulphur

chemistry. J Chem Soc Chem Commun. 1982:1260-1261.

534. Gałęski, A.; Kryszewski, M.; Płoszajski, J., and Fajtelson, L. A. Shear induced vortices in high molecular weight polyethylene oxide melt. Polym Bull. 1982; **7**:283.
535. Gloede, J.; Gross, H.; Michalski, J.; Pakulski, M., and Skowrońska, A. Derivative des Phosphorsäure-O-Phenylesters. 20. Halogenierung von aromatischen O-Phenylphosphiten. Ein Gleichgewicht zwischen Phosphonium und Phosphoran-Struktur. Phosphorus and Sulfur. 1982; **13**(2):157-162.
536. ---. Ein pentacoordiniertes Zwischenprodukt bei der Reaktion von Ethylenchlorophosphit mit Chlor. Phosphorus and Sulfur. 1982; **13**(2):163-164.
537. Jarvest, R. L.; Lowe, G.; Baraniak, J., and Stec, W. J. A stereochemical investigation of the hydrolysis of cyclic AMP and the (Sp)- and (Rp)-diastereoisomers of adenosine 3',5'-phosphorothioate by bovine heart and baker's yeast cyclic cAMP phosphodiesterase. Biochem J. 1982; **203**:461.
538. Kiełbasiński, P.; Drabowicz, J., and Mikołajczyk, M. Organosulfur compounds XXVIII. Reduction of sulfonyl halides with iodotrimethylsilane-new observations. J Org Chem. 1982; **47**:4806-4808.
539. Kopycki, W. and Binkowski, J. Automatyczne metody analizy elementarnej III. Automatyczny podajnik próbek z zamkniętą komorą odpowietrzającą. Chem Anal. 1982; **26**:679.
540. Kowalewski, T.; Kaliński, R.; Gałęski, A., and Kryszewski, M. The role of the liquid interface agent in the mechanical properties improvement of modified chalk filled polyolefines. Colloid Polym Sci. 1982; **260**:652.
541. Kryszewski, M.; Nadolski, B.; Imhof, R. E.; North, A. M., and Pethrick, R. A. Effect of photoselection on the kinetics of colour decay in a photochromic spiropyran poly/alkylmethacrylate matrix. Makromol Chem. 1982; **183**:1257.
542. Kryszewski, M.; Zieliński, M., and Plans, J. Trap controlled transport in thermally stimulated currents. Anales De Fisica Seria A. 1982; **78**:105.
543. Kryszewski, M.; Zieliński, M.; Ulański, J., and Jeszka, J. K. Chain and carrier mobility in polymer systems as investigated by thermally stimulated currents technique. Polym Bull. 1982; **8**:187.
544. Krzyżanowska, B. and Stec, W. J. A study of the synthesis of optically active amines from prochiral N-phosphinylimines. Synthesis. 1982:270.
545. Michalski, J.; Potrzebowski, M. J., and Łopusiński, A. O,O-dialkylthiophosphonosulfonylbromide - neue Klasse reaktiver Organophosphorverbindungen. Angew Chem. 1982; **94**:134-135.
546. Mikołajczyk, M. and Drabowicz, J. Chiral organosulfur compounds. Allinger, N. L.; Eliel, E. L., and Wilen, S. H., Eds. Topics in stereochemistry. New York: John Wiley and Sons; 1982; pp. 333-468.
547. Mikołajczyk, M.; Grzejszczak, S., and Łyżwa, P. Conversion of 1,3-into 1,4-dicarbonyl compounds by means of α -phosphoryl sulphides. Total synthesis of dihydrojasnone and methylenomycin B. Tetrahedron Lett. 1982; **23**:2237.
548. Mikołajczyk, M.; Omelańczuk, J.; Abdukacharow, W.; Miller, A.; Wieczorek, M. W., and Karolak-Wojciechowska, J. Synthesis of tetramethylammonium salt of 2-oxo-2-thio-1,3,2-oxazaphosphorinan and its crystal and molecular structures. Tetrahedron. 1982; **38**:2183.

549. Mikołajczyk, M.; Ślebocka-Tilk, H., and Reimschuessel, W. Solvent effect on the kinetics of the chlorine-isotopic exchange reaction between chloride ion and O,O-diphenylphosphorochloridate or O,O-diphenylphosphorochloridothioate. *J Org Chem.* 1982; **47**:1188.
550. O'Brian, C. A.; Roczniak, S. A.; Bramson, H. N.; Baraniak, J.; Stec, W. J., and Kaiser, E. T. A kinetic study of interactions of (Rp)- and (Sp)-adenosine cyclic 3',5'-cyclic phosphorothioates with type II of bovine cardiac muscle adenosine 3',5'-cyclic phosphate dependent protein kinase. *Biochemistry.* 1982; **21**:4371.
551. Okruszek, A. and Stec, W. J. The stereochemistry of reaction of P-chiral dialkyl hydrogen phosphorothioates with [¹⁸O]-dimethyl sulphoxide. *Tetrahedron Lett.* 1982; **23**:5203-5206.
552. Pakuła, T. Comparative DSC technique - application to studies of melting of branched polyethylene. *Die Makromolekulare Chemie.* 1982; **183**: 1577.
553. ---. Molecular model of partial crystallization of branched polyethylene. *Polymer.* 1982; **23**:1300.
554. Penczek, S.; Baran, J.; Pretula, J., and Łapienis, G. New polymers related to biopolymers by ring-opening polymerization. *Polymer Preprints.* 1982:203.
555. Piórkowska, E.; Gałęski, A., and Kryszewski, M. Heat conduction anisotropy of drawn high density polyethylene samples. *Colloid Polym Sci.* 1982; **260**:735.
556. Plans, J. and Zieliński, M. The effect of charge centers in thermally stimulated currents: application to poly(n-vinylcarbazole). *IEEE Annu. Conf. Electrical Insulation and dielectric phenomena*; 1982: 293.
557. Plans, J.; Zieliński, M.; Świdorski, T.; Kryszewski, M., and Ulański, J. Application of the onsager theory to thermally stimulated currents. *J Appl Phys.* 1982; **53**:3103.
558. Pęcherz, J. and Kryszewski, M. Chemical stability of 7,7,8,8 -tetracyanoquinodimethane salts with polycations containing sulfur atoms in the main chain. *Polym Bull.* 1982; **8**:87.
559. Quinn, L. D.; Mesh, L. A.; Bodalski, R., and Pietrusiewicz, K. M. ¹³C NMR spectra of phosphole-P^{IV} dimers: ABX and AA'X ¹³C-³¹P coupling in some derived structures. *Org Magn Res.* 1982; **20**(2):83.
560. Sokołowska, A. and Duda, A. Zastosowanie widma Ramana do badania kinetyki kopolimeryzacji siarki elementarnej. *Polimery.* 1982; **27**:201.
561. Sosnowski, S. and Słomkowski, S. Metoda kalorymetryczna badania kinetyki szybkich procesów polimeryzacji. *Polimery.* 1982; **27**:149.
562. Stańczyk, W. A.; Chmielecka, J., and Chojnowski, J. Base-catalysed solvolysis of 1,1,1-trihaloacetones in the presence of ammonia buffer. Analogy with substitution at silicon and tin. *J Org Chem.* 1982; **47**:3757.
563. Stec, W. J. Analogi cyklicznego monofosforanu adenozyiny-synteza i zastosowanie w badaniach mechanizmu działania fosfodiesterazy i cyklazy adenylanowej. *Chemia Stosowana.* 1982; **26**:185.
564. ---. Cyclophosphamide and its congeners. Hutchinson, D. W., Ed. *Specialist Periodical Report on "Organophosphorus Chemistry"*. London: Royal Society of Chemistry; 1982; p. 145.
565. Su, S. N.; Keiderling, T. A.; Misiura, K., and Stec, W. J. Midinfrared vibrational circular dichroism studies of cyclophosphamide and its congeners. *J Am Chem Soc.* 1982; **104**:7343.

566. Szymański, R. and Penczek, S. Dynamic NMR studies of equilibria involving active species in the polymerization of cyclic acetals. Reaction of the methoxymethyl cation with 5-, 6- and 7-membered cyclic acetals. *Makromol Chem.* 1982; **183**:1587.
567. Tyczkowski, J.; Czeremuszkin, G., and Kryszewski, M. On differentiation on electrical conduction processes in polymers. *Phys Stat Sol A.* 1982; **72**:751.
568. Tyczkowski, J. and Kryszewski, M. Nowe materiały organiczne dla mikroelektroniki. *Technologia elektronowa.* Wrocław: Wydawnictwo Politechniki Wrocławskiej; 1982; p. 450.
569. Tyczkowski, J.; Sielski, J., and Kryszewski, M. Hole transport in polyorganosilicone thin Films. *Polym Bull.* 1982; **8**:177.
570. Uznański, B.; Niewiarowski, W., and Stec, W. J. The chemical synthesis of the Rp and Sp diastereomers of thymidyl- (3'-5')-thymidyl O,O-phosphorothioate. *Tetrahedron Lett.* 1982; **23**: 4289.
571. Wróbel, A. M.; Kowalski, J., and Grębowicz, J. Thermal decomposition of plasma - polymerized organosilicon thin films. *J Macromol Sci Chem.* 1982; **A** :433.
572. Łopusiński, A. and Michalski, J. Novel application of sulfonyl chloride fluoride in the synthesis of organophosphorus fluorine compounds: direct conversion of >P/O/H and >P/O/OH groups into >P/O/F groups. *Angew Chem Int Ed Engl.* 1982; **94**:294-295.
573. ---. Organophosphorus compounds: the first applications of sulfonyl chloride fluoride SO₂FCl in synthesis. *J Am Chem Soc.* 1982; **104**:290-291.
574. Łopusiński, A.; Michalski, J., and Potrzebowski, M. J. Ambident electrophilic character of thioxaphosphoranesulphenyl bromides P(S)SBr. A novel observation of electrophilic addition to a carbon-carbon double bond. *J Chem Soc Chem Commun.* 1982:1362-1364.
575. Łopusiński, A.; Łuczak, L., and Michalski, J. Thiocyanation of dialkyl phosphites and their structural analogues by thiocyanogen /SCN₂: mechanism and stereochemistry. *Tetrahedron.* 1982; **38** :679-683.
576. Aiube, Z. H.; Chojnowski, J.; Eaborn, C., and Stańczyk, W. A. Nucleophilic displacements within silanolate ions. A new mechanism of substitution at silicon. *J Chem Soc Chem Commun.* 1983:493.
577. Baran, J.; Brzezińska, K.; Matyjaszewski, K., and Penczek, S. Elementary reactions in the cationic polymerization of oxepane. Comparison with the polymerization of tetrahydrofuran. *Makromol Chem.* 1983; **184**:2497.
578. Biela, T.; Penczek, S.; Słomkowski, S., and Vogl, O. Kinetic determination of stereoselectivity in the anionic polymerization of α -ethyl- α -phenyl- β -propiolactone. *Macromol Chem Phys.* 1983; **184**:811.
579. Biela, T.; Penczek, S.; Słomkowski, S., and Vogl, O. Racemic and optically active poly(4-methyl-2-oxa-2-hydro-1,3,2-doxaphospholane). Synthesis and oxidation to the polyacides. *Macromol Rapid Comm.* 1983; **4**:443.
580. Binkowski, J. and Giziński, S. Radiometryczne badania nad pochłanianiem P₂O₅ w rurze do spalań podczas oznaczania węgla i wodoru w związkach fosforoorganicznych. *Chem Anal.* 1983; **28**:283.
581. Bodalski, R.; Pietrusiewicz, K. M.; Monkiewicz, J., and Koszuc, J. A simple method for "3+3" annulation on chalcones with ethyl 4-/diethylphosphono/3-oxobutanoate. *Polish J Chem.* 1983; **57**:315-321.

582. Burda, L.; Tracz, A.; Pakuła, T.; Ulański, J., and Kryszewski, M. Highly conductive materials: polymers doped with crystalline charge - transfer complexes. *J Phys D: Appl Phys.* 1983; **16**:1737.
583. Burski, J.; Kieszkowski, J.; Michalski, J.; Pakulski, M., and Skowrońska, A. Synthesis of isothiocyanatophosphoranes and isothiocyanatophosphonium salts *via* oxidative addition of thiocyanogen and ligand substitution. Novel reagents for converting hydroxy groups into thiocyanate and isothiocyanate functions under mild conditions. *Tetrahedron.* 1983; **39**:4175-4181.
584. Carpino, L. A.; Mansour, E. M. E.; Cheng, C. K.; Williams, J. K.; Mac Donald, K.; Knapczyk, J.; Corman, M., and Łopusiński, A. Polystyrene-bared deblocking-scavenging agents for the 9-fluorenylmethoxycarbonyl amino-protecting group. *J Org Chem.* 1983; **48**:661-665.
585. Chojnowski, J.; Rubinsztajn, S.; Stańczyk, W. A., and Ścibiorek, M. Silanone as an intermediate species in some processes leading to siloxane polymers. *Macromol Rapid Comm.* 1983; **4**:703.
586. Coulson, R.; Baraniak, J.; Stec, W. J., and Jastorff, B. Transport and metabolism of N6- nad C8- substituted analogs of adenosine 3',5'-cyclic monophosphate and adenosine 3',5'-cyclic phosphorothioate by the isolated perfused rat kidney. *Life Sciences.* 1983; **32**:1489.
587. Drabowicz, J.; Łyżwa, P., and Mikołajczyk, M. Organosulfur compounds. Part XXXV. A new procedure for oxidation of sulfides to sulfones. *Phosphorus and Sulfur.* 1983; **17**:169.
588. ---. Organosulfur compounds XXXI. A new asymmetric synthesis of chiral S-t-butyl t-butanethiosulfinate. *Phosphorus and Sulfur.* 1983; **16**:267.
589. Duda, A.; Szymański, R., and Penczek, S. Anionic copolymerization of elemental sulfur with propylene sulfide. Equilibrium sulfur concentration. *J Macromol Sci Chem.* 1983; **A 20**:967.
590. Gałęski, A. Nukleacja pierwotna, struktura sferolityczna i ich wpływ na własności wytrzymałościowe tworzyw. *Zeszyty Naukowe Politechniki Łódzkiej* . 1983; **58**.
Notes: Rozprawa habilitacyjna
591. Gałęski, A.; Grębowicz, J., and Kryszewski, M. Interpretation of spherulites in polymer blends. *Macromol Chem Phys.* 1983; **184**:1323.
592. Gałęski, A. and Piórkowska, E. Localized volume deficiencies as the effect of spherulite growth. II. The Three- dimensional case. *J Polym Sci B: Polym Phys.* 1983; **21**:1313.
593. ---. Localized volume deficiencies as the effect of spherulite growth. I two-dimension case. *J Polym Sci B: Polym Phys.* 1983; **21**:1299.
594. ---. Statistical approach to the description of spherulite patterns. Two- and three-dimensional cases. *Colloid Polym Sci.* 1983; **261**:1.
595. Gombler, W.; Kinas, R., and Stec, W. J. ³¹P-¹⁵N coupling constants and ¹⁵N ¹⁴N isotope effect on ³¹P NMR chemical shifts of 2-phenylamino-2-oxo(-thioxo, -selenoxo)-4-methyl-1,3,2-dioxaphosphorinanes and related compounds. *Z Naturforsch* . 1983; **38b**:815.
596. Gross, H.; Keitel, I.; Costisella, B.; Mikołajczyk, M., and Midura, W. H. Organosulfur compounds. Part XXXIII. Zur synthese von bis-alkylmercaptomethanphosphonsaure dialkylestern. *Phosphorus and Sulfur.* 1983; **16**:257.
597. Guga, P. and Stec, W. J. Stereoretentive conversion of dialkyl phosphorothioates into [¹⁸O] phosphates. *Tetrahedron Lett.* 1983; **24**:3899.

598. Karolak-Wojciechowska, J.; Wieczorek, M. W.; Mikołajczyk, M.; Sut, A.; Kielbasiński, P.; Struchkov, Y. T., and Antipin, M. Y. The crystal and molecular structure of N,N'-dibenzyl-N-/4-methyl-2-oxo-1,3λ⁵,2-dioxaphosphorinan-2-yl/thiourea, C₁₉H₂₃N₂O₃PS. *Acta Crystallogr.* 1983; **C39**:587-589.
599. Karolak-Wojciechowska, J.; Wieczorek, M. W.; Struchkov, Y. T.; Antipin, M. Y.; Mikołajczyk, M.; Kielbasiński, P., and Sut, A. Comparison of the crystal and molecular structures of N,N'-dibenzyl-N-/5,5-dimethyl-2-oxo-1,3,2-dioxaphosphorinanyl/thiourea and N,N;-dicycloheksyl-N-/5,5-dimethyl-1,2-oxo-1,3,2-dioxaphosphorinanyl/thiourea. *Phosphorus and Sulfur.* 1983; **17**:141-151.
600. Kowalski, J.; Chojnowski, J., and Michalski, J. Reactions of triorgansilylsulfenyl halides with some nucleophiles. *J Organomet Chem.* 1983; **258**:1.
601. Kryszewski, M. Ciekłokrystaliczne przemiany w całkowicie syntetycznych bimolekularnych membranach. *Zagadnienia Biofizyki Wsp.* 1983; **8**:27.
602. Kudzin, Z. H. and Stec, W. J. Phosphonocysteine and phosphonohomocysteine; synthesis and isolation. *Synthesis.* 1983:812.
603. Kłosiński, P. and Penczek, S. Synthesis of models of teichoic acids by ring-opening polymerization. *Macromolecules.* 1983; **16**:316.
604. Leśnikowski, Z. J. Fosforylacja w syntezie mono- i oligonukleotydów. *Wiadomości Chemiczne.* 1983; **37**:91.
605. Matyjaszewski, K. Reactivities of exo- and endocyclic α-carbon atoms in the growing species in the polymerization of cyclic ethers. *Europ Polym J.* 1983; **19**:787.
606. Mejbaum, P. Syntezy oligonukleotydów na nośnikach polimerowych. *Wiadomości Chemiczne.* 1983; **37**.
607. Michalski, J.; Dąbkowski, W., and Skrzypczyński, Z. Synthetic, mechanistic and biological aspects of phosphorus-sulfonic acids anhydrides. Direct evidence for the S¹_N/P/-ionic mechanism in phosphorus chemistry. *Phosphorus and Sulfur.* 1983; **18**(1-3):137-140.
608. Mikołajczyk, M. A new synthetic approach to 1,4-dicarbonyl systems and functionalized cyclopentenones based on the Horner-Wittig reaction of phosphonates containing sulfur. Nozaki, H., Ed. *Current trends in organic synthesis.* Pergamon Press ; 1983; p. 347.
609. Mikołajczyk, M.; Costisella, B., and Grzejszczak, S. Organosulfur compounds XXIX. β-phosphorylsulphoxides. Synthesis and Pummerer rearrangement. *Tetrahedron.* 1983; **39**:1189.
610. Mikołajczyk, M.; Grzejszczak, S.; Midura, W. H., and Zatorski, A. Synthesis of some biologically active cyclopentenones using new organophosphorus reagents. *Phosphorus and Sulfur.* 1983; **18**:175.
611. Mikołajczyk, M.; Kielbasiński, P., and Grzejszczak, S. Organosulfur compounds . Part XXXII. a new synthesis of α-alkylthioketones /α-sulphenylated ketones/. *Synthesis.* 1983:332-334.
612. Mikołajczyk, M.; Kielbasiński, P.; Sut, A.; Karolak-Wojciechowska, J.; Wieczorek, M. W.; Struchkov, Y. T., and Antipin, M. Y. The crystal structure and absolute configuration of (+)-O-methyl-O-/α-naphthyl/-S-methyl phosphorothiolate. *Phosphorus and Sulfur.* 1983; **15**:105-108.
613. Mikołajczyk, M.; Ziemnicka, B.; Karolak-Wojciechowska, J., and Wieczorek, M. W. Stereochemistry of organophosphorus cyclic compounds XIII. Stereoisomerism in

bis-/4-methyl-2-thio-1,3,2-dioxaphosphorinan-2-yl/ oxide. Synthesis of diastereoisomers and their solution and solid state conformations. J Chem Soc Perkin 2. 1983:501.

614. Misiura, K.; Okruszek, A.; Pankiewicz, K.; Stec, W. J.; Czownicki, Z., and Utracka, B. Stereospecific synthesis of chiral metabolites of ifosfamide and their determination in the urine. J Med Chem. 1983; **26**:674-679.
615. Monkiewicz, J.; Pietrusiewicz, K. M., and Bodisk, R. Reakcja Wittiga-rozwoj koncepcji mechanistycznych. Wiadomości Chemiczne. 1983; **37**:631-661.
616. Okruszek, A. An improved procedure for the synthesis of (¹⁸O) sulfoxides. J Labelled Compounds and Radiopharmaceuticals. 1983; **20**:741-743.
617. Omelańczuk, J. and Mikołajczyk, M. Stereospecific interconversion of thio- and selenophosphoryl compounds. Phosphorus and Sulfur. 1983; **15**: 321.
618. Pakuła, T. Mechaniczne własności niejednorodnych materiałów polimerowych w zależności od ich struktury. Zeszyty Naukowe Politechniki Łódzkiej . 1983; **59**.
Notes: Rozprawa habilitacyjna
619. Pakuła, T.; Morawiec, J., and Kryszewski, M. Ocena zdyspergowania w mieszaninach polimerów na podstawie pomiarów ich przezroczystości w stanie stopionym. Polimery. 1983; **28**:263.
620. Penczek, S. and Kazanski, K. Ionic polymerization of heterocycles. Vysokomol Soedin. 1983; **25**:1347.
621. Penczek, S.; Lapienis, G., and Kłosiński, P. Models of biopolymers with polyphosphate backbones (Nucleic and teichoic acids analogues). Plenary and invaited lectures. Bucharest-Romania: International Union of Pure and Applied Chemistry Macromolecular Division **29th International Symposium on Macromolecules**; 1983; pp. 223-242.
622. Pietrusiewicz, K. M. Carbon-13 and phosphorus-31 NMR studies of configurational and conformational effects in 1-phenyl-4-phosphorinanone and their selenides. Org Mass Spectrom. 1983; **21**:345-351.
623. Pietrusiewicz, K. M.; Monkiewicz, J., and Bodalski, R.
(3-carbethoxy-2-oxopropylidene)triphenylphosphorane. A reagent for "3+3" cyclohexenone annulation. J Org Chem. 1983; **48**:788-790.
624. ---. Facile transformation of butadienyl phosphine sulfide into β-keto phosphine sulfide *via* pinacol rearrangement. Polish J Chem. 1983; **57**:637-639.
625. Plans, J.; Balta Calleja, F. J.; Zieliński, M., and Kryszewski, M. Thermally stimulated current transport peak in a system with spatially disordered hopping sites. Philosophical Magazine. 1983; **B 48**:289.
626. Potter, B. W. L.; Eckstein, F., and Uznański, B. A stereospecifically ¹⁸O-labelled deoxyribonucleoside phosphate block for incorporation into an oligonucleotide. Nucleic Acids Res. 1983; **11**:7087.
627. Pęcherz, J. and Kryszewski, M. Electrical conductivity of TCNQ salts with polycations containing sulfur atoms and aromatic rings in the main chain. Polymer J. 1983; **15**:401.
628. ---. Electrical properties of TCNQ complex salts with polycations containing sulfur atoms in the main chain. Acta Polymerica. 1983; **34**:19.
629. Rothermal, J. D.; Stec, W. J.; Baraniak, J.; Jastorff, B., and Botelho, L. H. P. Inhibition of glycogenolysis in isolated rat hepatocytes by the Rp diastereomer of adenosine cyclic 3',5'-phosphorothioate. J Biol

Chem. 1983; **258**:12125.

630. Skowrońska, A. and Krawczyk, E. A general method for the conversion of thio and selenophosphoryl groups into phosphoryl groups by ozone oxidation. *Synthesis*. 1983:509-510.
631. Skowrońska, A.; Krawczyk, E., and Burski, J. Reaction of tricoordinate phosphorus compounds with pseudohalogens. Scope and mechanism. *Phosphorus and Sulfur*. 1983; **18**(1-3):233-236.
632. Sosnowski, S.; Słomkowski, S., and Penczek, S. Kinetics of anionic polymerization of ϵ -caprolactone (Cl). Propagation on poly- Cl-K^+ ion pairs. *J Macromol Sci Chem*. 1983; **A 20**:979.
633. Sosnowski, S.; Słomkowski, S.; Penczek, S., and Reibel, L. Kinetics of ϵ -caprolactone polymerization and formation of cyclic oligomers. *Macromol Chem Phys*. 1983; **184**:2159.
634. Stec, W. J. Wadsworth-Emmons reaction revisited. *Acc Chem Res*. 1983; **16**:411.
635. Strielkova, E. N.; Jarkowa, E. T.; Ishmaeva, E. A.; Pacanovskij, I. I.; Omelańczuk, J.; Mikołajczyk, M.; Abdukacharow, W., and Pudovik, A. Konformacji 1,3,2-oksazafosforinanów. Fosforoorganiczskie Soedinenia i Polimery. 1983:3-7.
Notes: Czeboksary 1983
636. Szymański, R.; Kubisa, P., and Penczek, S. Mechanism of cyclic acetals polymerization. End of controversy? *Macromolecules*. 1983; **16**:1000.
637. Tchórzewski, H.; Soszyńska, W.; Andrzejewski, W.; Pankiewicz, K., and Stec, W. J. Comparative study on the immunosuppressive and lympholytic activity of optical isomers of cyclophosphamide. *Archivum Immunologiae Et Therapiae Experimentalis*. 1983; **31**:329.
638. Tracz, A.; Ulański, J., and Kryszewski, M. Conditions for reticulated crystalline doping of polymers with charge - transfer complexes. *Polymer J*. 1983; **15**:635 .
639. ---. A model description of the crystallization of charge transfer complexes in polymeric solutions. *Potsdamer Forschungen B*. 1983; **37**:37.
640. Tsai, M. D. and Bruzik, K. B. NMR methods involving oxygen isotopes in biophosphates. *Biol Magn Res*. 1983; **5**:129.
Notes: Staż
641. Tyczkowski, J. and Kryszewski, M. Photoinjection from metal electrode into plasma-polymerized thin films. Studies of energy structure. *Proc First International Conference on Conduction and Breakdown in Solid Dielectrics*; 1983: 76.
642. ---. Poole-Frenkel centres in dielectrics: kind and space density in plasma-polymerized organosilicon films. *Phys Stat Sol A*. 1983; **78**:259.
643. ---. Studies of the contact between metal and plasma-polymerized organosilicon films. *Annual Report Conf on Electrical Insulation and dielectric Phenomena*; 1983: 331.
644. Tyczkowski, J.; Kryszewski, M., and Margierski, C. Anomalous photocurrent transient in polystyrene. *Potsdamer Forschungen B* . 1983; **38**:45.
645. Ulański, J.; Tracz, A.; Jeszka, J. K., and Kryszewski, M. Conductive polymers with very low temperature. Coefficient of resistivity. *Annual Report Conf on Electrical Insulation and dielectric Phenomena: IEEE*; 1983: 533.

646. Wilczek, L. and Chojnowski, J. Studies of siloxane - acid. Model system: hexamethyldisiloxane-trifluoroacetic acid. *Makromol Chem.* 1983; **184**:77.
647. Wilczek, L.; Tymczyński, R., and Szewczyk, P. Preparation and characterization of narrow molecular mass distribution polydimethylsiloxanes. *Polish J Chem.* 1983; **55**:2419.
648. Wróbel, A. M. Surface free energy of plasma-deposited thin polymer films. Mittal, K. L., Ed. *Physicochemical aspects of polymer surface.* New York: Plenum Press; 1983; p. 197.
649. Wróbel, A. M.; Kryszewski, M., and Gazicki, M. Oligomeric products in plasma-polymerized organosilicones. *J Macromol Sci Chem.* 1983; **A 20**:583.
650. Łapienis, G.; Pretula, J., and Penczek, S. Poly(dialkylphosphates) based on deoxyribose. *Macromolecules.* 1983; **16**:153 .
651. Andersen, K. K.; Bujnicki, B.; Drabowicz, J.; Mikołajczyk, M., and O'Brien, J. B. Organosulfur compounds. Part XXXVI. Synthesis of enantiomerically pure alkyl and aryl methyl sulfoxides from cholesteryl methanesulfinates. *J Org Chem.* 1984; **49**:4070.
652. Baran, T.; Duda, A., and Penczek, S. Anionic polymerization of dicyclopentadiene trisulfide. *Makromol Chem.* 1984; **185**:2337.
653. ---. Anionic polymerization of norbornene trisulfide [exo-3,4,5-trithia-tricyclo(5.2.1.0)decane]. *J Polym Sci A: Polym Chem.* 1984; **22**:1085.
654. Baraniak, J.; Reimschüssel, W.; Rudziński, J., and Stec, W. J. Stereospecific synthesis of adenosine cyclic 3',5'-Rp- and Sp-phosphoro (³⁵S) thioates. *J Labelled Compounds and Radiopharmaceuticals.* 1984; **21**:111 .
655. Bartczak, Z.; Gałęski, A., and Martuscelli, E. Spherulite growth in isotactic polypropylene based blends. Energy and morphological considerations. *Polym Eng Sci.* 1984; **24**:1155.
656. Binkowski, J. Automatyczne oznaczanie węgla, wodoru i azotu w związkach organicznych. *Chemia Analityczna.* 1984; **29**:3.
657. ---. Definicje polskie i odpowiedniki angielskie z dziedzin: analiza elementarna i sprzęt laboratoryjny. *Słownik chemii analitycznej.* Warszawa: WN-T; 1984.
658. Binkowski, J.; Rudnicki, A., and Kopycki, W. Automatyczne metody analizy elementarnej IV. Automatyczne oznaczanie węgla, wodoru i azotu. *Chem Anal.* 1984; **29**:471.
659. Chojnowski, J.; Rubinsztajn, S., and Wilczek, L. Unusual competition of intermolecular vs intramolecular reactions. Kinetics of the condensation of decamethylpentasiloxane-1,9-diol. *J Chem Soc Chem Commun.* 1984:69.
660. Chojnowski, J.; Wilczek, L., and Rubinsztajn, S. The role of hydrogen bonding in a model ring opening cationic polymerization system. Goethals, E. J., Ed. *Cationic polymerization and related processes.* Academic Press; 1984; p. 253.
661. Czeremuszkin, G.; Tyczkowski, J., and Kryszewski, M. Photoconductivity of plasma deposited phenyl isothiocyanate. *Medzagotyra (Materials Science).* 1984; **10**:51.
662. Czeremuszkin, G.; Wróbel, A. M., and Kryszewski, M. Plasma-polymerized phenyl isothiocyanate films - structure and properties. Boening, H. V. *Advances in low - temperature plasma chemistry, technology, applications.* Lancaster: Technomic Publ Comp Inc; 1984; p. 293.

663. de Wit, R. J. W.; Hekstra, D.; Jastorff, B.; Stec, W. J.; Baraniak, J.; van Driel, R., and Van Haastert, P. J. M. Inhibitory action of certain cyclophosphate derivatives of cAMP on cAMP-dependent protein kinases. *European J Biochem.* 1984; **142**:255.
664. Drabowicz, J. and Mikołajczyk, M. Asymmetric oxidation of sulfides to sulfoxides catalyzed by β -cyclodextrin. *Phosphorus and Sulfur.* 1984; **21**:145.
665. Drabowicz, J.; Togo, H.; Mikołajczyk, M., and Oae, S. Reduction of sulfoxides. A review. *Organic Preparations and Procedures International.* 1984; **16**:171 .
666. Dąbkowski, W.; Skrzypczyński, Z.; Michalski, J.; Piel, N.; McLaughlin, L., and Cramer, F. Synthesis and reactions of phosphoric-sulfonic anhydrides. Studies related to the mechanism of coupling reactions in the chemical synthesis of oligodeoxyribonucleotides by phosphotriester procedures. *Nucleic Acids Res.* 1984; **12**:912-913.
667. Eaborn, C. and Stańczyk, W. A. Base cleavage of R-Si bonds of silanols RSiMe_2OH . A proposed new mechanism of substitution at silicon. *J Chem Soc Perkin 2.* 1984:2099.
668. Ejchart, A.; Oleski, P., and Wróblewski, K. Reliability of nonlinear three-parameter analysis of T_1 measurements. *J Magn Reson .* 1984; **59**:446.
669. Gazicki, M.; Wróbel, A. M., and Kryszewski, M. Pyrolysis as a means of structural studies on plasma polymerized organosilicones. *J Appl Polym Sci Appl Polym Symp.* 1984; **38**:1.
Notes: "Plasma Polymerization and Plasma Treatment" Yasuda, H. K. /Ed./
670. Gałęski, A. Advances in the field of oriented filled polyolefins. *Polimery.* 1984; **29**:47.
671. Gałęski, A.; Bartzak, Z., and Pracella, M. Spherulite nucleation in polypropylene blends with low density polyethylene. *Polymer.* 1984; **25**:1323.
672. Gałęski, A.; Pracella, M., and Martuscelli, E. Polypropylene spherulite morphology and growth rate changes in blends with low-density polyethylene. *J Polym Sci B: Polym Phys.* 1984; **22**:739.
673. Guga, P. and Okruszek, A. Stereospecific conversion of P-chiral nucleoside phosphorothioates into ^{18}O phosphates. *Tetrahedron Lett.* 1984; **25**:2897-2900.
674. Hofman, A.; Szymański, R.; Słomkowski, S., and Penczek, S. Structure of active species in the cationic polymerization of β -propiolactone and ϵ -caprolactone. *Makromol Chem.* 1984; **185**:655.
675. Hägele, G.; Engelhardt, M.; Peters, W.; Skowrońska, A.; Gwara, J., and Wendisch, D. Zur Kenntnis der Addition von Phosphorylsulfonylchloriden $\text{RR}' \text{P}(\text{O})\text{SOCl}$ an Cyclohexen. *Phosphorus and Sulfur.* 1984; **21**:53-58.
676. Jeszka, J. K.; Ulański, J.; Głowacki, I., and Kryszewski, M. Surface components of absorption and resorption currents in polymethyl methacrylate and polystyrene in different conditions: thermally stimulated resorption. *J Electroanal Chem.* 1984; **16**:89.
677. Jeszka, J. K.; Ulański, J.; Tracz, A., and Kryszewski, M. Crystalline CT complexes as electrodes for polymer films. *Medzagotyra (Materials Science).* 1984; **10**:117.
678. Karolak-Wojciechowska, J.; Mikołajczyk, M.; Kielbasiński, P., and Sut, A. The crystal and molecular structure of N,N'-dicycloheksyl-N-dineopentoxyphosphoryl-thiourea. *Phosphorus and Sulfur.* 1984; **21**:221-225.
679. Kopycki, W. and Binkowski, J. Elementaranalyse phosphoroorganischer Verbindungen. IX. Automatische

bestimmung von Sauerstoff. *Mikrochim Acta*. 1984; **III**:149.

680. Kowalewski, T.; Gałęski, A., and Kryszewski, M. The structure and tensile properties of cold drawn modified chalk filled polypropylene. Kryszewski, M.; Gałęski, A., and Martuscelli, E., Ed. *Polymer blends*. New York: Plenum Press; 1984; p. 223.
681. Kryszewski, M. *Materiały organiczne dla elektroniki*. *Elektronika*. 1984; **25**:7.
682. ---. Monokryształy polimerów i możliwość rozprzestrzeniania się wzbudzenia w takich układach. *Postępy Fizyki Mol*. 1984; **1**:155.
683. ---. Some aspects of preparation and properties of surface conducting polymers doped with crystalline charge-transfer complexes. *Medzagotyra (Materials Science)*. 1984; **10**:151.
684. ---. Some aspects of the applications of polymers with specific electrical and optical properties. *Polimery*. 1984; **22**:820 .
685. Kryszewski, M. and Bartczak, Z. Composite membranes containing liquid crystals - some thermal and mechanical properties. Kryszewski, M.; Gałęski, A., and Martuscelli, E. *Polymer blends*. New York: Plenum; 1984; p. 243.
686. Kryszewski, M.; Gałęski, A., and Martuscelli, E. *Polymer blends*. Plenum Press; 1984.
687. Kryszewski, M.; Jeszka, J. K.; Ulański, J., and Tracz, A. Structure and electrical properties of polymers with amorphous and crystalline dopants. *Pure & Appl Chem*. 1984; **56**:355.
688. Kubisa, P.; Penczek, S.; Brzezińska, K.; Franta, E., and Reibel, L. Sequential polymerization of cyclic acetals and ethers. Goethals, E. J., Eds. *Cationic polymerization and related processes*. Academic Press; 1984; p. 395.
689. Leśnikowski, Z. J.; Niewiarowski, W.; Zieliński, W. S., and Stec, W. J. 2'-deoxyribonucleoside 3'-arylphosphoranilidates-key intermediates in the stereospecific synthesis of 2'-deoxyribonucleoside cyclic 3',5'-phosphorothioates and dinucleoside (3',5')-phosphorothioates. *Tetrahedron*. 1984; **40**:15.
690. Matyjaszewski, K. Cationic polymerization of 1,4,6-trioxaspiro(4,4)nonane. *J Polym Sci A: Polym Chem*. 1984; **22**:29.
691. ---. Cationic polymerization of 1-azabicyclo-(4.2.0)octane. II. Reactivities of ions and ion-pairs. *Makromol Chem*. 1984; **185**:51.
692. Matyjaszewski, K.; Szymański, R.; Kubisa, P., and Penczek, S. Ionic and covalent active species in cationic polymerization. *Acta Polymerica*. 1984; **35**:14.
693. Mikołajczyk, M. and Bałczewski, P. A new total synthesis of methylenomycin B using organic sulfur and phosphorus reagents. *Synthesis*. 1984:691-694.
694. Mikołajczyk, M.; Bałczewski, P.; Wróblewski, K.; Karolak-Wojciechowska, J.; Miller, A.; Wieczorek, M. W.; Antipin, M. Y., and Struchkov, Y. T. Organosulfur compounds XXXVIII. Axial preference a 2-dimethoxyphosphoryl substituent in 1,3,2-trithiane. *Tetrahedron*. 1984; **40** :4885-4892.
695. Mikołajczyk, M.; Kielbasiński, P., and Basiński, W. Reaction of carbodiimides with phosphorothioic, phosphorodithioic and phosphoroselenic acids: products, intermediates and steps. *J Org Chem*. 1984; **49**:899-908.

696. Mikołajczyk, M.; Midura, W. H., and Grzejszczak, S. Synthesis of mono- and 1,4-dicarbonyl compounds based on the oxygenation of phosphonate carbanions. Synthesis of dihydrojasnone, allethron and methylenomycin B. *Tetrahedron Lett.* 1984; **25**:2489.
697. Mikołajczyk, M.; Popielarczyk, M., and Grzejszczak, S. Organoschwefelverbindungen XXXVII. Synthese von Sulfoxiden und Sulfonen des mono- und disubstituirten 3,4-di-Hydro-2H-Thiopyrans *via* intramolekulare Horner-Wittig Reaktion. *Zeitschrift Für Chemie.* 1984; **24**:377.
698. Mikołajczyk, M.; Ziemnicka, B.; Wieczorek, M. W., and Karolak-Wojciechowska, J. Stereochemistry of cyclic organophosphorus compounds. Part 16. Synthesis and the crystal and molecular structure of mezo-bis-/4,6-dimethyl-2-thio-1,3,2-dioxaphosphorinan-2-yl/ oxide derived from racemic pentan-2,4-diol. *Phosphorus and Sulfur.* 1984; **21**:205.
699. Nadolski, B.; Uznański, P., and Kryszewski, M. Photochromism of a 2H-chromene-2-spiro-2-(2.3 dihydroindole) molecular probe in model biological membranes and in organic solvents I. *Macromol Rapid Comm.* 1984; **5**:327.
700. ---. Solvatochromism in visible absorption on band of 4-di-amino-4-nitroazobenzene in polystyrene poly(vinyl acetate) and in model liquid solvents. Effect of temperature, medium polarity and rigidity. *J Macromol Sci Phys.* 1984; **B 23**:221.
701. Nadolski, B.; Uznański, P.; Wróbel, A. M., and Kryszewski, M. An improved method for the preparation of polyethylene oriented matrices suitable for linear dichroism studies. *Polym Bull.* 1984; **11**:55.
702. Okruszek, A.; Guga, P., and Stec, W. J. Stereospecific synthesis of P-chiral nucleoside [¹⁸O]-phosphates *via* S $\square$ ¹⁸O exchange. *Nucl Acids Res Symp Ser.* 1984; **14**:267-268.
703. Okruszek, A. and Stec, W. J. Stereoretentive conversion of cyclic phosphorothioates into [¹⁸O]. Phosphates using [¹⁸O] chloral. *J Chem Soc Chem Commun.* 1984:117-119.
704. Omelańczuk, J. and Mikołajczyk, M. A general synthesis of optically active phosphines, phosphinites and thiophosphinites from alkylthio/alkylseleno/phosphonium salts and tris /dimethylamino/ phosphine as a thiophilic agent. *Tetrahedron Lett.* 1984; **25**:2493.
705. Penczek, S. Ring-opening polymerization. *Polymer Yearbook.* Harwood Academic Publishers; 1984; p. 199.
706. ---. Structure-reactivity in the ring-opening polymerization. *Polymer Preprints.* 1984; **25**(1):222.
707. Penczek, S.; Kubisa, P.; Matyjaszewski, K., and Szymański, R. Structures and reactivities in the ring opening and vinyl cationic polymerization. Goethals, E. J., Eds. *Cationic polymerization and related processes.* Academic Press; 1984; p. 139.
708. Penczek, S.; Lapienis, G., and Kłosiński, P. Synthetic analogues of phosphorus containing biopolymers. *Pure & Appl Chem.* 1984; **56**:1309.
709. Pietrusiewicz, K. M.; Zabłocka, M., and Monkiewicz, J. Optically active phosphine oxides. 2. Novel approach to enantiomeric dialkylphenylphosphine oxides. *J Org Chem.* 1984; **49**:1522-1526.
710. Pretula, J.; Kałużyński, K., and Penczek, S. Living reversible anionic polymerization of N,N-diethylamine-1,3,2-dioxaphosphorinan. *J Polym Sci A: Polym Chem.* 1984; **22**:1251-1258.
711. Pęcherz, J.; Kryszewski, M.; Przybylski, M., and Karolak-Wojciechowska, J. Electrical properties of TCNQ complex salts with polycations containing sulfur atoms and their crystalline model compounds. *Acta Polymerica.* 1984; **35**:619.

712. Scholubbers, H. G.; van Knippenberg, P. H.; Baraniak, J.; Stec, W. J.; Morr, M., and Jastorff, B. Investigations on stimulation of lac transcription *in vivo* in Escherichia coli by cAMP analogues. Biological activities and structure-activity correlations. European J Biochem. 1984; **138**:101.
713. Sosnowski, S.; Duda, A.; Słomkowski, S., and Penczek, S. Determination of the structure of active centers in the anionic polymerization by ³¹P NMR, introducing a P-containing end group. Makromol Chem. 1984; 5:551.
714. Sosnowski, S.; Libiszowski, J.; Słomkowski, S., and Penczek, S. Thermodynamics of the polymerization of ethylene methyl phosphate. Macromol Rapid Comm. 1984; 5:239.
715. Stec, W. J. and Zon, G. Stereochemical studies of the formation of chiral internucleotide linkages by phosphoroamidite coupling in the synthesis of oligodeoxyribonucleotides. Tetrahedron Lett. 1984; **25**:5279.
Notes: Staż
716. ---. Synthesis, separation and stereochemistry of diastereomeric oligodeoxyribonucleotides having a 5'-terminal internucleotide phosphorothioate linkage. Tetrahedron Lett. 1984; **25**:5275.
Notes: Staż
717. Stec, W. J.; Zon, G.; Egan, W., and Stec, B. Automated solid-phase synthesis, separation and stereochemistry of phosphorothioate analogues of oligodeoxyribonucleotides. J Am Chem Soc. 1984; **106**:6077.
Notes: Staż
718. Słomkowski, S. Distribution of cyclic and linear macromolecules in the polymerization of cyclic monomers with simultaneous back-biting and end-biting reactions. J Macromol Sci Chem. 1984; **A 21**:13883.
719. ---. Niektóre kierunki badań mechanizmów i kinetyki polimeryzacji. Polimery. 1984; **29**:253.
720. Tracz, A.; Pakuła, T.; Ulański, J., and Kryszewski, M. Anisotropic electrical conductivity of polycarbonate films with CT - additives. Kryszewski, M. and Martuscelli, E., Ed. Polymer blends. New York: Plenum; 1984; p. 173.
721. Tyczkowski, J. and Kryszewski, M. Electrical conduction in plasma-polymerized organosilicon films: influence of water and oxygen. J Appl Polym Sci Appl Polym Symp. 1984; **38**:149.
Notes: "Plasma Polymerization and Plasma Treatment " Yasuda, H. K. /Ed./
722. ---. On correlation between chemical constitution and electronic structure of plasma polymers. Medzagotyra (Materials Science). 1984; **10**:295.
723. ---. Photoinjection into plasma-polymerized organosilicon thin films II. The structure of energy levels. J Phys D: Appl Phys. 1984; **17**:2053.
724. Ulański, J.; Jeszka, J. K.; Tracz, A., and Kryszewski, M. Conductive polymers with crystalline CT complexes: effectiveness of doping. Medzagotyra (Materials Science). 1984; **10**(299).
725. Van Haastert, P. J. M.; van Driel, R.; Jastorff, B.; Baraniak, J.; Stec, W. J., and de Wit, R. J. W. Competitive cAMP-antagonists for cAMP-receptor proteins. J Biol Chem. 1984; **259**:10020.
726. Wróbel, A. M. Otrzymywanie, struktura i własności cienkich warstw krzemoorganicznych polimerów plazmowych. Zeszyty Naukowe Politechniki Łódzkiej . 1984; **68**.
Notes: Rozprawa habilitacyjna
727. Wódzki, R. and Kałużyński, K. Electrolytic conductivity of lower molecular weight α -hydro- ω -hydroxy

poly[oxy(hydroxyphosphoryl)oxytrimethylene. *Macromol Rapid Comm.* 1984; **5**:385.

728. Łapienis, G. and Penczek, S. Cyclic compounds containing phosphorus atoms in the ring. Ivin, K. J. and Saegusa, T., Eds. Ring-opening polymerization. London, New York: Elsevier, Appl Sci Publ; 1984; p. 919.
729. Baraniak, J. and Stec, W. J. Stereochemical aspects of the reaction of dialkyl phosphates with amine in the presence of triphenylphosphine and carbon tetrachloride. *Tetrahedron Lett.* 1985; **26**:4379.
730. Bartczak, Z.; Gałęski, A.; Martuscelli, E., and Janik, H. Primary nucleation behaviour in iPP-EPM copolymer blends. *Polymer.* 1985; **26**:1843.
731. Bouchu, D.; Tardy, F.; Moreau, M.; Dreux, J.; Skowrońska, A., and Michalski, J. Stereospecific conversion of cyclic phosphorothioates into chlorophosphates. *Tetrahedron Lett.* 1985; **26**:443-446.
732. Chmielecka, J.; Chojnowski, J.; Eaborn, C., and Stańczyk, W. A. Base cleavage of R-SiMe_n/OMe/_{3-n}. *J Chem Soc Perkin 2.* 1985:1779.
733. Chojnowski, J. Postępy w badaniach mechanizmów reakcji podstawienia przy atomie krzemu. Wybrane zagadnienia chemii krzemu. Poznań: Wydawnictwa UAM; 1985; p. 23.
734. Chojnowski, J.; Cypryk, M.; Michalski, J., and Woźniak, L. A. The nature and consequences of the interaction of phosphoryl nucleophiles with a triorganosilyl chloride. *J Organomet Chem.* 1985; **288**:275-287.
735. Cypryk, M.; Chojnowski, J., and Michalski, J. Interaction of P(III) compounds with silyl halides. The mechanism of the reaction of phosphorous triamides with trialkyl silyl halides. *Tetrahedron.* 1985; **41**:2471-2477.
736. Drabowicz, J.; Legędz, S., and Mikołajczyk, M. A new enantioselective symmetric synthesis of alkyl t-bitanesulfonates. *J Chem Soc Chem Commun.* 1985:1670.
737. Drabowicz, J. and Mikołajczyk, M. The first stereoselective synthesis of optically active thiosulfonates. *Tetrahedron Lett.* 1985; **26**:5703.
738. Drabowicz, J.; Mikołajczyk, M.; Bujnicki, B., and Kajtar, M. Chiroptical properties of O-alkyl alkanesulfonates. *Proceedings of the International Conference on Circular dichroism; Sofia.* 1985: str. 327.
739. Duda, A. and Penczek, S. Postęp w badaniach anionowej kopolimeryzacji siarki elementarnej. "Siarka Elementarna"-IV Ogólnopolskie Sympozjum; Baranów Sandomierski. 1985: 211.
740. Dąbkowski, W.; Michalski, J., and Skrzypczyński, Z. Anhydrides of phosphorus and sulfur acids. 2. Mixed anhydrides of phosphoric, phosphonic and phosphinic acids with sulfonic acids and sulfuric monoimidazolid. New methods of synthesis, novel structures, phosphorylating properties. *Chem Ber.* 1985; **118**:1809-1824.
741. Ejchart, A.; Oleski, P., and Wróblewski, K. Data processing in some two-pulse methods of T₁ measurements. *Ser Fiz UAM.* 1985; **54**:503.
742. ---. An interactive nonlinear method for the calculation of spin-lattice relaxation times. *Ser Fiz UAM.* 1985; **53**:123.
743. ---. Separation of intra and intermolecular ³¹P-¹H dipolar interactions in phosphonates by way of T₁ measurements of ³¹P nucleic. *Polish J Chem.* 1985; **59**:845.

744. Engelhardt, M.; Hägele, G.; Mikołajczyk, M.; Bałczewski, P., and Wendisch, D. 2-Dimethoxyphosphoryl-1,3-dithiane. A comparison of NMR studies for nuclei ^1H , ^{13}C and ^{31}P in 1-D-NMR and 2-D-NMR techniques. *Magn Reson Chem.* 1985; **23**:18-22.
745. Guga, P.; Wilk, A., and Stec, W. J. Stereoretentive conversion of dialkyl [^{18}O]phosphoranilidates into dialkyl hydrogen [^{18}O]-phosphates. *Tetrahedron Lett.* 1985; **26**:3279.
746. Hanspach, J.; Hansel, H.; Kryszewski, M., and Gaulke, L. Zum einfluß des Krystallinitätsgrades und der Orientierung auf die Elektronenbeweglichkeit in Polyethylenterephthalat. *Acta Polymerica.* 1985; **36**:234.
747. Hofman, A.; Słomkowski, S., and Penczek, S. Structure of active centers and mechanism of the anionic polymerization of lactones. *Makromol Chem.* 1985; **185**:91 .
748. Jeszka, J. K.; Tracz, A.; Ulański, J., and Kryszewski, M. Surface-conductive polymer by reticulate doping with organic metals. *J Phys D: Appl Phys.* 1985; **18**:L 167.
749. Kamiński, R.; Paneth, P., and Reimschuessel, W. ^{36}S and ^{18}O isotope effects in infrared spectra of monothiopyrophosphates. *Spectrochimica Acta.* 1985; **41**:513.
750. Karolak-Wojciechowska, J.; Mikołajczyk, M.; Zatorski, A.; Kieć-Kononowicz, K., and Zejc, A. Reaction of 5,5-diphenyl-2-thiohydantion with 1,2-dibromoethane. Crystal and molecular structures of 2,3-dihydro-6,6-diphenylimidazo-/2,1-b/-thiazol-5/6H/-one and 2,3-dihydro-5,5-diphenylimidazo-/2,1-b/-thiazol-6/5H/-one and their reactivity. *Tetrahedron.* 1985; **41**:4593.
751. Kesbeke, F.; Baraniak, J.; Bulgakov, R.; Jastorff, B.; Morr, M.; Petridis, G.; Stec, W. J.; Seela, F., and Van Haastert, P. J. M. Cyclic nucleotide specificity of the activator and catalytic sites of a cGMP-stimulated cGMP-phosphodiesterase from distyostelium discoideum. *European J Biochem.* 1985; **151**:179.
752. Michalski, J. Studies on phosphorylation in connection with nucleosides. Thrid European Symposium in Carbohydrates; Grenoble. 1985: 188-189.
753. Mikołajczyk, M. Nowe reagenty siarko-fosforoorganiczne w syntezie związków organicznych i wybranych produktów naturalnych. "Siarka Elementarna"-IV Ogólnopolskie Sympozjum; Baranów. 1985: 316.
754. ---. Synthesis of some naturally occurring cyclopentenones and cyclopentanones using phosphorus and sulfur reagents. Vlahov, R., Ed. *Proceedings of III International Conference of Chemistry and Biotechnology of Biologically Active Natural Products*; Sofia. 1985: 254.
755. Mikołajczyk, M.; Drabowicz, J., and Bujnicki, B. Nucleophilic substitution at sulfinyl sulfur. Factors affecting the inversion to retention ratio in acid-catalyzed alcoholysis of chiral N,N-diisopropyl p-toluenesulfinamide. *Tetrahedron Lett.* 1985; **26**:5699.
756. Mikołajczyk, M.; Kielbasiński, P.; Bujnicki, B.; Wenschuh, E., and Kuhne, U. Reaction of aminosulfenates and dialkyl sulfoxylates with methyl trifluoromethanesulfonate and sodium iodide: NMR spectroscopic studies. *Phosphorus and Sulfur.* 1985; **25**:85-89.
757. Milczarek, P. and Kryszewski, M. Polyethylene-polystyrene gradient polymers I. Structure modification of polyethylene matrix. *Progress Coll Polym Sci.* 1985; **71**:96.
758. Misiura, K.; Silverton, J. V., and Stec, W. J. Stereochemistry of P-N bond cleavage. First crystal and structural assignment in cyclic phosphoramidofluoridates. *J Org Chem.* 1985; **50**:1815.

759. Niewiarowski, W. and Uznański, B. Substrate specificity and stereospecificity of calf spleen phosphodiesterase towards deoxyrinonucleosidyl 3'-/4-nitrophenyl/-phosphates and phosphorothioates. *European J Biochem.* 1985; **153**:145.
760. Okruszek, A.; Guga, P., and Stec, W. J. Direct transformation of ribonucleoside cyclic 3',5'-phosphorothioates into cyclic 2',3'-phosphates. *J Chem Soc Chem Commun.* 1985:1225-1126.
761. Pakuła, T. and Trznadel, M. Thermally stimulated shrinkage forces in oriented polymers. I. Temperature dependence. *Polymer.* 1985; **26**:1011.
762. Penczek, S.; Kubisa, P., and Matyjaszewski, K. Cationic ring-opening polymerization. Part 2. Synthetic applications. *Adv Polym Sci.* 1985; **68/69**:1.
763. Penczek, S.; Kubisa, P.; Słomkowski, S., and Matyjaszewski, K. Structure-reactivity relationships in ring-opening polymerization. McGrath, J. E., Ed; 1985; p. 117 .
764. Philips, L. R.; Gallo, K. A.; Zon, G.; Stec, W. J., and Uznański, B. Fast-atom bombardment mass spectra of O-isopropyl oligodeoxyribonucleotide triesters. *Org Mass Spectrom.* 1985; **20**:781.
765. Piórkowska, E. and Gałęski, A. Growth sites in space time-continuum. *J Phys Chem.* 1985; **89**:4700.
766. ---. Metody pomiaru współczynnika przewodzenia ciepła polimerów. Cz. I. Metody pośrednie. *Polimery.* 1985; **30**:181.
767. ---. Metody pomiaru współczynnika przewodzenia ciepła polimerów. Cz. II. Metody bezpośrednie. *Polimery.* 1985; **30**:219.
768. ---. Przewodność cieplna polimerów. *Polimery.* 1985; **30**:136.
769. ---. Statistical description of spherulite patterns. *J Polym Sci B: Polym Phys.* 1985; **23**:1723.
770. Scheinman, S. J.; Stec, W. J., and Coulson, R. Effects of (Sp)- and (Rp)-adenosine cyclic 3',5'-phosphorothioates on electrolyte excretion by the isolated perfused rat kidney. *Mineral and Electrolyte Metabolism.* 1985; **11**:85.
771. Schrader, S. and Kryszewski, M. Multiple trapping approach to the TSC. Drift experiment. *Phys Stat Sol E.* 1985; **91**:243.
772. Stec, W. J. and Zon, G. The automated synthesis of phosphorothioate analogues of oligonucleotides. Separation of diastereomers and assignment of absolute configurations. Zalewski, R. I. and Skolik, J. J., Eds. *Natural Products Chemistry* 1984; Poznań. Amsterdam: Elsevier Science Publishers B.V.; 1985.
Notes: International Symposium on the Chemistry of Natural Products, Poznań 1985
773. Stec, W. J.; Zon, G.; Egan, W.; Byrd, R. A.; Philips, L. R., and Gallo, K. A. Solid-phase synthesis, separation and stereochemical aspects of P-chiral methane- and 4,4'-dimethoxytriphenylmethane phosphonate analogues of oligodeoxyribonucleotides. *J Org Chem.* 1985; **50**:3908.
Notes: Staż
774. Stec, W. J.; Zon, G.; Gallo, K. A.; Byrd, R. A.; Uznański, B., and Guga, P. Synthesis and absolute configuration of P-chiral O-isopropyl oligonucleotide triesters. *Tetrahedron Lett.* 1985; **26**:2191.
775. Stec, W. J.; Zon, G., and Uznański, B. Reversed-phase high-performance liquid chromatographic separation of diastereomeric phosphorothioate analogues of oligodeoxyribonucleotides and other

back-bone-modified congeners of DNA. J Chrom. 1985; **326**:263.

776. Słomkowski, S. Ring-opening polymerization with kinetically controlled enhancement of macrocyclic oligomers or linear macromolecules. Makromol Chem. 1985; **186**:2581.
777. Słomkowski, S.; Szymański, R., and Hofman, A. Formation of the intermediate-cyclic six-membered oxonium ion in the cationic polymerization of β -propiolactone initiated with $\text{CH}_3\text{CO}^+\text{SbF}_6^-$. Makromol Chem. 1985; **186**:2283.
778. Trost, B. M. and Pietrusiewicz, K. M. A palladium mediated reductive cyclization. Tetrahedron Lett. 1985; **26**:4039-4042.
Notes: Staż
779. Trznadel, M.; Pakuła, T., and Kryszewski, M. Thermally stimulated shrinkage forces in oriented polymers. II. Time dependence. Polymer. 1985; **29**:1019.
780. Tsai, T. Ch.; Jiang, R. T.; Bruzik, K. B., and Tsai, M. D. Phospholipids chiral at phosphorus. Use of chiral thiophosphatidylcholine to study the metal-binding properties of Bee Venom phospholipase A_2 . Biochemistry. 1985; **24**:3180.
Notes: Staż
781. Tyczkowski, J.; Sielski, J., and Uznański, P. Charger carried transport in plasma polymerized glasses: polyorganosilicon films. Proc 5th Inter Symposium Electrets Heidelberg; 1985: 340.
782. Ulański, J.; Boiteux, G.; Seytre, G.; Tracz, A.; Jeszka, J. K.; Vallet, G., and Kryszewski, M. AC conductivity of polymers reticulate doped with CT complexes. J Phys D: Appl Phys. 1985; **18**:L 5.
783. Ulański, J.; Deltour, R.; Debrue, G.; Jeszka, J. K.; Tracz, A., and Kryszewski, M. Temperature dependent conductivity of polymers reticulate doped with CT complexes. J Phys D: Appl Phys. 1985; **18**:L 125.
784. Ulański, J.; Jeszka, J. K.; Głowacki, I., and Kryszewski, M. Surface component of absorption/resorption currents in polycarbonate for different electrodes. Proc 5th Inter Symposium Electrets; Heidelberg. 1985: 112.
785. Ulański, J.; Tracz, A.; Jeszka, J. K., and Kryszewski, M. Conducting systems with crystalline CT complexes. Mol Cryst Liq Cryst. 1985; **118**:443.
786. Ulański, J.; Tracz, A., and Kryszewski, M. Is a percolation threshold in conductive systems below 0.003 possible? J Phys D: Appl Phys. 1985; **18**:451.
787. Woźniak, L. A.; Kowalski, J., and Chojnowski, J. Bis/trimethylsilyl/peroxide, versatile reagent for selective generation of oxyphosphoryl group. Tetrahedron Lett. 1985; **26**(40):4965.
788. Wróbel, A. M. Aging process in plasma-polymerized organosilicon thin films. J Macromol Sci Chem. 1985; **A 22**(8):1089.
789. ---. Plasma polymerization of N-silyl-substituted cyclodisilazane. Proc IUPAC 7th International Symposium on Plasma Chemistry, ISPC-7; Eindhoven. 1985: 1319-1324.
790. Zavin, B. G.; Zdanov, A. A.; Ścibiorek, M., and Chojnowski, J. The anionic oligomerization of hexamethylcyclotrisiloxane with methylmethoxysilanes. Europ Polym J. 1985; **21**:135.
791. Łopusiński, A. and Haas, A. Synthesis of cis- trans 4-methyl-2-(trifluoromethylthio)-1,3,2-dioxaphosphorinane-2-oxide. Chem Ber. 1985; **118**:4623.

Notes: Staż

792. Bartczak, T. J.; Gałdecki, Z.; Wolf, W. M.; Lesiak, K., and Stec, W. J. Structure of 5,5-dimethyl-2-ethylamino-1,3,2-dioxaphosphorinane 2-selenide. *Acta Crystallogr.* 1986; **C42**:244.
793. Bartczak, Z. and Gałęski, A. Changes of the interface shape during crystallization in two component polymer systems. *Polymer.* 1986; **27**:544.
794. Bartczak, Z.; Gałęski, A., and Pracella, M. Spherulite nucleation in the blends of iPP with HDPE. *Polymer.* 1986; **27**:537.
795. Bruzik, K. B. The synthesis and absolute configuration of thiosphingomelins. *J Chem Soc Chem Commun.* 1986:329.
796. Bruzik, K. B.; Salamończyk, G., and Stec, W. J. A general method for the synthesis of glycerophospholipids. *J Org Chem.* 1986; **51**:2368-2370.
797. Brzezińska, K.; Szymański, R.; Kubisa, P., and Penczek, S. Activated monomer mechanism in cationic polymerization. Ethylene oxide. Formulation of mechanism. *Macromol Rapid Comm.* 1986; **7**:1.
798. Chojnowski, J.; Cypriak, M.; Michalski, J.; Woźniak, L. A.; Corriu, R., and Lanneau, G. Optically active silyl esters of phosphorus synthesis and structure. *Tetrahedron.* 1986; **42**:385-397.
799. Chojnowski, J.; Kaźmierski, K.; Rubinsztajn, S., and Stańczyk, W. A. Transformation of oligodimethylsiloxanols in the presence of a strong base. *Makromol Chem.* 1986; **187**:2039.
800. Chojnowski, J.; Rubinsztajn, S., and Wilczek, L. Studies of cationic polymerization of cyclosiloxanes and related processes. *L'Actualité Chimique.* 1986; **3**:56.
801. Chojnowski, J. and Stańczyk, W. A. Elimination-addition mechanism in the substitution at silicon atom. *Phosphorus and Sulfur.* 1986; **27**:211.
802. Czeremuszkin, G.; Wróbel, A. M., and Kryszewski, M. Plasma polymerization of phenylisothiocyanate. *J Polym Sci A: Polym Chem.* 1986; **24**:715.
803. Dembiński, R.; Kamiński, R.; Michalski, J., and Skowrońska, A. Synthesis of symmetrical tetraalkyl monoselenopyrophosphates: compounds containing a selenium bridge between two phosphoryl centres. *J Chem Soc Chem Commun.* 1986:1770-1771.
804. Drabowicz, J. Solid phase silica-gel catalysed α -halogenation of sulfoxides with N-halosuccinimides. *Synthesis.* 1986:831.
805. Duddeck, H.; Korek, U.; Rosenbaum, D., and Drabowicz, J. ^1H , ^{13}C , ^{17}H and ^{35}S NMR investigation of some cyclohexyl phenyl sulfides, sulfoxides and sulfones. *Magn Reson Chem.* 1986; **24**:792 .
806. Dąbkowski, W.; Michalski, J., and Skrzypczyński, Z. A convenient synthesis of phosphorus and sulfonyl-substituted N-imidazoles /triazoles/ using the corresponding acid chlorides and N-trimethylsilyl imidazoles /triazoles/. *Phosphorus and Sulfur.* 1986; **26**:321-326.
807. Dąbkowski, W.; Michalski, J.; Wasiak, J., and Skrzypczyński, Z. Reaction of stannyl esters of phosphorus acids with sulfonic acids chlorides and carboxylic acids anhydrides. A novel synthesis of phosphorus-sulfonic and phosphoric-carboxylic anhydrides. *Croatica Chem Acta.* 1986; **59**:195-198.

808. Ejchart, A.; Oleski, P., and Wróblewski, K. Extended inversion-recovery method for T_1 measurements. *J Magn Reson* . 1986; **68**:207.
809. Karolak-Wojciechowska, J.; Anulewicz, R.; Krygowski, T. M.; Kryszewski, M., and Pęcherz, J. Structure of P-phenyldimethylen bis/dimethylsulfonium/7,7,8,8-tetracyano P-dimethane (1/3). *Acta Crystallogr.* 1986; **C 42**:172.
810. Kowalewski, T. and Gałęski, A. Influence of chalk and its surface treatment on the crystallization of filled iPP. *J Appl Polym Sci.* 1986; **32**:2919.
811. Koziolkiewicz, M.; Niewiarowski, W.; Uznański, B., and Stec, W. J. Remote control of diastereoselectivity of DNase II and endonuclease Eco RI towards phosphorothioate analogues of oligonucleotides. *Phosphorus and Sulfur.* 1986; **27**:81.
812. Koziolkiewicz, M.; Uznański, B.; Stec, W. J., and Zon, G. P-chiral analogues of oligodeoxyribonucleotides-synthesis; stereochemistry and enzyme studies. *Chemica Scripta.* 1986; **26**:251.
813. Krawiecka, B.; Michalski, J., and Wojna-Tadeusiak, E. Reaction of thio and seleno esters of phosphorus acids with halogens 1. Stereochemical and ^{31}P NMR studies of reactions of S-methyl tert-butylphenyl phosphinothiolate with elemental chlorine and sulfur chloride. *J Org Chem.* 1986; **51**:4201-4208.
814. Kryszewski, M.; Gałęski, A., and Kowalewski, T. Some properties of highly filled polyolefines with chalk and other systems. Sedlacek, B., Ed. *Polymer Composites.* Berlin: Walter de Gruyter; 1986; p. 141.
815. ---. Some properties of highly oriented polyolefines with chalk and other systems. Sedlacek, B. *Proceedings of the IUPAC Prague Microsymposium "Polymer Composites"* Berlin: Walter de Gruyter; 1986: 141.
816. Kryszewski, M. and Jeszka, J. K. Interfacial effects influence and electrical properties of composites and polymer blends. Ishida, N. and Koenig, J. L., Ed. *Composite Interfaces.* New York: Elsevier Sci. Publ.; 1986; p. 81.
817. Kłosiński, P. and Penczek, S. Teichoic acids and their models membrane biopolymers with polyphosphate backbones. *Synthesis, structure and properties.* *Adv Polym Sci.* 1986; **79**:139.
818. Leśnikowski, Z. J. and Sibińska, A. Studies on stereospecific formation of P-chiral internucleotide linkage. Synthesis of diastereoisomeric 2'-deoxyadenylyl (3',5')2'-deoxyadenylyl S-methylphosphorothioates *via* nucleoside hydroxyl activation. *Tetrahedron.* 1986; **42**(18):5025-5034.
819. Mikołajczyk, M. Nucleophilic substitution at sulfinyl and sulfonyl centres: stereochemical and kinetic studies. *Phosphorus, Sulfur and Silicon.* 1986; **27**:31.
820. Mikołajczyk, M.; Kielbasiński, P., and Sut, A. Rearrangement of S-phosphorylthioureas into N-phosphorylthioureas: stereochemistry at phosphorus and mechanism. *Tetrahedron.* 1986; **42**:4591-4601.
821. Mikołajczyk, M. and Midura, W. H. A new route to 1,4-ketoaldehydes and monosubstituted cyclopentenones based on phosphonates: synthesis of jasmonoid and prostaglandin intermediates. *Nouveau Journal of Chimie.* 1986; **10**:567-568.
822. ---. A new short synthesis of Z-jasmone. *Z Naturforsch* . 1986; **41B**:263.

823. Milczarek, P. and Kryszewski, M., Polyethylene-polystyrene gradient polymer. II. Influence of the diffusion of styrene on structure of host polymer. Sedlacek, B. Proceedings of the IUPAC Prague Microsymposium "Polymer Composites" Berlin: Walter de Gruyter; 1986: 531.
824. Nowicki, T.; Mikołajczyk, M.; Markowska, A., and Kielbasiński, P. A new efficient synthesis of thiolesters. *Synthesis*. 1986:305-308.
825. Penczek, S.; Biela, T.; Kłosiński, P., and Łapienis, G. Polymerization of phosphorus containing cyclic monomers: synthesis of polymers related to biopolymers. *Macromol Symp.* 1986; **6**:123-153.
826. Penczek, S.; Kubisa, P.; Fejgin, J.; Matyjaszewski, K.; Słomkowski, S., and Wiśniewski, T. Podstawowe definicje terminów dotyczących polimerów. *Polimery*. 1986; **26**:176.
827. Penczek, S.; Kubisa, P., and Szymański, R. Activated monomer propagation in cation polymerizations. *Macromol Symp.* 1986; **3**:203.
828. Penczek, S. and Słomkowski, S. Progress in the anionic ring-opening polymerization. *Polymer Preprints*. 1986; **27**:171.
829. Penczek, S.; Łapienis, G., and Kłosiński, P. Polymerization of cyclic monomers containing phosphorus. *Phosphorus, Sulfur and Silicon*. 1986; **27**:153.
830. Pietrusiewicz, K. M. and Monkiewicz, J. Anionic activation of stabilized ylides. A highly Z-stereoselective Wittig reaction of /3-ethoxycarbonyl-2-oxopropylidene/triphenylphosphorane with aliphatic aldehydes. *Tetrahedron Lett.* 1986; **27**:739-742.
831. Piórkowska, E. and Gałęski, A. Measurements of thermal conductivity of materials. Using a transient technique. I. Theoretical background. *J Appl Phys.* 1986; **60**:485.
832. ---. Measurements of thermal conductivity of materials using a transient technique. II. Description of the apparatus. *J Appl Phys.* 1986; **60**:493.
833. Pluta, M. and Kryszewski, M. Influence of thermal treatment on the crystalline and supermolecular structure of iPP. *Acta Polymerica*. 1986; **37**:726.
834. Pretula, J.; Kałużyński, K., and Penczek, S. Synthesis of poly(alkylene phosphates) with nitrogen containing bases in the side chains. I. N- and C- substituted imidazoles. *Macromolecules*. 1986; **19**:1797-1799.
835. Pęcherz, J.; Jeszka, J. K., and Kryszewski, M. Magnetic properties of TNCQ complex salts with polycations containing sulfur atoms in the main chain. *J Macromol Sci Phys.* 1986; **B 25**:37.
836. Skowrońska, A.; Burski, J.; Krawczyk, E., and Pakulski, M. Novel reactions of pentacoordinate phosphorus system derived from pyrocatechol. *Phosphorus and Sulfur*. 1986; **27**:119-125.
837. Stańczyk, W. A. Cleavage of α -halosubstituted alkyl groups from germanium. *J Organomet Chem.* 1986; **299**:15.
838. ---. Stereochemistry of the base-cleavage of dibromomethylnaphtylphenylmethyilsilane. *Inorg Chim Acta*. 1986; **D**:28L.
839. Szymański, R. Reversible copolymerization at equilibrium. *Macromol Chem Phys.* 1986; **187**:1109.
840. Słomkowski, S. Kinetics of the anionic polymerization of β -propiolactone in dimethylformamide. *Polymer*.

1986; **27**:71.

- 841. ---. Niektóre kierunki badań polimerów stosowanych w mikroelektronice. *Polimery*. 1986; **31**:158.
- 842. Tracz, A.; Jeszka, J. K.; Kryszewski, M., and Ulański, J. Conducting polyolefines reticulate doped with crystalline charge - transfer complexes. Preparation and properties. *Chemtronics*. 1986; **1**:50.
- 843. Tracz, A.; Jeszka, J. K.; Shafee, E. El.; Ulański, J., and Kryszewski, M. Stoichiometry of the CT complex crystallites in polymer films. *J Phys D: Appl Phys*. 1986; **19**:1047.
- 844. Trznadel, M. Thermally stimulated shrinkage forces in oriented polymers. III. Induction time. *Polymer*. 1986; **27**:871.
- 845. Uznański, B.; Koziołkiewicz, M.; Stec, W. J.; Zon, G.; Shinozuka, K., and Marzilli, L. G. New components for improved solid-phase synthesis of base- and backbone- modified oligodeoxyribonucleotides. *Chemica Scripta*. 1986; **26**:221.
- 846. Uznański, B.; Niewiarowski, W., and Stec, W. J. Activity of acid deoxyribonuclease towards diastereoisomers of thymidyl 3'-(4-nitrophenyl phosphorothioate) stereochemistry of transnucleotidylation reaction. *J Biol Chem*. 1986; **261**:592.
- 847. Wilczek, L.; Rubinsztajn, S., and Chojnowski, J. Comparison of the cationic polymerization of octamethylcyclotetrasiloxane /D₄/ and hexamethylcyclotrisiloxane. *Makromol Chem*. 1986; **187**:39.
- 848. Wojtania, M.; Kubisa, P., and Penczek, S. Polymerization of propylene oxide by activated monomer mechanism. Suppression of macrocyclics formation. *Macromol Symp*. 1986; **6**:201.
- 849. Łopusiński, A.; Michalski, J., and Potrzebowski, M. J. Reaction of dialkoxithioxaphosphoranesulfenyl chlorides with dialkyl tri-methylsilyl phosphites. New stereoselective route to the unsymmetrical tetraalkyldithiopyrophosphates. Preparation of diastereoisomeric 2-trimethylsilyloxy-4-methyl-1,3,2-dioxaphosphorinanes. *Phosphorus and Sulfur*. 1986; **28**:299-305.
- 850. Baraniak, J. and Stec, W. J. Ribinucleoside cyclic 3',5'-phosphoramidates: synthesis, stereochemistry and conversion into ribonucleoside cyclic 3',5'-phosphorothioates and -[¹⁸O]phosphates. *J Chem Soc Perkin 1*. 1987:1645.
- 851. Bartczak, Z.; Gałęski, A., and Krasnikova, N. P. Primary nucleation and spherulite growth rate in isolatic polypropylene-polystyrene blends. *Polymer*. 1987; **28**:1627.
- 852. Bartczak, Z. and Martuscelli, E. Spherulites primary nucleation in binary miscible blends of poly(ethylene oxide) with poly(methyl methacrylate). *Makromol Chem*. 1987; **188**:445.
- 853. Binkowski, J. and Rutkowski, P. Elemental analysis of organic phosphorus compounds X. Schöniger-Flask method for phosphorus. *Mikrochim Acta*. 1987; **1**:245.
- 854. Bruzik, K. B. and Tsai, M. D. A calorimetric study of the thermotropic behaviour of pure sphingomyelin diastereomers. *Biochemistry*. 1987; **26**:5364.
Notes: Staż
- 855. Chmielecka, J.; Chojnowski, J.; Stańczyk, W. A., and Eaborn, C. Evidence for generation of the unsaturated species Me(O-)Si=O by dissociation of the dianion. *J Chem Soc Chem Commun*. 1987:1337.

856. Chojnowski, J. Krzemowe polimery preceramiczne. *Polimery*. 1987; **32**:169.
857. Chojnowski, J.; Fortuniak, W., and Stańczyk, W. A. Kinetics of the reaction of organosilyl hydrides with carbenium ions in an inert solvent. *J Am Chem Soc*. 1987; **109**:7776-7781.
858. Chojnowski, J.; Rubinsztajn, S., and Wilczek, L. The acid catalyzed condensation of model hydroxyl terminated dimethylsiloxane oligomers. Cyclization versus linear condensation; intra-inter catalysis. *Macromolecules*. 1987; **20**:2345.
859. Drabowicz, J. Organosulfur compounds XLIII. N-bromosuccinimide-catalyzed transesterification and racemization of sulphinates. *Phosphorus, Sulfur and Silicon*. 1987; **31** :123.
860. Drabowicz, J. and Pacholczyk, M. Organosulfur compounds XL. A new type of asymmetric synthesis of sulphinic acid derivatives using chiral carbodiimides. *Phosphorus, Sulfur and Silicon*. 1987; **29**:257.
861. Dąbkowski, W.; Cramer, F., and Michalski, J. A new strategy for dinucleotide synthesis *via* phosphite route involving phosphorochloridates as intermediates. *Tetrahedron Lett*. 1987; **28**:3559-3560.
862. ---. A new synthesis of phosphorofluoridates of biological interest. The reaction of phosphoroazolides with benzoyl fluoride. *Tetrahedron Lett*. 1987; **28**:3561-3562.
863. Dąbkowski, W. and Michalski, J. Fluorination of trimethylsilyl phosphites and their structural analogues by sulfur chloride fluoride. A facile preparation of phosphorfluoridates and related compounds. *J Chem Soc Chem Commun*. 1987:755-756.
864. Gałązka, G.; Kłysik, J. E.; Kwinkowski, M.; Szala, S., and Palecek, E. B-Z transition within the mouse repetitive sequence. Bruzik, K. B. and Stec, W. J., Eds. *Biophosphates and their analogues. Synthesis, structure, metabolism and activity*. Amsterdam: Elsevier; 1987; p. 515.
865. Gałęski, A.; Argon, A. S., and Cohen, R. E. Morphology of nylon 6 spherulites. *Makromol Chem*. 1987; **188**:1195.
866. Gałęski, A.; Koenczoel, L.; Piórkowska, E., and Baer, E. Acoustic emission during crystallization of polymers. *Nature*. 1987; **325**: 40.
867. Guga, P.; Koziołkiewicz, M.; Okruszek, A.; Uznański, B., and Stec, W. J. DNA triesters - the synthesis and absolute configuration assignments at P-sterogenic centres. *Nuclosides & Nucleotides*. 1987; **6**:111-119.
868. Hofman, A.; Słomkowski, S., and Penczek, S. Polymerization of ϵ -caprolactone with kinetic suppression of macrocycles. *Macromol Rapid Comm*. 1987; **8**:387.
869. Hofman, A.; Słomkowski, S., and Penczek, S. Structure of active centers and mechanism of anionic and cationic polymerization of delta-valerolactone. *Makromol Chem*. 1987; **188**:2027.
870. Jeszka, J. K.; Kimura, K.; Tracz, A.; Inokuchi, H., and Kryszewski, M. Investigations of CT complexes in reticulate doped polymers by XPS spectroscopy. *Medzagotyra (Materials Science)*. 1987; **13**:103.
871. Jeszka, J. K.; Kimura, K.; Tracz, A.; Inokuchi, H., and Kryszewski, M. XPS spectroscopy of TTF-TCNQ and TTT-TCNQ CT complexes in reticulate doped polymers. *J Mol Electronics*. 1987; **3**:157.
872. Jeszka, J. K.; Tracz, A., and Kryszewski, M. Effective content of crystalline CT-complex in reticulate doped polymers. *Synth Met*. 1987; **18**:765.

873. Kałużyński, K. and Penczek, S. Polymerization of 2-diethylamino-1,3,2-dioxaphosphorinane. 2. Kinetics. *Makromol Chem.* 1987; **188**:1713.
874. Kowalski, J.; Woźniak, L. A., and Chojnowski, J. Silyl peroxides as selective oxygenation reagents in phosphorus chemistry. *Phosphorus, Sulfur and Silicon.* 1987; **30**:125.
875. Krawiecka, B. Reaction of selenoesters of phosphorus acids with halogens. *Phosphorus, Sulfur and Silicon.* 1987; **30**:173-176.
876. Krzyżanowska, B. and Stec, W. J. New P-chiral phosphates, phosphorothioates and phosphoroselenothioates. *Phosphorus, Sulfur and Silicon.* 1987; **30**:287.
877. Kubisa, P. Secondary and tertiary oxonium ions in the polymerization of 1,3-dioxolane initiated with HOSO_2CF_3 . *J Polym Sci A: Polym Chem.* 1987; **25**:873.
878. Kłosiński, P. and Penczek, S. Mechanizm i kinetyka polimeryzacji jonowej laktonów. *Zeszyty Naukowe Politechniki Łódzkiej*. 1987; **470**.
879. ---. Nowe osiągnięcia w zastosowaniu polimerów w medycynie i biologii. *Polimery.* 1987; **32**:135.
880. Lamontagne, B.; Wróbel, A. M.; Jalbert, G., and Wertheimer, M. R. Large area microwave plasma etching of polyimide. *J Phys D: Appl Phys.* 1987; **20**:844.
881. Lawrence, D. P.; Wenquiao, Ch.; Zon, G.; Uznański, B.; Stec, W. J., and Broido, M. S. NMR studies of backbone-alkylated DNA: duplex stability, absolute stereochemistry and chemical shift anomalies of prototypal isopropyl phosphotriester modified octanucleotides, (Rp,Rp)- and (Sp,Sp)-{d-[GGA(iPr)ATTCCI]}₂ and -{d-[GGAA(iPr)TTCCI]}₂. *J Biomolec Struct Dyn.* 1987; **4**:757.
882. Leśnikowski, Z. J.; Jaworska, M., and Stec, W. J. A simple procedure for synthesis of diastereoisomers of thymidine cyclic 3',5'-phosphate derivatives. *Nucl Acids Res Symp Ser.* 1987; **18**:273.
883. Leśnikowski, Z. J.; Wołkanin, P. J., and Stec, W. J. Determination of absolute configuration at phosphorus in diastereoisomers of thymidyl (3',5')thymidylyl methanephosphonate. Bruzik, K. B. and Stec, W. J., Eds. *Biophosphates and their analogues. Synthesis, structure, metabolism and activity.* Amsterdam: Elsevier; 1987; p. 189.
884. ---. Stereospecific synthesis of (Rp)- and (Sp)-thymidylyl (3',5')thymidylyl methanephosphonates. *Tetrahedron Lett.* 1987; **28**:5535.
885. Michalski, J. The Chemistry and stereochemistry of organic selenium-phosphorus acids and phosphine selenides.: Am, N. Y. Acad. Sciences; 1987: 90-100.
886. ---. Mixed phosphorus and sulfur acids anhydrides. *New Heteroorganic Chemistry.* 1987; **42**:405-409.
887. Michalski, J.; Reimschuessel, W.; Kamiński, R., and Paneth, P. Mechanisms of isomerization of sym-monothiopyrophosphates. *Phosphorus, Sulfur and Silicon.* 1987; **30**:257-260.
888. Michalski, J.; Skowrońska, A., and Bodalski, R. Mechanisms of reactions of phosphorus compounds. Quinn, L. D. and Verkade, J. G., Eds. *Phosphorus-31 NMR spectroscopy in stereochemical analysis.* VCH Publishers Inc., 1987; pp. 255-296.
889. Michalski, J.; Łopusiński, A.; Jezierska, B.; Luczak, L., and Potrzebowski, M. J. A new approach towards organophosphorus sulphenyl and selenyl halides. *Phosphorus, Sulfur and Silicon.* 1987; **30**:221-224.

890. Mikołajczyk, M. Alpha-heterosubstituted phosphonates and phosphinoxides. *Pure & Appl Chem.* 1987; **59**:983.
891. ---. Sulfur stereochemistry: old problems and new results. Zwanenburg, B. and Klunder, A. J., Eds. *Perspectives in the organic chemistry of sulfur.* 1987; p. 23.
892. Mikołajczyk, M. and Bałczewski, P. Methylenomycin B: A new synthesis from β -ketophosphonates. *Synthesis.* 1987:659-661.
893. Mikołajczyk, M.; Bałczewski, P., and Graczyk, P. P. Phosphonates containing sulfur and silicon: new stereochemical and mechanistic aspects. *Phosphorus, Sulfur and Silicon.* 1987; **30**:225-228.
894. Mikołajczyk, M.; Graczyk, P. P., and Bałczewski, P. Conformation of 2-phosphoryl and 2-thiophosphoryl 1,3-dithianes and related compounds. Comments on the origin S-C-P anomeric interactions. *Tetrahedron Lett.* 1987; **28**:573-576.
895. Mikołajczyk, M.; Midura, W. H.; Miller, A., and Wieczorek, M. W. Organosulfur compounds. XLIV. Alpha-phosphoryl sulfoxides. VI. Synthesis of alpha-phosphorylethyl p-tolyl sulfoxide and asymmetric induction on the alpha-carbon atom. *Tetrahedron.* 1987; **43**:2967.
896. Mikołajczyk, M.; Midura, W. H.; Wieczorek, M. W., and Bujacz, G. D. Organosulfur compounds. XLI. Alpha-phosphoryl sulfoxides V. Synthesis and crystal and molecular structure of O,O-diphenylphosphorylmethyl phenyl sulfoxide. *Phosphorus, Sulfur and Silicon.* 1987; **31**:19.
897. Mikołajczyk, M.; Perlikowska, W., and Omelańczuk, J. Organosulfur compounds XLIII. Synthesis of (+) neomenthanethiol and some of its derivatives. A new example of asymmetric induction in the sulfoxide synthesis. *Synthesis.* 1987:1009.
898. Myśliński, P. and Kryszewski, M. The effect of crystalline structure on the thermally discharge current of isotactic polypropylene. *Acta Polymerica.* 1987; **38**:253.
899. Niewiarowski, W.; Leśnikowski, Z. J.; Wilk, A.; Guga, P.; Okruszek, A.; Uznański, B., and Stec, W. J. Diastereomers of thymidine 3'-O-(methanephosphonothioate): synthesis, absolute configuration, and reaction with 3'-methoxyacetylthymidine under conditions of triester approach to oligonucleotide synthesis. *Acta Biochimica Polonica.* 1987; **34**:217-231.
900. Nyk, A.; Kłosiński, P., and Penczek, S. Teichoic acids models by polyaddition of H_3PO_4 to diepoxides. Bruzik, K. B. and Stec, W. J., Eds. *Biophosphates and their analogues. Synthesis, structure, metabolism and activity.* Amsterdam: Elsevier; 1987; p. 231.
901. Okruszek, A. Inżynieria enzymatyczna i wykorzystanie enzymów jako przemysłowych katalizatorów. *Kosmos.* 1987; **36**:265-280.
902. Okruszek, A.; Guga, P., and Stec, W. J. Novel approach to the synthesis of isotopomeric monoalkyl[^{16}O , ^{17}O , ^{18}O]phosphates. The stereospecific one-pot conversion of (Rp) - thymidine 3'-(4-nitrophenyl)phosphorothioate into isotopomeric (Rp)-thymidine 3'-[^{16}O , ^{17}O , ^{18}O]phosphate. *J Chem Soc Chem Commun.* 1987:594-595.
903. ---. P-chiral dialkyl [^{18}O]phosphates and monoalkyl[^{16}O , ^{17}O , ^{18}O]phosphates. Stereospecific reaction of phosphorothioates with styrene[^{18}O]oxide. Bruzik, K. B. and Stec, W. J., Eds. *Biophosphates and their analogues. Synthesis, structure, metabolism and activity.* Amsterdam: Elsevier; 1987; pp. 247-258.
904. Palecek, E.; Boublikova, P.; Gałązka, G., and Kłysik, J. E. Inhibition of restriction endonuclease cleavage due to site-specific chemical modification of the B-Z junction in supercoiled DNA. *Gen Physiol*

Biophys. 1987; **6**:327.

905. Palecek, E.; Boublikova, P.; Hejedly, K.; Gałazka, G., and Kłysik, J. E. B-Z junctions in supercoiled PRW751 DNA contain unpaired bases on non-Watson-Crick base pairs. *J Biomolec Struct Dyn*. 1987; **5**:297.
906. Penczek, S. and Słomkowski, S. Progress in the anionic ring-opening polymerization. Hogen-Esch, T. E., Ed. Recent advances in anionic polymerization, carbanions, mechan synthesis. London-New York: Elsevier Appl Science; 1987.
907. Pluta, M. and Kryszewski, M. Studies of relaxation process in spherulitic and nonspherulitic samples of i-PP with different molecular ordering. *Acta Polymerica*. 1987; **38**(1):1987.
908. Pluta, M.; Milczarek, P., and Kryszewski, M. Polyethylene-polystyrene gradient polymers. II. The swelling-induced crystallization in the PE-PS gradient polymers and modified by styrene LDPE samples. *Colloid Polym Sci*. 1987; **265**:481.
909. ---. Polyethylene-polystyrene gradient polymers. III. Mechanical and rheo-optical studies of relaxation processes. *Colloid Polym Sci*. 1987; **265**:490.
910. Pęcherz, J.; Kryszewski, M., and Jeszka, J. K. Conductive polymer films obtained by doping with complexes TCNQ salts of polycations with S atoms in main chain. *Medzagotyra (Materials Science)*. 1987; **13**:211.
911. ---. Conductive reticulate doped polymer films with TCNQ salts polycations. *J Mol Electronics*. 1987; **3**:129.
912. Pęcherz, J.; Kryszewski, M.; Przybylski, M., and Karolak-Wojciechowska, J. Structure and electrical properties of the complex salt of TCNQ and p-phenylenedimethylene-bis-(dimethylsulphonium) dication. *Medzagotyra (Materials Science)*. 1987; **13**:215.
913. Pęcherz, J.; Kryszewski, M., and Świętosławski, J. Crystallinity of the complex of anion radical salts of TCNQ polucations with S⁺ in the main chain. *Acta Polymerica*. 1987; **38**:258.
914. Skowrońska, A.; Burski, J.; Gwara, J.; Kamiński, R., and Kowara, J. New six- and five-coordinate organophosphorus compounds: synthesis and stereochemistry. *Phosphorus, Sulfur and Silicon*. 1987; **30**:283-286.
915. Skowrońska, A.; Dembiński, R.; Kamiński, R., and Michalski, J. Novel synthesis of symmetrical tetra-alkyl monothiopyrophosphates. *Tetrahedron Lett*. 1987; **28**:4209-4210.
916. Sosnowski, S.; Słomkowski, S.; Penczek, S.; Arkhipovich, G. N., and Kazanski, K. Anionic living polymerization of beta-propiolactone initiated with crowned potassium methacrylate: macromonomers and their copolymers with N-butyl acrylate. *Makromol Chem*. 1987; **188**:1347.
917. Stańczyk, W. A. Mechanizmy dwucząsteczkowego podstawienia nukleofilowego przy atomie krzemu. *Wiadomości Chemiczne*. 1987; **41**:31.
918. ---. Podstawienie nukleofilowe przy atomie krzemu i innych centrach elektrofilowych grupy IV. *Zeszyty Naukowe Politechniki Łódzkiej* . 1987; **532**:1.
919. Szymański, R. Copolymerization at equilibrium. General treatment. *Makromol Chem*. 1987; **188**:2605.
920. Tracz, A.; Ulański, J.; Boiteux, G.; Kryszewski, M.; Seytre, G., and Vallet, G. AC conductivity of polymers with a network of crystalline CT complexes. Borisov, M., Ed. Singapore: World Scientific Pub

COPTE Ltd; 1987; p. 362.

921. Tracz, A.; Ulański, J.; Jeszka, J. K., and Shafee, E. El. Controlled formation of organized conductive phase in an insulating matrix. *Medzagotyra (Materials Science)*. 1987; **13**:137.
922. Tsai, M. D.; Bruzik, K. B.; Wisner, D., and Liu, S. H. Phospholipids chiral at phosphorus. Stereochemical effects on the thermotropic phase properties of thiophosphatidylcholine and thiosphingomyelins. Bruzik, K. B. and Stec, W. J., Eds. *Biophosphates and their analogues. Synthesis, structure, metabolism and activity*. Amsterdam: Elsevier; 1987; pp. 561-570.
Notes: Staż
923. Tyczkowski, J. and Kazimierski, P. Phase transition effects in plasma polymerized organosilicon films. *J Macromol Sci Phys*. 1987; **B26**:217.
924. Uznański, B.; Wilk, A., and Stec, W. J. Deoxyribonucleoside 3'-phosphordiamidites as substrates for solid supported synthesis of oligodeoxyribonucleotides and their phosphorothioate and DNA-triester analogues. *Tetrahedron Lett*. 1987; **28**:3401.
925. Van Haastert, P. J. M.; Kesbeke, F.; Konijn, T. M.; Baraniak, J.; Stec, W. J., and Jastorff, B. (Rp)-cAMPS, and antagonist of cAMP in dictyostelium discoideum. Bruzik, K. B. and Stec, W. J., Eds. *Biophosphates and their analogues. Synthesis, structure, metabolism and activity*. Amsterdam: Elsevier; 1987; p. 469.
926. Wilk, A. and Stec, W. J. Synthesis and separation of diastereoisomers of 5'-O-(4,4'-dimethoxytrimethylphenyl)dithymidyl(3',5')-4,4'-dimethoxytriphenylmethanephosphonate. *Nucl Acids Res Symp Ser*. 1987:289.
927. Wróbel, A. M. Mechanism of plasma polymerization of N-silyl-substituted cyclodisilazane. *Plasma Chem Plasma Process*. 1987; **7**:429-450.
928. ---. Mechanism of plasma polymerization of N-silyl-substituted cyclodisilazane; structure and properties of polymer film. *Plasma Chem Plasma Process*. 1987; **7**:429.
929. ---. Structure and properties of plasma polymerized N-silyl-substituted cyclodisilazane. *Proc ACS Symp "Polymeric Materials Science & Engineering"*; Denver. 1987: 146.
930. Wróbel, A. M.; Lamontagne, B., and Wertheimer, M. R. Large area microwave plasma etching of polymers. *Proc Symp "Plasma Chemistry"*; Tokyo. 1987: 940.
931. Zon, G.; Summers, M. F.; Gallo, K. A.; Shao, K. L.; Koziolkiewicz, M.; Uznański, B., and Stec, W. J. Stereochemistry of oligodeoxyribonucleotide phosphotriesters. Bruzik, K. B. and Stec, W. J., Eds. *Biophosphates and their analogues. Synthesis, structure, metabolism and activity*. Amsterdam: Elsevier; 1987; p. 165.
932. Łapienis, G. and Penczek, S. Poly(alkylene phosphates) with nucleic bases in the side chain. Bruzik, K. B. and Stec, W. J., Eds. *Biophosphates and their analogues. Synthesis, structure, metabolism and activity*. Amsterdam: Elsevier; 1987; p. 225.
933. Łapienis, G.; Penczek, S.; Aleksyuk, G. P., and Kropachev, V. A. Synthesis of poly(alkylene phosphate)s with N-containing bases in the side chains. II. 9-N-oxoethyleneadeine on the poly(trimethylene phosphate) chain. *J Polym Sci A: Polym Chem*. 1987; **25**:1729.
934. Łopusiński, A. and Potrzebowski, M. J. A new stereoselective route to the unsymmetrical tetra-alkyl dithiopyrophosphates. *Phosphorus, Sulfur and Silicon*. 1987; **30**:197-200.

935. ---. New synthesis of dialkoxythioxaphosphoranesulfenyl bromides and chlorides. *Phosphorus and Sulfur*. 1987; **32**:55-64.
936. Łopusiński, A.; Łuczak, L., and Brzezińska, E. Reaction of bis-/dialkoxyphosphoryl/ and bis-/dialkoxythiophosphoryl/disulfides with trialkylsilylcyanides. New route to dialkylphosphoro and dialkylthiophosphoro thiocyanidates and O,O,O-tetra-alkylthiopyrophosphates. *Phosphorus, Sulfur and Silicon*. 1987; **31**(1):101-108.
937. Baran, A.; Liniecki, J.; Kuśmerek, J.; Białobrzaska, B.; Bajerska, A.; Wyszyńska, K., and Okruszek, A. Doświadczalne badania toksyczności, mutagenności i gromadzenia ^{99m}Tc -tert-butyloizonitrylu (TBI) w mięśniu sercowym i innych narządach. *Problemy Medycyny Nuklearnej*. 1988; **2**:33-40.
938. Botelho, L. H. P.; Webster, L. C.; Rothermal, J. D.; Baraniak, J., and Stec, W. J. Inhibition of cAMP-dependent protein kinase by adenosine cyclic 3', 5'-phosphorodithioate, a second cAMP antagonist. *J Biol Chem*. 1988; **263**:5301-5305.
939. Bruzik, K. B. Conformation of the polar headgroup of sphingomyelin and its analogues. *Biochim Biophys Acta*. 1988; **939**:315.
940. ---. Synthesis and spectral properties of chemically and stereochemically homogeneous sphingomyelin and its analogues. *J Chem Soc Perkin 1*. 1988:423.
941. Bruzik, K. B. and Stec, W. J. Alkoxyphosphonium salt intermediates in the thiono-thiolo rearrangement of phosphorylthionates in protic acid media. *Phosphorus and Sulfur*. 1988; **35**:229-240.
942. Chojnowski, J. Mechanistic features of processes leading to linear siloxane polymers. Corey, J. Y.; Corey, E. R., and Gaspar, P. P., Ed. *Silicon Chemistry*. Ellis Horwood Publ; 1988; pp. 297-306.
943. Chojnowski, J.; Kurjata, J., and Rubinsztajn, S. Poly(oxy-multisilane)s by ring opening polymerization. Fully methylated silicon analogues of oxirane and THF polymers. *Macromol Rapid Comm*. 1988; **9**:469-475.
944. Chojnowski, J.; Rubinsztajn, S., and Wilczek, L. Acid-catalyzed condensation of model hydroxyl-terminated dimethylsiloxane oligomers. Cyclization vs. linear condensation. Inter-intra catalysis. *Macromolecules*. 1988; **20**:2345-2355.
945. Ciesielski, W.; Drabowicz, J.; Jędrzejewski, W.; Kudzin, Z. H., and Skowroński, R. A new method for the iodometric determination of sulfoxides. *Talanta*. 1988; **35**:969.
946. Dembiński, R.; Krawczyk, E., and Skowrońska, A. Reactions of diphosphoryl diselenides with dialkyltrimethylsilyl phosphites. A new route to sym.-monoselenopyrophosphates. *Phosphorus, Sulfur and Silicon*. 1988; **35**:345-348.
947. Diep, H. T.; Kolbe, A.; Drabowicz, J., and Mikołajczyk, M. Enantioselective effects in the association between pure enantiomers of sulfoxides and alcohols. *J Mol Liq*. 1988; **38**:89-95.
948. Drabowicz, J.; Dudziński, B.; Łyżwa, P., and Mikołajczyk, M. β -Cyclodextrin in optical resolution of chiral sulfinyl derivatives.; München. 1988: 503-507.
949. Drabowicz, J.; Kielbasiński, P., and Mikołajczyk, M. Synthesis of sulfoxides. Patai, S.; Rappoport, Z., and Stirling, C. J., Eds. *The chemistry of sulphones and sulfoxides*. John Wiley and Sons; 1988; pp. 233-378.
950. Drabowicz, J.; Kotyński, A., and Kudzin, Z. H. Selective detection of sulfoxides and sulphimides by thin-layer chromatography using trifluoroacetic anhydride-sodium iodite as a reagent. *J*

Chromatogr A. 1988; **447**:225-229.

951. Drabowicz, J.; Legędz, S., and Mikołajczyk, M. Organosulphur compounds LXIX. Optically active sulphinates. A new type of enantioselective asymmetric synthesis and kinetic resolution. *Tetrahedron*. 1988; **44**:5243-5251.
952. Duda, A. and Penczek, S. Liquid oligomeric diols with high sulfur content from elemental sulfur, cyclic sulfides and dihydroxypolysulfides. *Macromol Rapid Comm*. 1988; **9**:151.
953. Dąbkowski, W.; Cramer, F., and Michalski, J. A novel approach to the synthesis of deoxynucleoside phosphorofluoridates. *Tetrahedron Lett*. 1988; **29**:3301-3302.
954. Franta, E.; Kubisa, P.; Refai, J.; Ould Kada, S., and Reibel, L. Cationic polymerization of 1,3-dioxolane in the presence of oligomeric diols. *Polymer Preprints*. 1988; **29**(2):83.
955. Franta, E.; Kubisa, P.; Refai, J.; Ould Kada, S., and Reibel, L. Chain extension of oligodiols by means of cyclic acetals. *Macromol Symp*. 1988; **13/14**:203.
956. Kazimierski, P. and Tyczkowski, J. Water in plasma polymerized organosilicon films: dielectric properties. *J Macromol Sci Phys*. 1988; **B 27**:233-243.
957. Kielbasiński, P.; Żurawiński, R.; Drabowicz, J., and Mikołajczyk, M. Organosulphur compounds. Part XLVII. Alkylation of sulfinic acids by O-alkylisoureas: O-versus S-reactivity and asymmetric synthesis of alkyl sulfinates. *Tetrahedron*. 1988; **21**:6687-6692.
958. Kowalski, J. and Chojnowski, J. The modification of reactivity at silicone centre by a remote phosphorus group. 1988; **356**:285-295.
959. Kryszewski, M. Homogenous and heterogenous photoconduction polymeric systems. Levin, M., Ed. *Polymers for advanced technologies*. VCH Publisher; 1988; pp. 199-224.
960. ---. On the influence of interfacial effects on the properties of filled polymers and blends. *Acta Polymerica*. 1988; **39**:37.
961. Kryszewski, M.; Milczarek, P., and Pluta, M. Influence of the interphase on mechanical and thermal behaviour of polyethylene-polystyrene composites with different structure. Ishida, H., Ed. *Composite Interfaces*. New York: Elsevier; 1988; p. 525.
Notes: Wydanie książkowe materiałów konferencji w Cleveland(USA)
962. Kryszewski, M.; Tyczkowski, J., and Kazimierski, P. Water in plasma polymerized organosilicon films-structure and electrical properties. *IEEE International Symposium on Electrical Insulation*; Cambridge. Massachusetts; 1988: 168.
963. Kubisa, P. Activated monomer mechanism in the cationic polymerization of cyclic ethers. *Macromol Symp*. 1988; **13/14**:203.
964. Kłosiński, P. and Penczek, S. Addition polymerization of H_3PO_3 to diepoxides. *Macromol Rapid Comm*. 1988; **9**:159.
965. Kłysik, J. E.; Zacharias, W.; Gałązka, G.; Kwinkowski, M.; Uznański, B., and Okruszek, A. Structural interconversion of alternating purine-pyrimidine inverted repeats cloned in supercoiled plasmids. *Nucleic Acids Res*. 1988; **16**:6915-6933.
966. Leśnikowski, Z. J.; Jaworska, M., and Stec, W. J. Stereoselective synthesis of P-homochiral oligo(thymidine methanephosphonates). *Nucleic Acids Res*. 1988; **16**:11675.

967. Markovski, L. N.; Romanienko, W. D.; Ruban, A. U.; Mikołajczyk, M.; Omelańczuk, J., and Perlikowska, W. Diastereoselectivnoe prisoedinenie opticheski aktivnykh spirtov i aminov k λ^3 -iminofosfinam. Zh Obshch Khim. 1988; **58**:2627-2628.
968. Michalski, J. and Łopusiński, A. Organophosphorus thiocyanidates γ P(O)SCN and their structural analogues. Mechanism of thiocyanide-isothiocyanide isomerisation. Revs on Heteroatom Chemistry. 1988; **1**:95-114.
969. Mikołajczyk, M.; Bałczewski, P.; Wieczorek, M. W.; Bujacz, G. D.; Antipin, M. Y., and Struchkov, Y. T. Organosulphur compounds XLVI. Crystal and molecular structure of 2-diphenylthiophosphinoyl-1,3,5-trithiane. Phosphorus, Sulfur and Silicon. 1988; **37**:183-188.
970. Mikołajczyk, M.; Graczyk, P. P.; Wieczorek, M. W., and Bujacz, G. D. Solution and solid state conformation of 2-phosphoryl substituted 1,3-oxathianes. Tetrahedron Lett. 1988; **29**:6801-6804.
971. Mikołajczyk, M.; Graczyk, P. P.; Wieczorek, M. W.; Bujacz, G. D.; Struchkov, Y. T., and Antipin, M. Y. Conformation of 2-(diphenylphosphinoyl)-5,5-dimethyl-1,3-dioxane. A contrasting conformational behaviour of 2-phosphoryl substituted 1,3-dithianes and 1,3-dioxanes. J Org Chem. 1988; **53**:3609-3612.
972. Mikołajczyk, M.; Midura, W. H., and Kajtar, M. Organosulfur compounds XLV. α -phosphoryl sulfoxides. 7. Chiroptical properties of α -phosphoryl sulfoxides. Phosphorus, Sulfur and Silicon. 1988; **36**:79-84.
973. Mikołajczyk, M.; Omelańczuk, J.; Perlikowska, W.; Markovski, L. N.; Romanienko, W. D.; Ruban, A. U., and Drapailo, A. B. A new enantioselective asymmetric synthesis of tri-co-ordinate phosphorus compounds from di-co-ordinate λ^3 -aryl(alkyl)-iminophosphines. Phosphorus, Sulfur and Silicon. 1988; **36**:267-270.
974. Mikołajczyk, M. and Łuczak, J. Reakcje oksidacji pri pomoszczi organiczeskich okisiei sielienidov. Zh Obshch Khim. 1988; **58**(9):2024-2030.
975. Misiura, K.; Kinas, R.; Stec, W. J.; Kuśnierczyk, H.; Radzikowski, Cz., and Sonoda, A. Synthesis and antitumor activity of analogues of ifosfamide modified in the N-(2-chloroethyl)group. J Med Chem. 1988; **31**:226-230.
976. Niewiarowski, W. Badanie oddziaływań centrum aktywnego enzymu z substratem za pomocą metody stereochemicznej. Postępy Biochemii. 1988; **34**:59-79.
977. ---. P-chiralne fosforany- narzędzie do badania stereochemii enzymatycznych reakcji przeniesienia grupy fosforanowej lub nukleotydowej. Postępy Biochemii. 1988; **34**:81-104.
978. Omelańczuk, J.; Sopchik, A. E.; Lee, S.-G.; Akutagawa, K.; Cairns, S. M., and Bentrude W. G. Photo-Arbus rearrangements of benzyl phosphites. J Am Chem Soc. 1988; **110**:6908-6909.
979. Penczek, S. Reactive polyethers by cationic activated monomer mechanism. Polymer Preprints. 1988; **29**(2):38.
980. Penczek, S. and Libiszowski, J. Polymerization of 2-methoxy-2-oxo-1,3,2-dioxaphospholane. Kinetics and polymer microstructure. Macromol Chem Phys. 1988; **189**:1765.
981. Penczek, S. and Szymański, R. Covalent and ionic species in cationic polymerizations. Rates of exchange. Macromol Symp. 1988; **13/14**:363.
982. Pietrusiewicz, K. M. and Salamończyk, I. Useful route to partially saturated isocoumarins. Biomometric

syntheses of mellein, ramulosin and epiramulosin. *J Org Chem.* 1988; **29**:2837-2840.

983. Pietrusiewicz, K. M. and Zablocka, M. Optically active phosphine oxides. 4. A straightforward synthesis of P-chiral 1,2-diphosphinoylethanes. *Tetrahedron Lett.* 1988; **29**:1987-1990.
984. ---. Optically active phosphine oxides. 5. P-chiral 2-aminoethyl phosphine oxides. *Tetrahedron Lett.* 1988; **29**:1991-1992.
985. ---. Optically active phosphine oxides. 6. Conjugate addition of thiols and alcohols to (-)-(S)-methylphenylvinylphosphina oxide. *Phosphorus and Sulfur.* 1988; **40**:47-51.
986. ---. Optically active phosphinoxides. 3. Conjugate addition to vinyl phosphinoxides in aqueous medium. *Tetrahedron Lett.* 1988; **29**:937-940.
987. Pretula, J. and Penczek, S. Poly(ethylene glycol) ionomers with phosphate diester linkages. *Macromol Rapid Comm.* 1988; **9**:731.
988. Sapieha, S.; Wróbel, A. M., and Wertheimer, M. R. Plasma-assisted etching of paper. *Plasma Chem Plasma Process.* 1988; **8**:331.
989. Skowrońska, A.; Dembiński, R.; Gwara, J., and Michalski, J. Chlorination reactions of phosphorus thionoesters $>P(S)OSiMe_3$; general synthesis of compounds containing $>P(O)SCl$ functional group. *Phosphorus and Sulfur.* 1988; **39**:119-122.
990. Skowrońska, A.; Dembiński, R.; Kamiński, R., and Michalski, J. Reaction of oxophosphorane-sulphenyl and selenen chlorides with dialkyltrimethylsilyl phosphites. Novel synthesis of compounds containing a sulphur and selenium bridge between two phosphoryl centres. *J Chem Soc Perkin 1.* 1988:2197-2201.
991. Skrzypczyński, Z. and Michalski, J. Stereoselective synthesis and stereochemistry of optically active t-butylphenylphosphine sulfide. *J Org Chem.* 1988; **53**:4549-4551.
992. Stec, W. J. New opportunities in bioorganic phosphorus chemistry. *Revs on Heteroatom Chemistry.* 1988; **1**:367-389.
Notes: Ed. Oae, S.; Myu, Tokyo
993. Tracz, A.; Jeszka, J. K.; Ulański, J.; Boiteux, G.; Firlej, L.; Graja, A., and Kryszewski, M. Properties of conductive polycarbonate films reticulate doped with MPht-TCNQ and PrPht-TCNQ salts. A highly conductive form of PrPht-TCNQ by crystallization in polymer matrix. *Synth Met.* 1988; **24**:107.
994. Trznadel, M. and Kryszewski, M. Sprinkage and related relaxation of internal stresses in oriented glassy polymers. *Polymer.* 1988; **29**:418.
995. Trznadel, M.; Pakuła, T., and Kryszewski, M. The influence of internal stresses on viscoelastic and thermal properties of oriented and aged glassy polymers. *Polymer.* 1988; **29**:619.
996. Zavin, B. G.; Zdanov, A. A.; Błochina, O. G.; Ściabiorek, M., and Chojnowski, J. Ionnaja oligomierizacja dimetilciklosiloksanow: pieriedacza cepii s razrywam swiaziej kremnij-azot i migraci jej funkcjonalnych grup. *Dokłady Akademii Nauk.* 1988; **229**:1135-1142.
997. Łopusiński, A.; Łuczak, L., and Michalski, J. Improved synthesis of dialkylthioxaphosphoranesulphenyl chlorides and bromides. *Phosphorus and Sulfur.* 1988; **40**:233-236.
998. Baran, J.; Kłosiński, P., and Penczek, S. Poly(alkylene phosphate)s by polycondensation of phosphonic

diamides with diols. Makromol Chem. 1989; **190**:1903.

999. Bałczewski, P. and Mikołajczyk, M. Synthesis silica gel promoted rearrangement of S-methythio-3-carbo-t-butoxy-3-en-2-one. Z Naturforsch . 1989; **44b**:99-101.
1000. Bednarek, M.; Brzezińska, K.; Stasiński, J.; Kubisa, P., and Penczek, S. Heteropolyacids-new efficient initiators of cationic polymerization. Makromol Chem. 1989; **190**:929.
1001. Bednarek, M.; Kubisa, P., and Penczek, S. Polymerization of propylene oxide by activated monomer mechanism. Makromol Chem Suppl. 1989; **15**:49.
1002. Biedroń T. and Kubisa, P. Jednoczesne oznaczanie stopnia przereagowania i stopnia polimeryzacji na podstawie współczynnika załamania światła w polimeryzacji epichlorohydryny. Polimery. 1989; **34**:62.
1003. Boiteux, G.; Seytre, G.; Vallet, G.; Jeszka, J. K.; Kryszewski, M.; Tracz, A., and Ulański, J. AC conductivity of polymers doped by different CT complexes. Macromol Symp. 1989; **24**:145-150.
1004. Brandi, A.; Cannavo, P.; Pietrusiewicz, K. M.; Zabłocka, M., and Wieczorek, M. Diastereofacial selectivity in 1,3-dipolar cycloaddition to methylphenylvinylphosphine oxide. J Org Chem. 1989; **54**:3073-3077.
1005. Brandi, A.; Goti, A., and Pietrusiewicz, K. M. The unexpected dipolarophilic activity of diphenylphosphine towards nitrones. J Chem Soc Chem Commun. 1989:388-389.
1006. Chmielecka, J.; Chojnowski, J.; Stańczyk, W. A., and Eaborn, C. Base cleavage of the benzyl-silicon bonds in m-ClC₆H₄CH₂ SiMe(OH)₂ and m-ClC₆H₄Si(OH)₃. Proposed formation of metasilicate intermediates. J Chem Soc Perkin 2. 1989:865.
1007. Cypryk, M.; Rubinsztajn, S., and Chojnowski, J. Kinetics of the condensation of oligosiloxanes containing acetoxyl and hydroxyl end groups catalyzed by uncharged nucleophiles in an acid-base inert solvent. J Organomet Chem. 1989; **377**:197-204.
1008. Czeremuszkin, G.; Wróbel, A. M., and Kryszewski, M. Direct pyrolysis mass spectrometry examination of plasma-polymerized organoisoithiocyanates; properties of polymer film. d'Agostino, R., Ed. Proceedings of the IUPAC 9th International Symposium on Plasma Chemistry, ISPC-9; Pugnuchiuso (Włochy). 1989: 733-738.
1009. Drabowicz, J. and Duddeck, H. ¹H-NMR spectral nonequivalence of sulfoxide enantiomers in the presence of 2,2'-dihydroxy-1,1'-binaphtyl. Sulfur Letters. 1989; **10**:37-40.
1010. Drabowicz, J.; Kotyński, A.; Kudzin, Z. H., and Skowroński, R. Trifluoroacetic anhydride-sodium iodide system as a reagent for selective detection nitrones and nitroxide radicals by T.L.C. Journal of Chromatography. 1989; **473**:287-292.
1011. Drabowicz, J.; Mikołajczyk, M., and Snatzke, G. Synthesis of aryl-sulphinyl acetic acids and sulfoximides and CD of their in-situ complexes with [Mo(OAc)₄]. Croatica Chem Acta. 1989; **62**(2B):423-428.
1012. Duda, A. and Penczek, S. Polimeryzacja jonowa i pseudojonowa. Polimery. 1989; **34**:429-433.
1013. ---. Sulfur containing polymers. Encyclopedia of polymer science and engineering. New York: John Wiley and Sons; 1989; pp. 246-368.

1014. Gałęski, A.; Argon, A. S., and Cohen, R. E. Changes in the morphology of bulk spherulitic nylon 6 due plastic deformation. *Macromolecules*. 1989; **21**:2761.
1015. Goethals, E. J. and Penczek, S. Cationic ring-opening polymerization: introduction and general aspects. Eastmond, G. C.; Ledwith, A.; Russo, S., and Sigwalt, P., Red. *Comprehensive polymer science*. Oxford: Pergamon Press; 1989; pp. 711-718.
1016. Gębicki, J.; Kuberski, S., and Kamiński, R. Photochemistry of matrix-isolated norbornadiene. *J Phys Org Chem*. 1989; **2**:383-389.
1017. Jeszka, J. K. Temperature dependence of magnetic properties of TTT-TCNQ in conductive polymer films. *Medzagotyra (Materials Science)*. 1989; **XIV**(4):175.
1018. Jeszka, J. K.; Tracz, A.; Kryszewski, M., and Ulański, J. Conducting organic composites properties of molecular metals crystallized under diffusion-limited conditions. *Synth Met*. 1989; **27**:B115-B122.
1019. Kabaczniak, M. I.; Mikołajczyk, M.; Popielarczyk, M., and Belskii, F. I. Kompleksoobrazowanie niektórych siersodierżaszczych ligandow s jonon litija w tetragidrofuranie. *Izvestia Akad Naul SSSR, Ser Khim*. 1989:2216-2218.
1020. Kieć-Kononowicz, K.; Zatorski, A., and Karolak-Wojciechowska, J. Reaction of 5,5-diphenyl-2-thio-hydantoin with 1,4-dibromobutane. The crystal and molecular structure of 2,3,4,5-tetrahydro-7,7-diphenylimidazo-[2,1-b]-triazepine-8-(7H)-one. *Phosphorus, Sulfur and Silicon*. 1989; **42**:191-200.
1021. Konieczko, W.; Łopusiński, A., and Michalski, J. Thionyl fluoride: a reagent for transformation of diorganyl phosphates and their structural analogues into the fluoridates. *Phosphorus, Sulfur and Silicon*. 1989; **42**:103-104.
1022. Koziolkiewicz, M.; Uznański, B., and Stec, W. J. Phosphate-modified oligonucleotides. The synthesis, stereochemistry and Eco RI endonuclease substrate ability of decanucleotides d(GGGAATCCCC) bearing altered internucleotide phosphate function between A and A¹. *Nuclosides & Nucleotides*. 1989; **8**:185-200.
1023. Labuk, P.; Duda, A., and Penczek, S. Reaction of elemental sulfur with acrylonitrile. Synthesis of 1,7-dicyano-3,4,5-trithiaheptane. *Phosphorus and Sulfur*. 1989; **42**:107-109.
1024. Leśnikowski, Z. J. and Jaworska, M. Studies on stereospecific formation of P-chiral internucleotide linkage. Synthesis of (R_p,R_p)- and (S_pS_p)-thymidylyl(3',5')thymidylyl (3',5')thymidine di(O₂)-phosphorothioate) using 2-nitrobenzyl group as a new S-protection. *Tetrahedron Lett*. 1989; **30**:3821-3824.
1025. Libiszowski, J.; Szymański, R., and Penczek, S. On the cationic polymerization of oxirane with triphenylmethylium salts. *Makromol Chem*. 1989; **190**:1225.
1026. Lubeskina, E. G.; Janovskij, J. G.; Krasnikova, N. P.; Gałęski, A.; Gul, V. E., and Vinogradov, G. V. Właściwości lepkosprężyste i struktura kompozytów zawierających poliolefiny pierwotne i wtórne. *Polimery*. 1989; **34**:354.
1027. Michalska, M. and Michalski, J. Glycosyl thio-, seleno- and tellurophosphates. *Heterocycles*. 1989; **28**:1249-1256.
1028. Mikołajczyk, M. Nowe strategie i syntezy wybranych biologicznie czynnych układów cyklopentenonowych. Osiągnięcia chemii i technologii organicznej. Poznań: UAM Poznań;

1989; pp. 9-24.

1029. Mikołajczyk, M. α -Phosphonate carbanions: from simple reactions to synthesis of cyclopentenones and cyclopentanones. *Revs on Heteroatom Chemistry*. 1989; **2**:19-39.
1030. Mikołajczyk, M. and Bałczewski, P. Organosulphur compounds. Part XLVIII. Synthesis and reactivity of diethyl-1-trimethylsilyl-1-methylthiomethane-phosphonate. *Synthesis*. 1989:101-106.
1031. ---. Total synthesis of ($\pm$)sarkomycin. *Tetrahedron*. 1989; **45**:7023-7030.
1032. Mikołajczyk, M.; Graczyk, P. P.; Kabaczniak, M. I., and Baranov, A. P. Conformational analysis of 2-phosphoryl and 2-thiophosphoryl 1,3-heteroanes by molecular mechanics calculations. A question of the origin of the anomeric effect. *J Org Chem*. 1989; **54**:2859-2861.
1033. Mikołajczyk, M.; Łyżwa, P.; Drabowicz, J.; Wieczorek, M. W., and Bujacz, G. D. Thiosulphinic acids: a new class of chiral organosulphur compounds. *Angew Chem Int Ed Engl*. 1989; **28**:97-98.
1034. Mikołajczyk, M.; Żurawiński, R., and Kielbasiński, P. A new synthesis of ($\pm$)sarkomycin from a β -ketophosphonate. *Tetrahedron Lett*. 1989; **30**:1143-1146.
1035. Milczarek, P.; Pluta, M., and Kryszewski, M. Influence of the initial PE structure on the modification with styrene and polystyrene. *Acta Polymerica*. 1989; **40**:575-581.
1036. ---. Morphology influence on the permeation properties of styrene and polystyrene modified polyethylene membranes. *Colloid Polym Sci*. 1989; **267**:209-217.
1037. Nejedly, K.; Kłysik, J. E., and Palecek, E. Supercoil-stabilized left-handed DNA in the plasmid (dA-dT)₁₆ insert formed in the presence of Ni⁺². *FEBS Letters*. 1989; **242**(2):313-317.
1038. Parniewski, P.; Gałązka, G.; Wilk, A., and Kłysik, J. E. Complex structural behavior of oligopurine-oligopyrimidine sequence cloned within the supercoiled plasmid. *Nucleic Acids Res*. 1989; **17**:617-629.
1039. Penczek, S. and Goethals, E. J. Cationic ring-opening polymerization: thermodynamics. Eastmond, G. C.; Ledwith, A.; Russo, S., and Sigwalt, P., Red. *Comprehensive polymer science*. Oxford: Pergamon Press; 1989; pp. 719-724.
1040. Penczek, S. and Kubisa, P. Cationic ring-opening polymerization: acetals. Eastmond, G. C.; Ledwith, A.; Russo, S., and Sigwalt, P., Red. *Comprehensive polymer science*. Oxford: Pergamon Press; 1989; pp. 787-812.
1041. ---. Cationic ring-opening polymerization: esters. Eastmond, G. C.; Ledwith, A.; Russo, S., and Sigwalt, P., Red. *Comprehensive polymer science*. Oxford: Pergamon Press; 1989; pp. 711-786.
1042. Penczek, S. and Słomkowski, S. Cationic ring-opening polymerization: cyclic esters. Eastmond, G. C.; Ledwith, A.; Russo, S., and Sigwalt, P., Red. *Comprehensive polymer science*. Oxford: Pergamon Press; 1989; pp. 813-822.
1043. ---. Cationic ring-opening polymerization: formation of cyclic oligomers. Eastmond, G. C.; Ledwith, A.; Russo, S., and Sigwalt, P., Red. *Comprehensive polymer science*. Oxford: Pergamon Press; 1989; pp. 725-750.
1044. Pietrusiewicz, K. M. and Brandi, A. Regiochemical steering assignment in cycloadditions of nitrones to diphenylvinylphosphine. *Phosphorus, Sulfur and Silicon*. 1989; **42**:135-138.

1045. Pietrusiewicz, K. M.; Wiśniewski, W., and Zabłocka, M. Optically active phosphine oxides. 8. Synthesis of nonsymmetrical 1,2-diphosphinylenes and related systems. *Tetrahedron*. 1989; **45**:337-348.
1046. Pietrusiewicz, K. M. and Zabłocka, M. Amine-directed lithiation in aliphatic organophosphorus systems. An approach to α -monoalkylation of α,β -unsaturated phosphine oxides. *Tetrahedron Lett.* 1989; **30**:477-480.
1047. Pietrusiewicz, K. M.; Zabłocka, M., and Wieczorek, W. Determination of the absolute configurations of 1,2-diphosphinylenes and 1,2-diphosphinylethanes possessing two nonequivalent asymmetric phosphorus centres. Crystal structure of (R,S)-1-(tert-butylphenylphosphinyl)-2-(methyl-phenylphosphinyl)ethane. *Phosphorus, Sulfur and Silicon*. 1989; **42**:183-190.
1048. Pęcherz, J. and Kryszewski, M. Role of polymer matrix on conductivity of polymers doped with tetracyanoquinodimethane (TCNQ) salts of polycations. *Makromol Chem.* 1989; **190**:865.
1049. Rubinsztajn, S.; Cypryk, M., and Chojnowski, J. Condensation of model linear siloxane oligomers possessing silanol and silyl chloride end groups. The mechanism of catalysis with neutral nucleophiles. *J Organomet Chem.* 1989; **367**:27.
1050. Szymański, R. The macrocycle- α,ω -copolymer equilibrium in equilibrium copolymerization. *Makromol Chem.* 1989; **190**:2903.
1051. Tracz, A. and Kryszewski, M. Analysis of the main parameters controlling the charge-transfer complex crystallization in the reticulate doping process. *Makromol Chem Suppl.* 1989; **15**:219.
1052. Tracz, A.; Shafee, E. El.; Ulański, J.; Jeszka, J. K., and Kryszewski, M. Anisotropically conductive polyolefine/CI complex composites. Kutzmany, H.; Mehring, M., and Roth, S. *Electronic properties of conjugated polymers III*. Berlin: Springer Verlag; 1989; p. 422.
1053. Tracz, A.; Shafee, E. El.; Ulański, J.; Jeszka, J. K., and Kryszewski, M. Highly oriented crystalline networks in polymer matrices. *Medzagotyra (Materials Science)*. 1989; **XIV**(4):181-186.
1054. Tyczkowski, J. Electronic structure of plasma-deposited amorphous Si-C alloy films. *Thin Solid Films*. 1989; **168**:175-184.
1055. Tyczkowski, J. and Kazimierski, P. Low temperature conductivity in plasma-polymerized silazane films. *Vacuum*. 1989; **39**:11-12.
1056. Tyczkowski, J. and Sielski, J. Influence of absorbed water on electronic transport in organosilicon plasma polymers. *Proceedings of 3rd International Conference on Conduction and Breakdown in Solid Dielectrics; Trondheim. IEEE1989*; 1989: 177-181.
1057. Tyczkowski, J.; Szymanowski, H., and Jaworowska, E. Iron doped organosilicon plasma polymers. d'Agostino, R., Ed. *Proceedings of the IUPAC 9th International Symposium on Plasma Chemistry, ISPC-9; Pugnochiuso (Włochy)*. 1989: 1224-1229.
1058. Uznański, B.; Grajkowski, A., and Wilk, A. The isopropoxyacetic group for convenient base protection during solid-support synthesis of oligodeoxyribonucleotides and their triester analogs. *Nucleic Acids Res.* 1989; **17**:4863-4871.
1059. Uznański, P. and Kryszewski, M. Influence of molecular weight of polystyrene on ring-closure kinetics of photochromic spiropyran. *Chemtronics*. 1989; **4**:82-85.
1060. Wilczek, L.; Rubinsztajn, S.; Fortuniak, W.; Chojnowski, J.; Twierdochlebova, I. I., and Volkova, R. V.

Regular star-shaped polydimethylsiloxane polymers. Bull Pol Acad Sci Chem . 1989; **37**:91.

1061. Woźniak, L. A. and Chojnowski, J. Silyl esters of phosphorus-common intermediates in synthesis. Tetrahedron. 1989; **45** :2465.
1062. Woźniak, L. A.; Cypryk, M.; Chojnowski, J., and Lanneau, G. Optically active silyl esters of phosphorus II. Stereochemistry of reactions with nucleophiles. Tetrahedron. 1989; **45**:4404.
1063. Wróbel, A. M. Gas chromatography/mass spectrometry study of the low-molecular-weight fraction of plasma-polymerized N,N-bis(dimethylsilyl)tetramethylcyclodisilazane. J Macromol Sci Chem. 1989; **A26**:743-759.
1064. ---. Proces trawienia materiałów polimerowych w niskotemperaturowej plazmie. Polimery. 1989; **34**:483.
1065. Wróbel, A. M. and Czeremuszkin, G. Study on powder formation during plasma polymerization process. d'Agostino, R., Ed. Proceedings of the IUPAC 9th International Symposium on Plasma Chemistry, ISPC-9; Pugnochiuso (Włochy). 1989: 930-935.
1066. Wróbel, A. M.; Lamontagne, B., and Wertheimer, M. R. Large-area microwave and radiofrequency plasma etching of polymers. Plasma Chem Plasma Process. 1989; **8**:315-329.
1067. Wódzki, R. and Kałużyński, K. Synthesis and transport properties of isooctyl-poly (1,3-propylene phosphate)-a synthetic analogue of natural teichoic acids. Makromol Chem. 1989; **190**:107.
1068. Łopusiński, A. Chemistry of S-trifluormethyl organophosphorothiates and their structural analogs. A convenient synthesis of organophosphorus fluoridates. Phosphorus, Sulfur and Silicon. 1989; **45**:137-143.
1069. ---. New observation on the chlorinolysis of bis-dialkoxythiophosphoryl disulfides. Phosphorus, Sulfur and Silicon. 1989; **46**:93-94.
1070. Łopusiński, A.; Łuczak, L., and Michalski, J. P-chiral thioxaphosphoranesulfenyl chlorides $RR^1P(S)SCL$. Unique stereochemical probe for the nucleophilic displacements at the dicoordinate sulfur. J Chem Soc Chem Commun. 1989:1694-1695.
1071. Bartczak, Z. and Gałęski, A. Homogenous nucleation in isotactic polypropylene and its blends with atactic polypropylene. Polymer. 1990; **31**:2017.
1072. Basińska, T. and Słomkowski, S. Oddziaływanie białek z polimerami syntetycznymi. Polimery. 1990; **35**:297.
1073. Biedroń, T.; Kubisa, P., and Penczek, S. Polyepichlorohydrin diols free of cyclics. Synthesis and characterization. J Polym Sci A: Polym Chem. 1990; **28**.
1074. Biedroń, T.; Szymański, R.; Kubisa, P., and Penczek, S. Kinetics of polymerization by activated monomer mechanism. Macromol Symp. 1990; **32**:155.
1075. Biela, T. and Pretula, J. Nowe polimery, nowe polireakcje. Polimery. 1990(11-12):401-407.
1076. Brandi, A.; Cicchi, S.; Goti, A.; Pietrusiewicz, K. M., and Wiśniewski, W. The regioselectivity of nitrene cycloadditions to vinyl phosphorus compounds. Tetrahedron. 1990; **46**:7093-7103.
1077. Brandi, A. and Pietrusiewicz, K. M. Phosphino isoxazolidines: an approach to regio- and stereoselective synthesis. Phosphorus, Sulfur and Silicon. 1990; **49-50**:127-130.

1078. Bruzik, K. B.; Grajkowski, A.; Leśnikowski, Z. J.; Salamończyk, G., and Stec, W. J. Conformation of diastereomers of adenosine cyclic 3', 5' phosphorothioate. *Nucleosides & Nucleotides*. 1990; **9**:827-836.
1079. Bruzik, K. B. and Stec, W. J. Reversible oxidation of phosphylthioates and phosphylselenonates with trifluoroacetic anhydride. *J Org Chem*. 1990; **55**:6131-6135.
1080. Bujnicki, B.; Mikołajczyk, M., and Omelańczuk, J. Thermochemistry and thermolysis of sulphinic acid derivatives. Patai, S. and Rappoport, Z., Eds. *The chemistry of the sulphinic acids derivatives*. Chichester: John Wiley and Son; 1990; pp. 491-507.
1081. Chmielecka, J. and Stańczyk, W. A. Synthesis of 1,1,3,3-tetramethyl-1,3-disilacyclobutane using lithium metal or organolithium reagents. *Synlett*. 1990:344.
1082. Choi, C. H.; Tracz, A.; Jeszka, J. K.; Boiteux, G.; Seytre, G.; Ulański, J., and Kryszewski, M. Conductive poly(vinylidene fluoride) reticulate doped with Cl complex TTF - TCNQ. *Synth Met*. 1990; **37**:181-188.
1083. Chojnowski, J.; Cypriak, M.; Kaźmierski, K., and Różga, K. The reactivity of monomeric silanol intermediates in the hydrolytic polycondensation of tetraethoxysilane in acidic media. *J Non-Cryst Solids*. 1990; **125**:40-49.
1084. Chojnowski, J. and Stańczyk, W. A. Dissociative pathways in substitution at silicon: silicon cations R_3Si^+ , $R_3Si^+ - Nu$ and silene-type species $R_2Si=X$ as intermediates. Academic Press; 1990.
1085. Chu, P-J. and Potrzebowski, M. J. ^{13}C and ^{31}P solid state NMR studies of bis-(dialkoxythiophosphoryl) disulfides. *Magn Reson Chem*. 1990; **208**:477.
1086. Ciesielski, W.; Jędrzejewski, W.; Kudzin, Z. H., and Drabowicz, J. Highly sensitive spectrophotometric microdetermination of sulphoxides. *Talanta*. 1990; **37**:435-438.
1087. Ciesielski, W.; Kudzin, Z. H.; Tasz, M. K., and Drabowicz, J. The application of trifluoroacetic acid anhydride-sodium iodide system for quantitative determination of nitrones. *Canadian J Chem*. 1990; **65**:679.
1088. Drabowicz, J.; Kielbasiński, P., and Mikołajczyk, M. Sulphinic acids and esters in synthesis. Patai, S. *The chemistry of sulphinic acids, esters and their derivatives*. J. Wiley & Sons; 1990; pp. 351-429.
1089. ---. Synthesis of sulphenyl halides and sulphenamides. Patai, S. *The chemistry of sulphenic acids and their derivatives*. J. Wiley & Sons; 1990; pp. 221-292.
1090. Drabowicz, J.; Łyżwa, P., and Mikołajczyk, M. Synthesis of sulphenic acids and esters. Patai, S. *The chemistry of sulphenic acids and their derivatives*. J. Wiley & Sons; 1990; pp. 187-220.
1091. Drabowicz, J.; Łyżwa, P.; Popielarczyk, M., and Mikołajczyk, M. A convenient procedure for oxidation of sterically hindered sulfides to sulfoxides. *Synthesis*. 1990:937-938.
1092. Duda, A.; Florjańczyk, Z.; Hofman, A.; Słomkowski, S., and Penczek, S. Living pseudoanionic polymerization of ϵ -caprolactone. Poly(ϵ -caprolactone) free of cyclics and with controlled end-groups. *Macromolecules*. 1990; **23**:1640.
1093. Duda, A. and Penczek, S. Anionic and pseudoanionic polymerization of ϵ -caprolactone. *Polymer Preprints*. 1990; **31**(1):12.
1094. ---. Sulfur containing polymers. Kroschwitz, J. I. *Concise encyclopedia of polymer science and*

technology. Wiley-Interscience; 1990; p. 1141.

1095. ---. Thermodynamics of L-lactide polymerization. *Macromolecules*. 1990; **23**:1636.
1096. Dybowski, P. and Skowrońska, A. A general synthesis of S-(β -oxoalkyl)-O,O-dialkyl thio- and dithiophosphates. *Synthesis*. 1990:609-612.
1097. Dąbkowski, W. and Michalski, J. Novel synthesis of phosphoroazolides and phosphoranilidates by reaction of trimethylsilylphosphites with 1,1'-oxalyldiazolides or 1,1'-oxalyldianilidates. *Phosphorus, Sulfur and Silicon*. 1990; **51/52**:203.
1098. Dąbkowski, W.; Michalski, J., and Qing, W. Bis(N,N-diisopropylamino)trimethylsiloxyphosphane: a novel flexible phosphitylating reagent in nucleoside chemistry and its application in the synthesis of P-modified nucleotides. *Angew Chem Int Ed Engl*. 1990; **29**:522-523.
1099. Firlej, L.; Pęcherz, J.; Kryszewski, M., and Graja, A. Electrical and magnetical properties of the $S^+Et_2Me(TCNQ)_2$ complex salt. *Synth Met*. 1990; **35**:39-45.
1100. Gałęski, A. Toughening of crystalline polyolefins containing particulate fillers by interface modification. *Controlled interfaces in composite materials*. New York: Elsevier; 1990; p. 621.
1101. Gałęski, A.; Piórkowska, E.; Koenczoel, L., and Baer, E. Acoustic emission during crystallization. *J Polym Sci B: Polym Phys*. 1990; **28**:1171.
1102. Gębicki, J.; Kuberski, S., and Kamiński, R. Structure and photochemistry of matrix-isolated o-phthalaldehyde. *J Chem Soc Perkin 2*. 1990:765-769.
1103. Heliński, J.; Skrzypczyński, Z.; Wasiak, J., and Michalski, J. Efficient oxygenation of thiophosphoryl and selenophosphoryl groups using trifluoroacetic anhydride. *Tetrahedron Lett*. 1990; **31**:4081-4084.
1104. ---. A new efficient synthesis of trifluoroacetyl halides and mixed anhydrides of phosphorus and trifluoroacetic acids. *Phosphorus, Sulfur and Silicon*. 1990; **54**:225-226.
1105. Iyer, R. P.; Uznański, B.; Boal, J.; Storm, Ch.; Egan, W.; Matsukura, M.; Broder, S.; Zon, G.; Wilk, A.; Koziolkiewicz, M., and Stec, W. J. Abasic oligodeoxyribonucleotide phosphorothioates: synthesis and evaluation as anti-HIV-1 agents. *Nucleic Acids Res*. 1990; **18**(10):2855.
1106. Jeszka, J. K.; Kabayashi, T.; Tracz, A.; Ulański, J.; Kryszewski, M., and Yamamoto, N. Submicroscopic structure of the TTT-TCNQ conductive network in reticulate doped polymers revealed by SEM. *Synth Met*. 1990; **35**:215-220.
1107. Kazimierski, P.; Tyczkowski, J., and Schrader, S. Field induced water sorption in plasma polymers. *J Macromol Sci Phys*. 1990; **B 29**:63-70.
1108. Koziolkiewicz, M.; Wilk, A.; Grajkowski, A.; Uznański, B., and Stec, W. J. Backbone-modified oligonucleotides containing a butanediol-1,3 moiety as a "Vicarious segment" for the deoxyribosyl moiety. *Synthesis and enzyme studies*. *Nucleic Acids Res*. 1990; **18**:2065.
1109. Krawiecka, B. and Wojna-Tadeusiak, E. Mechanism of the chlorolysis reaction of P-S bond in phosphorus thioesters. The effect of the substituent at sulfur atom on the stereochemistry. *Phosphorus, Sulfur and Silicon*. 1990; **49-50**:69-72.
1110. ---. Reaction of thiol and selenol esters of phosphorus acids with halogens.
2. Interaction of S-methyl-tert-butylphenyl- and di-tert-butylphosphinothiolates with elemental bromine and iodine. *J Chem Soc Perkin 2*. 1990:301-309.

1111. Kryszewski, M. Applications of lasers in the scattering for the study of solid polymers. Fouassier, J. P. and Rabek, J. F. Laser in polym sci and technology. Boca Raton: RCS Press; 1990; p. 94.
1112. Kryszewski, M. and Uznański, P. Some application of solid solutions of spiropyran in polymers and in bilayers for information storage. Kodansha, E. Int Conf Polymers for Microelectronics - Science and Technology; Tokyo. New York: VCH Publishers; 1990: 575.
Notes: Proc. PME 90
1113. Kubisa, P. Polimeryzacja żyjąca - nowe zastosowania syntetyczne. Cz. I. Polimeryzacja anionowa. Polimery. 1990; **35**(3):61-65.
1114. ---. Polimeryzacja żyjąca - nowe zastosowania syntetyczne. Cz. II. Polimeryzacja rodnikowa i kationowa. Polimery. 1990; **35**(4):101-105.
1115. Kubisa, P. and Penczek, S. Activated monomer polymerization of oxiranes. Microstructure of polymers vs. Kinetics and thermodynamics of propagation. Polymer Preprints. 1990; **31**(1):89.
1116. Kłosiński, P. New method of alkylene phosphonate preparation. Tetrahedron Lett. 1990; **31**:2025.
1117. Leśnikowski, Z. J.; Jaworska, M., and Stec, W. J. Octa(thymidine methanephosphonates) of partially defined stereochemistry: synthesis and effect of chirality at phosphorus on binding to pentadecadeoxyadenylic acid. Nucleic Acids Res. 1990; **18**(8):2109.
1118. Michalski, J.; Łopusiński, A., and Łuczak, L. P-chiral thioxaphosphoranesulphenyl chlorides $RR'P(S)SCL$. A new tool in stereochemistry of organophosphorus-sulfur compounds. Phosphorus, Sulfur and Silicon. 1990; **49-50**:115-119.
1119. Mikołajczyk, M.; Kielbasiński, P.; Wieczorek, W.; Błaszczyk, J., and Kolbe, A. A new synthesis of α -phosphinoyl cycloalkanones by phosphinylation of cycloalkanone enolates. Crystal and molecular structure of 2-diphenylphosphinoyl-3-tris(methylthio)methyl-cyclopentanone and 2-diphenylphosphinoyl-3-carbomethoxy-cyclopentanone. J Org Chem. 1990; **55**:1198-1203.
1120. Mikołajczyk, M.; Kielbasiński, P.; Żurawiński, R., and Wieczorek, M. W. α -Phosphonyl cyclopentanones as possible intermediates in the total synthesis of sarkomycin. Phosphorus, Sulfur and Silicon. 1990; **49-50**:97-100.
1121. Milczarek, P.; Pluta, M., and Kryszewski, M. Swelling induced surface layer reorganization of the crystalline elements in isotactic polypropylene. Ishida, H. Controlled intherphases in composite materials. New York: Elsevier; 1990; pp. 715-721.
1122. Okruszek, A.; Guga, P., and Stec, W. J. Mechanism of formation of ribonucleoside cyclic 2',3'-phosphates in the reaction of appropriate 3',5'-phosphorothioates with epoxides. Phosphorus, Sulfur and Silicon. 1990; **51/52**:373.
1123. Parniewski, P.; Kwinkowski, M.; Wilk, A., and Kłysik, J. E. Dam methyltransferase site located within the loop region of the oligopurine-oligopyrimidine sequences capable of forming H-DNA are undermethylated in vivo. Nucleic Acids Res. 1990; **18**:605-611.
1124. Pawlak, A. and Gałęski, A. Stability of spherulite growth rate. J Polym Sci B: Polym Phys. 1990; **28**:1813.
1125. Penczek, S. Models of biopolymers by ring-opening polymerization. Boca Raton: CRC Press; 1990.
1126. ---. Phosphorus-containing bioanalogous polymers by ring-opening polymerization. Polymer Preprints. 1990; **31**(1):22.

1127. Penczek, S.; Baran, J.; Biela, T.; Łapienis, G.; Nyk, A.; Kłosiński, P., and Pretula, J. Poly(alkylene phosphates): bioanalogous of synthetic polymers. *British Polym J.* 1990; **23**:213.
1128. Penczek, S.; Baran, J.; Kłosiński, P.; Łapienis, G.; Nyk, A., and Pretula, J. Poly(alkylene phosphate)s related to nucleic and teichoic acids. *Phosphorus, Sulfur and Silicon.* 1990; **51/52**:65.
1129. Penczek, S. and Kubisa, P. Living cationic ring-opening polymerization. Kroschwitz, J. I. *Concise encyclopedia of polymer science and technology.* Wiley-Interscience; 1990; p. 559.
1130. Penczek, S. and Kłosiński, P. Polyphosphates mimicking structures and functions of teichoic acids. Gebelein, C. G. *Biomimetic polymers.* New York: Plenum Press; 1990; pp. 223-243.
1131. ---. Polyphosphates modeling elements of nucleic acids structure. Gebelein, C. G. *Biomimetic polymers.* New York: Plenum Press ; 1990; pp. 243-253.
1132. ---. Synthetic polyphosphates related to nucleic and teichoic acids. Penczek, S. *Models of biopolymers by ring-opening polymerization.* Boca Raton: CRC Press; 1990; pp. 291-378.
1133. ---. Synthetic polyphosphates related to nucleic and teichoic acids. Gebelein, C. G. and Dunn, R. L. *Progress in biomedical polymers.* New York: Plenum Press; 1990; pp. 291-309.
1134. Penczek, S.; Kłosiński, P.; Narębska, A., and Wódzki, R. Bioanalogues polymers with poly(alkylene phosphate) chains. *Macromol Symp.* 1990.
1135. Pietrusiewicz, K. M.; Wieczorek, M. W.; Bujacz, G. D., and Brandi, A. The crystal structure and stereochemistry of 2,3-diphenyl 4-diphenylphosphinylisoxazolidine. *Phosphorus, Sulfur and Silicon.* 1990; **48**:11-16.
1136. Pietrusiewicz, K. M.; Zabłocka, M., and Wiśniewski, W. Synthesis of homochiral phosphorus compounds: the chiron approach. *Phosphorus, Sulfur and Silicon.* 1990; **49-50**:263-266.
1137. Piórkowska, E.; Argon, A. S., and Cohen, R. E. Size effect of compliant rubbery particles on craze plasticity in polystyrene. *Macromolecules.* 1990; **23**:3838.
1138. Piórkowska, E. and Gałęski, A. Effect of thermal contacts between components on thermal conductivity in multicomponent systems. *J Appl Polym Sci.* 1990; **40** :2371.
1139. Pretula, J. and Penczek, S. High molecular weight poly(alkylene phosphates) by condensation of dialkyl phosphites with diols. *Macromol Chem Phys.* 1990; **191**:671.
1140. Pęcherz, J.; Firlej, L.; Jeszka, J. K.; Ulański, J., and Kryszewski, M. A highly conductive form of the $S^+Et_2Me(TCNQ)_2$ complex in reticulate doped polymer films. *Synth Met.* 1990; **37**:189-192.
1141. Skowrońska, A. and Dybowski, P. Ketothio- and ketoselenolophosphates as efficient reagents in organic synthesis. *Phosphorus, Sulfur and Silicon.* 1990; **49-50**:275-278.
1142. Skrzypczyński, Z. Solvolysis of highly reactive phosphorus-sulphonic anhydrides. Stereochemical and chemical arguments for phosphathiacylium cation formation. *J Phys Org Chem.* 1990; **3**:23-24.
1143. ---. Stereochemistry of silver-ion-assisted solvolysis of t-butylphenylphosphinothioic iodidate. Phosphathiacylium cation formation. *J Phys Org Chem.* 1990; **3**:35-37.
1144. Sochacki, M. Mass spectrometric study of modified uridines and their N^3 -isomers. *Nuclosides & Nucleotides.* 1990; **9**:461-462.

1145. ---. Spektrometria masowa komponentów kwasów nukleinowych. Nukleotydy, oligonukleotydy, zastosowanie do określania sekwencji. *Wiadomości Chemiczne*. 1990; **44**:371-397.
1146. Stehlicek, J.; Tuzar, Z.; Kaźmierski, K.; Sebenda, J., and Chojnowski, J. The preparation of copolymers with polydimethylsiloxanes and polycaprolactam blocks by the anionic polymerization of caprolactam. *Europ Polym J*. 1990; **26**(5):509.
1147. Stein, C. A.; Iversen, P. L.; Subasinghe, C.; Cohen, J. S.; Stec, W. J., and Zon, G. Preparation of ³⁵S-labeled polyphosphorothioate oligodeoxyribonucleotides by use of hydrogen phosphonate chemistry. *Anal Biochem*. 1990; **188**:11.
1148. Szymański, R. Molecular weight distribution in the activated monomer polymerization with nonequal propagation rate constants. *Macromol Chem Phys*. 1990; **191**:933.
1149. Twierdochlebova, I. I.; Łapina, T. A.; Mamajewa, I. I.; Piercowa, N. W.; Wilczek, L., and Chojnowski, J. Zwiezdoobraznyje polidimietilsiloxany. *Vysokomol Soedin*. 1990; **B32**(4):292.
1150. Tyczkowski, J. and Sielski, J. Electronic transport in weakly pyrolysed plasma polymerized acrylonitrile films. *Thin Solid Films*. 1990; **187**:1-8.
1151. Ulański, J.; Tracz, A.; Shafee, E. El.; Debrue, G., and Deltour, R. Temperature dependence of anisotropy of conductivity in oriented reticulate doped polymers. *Synth Met*. 1990; **35**: 221.
1152. Uznański, B. and Stec, W. J. Thermal intramolecular isomerisation of 2-isoselenocyano-5,5-dimethyl-1,3,2-dioxaphosphorinane into 2-cyano-2-seleno-5,5-dimethyl-1,3,2-dioxaphosphorinane. *Zh Obshch Khim*. 1990; **60**:1225-1235.
1153. Uznański, P.; Dworżańska, M., and Kryszewski, M. Effect of phase transition on ring-closure kinetics of spiropyran molecules in liquid crystals and solid films of unsaturated amphiphiles. *Macromol Rapid Comm*. 1990; **11**:427-432.
1154. Uznański, P.; Kryszewski, M., and Thulstrup, E. W. Electronic spectra and trans→cis photoisomerization of azobenzene molecules in oriented polyethylene matrix. *Synth Met*. 1990; **37**:266.
Notes: 21st Europhysics Conference of Molecular Physics, Łódź 1989, Sulejów
1155. ---. Polarized absorption spectroscopy of trans-azobenzene and trans-stilbene in stretched polyethylene films. *Spectrochimica Acta*. 1990; **46 A**:23-27.
1156. Uznański, P.; Wojda, A., and Kryszewski, M. Phototransformation of merocyanine forms of spiropyran in amorphous polymeric media. *Europ Polym J*. 1990; **26**:141-143.
1157. Wróbel, A. M.; Czeremuszkin, G.; Szymanowski, H., and Kowalski, J. Plasma polymerization of carbosilanes: tetramethylsilane as a model monomer for reactivity study of silylmethyl groups. *Plasma Chem Plasma Process*. 1990; **10**:277.
1158. Wróbel, A. M. and Wertheimer, M. R. Plasma-polymerized organosilicones and organometallics. Plasma deposition, etching and treatment of polymers. Boston: Academic Press; 1990.
1159. Wódzki, R. and Kłosiński, P. Magnesium and calcium ions transport by synthetic analogues of teichoic acid with 1,2- and 1,3-linked phosphodiester units. *Macromol Chem Phys*. 1990; **191**:921.
1160. Zembala, M.; Kowalczyk, D.; Pryjma, J.; Rugierro, I.; Mytar, B.; Kłysik, J. E., and Stec, W. J. The role of tumor necrosis factor in the regulation of antigen presentation by human monocytes. *Int Immunol*. 1990; **2**(4):337.

1161. Łapienis, G. Synthetic polyphosphates with directly attached nucleic acid bases. *Phosphorus, Sulfur and Silicon*. 1990; **51-52**:371.
1162. Łapienis, G. and Penczek, S. Poly(alkylene phosphate)s bearing tetrahydrofuran rings (1,4-anhydroerythritol) in the main chain. *J Polym Sci A: Polym Chem*. 1990; **28**:1743.
1163. ---. Synthesis of poly(alkylene phosphate)s with N-containing bases in the side chains. III. N-oxoethylneuracil on the poly(trimethylene phosphate) chain. *J Polym Sci A: Polym Chem*. 1990; **28**:1519.
1164. Łopusiński, A. Transformation of organophosphorus S-trifluoromethylthioates $\text{RR}'\text{P}(\text{O})\text{SCF}_3$ into fluoridates $\text{RR}'\text{P}(\text{O})\text{F}$. Stereochemical aspects of thiocarbonyl fluoride extrusion. *Phosphorus, Sulfur and Silicon*. 1990; **47**:383-390.
1165. Baraniak, J. and Stec, W. J. Adenosine cyclic 3',5'-(R_p)- and (S_p)-phosphorothioates stereospecific synthesis of diastereoisomeric forms of phosphorothioates. Townsed, Leroy B. and Tipson, Stuart R., Eds. *Nucleic acid chemistry, improved and new synthetic procedures, methods and techniques*. John Wiley & Sons, Inc; 1991; pp. 325-331.
1166. ---. Electrophilic catalysis of $\text{N} \rightarrow \text{O}$ phosphoryl migration. *Tetrahedron Lett*. 1991; **32**:137-140.
1167. ---. N-benzyl O,O-dialkyl phosphoranilidates: reaction with O- and N-nucleophiles. *Tetrahedron Lett*. 1991; **32**:4193-4196.
1168. Basińska, T. and Słomkowski, S. The direct determination of protein concentration for proteins immobilized on polystyrene microspheres. *J Biomater Sci Polym Ed*. 1991; **3**:115.
1169. Baško, M.; Nyk, A.; Kłosiński, P.; Libiszowski, J.; Kubisa, P., and Penczek, S. Studies of structures and concentration of active species in vinyl anionic polymerization by phosphorus end capping. *Polym Bull*. 1991; **26**:63.
1170. Bednarek, M.; Biedroń, T.; Kubisa, P., and Penczek, S. Activated monomer polymerization of oxiranes, microstructure of polymers vs kinetics and thermodynamics of propagation. *Macromol Symp*. 1991; **42/43**:475.
1171. Biedroń, T.; Kubisa, P., and Penczek, S. Polyepochlorohydrin diols free of cyclics-synthesis and characterization. *J Polym Sci A: Polym Chem*. 1991; **29**(5):619.
1172. Biela, T. and Kubisa, P. Oligomerization of oxiranes in the presence of phosphoric acid. Kinetics of model reaction. *Makromol Chem*. 1991; **192**:473.
1173. Brandi, A.; Cicchi, S.; Goti, A., and Pietrusiewicz, K. M. Radical addition to vinylphosphine oxides: 1,2-stereoiduction of phosphorus stereogenic centre. *Tetrahedron Lett*. 1991; **32**:3265-3268.
1174. ---. Regio- and stereoselective syntheses of isoxazolidines bearing phosphinyl substituents. *Gazetta Chimica Italiana*. 1991; **121**:285-295.
1175. ---. Single and double asymmetric induction in the cycloaddition of chiral nitrones to achiral and chiral vinylphosphine oxides. *Tetrahedron: Asymmetry*. 1991; **2**:1063-1074.
1176. Brandi, A.; Cicchi, S.; Goti, A.; Pietrusiewicz, K. M.; Zabłocka, M., and Wiśniewski, W. Stereoselective nitron additions to vinyl phosphine derivatives. Effect of phosphorus substituents on reaction diastereoselectivity. *J Org Chem*. 1991; **56**:4383-4388.
1177. Brzezińska, K. and Wagener, K. B. Acyclic diene metathesis polymerization. The synthesis of unsaturated

polyethers. Polymer Preprints. 1991; **32**:381.

1178. Chojnowski, J. Kinetically controlled ring-opening siloxane polymerization. *J Inorg Organometal Polym.* 1991; **1**:299-325.
1179. Chojnowski, J.; Cypryk, M., and Fortuniak, W. The extension of the mechanistic concept of the nucleophilic catalysis in the silicon chemistry to some reactions of the P (III) center: analogies between silylation and phosphorylation. *Heteroatom Chem.* 1991; **2**:63-67.
1180. Chojnowski, J.; Kurjata, J.; Rubinsztajn, S., and Ścibiorek, M. Synthesis and properties of some polysilaethers (polyoxymultisilanes). Bassindale, A. and Gaspar, P. P., Eds. *Frontiers in Organosilicon Chemistry*. Cambridge: The Royal Society of Chemistry; 1991; pp. 70-80.
1181. Ciesielski, W.; Jędrzejewski, W.; Kudzin, Z. H.; Kielbasiński, P., and Mikołajczyk, M. Thiophosphoryl compounds as novel inducing agents in the iodine-azide reaction. *Analyst.* 1991; **166**:85-87.
1182. Cypryk, M. and Chojnowski, J. Monte Carlo simulation of the cyclization-chain extension kinetics for the cationic polymerization of hexamethylcyclotriosiloxane (D₃). *Macromolecules.* 1991; **24**:2498-2505.
1183. Cypryk, M.; Gupta, Y., and Matyjaszewski, K. Anionic ring-opening polymerization of 1,2,3,4-tetramethyl-1,2,3,4-tetraphenylcyclotetrasilane. *J Am Chem Soc.* 1991; **113**:1046.
1184. Czeremuszkin, G. and Wróbel, A. M. Depth profiles of UV radiation dose absorbed in the film during plasma chemical vapour deposition process. *Proc 10th Inter Symp "Plasma Chemistry"*; Bochum. 1991: 325-12.
1185. Duda, A. and Penczek, S. Anionic and pseudoanionic polymerization of ϵ -caprolactone. *Makromol Chem.* 1991; **42/43**:135.
1186. ---. Kinetics of ϵ -caprolactone polymerization on dialkylaluminium alkoxides. *Macromol Symp.* 1991; **47**:127.
1187. Dybowski, P. and Skowrońska, A. A new strategy for the stereoselective synthesis of olefins. *Tetrahedron Lett.* 1991; **34**:4385-4388.
1188. Dąbkowski, W.; Michalski, J., and Wang, F. W. Silyloxyphosphanes. New phosphitylating reagents in nucleotide chemistry. *Nucleosides & Nucleotides.* 1991; **10**:601-602.
1189. Dąbkowski, W.; Wasiak, J., and Michalski, J. Reaction of tri and tetra-coordinate phosphorus acids azolides with acyl fluorides and oxalyl fluoride. New strategy of P-F bond formation. *Fluorine Chemistry.* 1991; **54**:191.
1190. Eaborn, C. and Stańczyk, W. A. Kinetic isotope effects for abstraction of proton from methanol by the polyhalogenomethyl carbonions X₂HC- nad X₃C- (X=Cl or Br). Cleavage of Me₃SiCHX₂ and Me₃SiCCl₃ by base in methanol. *J Chem Soc Perkin 2.* 1991:471-474.
1191. Enchev, D. D.; Angelov, C. M.; Krawczyk, E.; Skowrońska, A., and Michalski, J. 2,5-Dihydro-1,2-oxaphospholene derivatives by the reaction of 1,2-alkadienephosphonates and phosphorus pseudohalogenes. *Phosphorus, Sulfur and Silicon.* 1991; **57**:249-253.
1192. Firlej, L.; Bernier, P.; Rachidi, F.; Ribet, M.; Pęcherz, J., and Enkelman, V. ¹³C NMR study of methyl-diethyl sulphonium TCNQ 1:2 complex salt. *Synth Met.* 1991; **41-43**:1659-1662.
1193. Gałęski, A.; Argon, A. S., and Cohen, R. E. Deconvolution of X-ray diffraction data to elucidate plastic

- deformation mechanisms in the uniaxial extension of bulk nylon 6. *Macromolecules*. 1991; **24**:3945.
1194. ---. Morphology of bulk nylon 6 subjected to plane strain compression. *Macromolecules*. 1991; **24**:3953.
 1195. Goti, A.; Cicchi, S.; Brandi, A., and Pietrusiewicz, K. M. Nitronc cycloadditions to 2,3-dihydro-1-phenyl-1H-phosphole 1-oxide. Double asymmetric induction and kinetic resolution by a chiral nitronc. *Tetrahedron: Asymmetry*. 1991; **2**:1371-1378.
 1196. Graczyk, P. P. and Mikołajczyk, M. Conformational preference in 1,3-dithianes containing phosphonium and phosphino substituents at the anomeric carbon atom. *Phosphorus, Sulfur and Silicon*. 1991; **58/59** :505-508.
 1197. ---. Unexpected mechanism of epimerization of 2-methylthiophosphonio-1,3-dithianes involving a reversible C-P-bond cleavage. *Tetrahedron Lett*. 1991; **36**:7329-7332.
 1198. Hayashi, A.; Goto, Y.; Nakayama, M.; Kałużyński, K.; Sato, H.; Watanabe, T., and Miyata, S. Second harmonic generation of poly 4-[N-methyl-N-(4'-nitrophenyl)aminomethyl]styrene polymer film. *Chem Mater*. 1991; **3**:6.
 1199. Heliński, J.; Dąbkowski, W., and Michalski, J. N,N-Diisopropyl-O-p-nitrophenyl-P-methylphosphonoamidite. Novel difunctional P III reagent in oligonucleoside methylphosphonate synthesis containing 4-nitrophenoxy group. *Tetrahedron Lett*. 1991; **32**:4981-4984.
 1200. Jeszka, J. K. Magnetic properties of TTF-TCNQ conductive networks in reticulate doped polymers. *Synth Met*. 1991; **45**:15-25.
 1201. Jeszka, J. K.; Enoki, T.; Shi, Z.; Imaeda, K.; Inokuchi, H.; Iwasawa, N.; Yamochi, H., and Saito, G. Thermal properties of tetrakis(alkyltelluro)tetrathiafulvalene (TTeC_n-TTF). *Mol Cryst Liq Cryst*. 1991; **196**:167-175.
 1202. Joachimiak, A.; Giel, M.; Kłysik, J. E.; Stec, W. J., and Barciszewski, J. Crystals of recombinant human Tumor Necrosis Factor. *Bull Acad Pol Sci Ser Sci Biol*. 1991; **39**(1-3).
 1203. Kazimierski, P. and Kryszewski, M. Voltage-pulse induced time-domain depolarization. *J Phys D: Appl Phys*. 1991; **24**:2115-2117.
 1204. Kazimierski, P. and Tyczkowski, J. Voltage-pulse induced time-domain depolarization for plasma deposited organosilicon films. *Proc 7th Inter Symp "Electrets"; Berlin. IEEE*; 1991: 141-146.
 1205. Kibler-Herzog, L.; Zon, G.; Uznański, B.; Wittier, G., and Wilson, W. D. Duplex stabilities of phosphorothioate, methylphosphonate and RNA analogs of two DNA 14-mers. *Nucleic Acids Res*. 1991; **18**(11):2979.
Notes: Staż
 1206. Knopik, P.; Bruzik, K. B., and Stec, W. J. An improved synthesis of 6-(phosphorylcholine) hexanoic acid. *OPPI Briefs*. 1991; **23**(2):214-216.
 1207. Koziolkiewicz, M. Application of modified oligonucleotides in the studies on the mechanism of Eco RI endonuclease action. *Postępy Biochemii*. 1991; **37**(2):82.
 1208. ---. Interactions between Eco RI restriction endonuclease and DNA. *Postępy Biochemii*. 1991; **37**(1):23.
 1209. Krawiecka, B. Reaction of thiol and selenol esters of phosphorus acids with halogens. 4. Halogenolysis

of O,O-dineopentyl Se-methyl(phenyl)phosphoroselenoates. Phosphorus, Sulfur and Silicon. 1991; **62**:199-210.

1210. Krawiecka, B. and Wojna-Tadeusiak, E. Reaction of thio and seleno esters of phosphorus acids with halogens. Part 3. Interaction of O,O,S-trialkyl phosphonothioates and O,S-dialkyl t-butyl phosphonothioates with sulphuryl chloride and halogens. J Chem Soc Perkin 1. 1991:229-237.
1211. Kryszewski, M. Heterogeneous conducting polymeric systems: dispersions, blends, crystalline conducting networks - an introductory presentation. Synth Met. 1991; **45**:289-296.
1212. Krzyżanowska, B. and Stec, W. J. The synthesis of P-chiral optically pure phosphorothioates, phosphorodithioates, phosphoroselenothioates, methanophosphonothioates and methylphenylphosphinothioates. Heteroatom Chem. 1991; **2**:123-139.
1213. Kubisa, P. Synteza i polimeryzacja cyklicznych aromatycznych oligowęglanów. Polimery. 1991; **36**:365.
1214. Kudzin, Z. H.; Kotyński, A., and Kielbasiński, P. The application of the iodine azide reagent for stereoselective detection of thiophosphoryl compounds in thin-layer chromatography. Journal of Chromatography. 1991; **588**:307-313.
1215. Kłysik, J. E.; Konarzewska-Zglińska, A.; Gałązka, G.; Uznański, B.; Okruszek, A.; Guga, P.; Wilk, A.; Koziolkiewicz, M.; Tchórzewski, H.; Zembala, M., and Stec, W. J. Synthesis and expression in *E. coli* of the gene for human Tumor Necrosis Factor. Archivum Immunologiae Et Therapiae Experimentalis. 1991; **39**:349-355.
1216. Leśnikowski, Z. J.; Jaworska-Maślanka, M., and Stec, W. J. Stereospecific synthesis of P-chiral di(2'-O-deoxyribonucleoside)methanephosphonates. Nucleosides & Nucleotides. 1991; **10**(1-3):733-736.
1217. Matyjaszewski, K.; Cypriak, M.; Frey, H.; Hrkach, J.; Kim, H. K.; Moeller, M.; Ruehl, K., and White, M. Synthesis and characterization of polysilanes. J Macromol Sci Chem. 1991; **A28**:1151.
1218. Mayer, W. H.; Pęcherz, J.; Mathy, A., and Wegner, G. Polyelectrolyte glasses with linear and nonlinear optical properties. Adv Materials. 1991; **30**:153.
1219. Michalski, J. The chemistry of organo-phosphorus-sulfur pseudo halogens. Chemistry International. 1991; **13**:200.
1220. ---. New synthetic approach to nucleoside phosphorofluoridates and fluoridites. Nowel type of phosphorylating reagents containing 4-nitrophenoxy group. Nucl Acids Res Symp Ser. 1991; **24**:79-82.
1221. Michalski, J.; Dąbkowski, W.; Łopusiński, A., and Cramer, F. Stereoselective synthesis of nucleoside phosphorofluoridates. Nucleosides & Nucleotides. 1991; **10**:283-286.
1222. Michalski, J.; Skowrońska, A., and Łopusiński, A. New chemistry and stereochemistry of organophosphorus pseudohalogens. Phosphorus, Sulfur and Silicon. 1991; **58**:61-88.
1223. Mikołajczyk, M.; Graczyk, P. P.; Wieczorek, M. W., and Bujacz, G. D. Conformational preference of the 2-triphenylphosphonio-1,3-dithianes: competition between steric and anomeric effects. Angew Chem Int Ed Engl. 1991; **30**:578-580.
1224. Mikołajczyk, M. and Midura, W. H. Diethyl α -methylthio-phosphonoacetic acid: a new bifunctional reagent. Synthesis of unsaturated five- and six-membered lactones. Synlett. 1991:245-247.

1225. Mikołajczyk, M.; Mikina, M.; Graczyk, P. P.; Wieczorek, M. W., and Bujacz, G. D. Synthesis and conformation of dimethoxy-phosphoryl-1,3-diselenanes. The first evidence for Se-C-P anomeric interactions. *Tetrahedron Lett.* 1991; **32**:489-492.
1226. Mikołajczyk, M.; Perlikowska, W.; Omelańczuk, J.; Cristau, H.-J., and Perraud-Darcy, A. A new, one-pot (E)-stereoselective synthesis of racemic and chiral α - β -unsaturated sulfoxides from sulfinates and dimethyldiphenylphosphonium diylide. *Synlett.* 1991:913-915.
1227. Mikołajczyk, M. and Zatorski, A. Methylenomycin B: new syntheses based on α - and γ - keto phosphonates and γ - keto phosphine oxides. *J Org Chem.* 1991; **56**:1217-1223.
1228. Mikołajczyk, M. and Żurawiński, R. A new and concise synythesis of methylenomycin B. *Synlett.* 1991:575-576.
1229. Nyk, A.; Kłosiński, P., and Penczek, S. Water swelling, hydrolyzable gels through polyaddition of H_3PO_4 to diepoxides. *Makromol Chem.* 1991; **192**:833.
1230. Okruszek, A.; Guga, P., and Stec, W. J. Stereochemistry of the reaction of ribonucleoside cyclic 3',5'-phosphorothioates with oxiranes. *Heteroatom Chem.* 1991; **2**:561-568.
1231. Penczek, S. and Duda, A. Polymerization and copolymerization of elemental sulfur. *Phosphorus, Sulfur and Silicon.* 1991; **59**:47.
1232. Penczek, S.; Duda, A., and Słomkowski, S. Pseudoanionic polymerization of lactone. *Polymer Preprints.* 1991; **32**(1):309.
1233. Penczek, S. and Kubisa, P. Phosphorus containing bioanalogous polymers by ring-opening polymerization. Sivaram, S., Ed. *Polymers 91-Polymer Science Contemporary Themes*; Pune, India. 1991: 984.
1234. Penczek, S.; Kubisa, P., and Szymański, R. On the diagnostic criteria of the livingness of polymerizations. *Macromol Rapid Comm.* 1991; **12**:77.
1235. Penczek, S. and Kłosiński, P. Bioanalogous polymers with poly(alkylene phosphate) chains. *Makromol Chem.* 1991; **48/49**:1.
1236. Penczek, S.; Szymański, R., and Kałużyński, K. The change of sign of ΔH_{ss}° and ΔS_{ss}° in passing from bulk to solution in the polymerization of cyclic monomers with low strain: polymerization of 2-hydro-2-oxo-1,3,2-dioxaphosphorinane. *J Polym Sci A: Polym Chem.* 1991; **29**(12):1825.
1237. Pietrusiewicz, K. M.; Salamończyk, I.; Wieczorek, H.; Brandi, A.; Cicchi, S., and Goti, A. Direct synthesis of isoxazolidinylphosphines by cycloaddition of nitrones to diphenylphosphinoethenes and X-ray strucrure of 7,7-dimethyl-1-oxo-1-phenyl-3-diphenylphosphinyl-hexahydro-1H-pyrrolo[1,2-c][1,3,2]oxazaphosphorine. *Tetrahedron.* 1991; **47**:9083-9096.
1238. Pietrusiewicz, K. M.; Wieczorek, W.; Cicchi, S., and Brandi, A. Crystal structure and stereochemistry of (PS*, 2S*, 3aS*)-hexahydro-2-(tert-butylvinylthiophosphinyl)-6,6-dimethylpyrrolo[1,2-b]isoxazole. *Heteroatom Chem.* 1991; **2**:661-664.
1239. Pietrusiewicz, K. M.; Zabłocka, M.; Kuźnikowski, M.; Wieczorek, M. W.; Maniukowicz, W., and Rospenk, M. Optically active phosphine oxides. 10. X-ray structure and conformation of (SP)- and (RP)-L-menthyl alfa-(phenylvinylphosphinyl)acetates. *Heteroatom Chem.* 1991; **2**:111.

1240. Pietrusiewicz, K. M.; Zabłocka, M.; Kuźnikowski, M.; Wieczorek, W.; Maniukowicz, W., and Rospenk, M. Optically active phosphine oxides: 10[1]; X-ray structure and conformation of (Sp)- and (Rp)- α -menthyl α -(phenylvinylphosphinyl) acetates. *Heteroatom Chem.* 1991; **2**:111-122.
1241. Pietrusiewicz, K. M.; Zabłocka, M.; Wieczorek, M. W., and Brandi, A. Ground state conformation of (-)-S-methylphenylvinylphosphine oxide: a crystallographic and Pc model inquiry. *Tetrahedron: Asymmetry.* 1991; **2**:419-428.
1242. Pluta, M.; Milczarek, P.; Włochowicz, A., and Kryszewski, M. The processing and structure of composites of isotactic polypropylene and atactic polystyrene with high dispersion of the polystyrene component. *Acta Polymerica.* 1991; **42**:485-492.
1243. ---. Structure reorganization in isotactic polypropylene induced by styrene treatment. *Acta Polymerica.* 1991; **42**:306-314.
1244. Potrzebowski, M. J.; Reinbenschies, J. H., and Zhong, Z. X-ray and ³¹P CPMAS NMR studies of bis(dialkoxythiophosphoryl)disulfides. *Heteroatom Chem.* 1991; **2**:455.
1245. Potrzebowski, M. J.; Łopusiński, A., and Michalski, J. Reaction of thioxophosphorane sulfenyl bromides with ethylvinyl ether. Mechanistic and synthetic aspects. *Heteroatom Chem.* 1991; **2**:553-559.
1246. Pęcherz, J.; Kryszewski, M., and Tracz, A. The influence of TCNQ⁰ content in TCNQ salts on stability polycations with sulphonium groups in the main chain. *J Macromol Sci Chem.* 1991; **A28**(7):623-632.
1247. Salamończyk, G. and Pietrusiewicz, K. M. Expedient synthesis of D-myo-inositol 1,4,5-trisphosphate and D-myo-inositol 1,4-bisphosphate. *Tetrahedron Lett.* 1991; **32**:6167-6170.
1248. ---. A practical three-step conversion of myo-inositol into D-myo-inositol 1-phosphate. *Tetrahedron Lett.* 1991; **32**:4031-4032.
1249. Sidorkiewicz, M.; Jaworski, J.; Plucienniczak, G.; Plucienniczak, A.; Stępień, P.; Kalinowska, B.; Karwowska, S.; Nowosiłowski, A.; Uznański, B.; Wilk, A.; Guga, P.; Koziolkiewicz, M.; Okruszek, A., and Stec, W. J. Expression of multivalent pre-S1 antigen of hepatitis B virus in *Escherichia coli*. *Archivum Immunologiae Et Therapiae Experimentalis.* 1991; **39**:357-364.
1250. Sielski, J. and Kryszewski, M. Hole transport in plasma polymerized organosilicon films. *Proc 7th Inter Symp "Electrets"; Berlin.* IEEE; 1991: 11-15.
1251. Skowrońska, A. and Dybowski, P. A novel synthesis of alpha, beta-unsaturated phosphonates. *Heteroatom Chem.* 1991; **2**:55-61.
1252. Sosnowski, S.; Słomkowski, S., and Penczek, S. Kinetics of the anionic polymerization of ϵ -caprolactone with K⁺.(dibenzo-18-crown-6-ether) counterion. Propagation on macroions and macroion pairs. *Makromol Chem.* 1991; **192**:735.
1253. ---. Telechelic poly(ϵ -caprolactone)terminated at both ends with OH groups and its derivatization. *Makromol Chem.* 1991; **192**:1457.
1254. Stec, W. J. Novel method of synthesis of oligo(deoxyribonucleoside phosphorothioates). *Nucl Acids Res Symp Ser.* 1991; **25**:171-172.
Notes: Sendai, Japan, October 1991 - IRL Press
1255. ---. Nowe biotechnologie. *Nauka Polska.* 1991(1):365.

1256. Stec, W. J.; Grajkowski, A.; Koziółkiewicz, M., and Uznański, B. Novel route to oligo(deoxyribonucleoside phosphorothioates). Stereocontrolled synthesis of P-chiral oligo(deoxyribonucleoside phosphorothioates). *Nucleic Acids Res.* 1991; **19**:5883-5888.
1257. Szymański, R. Equilibrium between 1,3-dioxane and its cyclooligomers. *Makromol Chem.* 1991; **192**:2961.
1258. ---. Polymer complexing equilibria. A new general approach based on the copolymerization equilibrium. *Makromol Chem.* 1991; **192**:757.
1259. ---. Thermodynamics of copolymerization of 1,3-dioxolane with 1,3-dioxepane and 1,3-dioxane. *Makromol Chem.* 1991; **192**:2943.
1260. Tracz, A. and Jeszka, J. K. Conductive polymer composites with ultra low charge transfer complex content. *Synth Met.* 1991; **41-43**:1831-1834.
1261. Tracz, A.; Kryszewski, M.; Strzelecka, H.; Boiteux, G., and Seytre, G. New conducting composite materials: polymer crystalline BIPA (TCNQ)₂ salt. *Synth Met.* 1991; **41-43**:999-1004.
1262. Trznadel, M.; Milczarek, P., and Kryszewski, M. Diffusion and subsequent polymerization of styrene in oriented polypropylene matrix. *J Appl Polym Sci.* 1991; **43**:1125-1131.
1263. Tyczkowski, J. Bistable switching in plasma polymerized acrylonitrile films. *Thin Solid Films.* 1991; **199**:335-342.
1264. ---. Struktura elektronowa dielektrycznych szkliw plazmowych. *Zeszyty Naukowe Politechniki Łódzkiej* . 1991(638).
Notes: *Rozprawy Naukowe Z.* 163
1265. Tyczkowski, J.; Kazimierski, P., and Szymanowski, H. High-thermal-resistant electrical insulation deposited by plasma polymerization. *Proc 3rd Inter Conf "Properties and Applications of dielectric Materials"; Tokyo. IEEE;* 1991: 196-200.
1266. Tyczkowski, J.; Odrobina, E.; Gazicki, M., and Olcaytug, F. Band structure model of Ge-C alloy films prepared from tetraethylgermanium in an R.F. discharge. *J Non-Cryst Solids.* 1991; **137/138**(II).
1267. Tyczkowski, J. and Szymanowski, H. High-thermal-resistant dielectric coating deposited by plasma polymerization. *Material Science and Engineering A.* 1991; **170**:120-125.
1268. Tyczkowski, J.; Szymanowski, H., and Jaworowska, E. Plasma polymerized fluorescent thin films from aluminiumoxine chelate complex. *Proc 10th Inter Symp "Plasma Chemistry"; Bochum. IUPAC;* 1991: 2.3-16p.1 - 2.3-16p. 6.
1269. Ulański, J.; Sielski, J.; Głowacki, I., and Kryszewski, M. Transition from dispersive to non-dispersive transport as seen by thermally stimulated current in PVK/PC mixtures. *Proc 7th Inter Symp "Electrets"; Berlin. IEEE;* 1991: 90-95.
1270. Uznański, P. and Kryszewski, M. Photochromism of 6-nitrospiropyran oriented in polyethylene. *Polym Bull.* 1991; **26**:437-443.
1271. Uznański, P.; Kryszewski, M., and Thulstrup, E. W. Linear dichroism and trans-->cis photoisomerization studies of azobenzene molecules in oriented polyethylene matrix. *Europ Polym J.* 1991; **27**:41-43.
1272. Wagener, K. B. and Brzezińska, K. Acyclic diene metathesis polymerization. The synthesis of unsaturated polyethers. *Macromolecules.* 1991; **24**:5273.

1273. Wiewióra, J.; Surma, M.; Kapuściński, J.; Liniecki, J., and Okruszek, A. Opracowanie sposobu otrzymywania kompleksu $^{99m}\text{Tc-MAG}_3$ o dużej czystości radiochemicznej. *Problemy Medycyny Nuklearnej*. 1991; **5**:18-22.
1274. Wilk, A.; Uznański, B., and Stec, W. J. Assignment of absolute configuration at phosphorus in dithymidyl-(3',5')phosphormorpholidates and phosphormorpholidothioates. *Nucleosides & Nucleotides*. 1991; **10**(1-3):319.
1275. ---. Separation of $[\text{S}_p]\text{-3'-O-(5'-dimethoxytritylthymidyl)-5'-O-(3'-camphanothymidyl)-O-methyl}$. *Nucl Acids Res Symp Ser*. 1991; **24**:63-66.
Notes: Moscow, USSR, June 1991 - IRL Press
1276. Wróbel, A. M. and Kryszewski, M. Preparation, structure and some properties of organosilicon thin polymer films obtained by plasma polymerization. *Progress Coll Polym Sci*. 1991; **85**:1.
1277. Zon, G. and Stec, W. J. Phosphorothioate oligonucleotides. Eckstein, F., Ed. *Oligonucleotides and analogues: a practical approach*. London: IRL Press; 1991; pp. 87-108.
1278. Łopusiński, A.; Łuczak, L.; Michalski, J.; Koziół, A. E., and Gdaniec, M. Stereospecific synthesis of P-epimeric $(\text{S}_p, \text{S}_p)\text{-bis-}[(\text{-})\text{menthyloxy (phenyl)thiophosphoryl}]\text{disulphide}$. An case of steric selection. *J Chem Soc Chem Commun*. 1991(13):889.
1279. Basińska, T. and Słomkowski, S. Detection of concentration measurements of proteins adsorbed onto polystyrene and poly(styrene-acrolein) latexes. Daniels, E. S.; Sudol, E. D., and El-Aasser, M. S., Eds. *Polymer latexes. Preparation, characterization and applications*. Washington: ACS; 1992; p. rozdz. 21.
1280. Biela, T.; Kubisa, P., and Penczek, S. Addition of oxiranes to the acids of phosphorus. Direction of ring-opening. *Makromol Chem*. 1992; **193**:1147-1157.
1281. Biela, T.; Nyk, A., and Kubisa, P. Polyphosphate chains by addition of oxiranes to phosphoric acid. *Macromol Symp*. 1992; **60**:155-163.
1282. Biela, T.; Szymański, R., and Kubisa, P. Oligomerization of oxiranes in the presence of phosphorus acid. 2. Kinetics of addition of ethylene oxide to phosphoric and phosphorous acid. *Makromol Chem*. 1992; **193**:285-301.
1283. Chojnowski, J.; Kurjata, J.; Rubinsztajn, S.; Ścibiorek, M., and Zeldin, M. Thermal decomposition of polytetramethoxydisilaethylene. *J Inorg Organometal Polym*. 1992; **2**:384-404.
1284. Chojnowski, J. and Różga, K. Synthesis of linear polysiloxanes with electron-donating organophosphorus pendantgroup by kinetically controlled ring-opening polymerization. *J Inorg Organometal Polym*. 1992; **2**:297-317.
1285. Czeremuszkin, G.; Wróbel, A. M., and Kryszewski, M. Plasma polymerization of organoisoithiocyanates. I. Characterization of deposition process and deposited materials. *J Appl Polym Sci*. 1992; **44**:883-889.
1286. ---. Plasma polymerization of organoisoithiocyanates. II. Structure of polymer film. *J Appl Polym Sci*. 1992; **44**:891-901.
1287. Drabowicz, J.; Dudziński, B., and Mikołajczyk, M. Chemical and circular dichroism spectral evidence for retention of configuration at sulfur in the Andersen synthesis of chiral sulfoxides. *J Chem Soc Chem Commun*. 1992:1500-1502.

1288. ---. Chiral t-butylphenylphosphinitic acid: a new NMR solvating agent for determination of enantiomeric excess of sulfoxides. *Tetrahedron: Asymmetry*. 1992; **3**:1231-1234.
1289. ---. Sulfonic acid/sodium iodide system as an efficient reagent for the reduction of sulfoxides. *Synlett*. 1992:252-254.
1290. Drabowicz, J.; Kielbasiński, P., and Łyżwa, P. Stereoselective reactions at the α -carbon atom in organosulfur compounds. *Sulfur Reports*. 1992; **12**:213-296.
1291. Duda, A. Anionic polymerization of 4-methyl-2-oxetanone (β -butyrolactone). *J Polym Sci A: Polym Chem*. 1992; **30**:21-29.
1292. ---. Zastosowanie zasady wiążącej reaktywność z selektywnością. *Polimery*. 1992; **37**.
1293. Dybowski, P.; Krawczyk, E., and Skowrońska, A. A general synthesis of Se-(β -oxoalkyl)O,O-dialkyl selenophosphates. *Synthesis*. 1992; **6**:601-604.
1294. Dąbkowski, W.; Cramer, F., and Michalski, J. Fluorination of trimethylsilyl phosphites and their structural analogues by sulfur chloride fluoride: simple preparation of phosphorofluoridates and related compounds, including deoxynucleoside phosphorofluoridates. *J Chem Soc Perkin 1*. 1992:1447-1452.
1295. Dąbkowski, W.; Michalski, J., and Wasiak, J. Unusual dimerisation of diorganylimidazolyl phosphines to give P^{III} - P^{IV} diphosphorus compounds. *Polish J Chem*. 1992; **66**:2081-2083.
1296. Franta, E.; Kubisa, P.; Ould Kada, S., and Reibel, L. Synthesis of functionalized poly(1,3-dioxolane). *Macromol Symp*. 1992; **60**:145.
1297. Gałęski, A.; Bartzak, Z.; Argon, A. S., and Cohen, R. E. Morphological alterations during texture-producing plastic plane strain compression of high density polyethylene. *Macromolecules*. 1992; **25**:5707.
1298. Gałęski, A.; Kowalewski, T., and Kryszewski, M. High orientation of toughened chalk filled isotactic polypropylene. Preparation and properties. *Polym Eng Sci*. 1992; **32**:1217.
1299. Graczyk, P. P. and Mikołajczyk, M. Simple estimation of conformational homogeneity of 2,5-disubstituted-1,3-dithianes by means of their 1H NMR spectra. *Magn Reson Chem*. 1992; **30**:1261-1265.
1300. Guga, P. Monomeryczny metafosforan. *Wiadomości Chemiczne*. 1992; **46**:657-692.
1301. Hayashi, A.; Goto, Y.; Nakayama, M.; Kałużyński, K.; Sato, H.; Kato, T.; Kondo, K.; Watanabe, K. A., and Miyata, S. Second-order nonlinear optical properties of poled polymers of vinyl chromophore monomers: styrene methacrylate and vinyl benzoate derivatives having one-aromatic-ring push-pull chromophores. *Chem Mater*. 1992; **4**:555-562.
1302. Hrabec, E.; Hrabec, Z.; Plucienniczak, G.; Skorupa, G.; Szczepanek, A.; Plucienniczak, A.; Uznański, B.; Wilk, A.; Okruszek, A.; Koziolkiewicz, M.; Guga, P., and Stec, W. J. Synthesis of a gene encoding bovine substance P precursors and its expression in *Escherichia coli*. *Gene*. 1992; **117**:259-263.
1303. Jeszka, J. K. and Tracz, A. A new method of growing crystalline networks in polymer matrices by simultaneous CT complex formation and crystallization. *Polym Adv Technol*. 1992; **3**:139-142.
1304. Kazimierski, P.; Tyczkowski, J., and Kryszewski, M. On application of voltage-pulse time domain

depolarization for plasma polymers. *Folia Scientiarum Univ Techn Resoviensis*. 1992; **102**:41-43.

1305. Kaźmierski, K.; Cypryk, M., and Chojnowski, J. Kinetics of acid-catalyzed hydrolysis of dimethyldiethoxysilane in dioxane. *Bull Pol Acad Sci Chem* . 1992; **40**:65-71.
1306. Kowalczyk, D. and Słomkowski, S. Mikrosfery polimerowe-otrzymywanie, charakterystyka, zastosowanie. *Polimery*. 1992; **37**:442.
1307. Kowalczyk, D.; Słomkowski, S., and Wang, F. W. Fluorescence studies of protein conformation changes upon adsorption to polystyrene latexes. *Polymer Preprints*. 1992; **33**:846.
1308. Kowalewski, T. and Gałęski, A. Crystallization of linear polyethylene from melt in isothermal compression. *J Appl Polym Sci*. 1992; **44**:95.
1309. Koziolkiewicz, M.; Grajkowski, A.; Kurpiewski, M. R.; Stec, W. J., and Jen-Jacobson, L. Stereoselective interaction with chiral phosphorothioates at the central DNA kink of the Eco RI endonuclease-GAATTC complex. *J Biol Chem*. 1992; **267**:24810-24818.
1310. Koziolkiewicz, M. and Stec, W. J. The application of phosphate-backbone modified oligonucleotides in the studies on Eco RI endonuclease mechanism of action. *Biochemistry*. 1992; **31**:9460-9466.
1311. Krawczyk, E.; Mikołajczak, J.; Skowrońska, A., and Michalski, J. Reaction of tricoordinate phosphorus compounds with organophosphorus pseudohalogens. Part 1. Desulfurization and deoxygenation of oxophosphoranesulfenyl chlorides. Scope and mechanism. *J Org Chem*. 1992; **57**:4963-4970.
1312. Krawiecka, B. Halogenolysis of Se-methyl phosphinoselenoates. *Heteroatom Chem*. 1992; **3**:385-394.
1313. ---. The interaction of thio- and selenoesters of phosphorus acids with elemental halogens and sulfur chloride. Intermediates, structure-stereochemistry relationship. *Revs on Heteroatom Chemistry*. 1992; **7**:70-91.
1314. Kryszewski, M.; Pluta, M.; Trznadel, M., and Milczarek, P. Structure of iPP-PS composites with specific dispersion of PS component. *Macromol Symp*. 1992; **62**:191.
1315. Kubisa, P.; Penczek, S., and Libiszowski, J. Homo- and copolyethers by activated monomer mechanism. *Polymer Preprints*. 1992; **33**:153.
1316. Kulpiński, J.; Lickiss, P. D., and Stańczyk, W. A. Tetrakis(dimethylsilyl)-silane and its application in synthesis. *Bull Pol Acad Sci Chem* . 1992; **40**:21-27.
1317. Leśnikowski, Z. J. The first stereocontrolled synthesis of thiooligoribonucleotide: (RpRp)- and (SpSp)-U_{PS}U_{PS}U. *Nucleosides & Nucleotides*. 1992; **11**(9):1621-1638.
1318. Michalski, J.; Dąbkowski, W., and Wasiak, J. Anhydrides of phosphorus and sulfur acids. *Polish J Chem*. 1992; **66**:879-897.
1319. Mikołajczyk, M. and Bałczewski, P. Organosulphur compounds. LXXI. Diverse reactivity of α -phosphoryl dithioacetals and α -phosphoryl sulphides towards α , β -unsaturated carbonyl compounds. A general synthesis of conjugated ketene dithioacetals. *Tetrahedron*. 1992; **48**:8697-8710.
1320. Mikołajczyk, M.; Graczyk, P. P.; Wieczorek, M. W., and Bujacz, G. D. A solution and solid state conformation of 2-diphenyl-phosphinoyl-1,3-dioxane. The nature of O-C-P anomeric interactions. *Tetrahedron*. 1992; **48**:4209-4230.
1321. Mikołajczyk, M.; Graczyk, P. P.; Wieczorek, M. W., and Błaszczak, J. Crystal and molecular structure of

5,5-dimethyl-1,3-dithian-2-ylcarboxylic acid. Is the axial conformer stabilized by hydrogen bond? *Heteroatom Chem.* 1992; **3**:625-630.

1322. Mikołajczyk, M. and Midura, W. H. (+)-(S)- α -diethoxyphosphorylvinyl p-tolyl sulfoxides: a new chiral Michael acceptor and dienophile. *Tetrahedron: Asymmetry.* 1992; **3**:1515-1518.
1323. Mikołajczyk, M.; Wróblewski, K., and Graczyk, P. P. Phosphorus ^{31}P NMR spin-lattice relaxation times as a tool for the determination of structure of 1,3-dithianes with P-containing substituents at the anomeric carbon atom. *Magn Reson Chem.* 1992; **30**:883-885.
1324. Okruszek, A.; Sierzczała, A.; Sochacki, M., and Stec, W. J. The synthesis of di- and oligo(deoxyribonucleoside phosphorodithioates) by dithiaphospholane method. *Tetrahedron Lett.* 1992; **33**:7585-7588.
1325. Omelańczuk, J. The first example of stereoselective synthesis of chiral halogenophosphines: optically active t-butylphenyl chlorophosphine. *J Chem Soc Chem Commun.* 1992:1718-1719.
1326. ---. A new synthesis unsymmetrically substituted halophosphines. *Heteroatom Chem.* 1992; **3**:403-405.
1327. Penczek, S.; Duda, A., and Słomkowski, S. The reactivity-selectivity principle in polymerization. The case of polymerization of ϵ -caprolactone. *Macromol Symp.* 1992; **54/55**:31-40.
1328. Penczek, S.; Kubisa, P.; Kłosiński, P.; Biela, T., and Nyk, A. Polyaddition of epoxides and diepoxides to the acids of phosphorus: synthesis of poly(alkylene phosphate)s. Vandenberg, E. J. and Salamone, J. C., Eds. *Catalysis in polymer synthesis.* Washington: ACS; 1992; p. 248.
1329. Penczek, S. and Szymański, R. The carbenium ion-oxonium ion exchange process related to vinyl and ring-opening polymerization. *Macromol Symp.* 1992; **60**:65-95.
1330. Pietrusiewicz, K. M.; Kuźnikowski, M.; Wieczorek, W., and Brandi, A. Ground state conformation of diphenylvinylphosphine sulfide and selenide. *Heteroatom Chem.* 1992; **3**:37-40.
1331. Pietrusiewicz, K. M.; Salamończyk, G., and Bruzik, K. B. The synthesis of homochiral inositol phosphates from myo-inositol. *Tetrahedron.* 1992; **48**:5523-5542.
1332. Pietrusiewicz, K. M.; Wieczorek, W.; Goti, A., and Brandi, A. Optically active phosphine oxides. 15. Stereochemistry and X-ray structure of the major cycloadduct derived from the racemic 2,3-dihydro-1-phenyl-1H-phosphole 1-oxide and a homochiral nitron. *Phosphorus, Sulfur and Silicon.* 1992; **70**:131-137.
1333. Piórkowska, E. and Gałęski, A. Influence of the liberation of heat of fusion on the temperature near the crystallization front in polymers. *Polymer.* 1992; **33**:3985-3953.
1334. Potrzebowski, M. J. Solid state ^2H NMR study of methoxy group dynamics in perdeuteriated bis(dimethoxythiophosphoryl)disulfide. *Magn Reson Chem.* 1992; **30**:35.
1335. Pęcherz, J.; Kryszewski, M.; Wegner, G., and Mayer, W. H. Effects in polyelectrolyte glasses with linear and non-linear optical properties. *Mol Cryst Liq Cryst.* 1992; **216**:79-84.
1336. Shestopalov, A. M.; Rodinovskaya, L. A.; Litvinov, V. P.; Bujnicki, B., and Mikołajczyk, M. Atroposelectivity of the reaction of picoline ylides with unsaturated thioamides. *Dokl Acad Nauk SSSR.* 1992; **323**:116-1122.
1337. Sielski, J. and Kryszewski, M. The influence of polarization procedure on hole transport in plasma polymerized organosilicon films. *IEEE Trans Electr Insul.* 1992; **27**:687-690.

1338. Studzian, K.; Kinas, R.; Ciesielska, E., and Szmigiero, L. Effects of alkylating metabolites of ifosfamide and its bromo analogues on DNA of hela cells. *Biochem Pharm.* 1992; **43**:937-943.
1339. Szymański, R. Kinetics of polymer analogues reactions. *Macromol Theory Simul.* 1992; **1**:149-159.
1340. ---. Thermodynamics of homogeneous equilibrium copolymerization from the point of view of the Flory-Huggins theory. *Macromol Theory Simul.* 1992; **1**(3):129-148.
1341. Trznadel, M. and Kryszewski, M. Thermal shrinkage of oriented polymers. *J Macromol Sci-Rev Macromol Chem Phys.* 1992; **C32**:259.
1342. Tyczkowski, J. and Kazimierski, P. Low temperature conductivity in plasma deposited amorphous dielectric films. *Proc 4th Inter Conf "Conduction and Breakdown in Solid Dielectrics"; Sestri Levante.* IEEE; 1992: 77-81.
1343. Tyczkowski, J.; Odrobina, E.; Kazimierski, P.; Bassler, H.; Kisiel, A., and Zema, N. Electronic structure of plasma deposited films from tetramethylsilane. *Thin Solid Films.* 1992; **209**:250-258.
1344. Ulański, J.; Sielski, J.; Głowacki, I., and Kryszewski, M. Transition from dispersive to non-dispersive hole transport in PVK/PC mixtures. *IEEE Trans Electr Insul.* 1992; **27**:714-718.
1345. Uznański, B.; Grajkowski, A.; Krzyżanowska, B.; Kaźmierkowska, A.; Stec, W. J.; Wieczorek, M. W., and Błaszczyk, J. Stereochemistry of base-catalyzed ring-opening of 1,3,2-oxathiaphospholanes. Absolute configuration of 2-N-[Rc]-1-($\square$ -naphthyl)ethylamino-2-thiono-1,3,2-oxathiaphospholanes and O,S-dimethyl-N-[Rc]-1-($\square$ -naphthyl)ethylphosphoramidothioates. *J Am Chem Soc.* 1992; **114**:10197-10202.
1346. Witas, H.; Jędrychowska, K.; Niewiarowski, W.; Rębowski, G.; Uznański, B.; Pogorzelski, A., and Żebrak, J. Delta F508 and other most common mutations of CFTR gene in Poland. *Europ Respiratory J.* 1992; **5**(s15):262s.
1347. Woźniak, L. A.; Krzyżanowska, B., and Stec, W. J. New method of P-Se bond cleavage. Stereocontrolled synthesis of P-chiral phosphoric-trifluoroacetates. *J Org Chem.* 1992; **57**:6057-6060.
1348. Wróbel, A. M. and Czeremuszkin, G. Effect of UV irradiation of the film during plasma chemical vapour deposition. *Thin Solid Films.* 1992; **216**:203-210.
1349. Wróbel, A. M.; Czeremuszkin, G.; Szymanowski, H.; Suhr, H., and Klemberg-Sapieha, J. E. Plasma chemical vapour deposition of iron-containing hydrogenated carbon films using a single-source precursor. *J Chem Vap Dep.* 1992; **1**:42-58.
1350. Łapienis, G. Synthesis of poly(alkylene phosphate)s bearing uracil moiety in the main chain. *J Polym Sci A: Polym Chem.* 1992; **30**:71-76.
1351. Łapienis, G. and Penczek, S. Phosphorus containing polymers. Kricheldorf, H., Ed. *Handbook of polymer synthesis.* New York : Marcel Dekker Inc., 1992.
1352. Argon, A. S.; Bartczak, Z.; Cohen, R. E.; Gałęski, A., and Lee, B. J. Deformation induced texture development in polyethylene: computer simulation and experiments. Fakirov, S., Ed. *Oriented polymer materials.* Basel //Heidelberg //New York: Huthig & Wepf Scientific Publishers; 1993. Notes: Chapter 11
1353. Baraniak, J. and Stec, W. J. Stereocontrolled synthesis of P-chiral analogues of nucleoside cyclic 3',5'-phosphates. *Revs on Heteroatom Chemistry.* 1993:143-164. Notes: Oae, S. (eds), MYU, Tokyo

1354. Bartczak, Z.; Cohen, R. E., and Argon, A. S. Evolution of crystalline texture of high-density polyethylene during uniaxial compression. *Zeszyty Naukowe Politechniki Łódzkiej Filii w Bielsku-Białej*. 1993; Zeszyt # **16**:153-194.
Notes: Bielsko-Biała
1355. Basińska, T. 34 Międzynarodowe Sympozjum IUPAC, Praga 1992, Współczesne kierunki badań w chemii i fizyce polimerów. *Polimery*. 1993; **38**:218-222.
1356. Basińska, T.; Kowalczyk, D.; Słomkowski, S., and Wang, F. W. Proteins at the interfaces of poly(styrene/acrolein) latexes and solvent. *Polymer Preprints*. 1993; **34**(1):958-959.
1357. Basińska, T. and Słomkowski, S. Polystyrene and poly(styrene/acrolein) latexes with immobilized proteins as a basis of diagnostic agglutination test. Guilbault, G. and Mascini, M. Use of immobilized biological compounds. Dordrecht: Kluwer Academic Publisher; 1993; pp. 453-462.
1358. Basińska, T.; Słomkowski, S., and Delamar, M. Synthesis and characterization of the polystyrene core/polyacrolein shell latexes. *J Bioactive Compatibl Polym*. 1993; **8**:205-219.
1359. Bałczewski, P. A heteronuclear long range coupling constant 4J (P,C,S,C,H) in diethyl α -methylthio substituted phosphonates and related compounds. *Magn Reson Chem*. 1993; **31**:621-622.
1360. Bałczewski, P.; Graczyk, P. P.; Perlikowska, W., and Mikołajczyk, M. Synthesis of 1-diethoxyphosphoryl-1-methylthio-thioacetamides and 1-methylthioethenethioamides. An unusual intramolecular $\square$ -desulfenylation of thioacetamides. *Tetrahedron*. 1993; **49**:10100-10122.
1361. Białecka-Florjańczyk, W.; Ganicz, T.; Pluta, M., and Stańczyk, W. A. Comb-like polycarbosilanes-routes to a new group of liquid crystal polymers. *J Organomet Chem*. 1993; **444**:C9-C11.
1362. Białecka-Florjańczyk, W.; Ganicz, T.; Stańczyk, W. A., and Śledzińska, I. Grzebieniowe polimery ciekłokrystaliczne oparte na łańcuchu polikarbosilanowym. *Polimery*. 1993; **38**:424-429.
1363. Białecka-Florjańczyk, W.; Ganicz, T.; Śledzińska, I.; Stańczyk, W. A., and Przedmojski, J. Comb-like organosilicon liquid crystal polymers. *Proc SPIE-Int Soc Opt Engineers*. 1993; **1845**:478-482.
1364. Boutonnet, F.; Zabłocka, M.; Igau, A.; Majoral, J.-P.; Jaud, J., and Pietrusiewicz, K. M. Versatile behaviour of the phosphanyl salt $(i\text{-Pr}_2\text{N})_2\text{P}^+\text{CF}_3\text{SO}_3^-$ - towards zirconocene derivatives. *J Chem Soc Chem Commun*. 1993:1487-1489.
1365. Boutonnet, F.; Zabłocka, M.; Igau, A.; Majoral, J.-P.; Raynaud, B., and Jaud, J. Synthesis of mono- and di-cationic phosphorus-zirconium species. *J Chem Soc Chem Commun*. 1993:1866-1867.
1366. Brandi, A.; Cicchi, S.; Goti, A., and Pietrusiewicz, K. M. Chiral vinyl phosphine oxides: Double asymmetric induction in the 1,3-dipolar cycloaddition to chiral nitrones. Kinetic resolution of a racemic phospholene oxide. *Phosphorus, Sulfur and Silicon*. 1993; **75**:155-158.
1367. Cardellicchio, C.; Fiandanese, V.; Naso, F.; Pietrusiewicz, K. M., and Wiśniewski, W. Reactions of (1-chlorovinyl)diphenylphosphine oxide with organometallic reagents. *Tetrahedron Lett*. 1993; **34**:3135-3138.
1368. Chojnowski, J. Polymerization. Clarson, S. J. and Semlyen, J. A., Eds. Siloxane polymers. Englewood Cliffs, New Jersey: Ellis Horwood-Printice Hall; 1993; pp. 1-71.
1369. Chojnowski, J.; Różga, K.; Fortuniak, W., and Kowalewska, A. Synthesis of polysiloxanes with electron-donating groups by anionic ring-opening polymerization. *Macromol Symp*. 1993; **73**:183-201.

1370. Cypryk, M.; Chruściel, J.; Fossum, E., and Matyjaszewski, K. Ring-opening polymerization of strained cyclotetrasilanes as a new route towards well defined polysilylanes. *Macromol Symp.* 1993; **73**:167.
1371. Cypryk, M.; Rubinsztajn, S., and Chojnowski, J. Disproportionation of oligomethylsiloxanols in the presence of a protic acid in dioxane. *J Organomet Chem.* 1993; **446**:91-97.
1372. Czeremuszkin, G.; Wróbel, A. M., and Kryszewski, M. Optical absorption and electrical conductivity in plasma polymerized organoisoithiocyanate thin films. *Polish J Chem.* 1993; **67**:1475-1487.
1373. Drabowicz, J. and Martin, J. C. The first optically active spiro-sulfurane oxides: stereoselective syntheses and racemization processes. *Phosphorus, Sulfur and Silicon.* 1993; **74**:439-440.
1374. ---. Optically active spiro-sulfuranes *via* nonclassical resolution with 2,2'-dihydroxy-1,1'-binaphthol. *Tetrahedron: Asymmetry.* 1993; **4**:297-300.
1375. Drabowicz, J.; Łyżwa, P., and Mikołajczyk, M. High-coordinated sulfur compounds. Patai, S. and Rappoport, Z., Eds. *The chemistry of sulfur-containing functional groups. Supplement S.* J. Wiley and Sons; 1993; pp. 799-956.
1376. Duda, A.; Kubisa, P., and Penczek, S. Progress in mechanistic studies of anionic and cationic ring-opening polymerizations. *Indian J Technol.* 1993; **31**:222-233.
1377. Dąbkowski, W.; Cramer, F., and Michalski, J. Novel routes to tri- and tetracoordinate phosphorus-fluorine compounds directed to synthesis of P-F modified nucleotides. *Phosphorus, Sulfur and Silicon.* 1993; **75**:91-94.
1378. Dąbkowski, W.; Michalski, J., and Cramer, F. Oligonucleotide phosphorofluoridates and fluoridites. Agrawal, S., Ed. *Oligonucleotide synthesis protocols.* Humana Press Inc; 1993; pp. 245-260.
1379. Eaborn, C.; Jones, K. L.; Lickiss, P. D., and Stańczyk, W. A. Proportion of 1,3-phenyl migration in trifluoroethanolysis, methanolysis and hydrolysis of $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{Ph})(\text{SiEt}_2\text{I})$. *J Chem Soc Perkin 2.* 1993:395.
1380. Eaborn, C.; Lickiss, P. D.; Najm, S. T., and Stańczyk, W. A. Reaction of $(\text{Me}_3\text{Si})_2\text{C}(\text{SiMe}_2\text{Ph})(\text{SiEt}_2\text{I})$ with AgBF_4 . 1,3-Migration of the phenyl group. *J Chem Soc Perkin 2.* 1993:59.
1381. Fijałkowska, I.; Babińska, A.; Ligocka, A.; Plucienniczak, G.; Plucienniczak, A.; Stec, W. J.; Okruszek, A.; Wilk, A., and Cierniewski, C. S. Antibodies to recombinant fragment 212-276 of protein C specifically recognize the intact human molecule. *Biochim Biophys Acta.* 1993; **1161**:187-193.
1382. Gazicki, M.; Szymanowski, H.; Schalko, J., and Malinovsky, L. Infrared absorption of thin films deposited from tetraethylgermanium in RF glow discharge. *Thin Solid Films.* 1993; **230**:81-85.
1383. Gałęski, A. X-ray studies of texture formation in polymers. *Zeszyty Naukowe Politechniki Łódzkiej Filii w Bielsku-Białej.* 1993; *Zeszyt # 16*:7-64.
Notes: Bielsko-Biała
1384. Graczyk, P. P. and Mikołajczyk, M. Lack of manifestation of the exo-anomeric effect in S-C-P(·) system. *Tetrahedron Lett.* 1993; **34**:1521-1524.
1385. ---. Operation of the generalized anomeric effect in some 2-phosphonio-1,3-dithianes. Striking difference between S-C-N⁺ system. *Phosphorus, Sulfur and Silicon.* 1993; **78**:313-316.
1386. Hanych, B.; Kędzierska, S.; Walderich, B.; Uznański, B., and Taylor, A. Expression of the Rz gene and the

overlapping RZl reading frame present at the right end of the bacteriophage lambda genome. *Gene*. 1993; **129**:1-8.

1387. Heliński, J.; Dąbkowski, W., and Michalski, J. N,N-diisopropyl-O-methyl-O-4-nitrophenyl phosphoramidite. New flexible phosphitylating reagent in the synthesis of thio- and seleno-oligonucleotides. *Nucleosides & Nucleotides*. 1993; **12**:597-604.
1388. ---. New phosphitylating reagent in the nucleotide chemistry containing two 4-nitrophenoxy leaving groups. Remarkably fast and clean phosphitylations activated by DBU leading to thio- and seleno-oligonucleotides. *Tetrahedron Lett.* 1993; **34**:6451-6454.
1389. ---. New phosphitylating reagents containing aryloxy leaving group. Applications in nucleotide chemistry. *Phosphorus, Sulfur and Silicon*. 1993; **76**:135-138.
1390. Jeszka, J. K. ESR investigations of different forms of TTT-TCNQ CT complex in reticulate doped polymer films. *Synth Met.* 1993; **59**:151-169.
1391. ---. Formation and properties of polyiodide crystalline networks in conductive polymer composites. *Mater Sci Forum*. 1993; **122**:195-204.
1392. Jeszka, J. K.; Tracz, A., and Kryszewski, M. Thermoelectric power in reticulate doped polymers. *Synth Met.* 1993; **55-57**:109-114.
1393. Kamiński, R.; Kowara, J.; Skowrońska, A.; Wieczorek, M. W., and Bujacz, G. D. New chemistry and stereochemistry of phosphorus six-coordinate systems. *Phosphorus, Sulfur and Silicon*. 1993; **77**:217.
1394. Knopik, P.; Łuczak, L.; Potrzebowski, M. J.; Michalski, J.; Błaszczak, J., and Wieczorek, M. W. Structure and dynamics of bis(organothiophosphoryl) disulfides in the solid state. X-ray diffraction and crosspolarization magic angle spinning Nuclear Magnetic Resonance studies. *J Chem Soc Dalton Trans.* 1993:2749-2757.
1395. Konforti, B. B.; Koziolkiewicz, M., and Konarska, M. M. Disruption of base pairing between the 5' splice site and the 5' end of U1 snRNA is required for spliceosome assembly. *Cell*. 1993; **75**:863-873. Notes: Staż
1396. Koziolkiewicz, M. and Wilk, A. Oligodeoxyribonucleotide phosphotriesters. Agrawal, S., Ed. *Oligonucleotide synthesis protocols*. Humana Press Inc; 1993; pp. 207-224.
1397. Krawczyk, E.; Skowrońska, A.; Michalski, J., and Mikołajczak, J. Reactions of tricoordinate phosphorus compounds with phosphorus pseudohalogens. Part 2. Pentacoordinate intermediates in the reaction of o-phenylene neopentyl phosphite with diethoxyoxophosphoranesulfonyl chloride. *J Chem Soc Perkin 1*. 1993:851-854.
1398. Kryszewski, M. Przypominam sobie bardzo dobrze-wspomnienia o profesorze Hermanie F. Marku. *Polimery*. 1993; **38**:357-365.
1399. Kryszewski, M. and Uznański, P. The influence of anisotropic polymeric solids on dopant orientation and reactivity: azobenzene in low density polyethylene. *Mol Cryst Liq Cryst*. 1993; **230**:77-82.
1400. Kudzin, Z. H.; Sochacki, M., and Kopycki, W. Orthoformates - the novel reagents for derivatization of 1-alkanephosphonic acids for characterization by gas chromatography and mass spectrometry. *J Chromatogr A*. 1993; **655**:346-354.
1401. Kudzin, Z. H.; Sochacki, M., and Kopycki, W. Orthoformates - the useful reagents for derivatization of

functionalized alkanephosphonic acids. Phosphorus, Sulfur and Silicon. 1993; **77**:759-759/209.

1402. Kurjata, J. and Chojnowski, J. Equilibria and kinetics of the cationic ring-opening polymerization of permethylated 1,4-dioxo-2,3,5,6-tetra-silacyclohexane. Comparison with cyclosiloxanes. Makromol Chem. 1993; **194**:3271-3286.
1403. Lee, B. J.; Argon, A. S.; Parks, D. M.; Ahzi, S., and Bartczak, Z. Simulation of large strain plastic deformation and texture evolution in high-density polyethylene. Polymer. 1993; **34**:3555-3575.
1404. Leśnikowski, Z. J. Stereocontrolled synthesis of P-chiral analogues of oligonucleotides. Bioorg Chem. 1993; **21**:127-155.
1405. Leśnikowski, Z. J. and Schinazi, R. F. Carboranyl oligonucleotides. 1. Synthesis of thymidine (3',5')thymidine(O-carboranyl-1-yl)methylphosphonate. J Org Chem. 1993; **58**:6531-6534. Notes: Staż
1406. Lickiss, P. D.; Redhouse, A. D.; Thompson, R. J.; Stańczyk, W. A., and Rózga, K. The crystal structure of (HOME₂Si)₂O. J Organomet Chem. 1993; **453**:13-16.
1407. Mikina, M. and Mikołajczyk, M. A general approach to the synthesis of functionalized cycloalkenones. Total synthesis of isoterrein. Phosphorus, Sulfur and Silicon. 1993; **75**:39-42.
1408. Mikołajczyk, M. Conformational studies of 1,3-dithianes and their oxo and seleno analogues containing organophosphorus substituents. A question of the anomeric effect. Phosphorus, Sulfur and Silicon. 1993; **74**:311-348.
1409. ---. Cyclopentanoid antibiotics: new syntheses based on organophosphorus and organosulfur reagents. Krohn, K.; Krist, H., and Maas, H., Eds. Antibiotics and antiviral compounds-chemical synthesis and modifications. Weinheim: VCH; 1993; pp. 205-213.
1410. Mikołajczyk, M.; Łuczak, J.; Wieczorek, M. W., and Błaszczak, J. Stereochemistry of organophosphorus cyclic compounds-XVII. Synthesis of N-methyl-2-methoxy-1,3,2-oxazaphosphorinan-2-thione and dicyclohexylammonium salt of N-methyl-2-oxo-2-thio-1,3,2-oxazaphosphorinane and their crystal and molecular structure. Polish J Chem. 1993; **67**:1087-1097.
1411. Miksa, B. and Słomkowski, S. Chemically induced aggregation of microspheres. Kahovec, J., Ed. Macromolecules 1992. VSP International Science Publishers; 1993; pp. 15-28.
1412. Omelańczuk, J. A new stereoselective interconversion of phosphinothio-phosphinoseleno compounds. Reduction of phosphinoseleno derivatives and retro-Pishchimuka rearrangement based on methylthio- and methylselenophosphonium salts chemistry. Tetrahedron. 1993; **49**:8887-8898.
1413. Penczek, S. and Duda, A. Kinetics and mechanisms in anionic ring-opening polymerization. Macromol Symp. 1993; **67**:15-42.
1414. Penczek, S.; Duda, A.; Kałużyński, K.; Łapienis, G.; Nyk, A., and Szymański, R. Thermodynamics and kinetics of ring-opening polymerization of cyclic alkylene phosphates. Macromol Symp. 1993; **73**:91-101.
1415. Penczek, S.; Kałużyński, K., and Baran, J. Amino acids couples to poly(alkylene phosphates). Kahovec, J., Ed. Macromolecules 1992. VSP International Science Publishers; 1993; pp. 231-240.
1416. Penczek, S. and Kubisa, P. Cationic ring-opening polymerization. Brunelle, J. D., Ed. Ring-opening polymerization: mechanism, catalysis and utility. New York //Monachium: Hanser-Verlag; 1993; pp. 13-86.

1417. ---. Copolymers by activated monomer mechanism, kinetic and thermodynamic control. *Polymeric Materials Science & Engineering*. 1993; **69**:430-431.
1418. Penczek, S.; Kubisa, P.; Brzezińska, K., and Baško, M. Ion-trapping and end-capping in ionic polymerization. *Polymer Preprints*. 1993; **34**(1):812-813.
1419. Penczek, S. and Pretula, J. High-molecular-weight poly(alkylene phosphate)s and preparation of amphiphilic polymers thereof. *Macromolecules*. 1993; **26**:2228-2233.
1420. Pietrusiewicz, K. M. and Kuźnikowski, M. Organophosphorus transition metal chemistry: palladium catalyzed arylation of tetra- and tricoordinated phosphorus compounds. *Phosphorus, Sulfur and Silicon*. 1993; **77**:57-60.
1421. Pietrusiewicz, K. M.; Kuźnikowski, M., and Koprowski, M. Construction of the phospholene ring-system from diphenyvinylphosphine. *Phosphorus, Sulfur and Silicon*. 1993; **77**:157.
1422. ---. Synthesis of enantiomerically pure styryl and dienyl phosphine oxides *via* Pd-catalyzed Heck coupling reaction. *Tetrahedron: Asymmetry*. 1993; **4**:2143-2146.
1423. Pietrusiewicz, K. M. and Wieczorek, W. X-ray structure of (SP)-L-menthyl (2-methoxyphenyl)phenylphosphinylacetate and assignment of configuration in menthyl phosphinylacetates. *Phosphorus, Sulfur and Silicon*. 1993; **82**:99-107.
1424. Pietrusiewicz, K. M.; Wiśniewski, W.; Wieczorek, W., and Brandi, A. Diels-Alder stereochemistry of phosphinylethenes. *Phosphorus, Sulfur and Silicon*. 1993; **77**:158.
1425. Piórkowska, E.; Argon, A. S., and Cohen, R. E. Izod impact strenght of polystyrene-based blends containing low molecular weight polybutadiene. *Polymer*. 1993; **34**:4435-4444.
1426. Piórkowska, E. and Gałęski, A. Crystallization of iPP and HDPE under negative pressure resulting from uncompensated volume change. *J Polym Sci B: Polym Phys*. 1993; **31**:1285-1291.
1427. Podalski, J.; Hadaczek, P.; Cybulski, C.; Rylski, M.; Sumera, K.; Sowińska, E.; Uznański, B.; Rzepka-Górska, J., and Lubiński, J. Wykrywanie infekcji wirusami HPV 16, 18 i 33 w materiale cytologicznym z szyjki macicy metodą PCR. *Ginekologia Polska*. 1993; **64**:326-331.
1428. Potrzebowski, M. J. ³¹P CP MAS NMR studies of bis(organothiophosphoryl) disulfides. Correlation of chemical shift tensor and shielding parameters to molecular structure. *J Chem Soc Perkin 2*. 1993:63.
1429. ---. The solid state NMR studies of static and dynamic properties of phosphoroorganic disulfides. *Phosphorus, Sulfur and Silicon*. 1993; **74**:435.
1430. Romanienko, W. D.; Reitel, G. W.; Kaczkowskaja, L. S.; Mikołajczyk, M.; Omelańczuk, J., and Perlikowska, W. Chiralnyj efir imidofosfinistoj kisloty. *Zh Obshch Khim*. 1993; **63**:1182-1183.
1431. Rubinsztajn, S.; Cypryk, M., and Chojnowski, J. The behaviour of oligo(dimethylsiloxanols) in the presence of protic acids in an acid-base inert solvent. Kinetics of the competition of disproportionation, ester formation and condensation. *Macromolecules*. 1993; **26**:5389-5395.
1432. Salamończyk, G. and Pietrusiewicz, K. M. Concise syntheses of homochiral inositol phosphates from myo-inositol. *Phosphorus, Sulfur and Silicon*. 1993; **77**:316 .
1433. Shestopalov, A. M.; Bogomolova, O. P.; Rodinovskaya, L. A.; Litvinov, V. P.; Bujnicki, B.; Mikołajczyk, M.; Nesterov, V. N., and Struchkov, Y. T. Stereoselective synthesis of and atropoisomerism in

substituted 4-pyridyl-3(1-pyridinio)-3,4-trans-1,2,3,4-tetrahydropyridines and their transformation products. *Heteroatom Chem.* 1993; **4**:593-603.

1434. Skowrońska, A.; Dybowski, P., and Krawczyk, E. A new strategy for the stereoselective synthesis of olefins. Recent developments. *Phosphorus, Sulfur and Silicon.* 1993; **75**:27-30.
1435. Sosnowski, S.; Słomkowski, S., and Penczek, S. On the ambident reactivity of β -lactones in their reactions with alcoholates initiating polymerization. *Macromolecules.* 1993; **26**:5526-5527.
1436. Sołtysiak, J. and Stańczyk, W. A. Polimery krzemoorganiczne o własnościach ciekłokrystalicznych. *Wiadomości Chemiczne.* 1993; **47**:217-257.
1437. Stec, W. J. Stereocontrolled synthesis of P-chiral analogues of oligonucleotides. Crooke, S. T. and Lebleu, B., Eds. *Antisense research and applications.* London : CRC Press; 1993; pp. 251-271.
1438. Stec, W. J. and Leśnikowski, Z. J. Stereospecific synthesis of P-chiral analogues of oligonucleotides. Agrawal, S., Ed. *Oligonucleotide synthesis protocols.* Humana Press Inc; 1993; pp. 285-314.
1439. Stec, W. J.; Uznański, B.; Wilk, A.; Hirschbein, B. L.; Fearon, K. L., and Bergot, B. J. Bis(O)-diisopropoxy phosphinothiyl)disulfide - a highly efficient sulfurizing reagent for cost-effective synthesis of oligo(nucleoside phosphorothioate)s. *Tetrahedron Lett.* 1993; **34**:5317-5320.
1440. Suska, A.; Grajkowski, A.; Wilk, A.; Uznański, B.; Błaszczyk, J.; Wieczorek, M. W., and Stec, W. J. Antisense oligonucleotides: stereocontrolled synthesis of oligo(nucleoside phosphorothioate)s. *Pure & Appl Chem.* 1993; **65**:707-714.
1441. Szymanowski, H.; Gazicki, M.; Tyczkowski, J.; Schalko, J., and Olcaytug, F. Characterization of R.F. tetraethygermanium plasma using optical emission spectroscopy and quadrupole mass spectrometry. *Proc 11th Inter Symp "Plasma Chemistry"; Loughborough Univ. J. Harry;* 1993: 1540-1545.
1442. Szymański, R. Molecular-weight distribution in the activated monomer polymerization of ethylene oxide. Mechanistic implications. *Makromol Chem.* 1993; **194**:941-951.
1443. ---. Thermodynamics of copolymerization. *Progr Polym Sci.* 1993; **17**:917-951.
1444. Szymański, R. and Penczek, S. Complexation of sodium cations by polymeric esters of phosphoric acid. *Makromol Chem.* 1993; **194**:1645-1651.
1445. Słomkowski, S. and Duda, A. Anionic ring-opening polymerization. Brunelle, J. D., Ed. *Ring-opening polymerization: mechanism, catalysis and utility.* New York //Monachium: Hanser-Verlag; 1993; pp. 87-128.
1446. Tchórzewski, H.; Zeman, K.; Kantorski, J.; Paleolog, E. M.; Kahan, M.; Feldmann, M.; Kwinkowski, M.; Guga, P.; Szymańska, B.; Parniewski, P.; Wilk, A., and Jarosz, J. The effect of Tumor Necrosis Factor- α (TNF- α) muteins on human neutrophils *in vitro*. *Mediators on Inflammation.* 1993; **2**:41-48.
1447. Tchórzewski, H.; Zeman, K.; Paleolog, E. M.; Brennan, F.; Feldmann, M.; Kahan, M.; Guga, P.; Kwinkowski, M.; Szymańska, B.; Jarosz, J.; Parniewski, P., and Kocur, E. The effect of Tumor Necrosis Factor (TNF) derivatives on the receptors. *Cytokines.* 1993; **5**:125-132.
1448. Tracz, A.; Jeszka, J. K.; Kryszewski, M.; Strzelecka, H.; Veber, M., and Jallabert, C. Conductive polymer films by reticulate doping with mixed valence polyiodides: comparison of three methods of preparation. *J Phys D: Appl Phys.* 1993; **26** :680-685.

1449. Tracz, A.; Jeszka, J. K.; Kryszewski, M.; Ulański, J.; Głowacki, I., and Laukhina, E. Polymer - (BEDT-TTF) polyiodide composites. *Synth Met.* 1993; **55-57**:2001-2006.
1450. Trznadel, M.; Pluta, M., and Kryszewski, M. Oriented PP-PS composites obtained by polymerization of styrene inside oriented PP matrices. I. Dispersion of PS and the composite orientation. *J Appl Polym Sci.* 1993; **49**:1405-1413.
1451. ---. Oriented PP-PS composites obtained by polymerization of styrene inside oriented PP matrices. II. Shrinkage behaviour and mechanical properties. *J Appl Polym Sci.* 1993; **50**:637-644.
1452. Tyczkowski, J.; Kazimierski, P., and Odrobina, E. Dielectric and semiconducting Ge-C and Si-C thin films prepared by plasma deposition from organic compounds. *Surf Coat Technol.* 1993; **60**:609-612.
1453. Uznański, P.; Kryszewski, M., and Thulstrup, E. W. Conformational analysis of the N-benzylidene-aniline stilbene and azobenzene in stretched polyethylene studied by the IR-LD technique. *Polish J Chem.* 1993; **67**:949-956.
1454. Wickramanayaka, S.; Wróbel, A. M.; Nakanishi, Y.; Takatou, N., and Hatanaka, Y. Remote plasma SiC deposition from organosilicons. Technical Report. Japan: Institute of Electronics, Information and Communication Engineering in Japan; 1993; **SDM93-119**. 9-13 ZFP.
1455. Wieczorek, M. W.; Błaszczuk, J., and Krzyżanowska, B. Crystal and molecular structure and the absolute configuration of N-phenyl-N'-(□-methylbenzyl)methanephosphonodiamidate. *Heteroatom Chem.* 1993; **4**:79-83.
1456. Wojna-Tadeusiak, E. BMDS- Dogodny i efektywny odczynnik w chemii organicznej. *Wiadomości Chemiczne.* 1993; **47**:665-680.
1457. Wróbel, A. M. Plasma polymerization of organosilicons: nature of the process and properties of deposited materials. Technical Report. Japan: Institute of Electronics, Information and Communication Engineering in Japan; 1993; **SDM92-163**. 35-42 ZFP.
1458. Yagci, Y.; Serhatli, I. F.; Kubisa, P., and Biedroń, T. Synthesis of block copolymers by combination of an activated monomer and free radical polymerization mechanism. *Macromolecules.* 1993; **26**:2397-2399.
1459. Zabłocka, M.; Boutonnet, F.; Igau, A.; Dahan, F.; Majoral, J.-P., and Pietrusiewicz, K. M. Reverse hydrozirconation reaction. A regio- and diastereospecific route to new diphosphenes. *Angew Chem Int Ed Engl.* 1993; **105**:1735-1737.
1460. Zabłocka, M.; Igau, A.; Majoral, J.-P., and Pietrusiewicz, K. M. Unexpected regioselective synthesis of 1,1-diphosphinoethanes and related compounds *via* hydrozirconation of vinylphosphines. *Organometallics.* 1993; **12**:603-604.
1461. Zeman, K.; Paleolog, E. M.; Tchórzewski, H., and Szymańska, B. Comparison of the functional activities of two different preparations of human recombinant Tumor Necrosis Factor Alpha. *Archivum Immunologiae Et Therapiae Experimentalis.* 1993; **41**:159-164.
1462. Łopusiński, A.; Bernet, B.; Linden, A., and Vasella, A. Synthesis of glycosylphosphine oxides and related compounds. *Helv Chim Acta.* 1993; **76**:94-112.
1463. Bartczak, Z.; Martuscelli, E., and Gałęski, A. Primary spherulitic nucleation i polymer blends . Karger-Kocsis, J. Polypropylene: structure, blends and composites. London: Chapman & Hall; 1994; pp. 27-51.

1464. Basińska, T.; Kowalczyk, D.; Słomkowski, S., and Wang, F. W. Proteins at the interfaces of poly(styrene/acrolein) latexes and solvent. Schmitz, K. S. Macro-ion characterization from dilute solutions to complex fluids. Washington: ACS; 1994; pp. 449-464.
1465. Bałczewski, P. and Mikołajczyk, M. Sulfenylation of α -phosphoryl sulfides. Chemical evidence for intermediate formation of α -phosphoryl trithioorthoformate. Organosulfur compounds. Part L III. Heteroatom Chem. 1994; 5 :487-490.
1466. Biela, T.; Duda, A., and Penczek, S. Factors affecting livingness in polymerization initiated with aluminum alkoxides. Polymer Preprints. 1994; 35(2):508-509.
1467. Boczkowska, M. and Guga, P. Termodynamiczne aspekty powstawania oligonukleotydowych struktur dwuniciowych i ich wpływ na selektywność hybrydyzacji w strategii antysensowej. Biotechnologia. 1994; 4:59-68.
1468. Brandi, A.; Cicchi, S.; Goti, A.; Koprowski, M., and Pietrusiewicz, K. M. Kinetic resolution in 1,3-dipolar cycloaddition of tartaric acid-derived nitrones to 2,3-dihydro-1-phenyl-1H-phospholes. An enantioselective approach to the 2,2'-coupled pyrrolidine-phospholane ring system. J Org Chem. 1994; 59(1315-1318).
1469. Bujnicki, B.; Drabowicz, J.; Mikołajczyk, M., and Kolbe, A. Spectral and chemical studies on the protonation of sulfinamides. Phosphorus, Sulfur and Silicon. 1994; 95-96:419-420.
1470. Błaszczuk, J.; Wieczorek, M. W.; Okruszek, A.; Olesiak, M., and Karwowski, B. Geometry and conformation of crystalline forms of β -naphthoxy- substituted 2-thio-1,3,2-oxathiaphospholanes and 2'-thio-1,3,2-dithiaphospholanes. Heteroatom Chem. 1994; 5:519-527.
1471. Capozzi, G.; Mehichetti, S.; Neri, S., and Skowrońska, A. Fluoride ion promoted synthesis of thiiranes. Synlett. 1994; 4:267-268.
1472. Cardellicchio, C.; Fiandanese, V.; Naso, F.; Pacifico, S.; Koprowski, M., and Pietrusiewicz, K. M. A novel displacement route to P-chiral phosphine oxides of high enantiomeric purity. Tetrahedron Lett. 1994; 35:6343-6346.
1473. Cenac, N.; Zabłocka, M.; Igau, A.; Majoral, J.-P., and Pietrusiewicz, K. M. Zirconium promoted ring opening. A useful new methodology. Organometallics. 1994; 13:5166-5168.
1474. Chojnowski, J. and Kurjata, J. Ring-opening polymerization of octamethyltetrasil-1,4-dioxane, 2D_2 , 2. Cyclic oligomer formation and mechanism of the reaction. Macromolecules. 1994; 27:2302-2309.
1475. Chojnowski, J. and Stańczyk, W. A. Stable silylenium (silicenium) ions in a condensed Phase - dream or reality. Main Group Chemistry News. 1994; 2(1):6-15.
1476. Ciesielski, W.; Kudzin, Z. H., and Kielbasiński, P. Organophosphorus compounds as inductors of the iodine-azide reaction. Analytical application. Talanta. 1994; 41:1493-1498.
1477. Cypryk, M. and Sigwalt, P. Acid-catalyzed condensation of model oligo(dimethylsiloxanediol)s. Macromolecules. 1994; 27:6245-6253.
1478. Dembiński, R.; Skowrońska, A., and Michalski, J. An expedient synthesis of symmetrical tetra-alkyl monothiopyrophosphates. Tetrahedron Lett. 1994; 35:6331-6334.
1479. Domalewski, W.; Stefaniak, L.; Potrzebowski, M. J., and Webb, A. ^{31}P and ^{15}N solid state NMR studies of some monophospha- I^5 -azenes. Solid State Nucl Magn Res. 1994; 3:353-356.

1480. Drabowicz, J.; Bujnicki, B., and Dudziński, B. Sulfinyl chlorides through the oxidative chlorination of sulfenyl derivatives with trimethylsilyl acetate/sulfuryl chloride system. *Synthetic Commun.* 1994; **24**:1207-1213.
1481. Drabowicz, J.; Dudziński, B.; Mikołajczyk, M., and Sochacki, M. A study of β -cyclodextrin inclusion complexes with optically active alkyl p-tolyl sulfoxides by fast atom bombardment mass spectrometry. *Polish J Chem.* 1994; **68**:2265-2270.
1482. Drabowicz, J.; Kielbasiński, P., and Mikołajczyk, M. "Synthesis of sulfoxides" and appendix to "Synthesis of sulfoxides". Patai, S. and Rappoport, Z. *Syntheses of sulphones, sulfoxides and cyclic sulphides.* Chichester: Wiley & Sons; 1994; pp. 109-254, 255-388.
1483. Drabowicz, J.; Łyżwa, P.; Bujnicki, B., and Mikołajczyk, M. Thio- and oxo-acids of tricoordinated sulfur. *Phosphorus, Sulfur and Silicon.* 1994; **95-96**:293-312.
1484. Duda, A. Otrzymywanie polihydroksytelechelicznych poli(estrów alifatycznych) metodą polimeryzacji z otwarciem pierścienia. *Polimery.* 1994; **39**:403-411.
1485. ---. Preparation of telechelic polyester oligodiols by chain-transfer polymerization of ϵ -caprolactone. *Macromolecules.* 1994; **27**:576-584.
1486. Duda, A. and Penczek, S. Determination of the absolute propagation rate constants in polymerization with reversible aggregation of active centers. *Macromolecules.* 1994; **27**:4867-4870.
1487. ---. Kinetics of polymerization involving reversible deactivation due to aggregation of active centers. Analytical vs numerical solution for the ϵ -caprolactone/dialkylaluminum alkoxide system. *Macromol Rapid Comm.* 1994; **15**:559-566.
1488. Dąbkowski, W.; Michalski, J.; Wasiak, J., and Cramer, F. New general synthesis of organophosphorus P-F compounds via reaction of azolides of phosphorus acids with acyl fluorides. A novel route to 2-deoxynucleosidyl phosphorofluoridates and phosphorodifluoridates. *J Chem Soc Perkin 1.* 1994:817-820.
1489. Fulcrand, G.; Kattan, Y. El.; Leśnikowski, Z. J.; Yao, S.; Tanious, F.; Wilson, W. D., and Schinazi, R. F. Carbonyl oligonucleotides. 2. synthesis and physicochemical properties of dodecathymidylate containing 5-(o-carboran-1-yl)-2'-O-deoxyuridine. *J Am Chem Soc.* 1994; **116**:7494-7501.
Notes: Staż
1490. Gazicki, M.; Schalko, J.; Olcaytug, F.; Ebel, M.; Ebel, H.; Wernisch, J., and Yasuda, H. Study on electromagnetron for plasma polymerization. II. Magnetic field enhanced R. F. plasma deposition of organogermanium films from tetraethylgermanium. *J Vac Sci Technol A.* 1994; **12**(2):345-353.
1491. Gałęski, A. Nucleation in polypropylene. Karger-Kocsis, J. *Polypropylene: structure, blends and composites.* London: Chapman & Hall; 1994; pp. 115-138.
1492. ---. Plastic deformation of polymer blends with crystallizable components. *Macromol Symp.* 1994; **78**:187.
1493. González, C.; Stec, W. J.; Kobylańska, A.; Hogrefe, R. I.; Reynolds, M. A., and James, T. L. Structural study of a DNA-RNA hybrid duplex with a chiral phosphorothioate moiety by NMR: extraction of distance and torsion angle constraints and imino proton exchange rates. *Biochemistry.* 1994; **33**:11062-11072.
1494. Graczyk, P. P. and Mikołajczyk, M. Anomeric effect: origin and consequences. 1994; pp. 159-349.
1495. Hatanaka, Y.; Wickramanayaka, S.; Matsumoto, A.; Nakanishi, Y., and Wróbel, A. M. Preparation of

silicon based widegap semiconductor film from organosilicons using remote plasma CVD method. Bull Res Inst Electron. 1994; **29**:87-94.

1496. Jeszka, J. K. Continuous, single-component, crystalline networks in polymer matrix and their vapour doping. Polym Adv Technol. 1994; **5**:236-239.
1497. Jeszka, J. K.; Tracz, A., and Kryszewski, M. Properties of heterojunctions involving organic metal networks in polymer matrices. Synth Met. 1994; **64**:203-208.
1498. Kaźmierski, K.; Chojnowski, J., and McVie, J. The acid-catalysed condensation of methyl substituted model oligosiloxanes bearing silanol and ethoxysilane function. Europ Polym J. 1994; **30**:515-527.
1499. Kałużński, K. and Penczek, S. Amino acids attached to poly(alkylene phosphate)s. I. Synthesis. Macromol Chem Phys. 1994; **195**:3855-3862.
1500. Kiełbasiński, P.; Mikołajczyk, M.; Zwanenburg, B., and de Laet, R. C. Kinetic resolution of cyclic sulfoxides by enzyme promoted hydrolysis of 2-alkoxycarbonyl-3,6-dihydro-2H-thiapyran-1-oxides. Phosphorus, Sulfur and Silicon. 1994; **95-96**:495-496.
1501. Kiełbasiński, P.; Żurawiński, R.; Pietrusiewicz, K. M.; Zabłocka, M., and Mikołajczyk, M. Enzymatic resolution of racemic phosphinoylacetates having a stereogenic phosphorus atom. Tetrahedron Lett. 1994; **35**:7081-7084.
1502. Kowalczyk, D.; Słomkowski, S., and Wang, F. W. Changes in conformation of human serum albumin (HSA) and gamma globulins (γ G) upon adsorption to polystyrene and poly(styrene/acrolein)latexes: studies by fluorescence spectroscopy. J Bioactive Compatibl Polym. 1994; **9**:282-309.
1503. Koziółkiewicz, M. Stabilność oligonukleotydów antysensowych - możliwości ich degradacji enzymatycznej. Biotechnologia. 1994; **4**:50-54.
1504. Krawczyk, E.; Skowrońska, A., and Michalski, J. Reaction of threecoordinate phosphorus compounds with organophosphorus pseudohalogens. 3. Phosphonium and phosphorane intermediates in the desulfurization and deoxygenation of bis(phosphinoyl) disulfides. Influence of Lewis Acid on the reaction chemoselectivity. J Chem Soc Perkin 1. 1994:89-99.
1505. Kryszewski, M.; Morawiec, J.; Pluta, M., and Uznański, P. Polyolefins-poly(ethylene oxide) blends: structure and properties. Macromol Symp. 1994; **78**:171-186.
1506. Kryszewski, M. and Pęcherz, J. Charge transfer complexes and salts of ionenes. Polym Adv Technol. 1994; **5**:146-160.
1507. Kubisa, P. and Biedroń, T. Polyethers containing stable ionic end-groups. Macromol Symp. 1994; **85**:129-141.
1508. Kudzin, Z. H.; Andrijewski, G., and Drabowicz, J. 1-Aminothiaalkanephosphonic acids and their sulphonyl and sulphonyl derivatives. Synthesis and acidic properties. Heteroatom Chem. 1994; **5**:1-6.
1509. Kudzin, Z. H.; Drabowicz, J.; Sochacki, M., and Wiśniewski, W. Characterization of 1-aminoalkanephosphonic acids by chemical ionization mass spectrometry. Phosphorus, Sulfur and Silicon. 1994; **92**:77-93.
1510. Kudzin, Z. H.; Sochacki, M., and Drabowicz, J. Carboxylic anhydrides-orthoesters - the novel reagent

system for derivatization of aminoalkanephosphonic acids for characterisation by gas chromatography and mass spectrometry. Part III. *J Chromatogr A*. 1994; **678**:299-312.

1511. Kulszewicz-Bajer, I.; Pretula, J., and Proń, A. Poly(alkylene phosphates) as new dopants of polyaniline. *J Chem Soc Chem Commun*. 1994:641-642.
1512. Kwinkowski, M. Trójniciowa forma kwasów nukleinowych. *Biotechnologia*. 1994; **4**:69-78.
1513. Leśnikowski, Z. J. Hydroxymethylphosphonate: novel oligonucleotide analogue. *Bioorg Chem*. 1994; **22**:128-139.
1514. Majewska, E.; Baj, Z.; Guga, P.; Zeman, K., and Tchórzewski, H. The immunoregulatory granulocyte factor (GF). III. Characteristics of target cells for GF. *J Invest Allergol Clin Immunol*. 1994; **4**:71-80.
1515. Matyjaszewski, K.; Szymański, R., and Teodorescu, M. Biomodal molecular weight distribution in systems free ions and ion pairs of equal reactivities but different lifetimes. *Macromolecules*. 1994; **27**:7565-7574.
1516. Midura, W. H. and Mikołajczyk, M. Optically active α , β -unsaturated α -phosphoryl sulfoxides: multifunctional reagents for the asymmetric Michael and Diels-Alder reaction. *Phosphorus, Sulfur and Silicon*. 1994; **95-96**:397-398.
1517. Mikołajczyk, M. Application of phosphorus and sulfur compounds in organic synthesis. *South African J of Chemistry*. 1994; **47**:95-106.
1518. Mikołajczyk, M. and Bałczewski, P. α -Phosphoryl substituted organosulfur compounds. Block, E. *Advances in Sulfur Chemistry*. Stamford, CT, USA: Jai Press; 1994; pp. 41-96.
1519. Mikołajczyk, M. and Graczyk, P. P. Application of various ^{31}P -NMR techniques in conformational studies of 1,3-dithianes and their oxo- and seleno-analogues containing organophosphorus substituents at the anomeric carbon atom. Quinn, L. D. and Verkade, J. G. *Phosphorus-31 NMR spectral properties in compound characterization and structural analysis*. Weinheim: VCH; 1994; pp. 17-26.
1520. Mikołajczyk, M.; Graczyk, P. P., and Wieczorek, M. W. Conformational preference in 1,3-dithianes containing 2-phosphoryl, thiophosphoryl and selenophosphoryl groups, $\text{P}=\text{Y}$ ($\text{Y}=\text{O}$, S, Se). Chemical and crystallographic implications of the nature of the anomeric effect. *J Org Chem*. 1994; **59**:1672-1693.
1521. Mikołajczyk, M.; Kiełbasiński, P.; Żurawiński, R.; Wieczorek, M. W., and Błaszczuk, J. A novel enzymatic approach to the synthesis of chiral sulfoxides: enzymatic hydrolysis of prochiral sulfinyldicarboxylates. *Synlett*. 1994:127-129.
1522. Mikołajczyk, M.; Midura, W. H.; Grzejszczak, S.; Montanari, F.; Cinquini, M.; Wieczorek, M. W., and Karolak-Wojciechowska, J. Organosulfur compounds L II. α -Phosphoryl sulfoxides VIII. Stereochemistry of α -chlorination of α -phosphoryl sulfoxides. *Tetrahedron*. 1994; **50**:8053-8072.
1523. Mikołajczyk, M. and Mikina, M. A general approach to 3-phosphorylmethyl cycloalkenones by intramolecular Horner-Witting reaction of bis- β -ketophosphonates. *J Org Chem*. 1994; **59**:6760-6765.
1524. Misiura, K. Koniugaty oligonukleotydowe. *Biotechnologia*. 1994; **4**:55-58.
1525. Misiura, K. and Stec, W. J. The synthesis of 5'-O-DMT-thymidine

3'-O-(2-thio-1,3,2-oxaselenaphospholane) and its possible application in stereocontrolled synthesis of oligo(nucleoside phosphorothioate)s. *Bioorg Med Chem Lett.* 1994; **4**:1037-1040.

1526. Miękoś, E.; Potrzebowski, M. J.; Róžański, W., and Ciesielski, W. In vitro ^{13}C and ^{31}P cross polarization magic angle spinning (CP/MAS) solid state nuclear magnetic resonance studies of urinary calculi. *Acta Medica Endoscopica Polona.* 1994; **2**:55-58.
1527. Okruszek, A. Metody syntezy modyfikowanych oligonukleotydów i ich analogów- potencjalnych inhibitorów ekspresji genów w strategii antysensowej. *Biotechnologia.* 1994; **4**:16-39.
1528. Okruszek, A.; Olesiak, M., and Balzarini, J. The synthesis of nucleoside 5'-O-(1,1-dithiotriphosphates). *J Med Chem.* 1994; **37**:3850-3854.
1529. Omelańczuk, J. A new, unexpected reaction of phosphonochloridothionates with alkyl aryl ethers and alkyl chlorides under the Friedel-Crafts reactions conditions. *Phosphorus, Sulfur and Silicon.* 1994; **86**:93-102.
1530. Omelańczuk, J. and Miko łajczyk, M. Unexpected opposite stereochemistries and different mechanisms of nucleophilic substitution reaction in homochiral t-butylphenylthiophosphinoyl and bromide. *J Chem Soc Chem Commun.* 1994:2223-2224.
1531. Penczek, S. and Brzezińska, K. Determination of structure and concentration of growing species in ionic polymerizations: the ^{31}P NMR method. *Macromol Symp.* 1994; **85**:45-64.
1532. Penczek, S. and Nyk, A. Models of biopolymers with backbones of poly(alkylene phosphates). Recent progress in synthesis and applications. *Polymer Preprints.* 1994; **35**.
1533. Penczek, S.; Vairon, J.-P., and Szymański, R. Increase of the average reactivity of active species due to a shift to the more reactive species in ionic propagation accompanied by termination. *Macromol Theory Simul.* 1994; **3**:795-801.
1534. Penczek, S.; Łapienis, G.; Kałużyński, K., and Nyk, A. Models of biopolymers and bioanalogues polymers with backbones of poly(alkylene phosphate)s. *Polish J Chem.* 1994; **68**:2129-2142.
1535. Pietrucha, T.; Stec, W. J.; Okruszek, A.; Uznański, B.; Koziołkiewicz, M.; Wilk, A.; Plucienniczak, A.; Świątkowska, M., and Cierniewski, C. S. The epidermal growth factor-like domain from tissue plasminogen activator. Cloning in *E. coli*, purification and ESR studies of its interaction with human blood platelets. *Acta Biochimica Polonica.* 1994; **41**:25-34.
1536. Pietrusiewicz, K. M.; Wieczorek, M. W.; Cicchi, S., and Brandi, A. Assignment of the absolute configuration to enantiomeric 2,3-dihydro-1-phenyl-1H-phosphole-1-sulfides. X-ray structure of (+)-(1S, 3aR S, 8S, 8aR, 8bR)-7,8-di(tert-butoxy)-1-phenyloctahydro-1H-pyrrolo(1,2-b)-1H-phospholo(2,3-d)isoxazole 1-sulfide. *Phosphorus, Sulfur and Silicon.* 1994; **97**:233-238.
1537. Pietrusiewicz, K. M. and Zabłocka, M. Preparation of scalemic P-chiral phosphines and their derivatives. *Chem Rev.* 1994; **94**:1375-1411.
1538. Piórkowska, E. Rola warstw granicznych w powstawaniu i rozprzestrzenianiu się rys naprężeniowych w polimerach. *Polimery.* 1994; **39**:67.
1539. Piórkowska, E. and Ga łęski, A. Kinetyka krystalizacji polimerów. Cz. I. Teorie Avramiego i Evansa. *Polimery.* 1994; **39**:333.
1540. ---. Kinetyka krystalizacji polimerów. Cz. II Rozwój opisu matematycznego. *Polimery.* 1994; **39**:501.

1541. Pola, J.; Cukanova, D.; Ponec, R., and Stańczyk, W. A. Laser powered homogenous decomposition of tetramethylcyclotetrasiloxane. A source for hydroxy(methyl)silylene. *J Organomet Chem.* 1994; **468**:49-53.
1542. Potrzebowski, M. J.; Grossmann, G.; Błaszczuk, J.; Wieczorek, W.; Sieler, J.; Knopik, P., and Komber, H. X-ray and solid state NMR studies of bis(5,5-dimethyl-2-thiono-1,3,2-dioxaphosphorinan-2-yl) disulfide and diselenide. *Inorg Chem.* 1994; **33**:4688-4695.
1543. Potrzebowski, M. J. and Michalski, J. ³¹P high resolution solid state NMR studies of thiophosphoroorganic compounds. Quinn, L. D. and Verkade, J. G. Phosphorus-31 NMR spectral properties in compound characterization and structural analysis. Weinheim: VCH; 1994; pp. 413-426.
1544. Ropert, C.; Okruszek, A.; Couvreur, P., and Malvy, C. Retroviral inhibition by antisense oligonucleotides determined by intracellular stability. *Antisense Research and Development.* 1994; **4**:207-210.
1545. Salamończyk, G. and Pietrusiewicz, K. M. Synthesis of enantiomerically pure D-myo-inositol 1,5,6-triphosphate. *Tetrahedron Lett.* 1994; **35**:4233-4234.
1546. Schinazi, R. F.; Goudgaon, N. M.; Fulcrand, G.; Kattan, Y. El.; Leśnikowski, Z. J.; Ullas, G.; Moravek, J., and Liotta, D. C. Cellular pharmacology and biological activity of 5-carboranyl-2'-deoxyuridine. *Int J Radiation Oncology Biol Phys.* 1994; **28**:1113-1120.
Notes: Staż
1547. Sochacki, M. Mass spectrometric study of modified uridines and N³-β-D-ribofuranosyluracils. *Biol Mass Spectrom.* 1994; **23**:434-436.
1548. Sochacki, M. and Kamiński, Z. J. Mass spectrometric study of 2-acyloxy-4,6-dimethoxy-1,3,5-triazines. *Org Mass Spectrom.* 1994; **29**:102-105.
1549. Sosnowski, S.; Chaffey, C. E.; Balke, S. T., and Winnik, M. A. Surface morphology of a polymer blend examined by laser confocal fluorescence microscopy. *Langmuir.* 1994; **10**:2495-2497.
1550. Sosnowski, S.; Feng, J., and Winnik, M. A. Dye distribution in fluorescent-labeled latex prepared by emulsion polymerization. *J Polym Sci A: Polym Chem.* 1994; **32**.
1551. Sosnowski, S.; Gadzinowski, M.; Słomkowski, S., and Penczek, S. Synthesis of bioerodible poly(ε-caprolactone) latexes and poly(D,L-lactide) microspheres by the ring-opening polymerization. *J Bioactive Compatibl Polym.* 1994; **9**:345-366.
1552. Sosnowski, S.; Li, L.; Winnik, M. A.; Clubb, B. , and Shievers, R. Morphology of mel-pressed latex films examined by scanning and freeze-fracture electron microscopy. *J Polym Sci B: Polym Phys.* 1994; **32**:2499-2508.
1553. Stec, W. J. Strategia antysensowych oligonukleotydów. *Biotechnologia.* 1994; **4**:5-15.
1554. Stec, W. J. and Wilk, A. Stereocontrolled synthesis of oligo(nucleoside phosphorothioate)s. *Angew Chem Int Ed Engl.* 1994; **33**:709-722.
1555. Słomkowski, S.; Kowalczyk, D.; Trznadel, M., and Kryszewski, M. Two-dimensional latex assemblies for diagnostic application. *Polymer Preprints.* 1994; **35**(2):409-410.
1556. Tokar, R.; Kubisa, P.; Penczek, S., and Dworak, A. Cationic polymerization of glycidol:coexistence of the activated monomer and active chain end mechanism. *Macromolecules.* 1994; **27**:320-322.
1557. Tracz, A.; Jeszka, J. K., and Kryszewski, M. Conductive polymer thermoelements. *J Appl Polym Sci.* 1994;

1558. Tyczkowski, J. and Kazimierski, P. Amorphous covalent dielectrics - new category of materials. Lewiner, J.; Morisseau, D., and Alquie, C. Proc 8th Inter Symp "Electrets"; Piscataway. IEEE Service Center; 1994: 130-135.
1559. ---. An amorphous dielectric to amorphous semiconductor transition in hydrogenated carbon-germanium films. J Phys D: Appl Phys. 1994; **27**:179-181.
1560. Tyczkowski, J.; Kazimierski, P., and Szymanowski, H. Correlation between process parameters, chemical structure and electronic properties of α -Ge_xC_{1-x}: H films prepared in the three-electrode reactor. Thin Solid Films. 1994; **241**:291-294.
1561. Uznański, P.; Pęcherz, J., and Kryszewski, M. Spiropyrans as counterions in photochrome-containing polyelectrolyte. Mol Cryst Liq Cryst. 1994; **246**:351-354.
1562. Warzocha, K.; Góra-Tybor, J.; Kwinkowski, M.; Szymańska, B., and Robak, T. A comparison of the antileukaemic effect of recombinant human tumor necrosis factor- α and its muteins on leukaemia L1210 and leukaemia P388 in mice. Mediators on Inflammation. 1994; **3**:1-4.
1563. Wasiak, J. and Michalski, J. New general synthesis of mixed phosphorus and sulfonic acids anhydrides via reaction of phosphorus acids bromides and iodides with silver salts of sulfonic acids: a route to P-chiral anhydrides. Tetrahedron Lett. 1994; **35**:9473-9476.
1564. Wickramanayaka, S.; Hatanaka, Y.; Nakanishi, Y., and Wróbel, A. M. Preparation and deposition mechanism of α -SiC:H films by using hexamethyldisilane in a remote H₂ plasma. J Electrochem Soc. 1994; **141**:2910-2914.
1565. Wickramanayaka, S.; Wróbel, A. M.; Kitamura, K.; Kominami, H.; Nakanishi, Y., and Hatanaka, Y. Photoluminescent properties of α -SiC:H films deposited by organosilanes in remote H₂ plasma. Bull Res Inst Electron. 1994; **29**:151-157.
1566. Wickramanayaka, S.; Wróbel, A. M.; Nakanishi, Y., and Hatanaka, Y. Deposition of α -SiC:H films from carbosilanes in a remote plasma system. Technical Report. Japan: Inst Electron Inform Commun Eng; 1994; **SDM94-111**. 1-8 ZFP.
1567. Wieczorek, M. W.; Błaszczak, J.; Mikołajczyk, M.; Kielbasiński, P., and Żurawiński, R. Crystal and molecular structure and determination of absolute configuration of two enantiomers of carbomethoxymethyl carboxymethyl sulfoxide (C₅H₈O₅S). Heteroatom Chem. 1994; **5**:167-173.
1568. Woźniak, L. A. Rybozomy - narzędzia do kontroli ekspresji genów. Biotechnologia. 1994; **4**:79-90.
1569. Woźniak, L. A.; Pyzowski, J.; Wieczorek, M. W., and Stec, W. J. New stereospecific method of synthesis of [S_p]- and [R_p]-dinucleoside (3', 5') methanephosphonates. J Org Chem. 1994; **59**:5843-5846.
1570. Woźniak, L. A.; Sochacki, M.; Mitsuya, H.; Kageyama, S., and Stec, W. J. A new class of dinucleotide analogues. The synthesis of 3'-O-thymidylyl(5'-deoxy-5'-seleno-thymidylyl)-Se-phosphoroselenolate, its O-methyl ester and methanephosphonate derivatives. Bioorg Med Chem Lett. 1994; **4**:1033-1036.
1571. Wróbel, A. M. and Stańczyk, W. A. Mechanism of the activation of 1,1,3,3-tetramethyl-1,3-disilacyclobutane in plasma chemical vapor deposition. Chem Mater. 1994; **6**:1766-1770.
1572. Wróbel, A. M.; Wickramanayaka, S., and Hatanaka, Y. Remote hydrogen plasma chemical vapor

deposition using an organopentasilane cluster as a novel film-forming precursors: mechanism of the activation step. *J Appl Phys.* 1994; **76**:558-562.

1573. Wróbel, A. M.; Wickramanayaka, S.; Nakanishi, Y., and Hatanaka, Y. Remote plasma chemical vapor deposition: an attractive method for production of a-SiC:H films. *J Chem Vap Dep.* 1994; **2**:229-248.
1574. Yagci, Y.; Hepuzer, Y.; Onen, A.; Serhatli, I. F.; Kubisa, P., and Biedroń T. Photoreactive poliepichlorohydrin. *Polym Bull.* 1994; **33**:411-416.
1575. Śledzińska, I.; Sołtysiak, J., and Stańczyk, W. A. Liquid crystal oligo(cyclosiloxanes). *J Inorg Organometal Polym.* 1994; **4**:199-203.
1576. Świątkowska, M.; Stec, W. J.; Plucienniczak, A., and Cierniewski, C. S. Expression of a human PAI-1 fusion peptide in *E. coli* and its immunochemical characterization. *Fibrinolysis.* 1994; **8**:177-181.
1577. Łaski, J. Transport oligonukleotydów przez błonę komórkową. *Biotechnologia.* 1994; **4**:40-49.
1578. Łuczak, L.; Vereshchagina, J.; Łopusiński, A., and Michalski, J. Stereochemistry of P-chiral thioxophosphoranesulfenyl halides $RR'P(S)SX$. *Phosphorus, Sulfur and Silicon.* 1994; **95-96**:371-374.
1579. Łuczak, L.; Łopusiński, A., and Michalski, J. A new route to thioxophosphoranesulfenyl bromides, $RR'P(S)SBr$. *Polish J Chem.* 1994; **68**:1261-1262.
1580. ---. Stereoselective synthesis of diastereoisomeric mentoxyphenylthioxophosphoranesulfenyl bromides. *Polish J Chem.* 1994; **68**:2497-2499.
1581. Aggarwal, V. K.; Drabowicz, J.; Grainger, R. S.; Gültekin, Z.; Lightowler, M., and Spargo, P. L. (1R,3R)-2-methylene-1,3-dithiolane 1,3-dioxide: a highly reactive and highly selective chiral ketene equivalent. *J Org Chem.* 1995; **60**:4962-4963.
1582. Aoki, T.; Wickramanayaka, S.; Wróbel, A. M.; Nakanishi, Y., and Hatanaka, Y. Preparation and characterization of copper films deposited in hydrogen remote plasma by copper (II) acetylacetonate. *J Electrochem Soc.* 1995; **142**:166-169.
1583. Baran, J. and Penczek, S. Hydrolysis of polyesters of phosphoric acid. I. Kinetics and the pH profile. *Macromolecules.* 1995; **28**:5167-5176.
1584. Baraniak, J.; Stec, W. J., and Blackburn, G. M. Synthesis of adenosine cyclic 3',5'-phosphorofluoridate (cAMP-F). *Tetrahedron Lett.* 1995; **44**:8119-8122.
1585. Basińska, T.; Kowalczyk, D.; Miksa, B., and Słomkowski, S. Interaction of protein with polymeric latexes. *Polym Adv Technol.* 1995; **6**:526-533.
1586. Basińska, T. and Słomkowski, S. Attachment of horseradish peroxidase (HRP) onto the poly(styrene/acrolein) latexes and their derivatives with amino groups on the surface; activity of immobilized enzyme. *Colloid Polym Sci.* 1995; **273**:431-438.
1587. Bałczewski, P. Desulfenylation and deselenylation of α -sulfur and α -seleno substituted phosphonates with the $n-Bu_3SnH/AIBN$ reagent system. *Phosphorus, Sulfur and Silicon.* 1995; **104**:113-121.
1588. Bałczewski, P. and Mikołajczyk, M. Free radical reaction of α -halomethylphosphonates with alkenes and alkynes: a new approach to modified phosphonates. *Synthesis.* 1995:392-396.

1589. Bałczewski, P.; Pietrzykowski, W. M., and Mikołajczyk, M. Studies of the free radical carbon-carbon bond formation in the reaction of α -phosphoryl sulfides and selenides with alkenes. *Tetrahedron*. 1995; **51**:7727-7740.
1590. Benimetskaya, L.; Tonkinson, J. L.; Koziółkiewicz, M.; Karwowski, B.; Guga, P.; Zelser, R.; Stec, W. J., and Stein, C. A. Binding of phosphorothioate oligonucleotides to basic fibroblast growth factor, recombinant soluble CD₄, laminin and fibronectin is P-chirality independent. *Nucleic Acids Res.* 1995; **23**:4239-4245.
1591. Białecka-Florjańczyk, W.; Sołtysiak, J., and Stańczyk, W. A. Wpływ długości łącznika elastycznego na własności mezomorficzne cyklo(polisiloksanów). *Polimery*. 1995; **40**:461-465.
1592. Biedroń, T.; Brzezińska, K.; Kubisa, P., and Penczek, S. Macromonomers by activated polymerization of oxiranes. Synthesis and polymerization. *Polymer International*. 1995; **36**:73-80.
1593. Biela, T.; Duda, A., and Penczek, S. Reaction of cyclic esters with covalent metal alkoxides. IX-th European Symposium of Organic Chemistry; Warszawa. 1995; Abstracts PA 13.
1594. Boutonnet, F.; Zabłocka, M.; Igau, A.; Jaud, J.; Majoral, J.-P.; Schamberger, J.; Erker, G.; Werner, S., and Kruger, C. Syntheses and crystallographic characterizations of trinuclear (μ_3 -O) zirconium complexes. *J Chem Soc Chem Commun*. 1995:823-824.
1595. Boyd, V. L.; Bozzini, M.-L.; Guga, P.; DeFranco, R. J., and Yuan, P.-M. Activation of the carboxy terminus of a peptide for carboxy-terminal sequencing. *J Org Chem*. 1995; **60**:2581-2587.
Notes: Staż
1596. Brandi, A.; Cicchi, S.; Gasparini, F.; Maggio, F.; Villani, C.; Koprowski, M., and Pietrusiewicz, K. M. Direct chromatographic resolution of P-chiral phosphinoylethenes stationary phase containing N,N'-(3,5-dinitrobenzoyl)-trans-1,2-diaminocyclohexane as selector. *Tetrahedron: Asymmetry*. 1995; **6**:2017-2022.
1597. Chojnowski, J. Behaviour of the silanol function in polycondensation systems. Jones, R. G., Ed. *Silicon-containing polymers*. Cambridge: The Royal Society of Chemistry; 1995; pp. 59-72.
1598. Chojnowski, J.; Fortuniak, W.; Gładkova, N.; Pluta, M.; Ścibiorek, M., and Zavin, B. G. Synthesis and some properties of polyoxyhexakis(dimethylsilylene) and its copolymers with dimethylsiloxane. *J Inorg Organometal Polym*. 1995; **5**:7-30.
1599. Chojnowski, J. and Kurjata, J. Selective anion ring-opening polymerization of permethyltetrasilol-1,4-dioxane, $^2\text{D}_2$, Transformation of poly(silaether) in polysiloxane and polysilylene. *Macromolecules*. 1995; **28**:2996-2999.
1600. Chojnowski, J. and Lasocki, Z. Polikondensacja i poliaddycja. Florjańczyk, Z. and Penczek, S., Red. *Chemia polimerów*. Warszawa: Wydawnictwo Politechniki Warszawskiej; 1995; p. Rozdział IX (41 str.).
1601. Cierniewski, C. S.; Babińska, A.; Świątkowska, M.; Wilczyńska, M.; Okruszek, A., and Stec, W. J. Inhibition by modified oligodeoxynucleotides of the expression of type-1 plasminogen activator in human endothelial cells. *European J Biochem*. 1995; **227**:494-499.
1602. Cierniewski, C. S.; Pluskota, E.; Krzesłowska, J.; Fijałkowska, I.; Kobyłańska, A.; Koziółkiewicz, M.; Okruszek, A., and Stec, W. J. Inhibition by modified oligonucleotides of the expression of the type 1 Plasminogen Activator Inhibitor in human endothelial cells. *Thrombosis Haemostasis*. 1995; **73**:1007.

1603. Cypryk, M. Kinetyka kondensacji oligodimetylosiloksanodioli katalizowanej kwasami protonowymi. *Polimery*. 1995; **40**:421-427.
1604. Czaja, K.; Florjańczyk, Z.; Królikowski, W.; Rokicki, G., and Kubisa, P. Metody syntezy polimerów. Florjańczyk, Z. and Penczek, S., Red. *Chemia polimerów*. Warszawa: Wydawnictwo Politechniki Warszawskiej; 1995; p. Rozdział X (34 str.).
1605. Drabowicz, J. Sulfur. (d) Organic compound determination. Townshend, A., Ed. *Encyclopedia of analytical sciences*. London, San Diego: Academic Press; 1995; pp. 4838-4848.
1606. Duda, A. Agregacja inicjatorów i centrów aktywnych w polimeryzacji ϵ -kaprolaktonu inicjowanej alkoholami glinu. *Polimery*. 1995; **40**:393-403.
1607. Duda, A.; Biela, T.; Tokar, R., and Penczek, S. Oligomeryzacja i kopolimeryzacja γ -butyrolaktonu. *Zjazd PTChem; Lublin*. 1995: Materiały Zjazdowe S-10 K-2.
1608. Duda, A. and Penczek, S. On the difference of reactivities of various aggregated forms of aluminium isopropoxide in initiating ring-opening polymerizations. *Macromol Rapid Comm*. 1995; **16**:67-76.
1609. ---. Polymerization of ϵ -caprolactone initiated by aluminium isopropoxide trimer and/or tetramer. *Macromolecules*. 1995; **28**:5981-5992.
1610. Duda, A.; Tokar, R., and Penczek, S. Polimeryzacja L,L-laktydu inicjowana trimerem i tetramerem izopropanolu glinu. *Zjazd PTChem; Lublin*. 1995: Materiały Zjazdowe S-10 K-1.
1611. Dąbkowski, W. and Michalski, J. Synthesis of deoxythymidine cyclic 3',5'-phosphorofluoridate. *Polish J Chem*. 1995; **69**:979-980.
1612. Dąbkowski, W. and Tworowska, I. First synthesis of nucleosidyl phosphorofluoridothionates and a convenient synthesis of nucleosidyl phosphorofluoridates. *Chemistry Letters*. 1995; **8**:727-728.
1613. ---. Synthesis of 2'-deoxynucleosid-3'-yl-N,N-diisopropylaminophosphorfluoridites. A new class of stable P(III) nucleotides containing a P-F-bond. *Tetrahedron Lett*. 1995; **36**(7):1095-1098.
1614. Dąbkowski, W.; Tworowska, I., and Michalski, J. Nowe analogi nukleotydowe zawierające wiązania P-F. *Wiadomości Chemiczne*. 1995; **49**(11-12):791-793.
1615. Dąbkowski, W.; Tworowska, I.; Michalski, J., and Cramer, F. Diastereoisomerically pure dinucleosidylphosphorofluoridites and their application in stereospecific synthesis of dinucleosidylphosphorofluoridothionates. *J Chem Soc Chem Commun*. 1995:1435-1436.
1616. Dąbkowski, W.; Tworowska, I., and Saiakhov, R. Nucleoside 3'-methylphosphonofluoridates and nucleoside 3'-methylfluoridophosphonithioates. New convenient intermediates in large scale synthesis of dinucleoside-(3',5')-methylphosphonates. *Tetrahedron Lett*. 1995; **36**:9223-9224.
1617. Gadzinowski, M.; Sosnowski, S., and Słomkowski, S. Synteza biodegradowalnych mikrosfer poli(ϵ -kaprolaktonowych) na drodze polimeryzacji z otwarciem pierścienia. *Zjazd PTChem; Lublin*. 1995: Materiały Zjazdowe S-10 P-68.
1618. Galliot, A. M.; Caminade, A.-M.; Majoral, J.-P.; Kuźnikowski, M.; Zabłocka, M., and Pietrusiewicz, K. M. Molecular modeling, a tool for predicting structural effects on the macrocyclization reaction between bis(vinyl or allyl) dialdehydes and tiophosphonic bis(hydrazides). *Chem Ber*. 1995; **128**:443-447.

1619. Gazicki, M.; Potrzebowski, M. J.; Tyczkowski, J., and Schalko, J. ^{13}C Nuclear Magnetic Resonance signals of Ge/C films deposited from tetraethylgermanium in an R.F. glow discharge. *Thin Solid Films*. 1995; **258**:10-13.
1620. Gazicki, M.; Szymanowski, H.; Tyczkowski, J.; Malinovsky, L.; Schalko, J., and Fallmann, W. Chemical bonding in thin Ge/C films deposited from tetraethylgermanium in an R. F. glow discharge-an FTIR study. *Thin Solid Films*. 1995; **256**:31-38.
1621. Gazicki, M.; Tyczkowski, J.; Szymanowski, H.; Potrzebowski, M. J.; Błasińska, A., and Fallmann, W. Powder products in the process of plasma enhanced chemical vapour deposition from tetraethylgermanium. *J Chem Vap Dep*. 1995; **2**(4):269-281.
1622. Gałęski, A. and Bartczak, Z. Odształcenie plastyczne polimerów krystalicznych: polietylen wysokiej gęstości. *Polimery i kompozyty konstrukcyjne*. Gliwice: SITMP; 1995; pp. 25-47.
1623. González, C.; Stec, W. J.; Reynolds, M. A., and James, T. L. Structure and dynamics of a DNA RNA hybrid duplex with a chiral phosphorothioate moiety. NMR and molecular dynamics with conventional and time-averaged restraints. *Biochemistry*. 1995; **34**:4969-4982.
1624. Helberg, H. W.; Staerk, D.; Ulański, J., and Jeszka, J. K. Optical absorption of polymer films doped with BEDT-TTF polyiodides. *Acta Phys Polonica A*. 1995; **87**:893-897.
1625. Heliński, J.; Skrzypczyński, Z., and Michalski, J. Ring-opening of 3-benzyloxyazotichinium salts with organophosphorus nucleophiles. Application to the synthesis of polyfunctional aminophosphonic acids analogues. *Tetrahedron Lett*. 1995; **36**:9201-9204.
1626. Jankowski, S. and Kamiński, R. Preparation of ^{18}O -labelled m-chlorobenzoic acid. *J Labelled Compounds and Radiopharmaceuticals*. 1995; **36**(4):373-376.
1627. Jeszka, J. K. Properties of junction formed by conductive polymer systems. *Mater Sci Forum*. 1995; **191**:141-148.
1628. Jeszka, J. K.; Tracz, A.; Boiteux, G.; Seytre, G., and Kryszewski, M. Properties of junctions of crystalline networks of complex TCNQ salts in polymer matrix in silicon. *Synth Met*. 1995; **71**:2205-2206.
1629. Jeszka, J. K.; Tracz, A.; Boiteux, G.; Seytre, G., and Kryszewski, M. Temperature dependence of properties of heterojunctions of some TCNQ salts in polymer matrices with p- or n-doped silicon. *Acta Phys Polonica A*. 1995; **88**:533-541.
1630. Kazimierski, P. and Tyczkowski, J. Electron-beam-pulse induced time-domain depolarization in plasma deposited hydrogenated carbon-silicon films. *Proc 5th Inter Conf "Conduction and Breakdown in Solid Dielectrics"*; Leicester. IEEE Service Center; 1995: pp. 706-710.
1631. Kałużyński, K.; Łapienis, G., and Penczek, S. Przyłączanie aminokwasów i peptydów do fosforylowanych poliglikoli. *Zjazd PTChem; Lublin*. 1995: Materiały Zjazdowe S-10 K-15.
1632. Kielbasiński, P. and Mikołajczyk, M. A novel approach to the synthesis of alkoxycarbonylmethyl- and bis(alkoxycarbonylmethyl)phosphine oxides based on a Reformatsky-type reaction. *Synthesis*. 1995:144-146.
1633. Kitamura, K.; Wickramanayaka, S.; Nakanishi, Y.; Hatanaka, Y., and Tyczkowski, J. Deposition and properties of SiC_xN_y films produced by remote plasma CVD. *The Tokyo Chapter on the IEEE Nuclear and Plasma Sci Soc*. 1995; **EP-95-31~46** :35-40.
1634. Klapciński, T.; Gałęski, A., and Kryszewski, M. Polyacrylamide gels filled with ferromagnetic anisotropic

- powder: a model of magnetomechanical device. *J Appl Polym Sci.* 1995; **58**:1007.
1635. Kryszewski, M. Application of conducting organic solids for biological sensors: successes and problems. *Acta Phys Polonica A.* 1995; **87**:683.
 1636. ---. Dielectric methods in studies of adsorption and multiphase systems. *Polish J Chem.* 1995.
 1637. ---. Unconventional all-carbon networks. *Trans Tech Pub.* 1995; **191**:1.
 1638. Kryszewski, M. and Penczek, S. Ogólna charakterystyka makrocząsteczek. Florjańczyk, Z. and Penczek, S., Red. *Chemia polimerów.* Warszawa: Wydawnictwo Politechniki Warszawskiej; 1995; p. Rozdział I (15 str.).
 1639. Kubisa, P. Polimeryzacja jonowa. Florjańczyk, Z. and Penczek, S., Red. *Chemia polimerów.* Warszawa: Wydawnictwo Politechniki Warszawskiej; 1995; p. Rozdział VII (34 str.).
 1640. ---. Samoorganizacja makrocząsteczek w wyniku oddziaływań grup jonowych. *Zjazd PTChem; Lublin.* 1995: Materiały Zjazdowe S-10 R-1.
 1641. Kubisa, P. and Biedroń, T. Application of poly(oxyethylenes) containing terminal phosphonium ion groups as phase transfer reaction catalysts. *Reactive & Functional Polymers.* 1995; **27**:237-241.
 1642. Kubisa, P.; Penczek, S., and Florjańczyk, Z. Mechanizmy polireakcji. Florjańczyk, Z. and Penczek, S., Red. *Chemia polimerów.* Warszawa: Wydawnictwo Politechniki Warszawskiej; 1995; p. Rozdział IV (18 str.).
 1643. Kudzin, Z. H. and Łuczak, J. A facile conversion of aminoalkanephosphonic acids into 0,0-dialkyl N-acylaminoalkenephosphonate derivatives. *Synthesis.* 1995:509-511.
 1644. Kulszewicz-Bajer, I.; Pretula, J.; Hasik, M.; Sobczak, J., and Proń, A. Badania spektroskopowe polianiliny domieszkowanej poli(poliakilenofosforanami). *Zjazd PTChem; Lublin.* 1995: Materiały Zjazdowe S-10 P-29.
 1645. Kurjata, J. and Chojnowski, J. Mechanizm kationowej polimeryzacji oktametylo-1,4-dioksatetrasilacycloheksanu. *Polimery.* 1995; **40**:428-434.
 1646. Laukhina, E.; Merzhanov, V. A.; Pesotski, S. I.; Khomenko, A.; Yagubskii, E. B.; Ulański, J.; Kryszewski, M., and Jeszka, J. K. Superconductivity in reticulate doped polycarbonate films containing (BEDT-TTF)₂ J₃. *Synth Met.* 1995; **70**:797.
 1647. Libiszowski, J.; Kałużyński, K.; Pretula, J.; Szymański, R., and Penczek, S. Copolymerization of promesogenic 7-oxabicyclo[2.2.1]heptane with tetrahydrofurane. *IUPAC International Symposium on Ionic Polymerization; Istanbul.* 1995: P-40.
 1648. Libiszowski, J.; Szymański, R., and Penczek, S. Towards periodic copolymer with flexible and mesogenic units in the main chain. Copolymerization of tetrahydrofuran with 7-oxabicyclo[2.2.1]heptane. *Macromol Rapid Comm.* 1995; **16**:687-695.
 1649. Manolova, N.; Libiszowski, J.; Szymański, R., and Penczek, S. Polymerization of ethylene oxide by the activated monomer mechanism. *Polymer International.* 1995; **36**:23-28.
 1650. Marciniak, B. and Chojnowski, J. *Progress in organosilicon Chemistry.* Amsterdam: Gordon and Breach Publishers; 1995; ISBN: 2884491228. Notes: 592 str.

1651. Michalski, J. and Wasiak, J. Nowa ogólna synteza mieszanych bezwodników kwasów fosforu i kwasów sulfonowych. *Wiadomości Chemiczne*. 1995; **49**(11-12):747-749.
1652. Midura, W. H. and Mikołajczyk, M. Phosphonates containing sulfur and selenium: the first of α -phosphorylvinyl selenides and selenoxides and a new synthetic approach to alkynylphosphonates. *Tetrahedron Lett.* 1995; **36**:2871-2874.
1653. Mikołajczyk, M.; Drabowicz, J., and Kielbasiński, P. Formation of C-P bonds. Helmchen, F.; Hoffman, R. W.; Mulzer, J., and Schaumann, E., Eds. *Houben-Weyl Methods of Organic Chemistry "Stereoselective Synthesis"*. Stuttgart: Georg Thieme Verlag; 1995; pp. 5701-5731.
1654. ---. Formation of C-S bonds. Helmchen, F.; Hoffman, R. W.; Mulzer, J., and Schaumann, E., Eds. *Houben-Weyl Methods of Organic Chemistry "Stereoselective Synthesis"*. Stuttgart: Georg Thieme Verlag; 1995; pp. 5017-5082.
1655. ---. Formation of C-Se bonds. Helmchen, F.; Hoffman, R. W.; Mulzer, J., and Schaumann, E. *Houben-Weyl Methods of Organic Chemistry "Stereoselective Synthesis"*. Stuttgart: Georg Thieme Verlag; 1995; pp. 5083-5125.
1656. ---. Formation of C-Si bonds. Helmchen, F.; Hoffman, R. W.; Mulzer, J., and Schaumann, E., Eds. *Houben-Weyl Methods of Organic Chemistry "Stereoselective Synthesis"*. Stuttgart: Georg Thieme Verlag; 1995; pp. 5733-5748.
1657. ---. Formation of C-Sn bonds. Helmchen, F.; Hoffman, R. W.; Mulzer, J., and Schaumann, E., Eds. *Houben-Weyl Methods of Organic Chemistry "Stereoselective Synthesis"*. Stuttgart: Georg Thieme Verlag; 1995; pp. 5749-5756.
1658. Mikołajczyk, M.; Drabowicz, J., and Kielbasiński, P. Formation of C-Te bonds. Helmchen, F.; Hoffman, R. W.; Mulzer, J., and Schaumann, E., Eds. *Houben-Weyl Methods of Organic Chemistry "Stereoselective Synthesis"*. Stuttgart: Georg Thieme Verlag; 1995; pp. 5126-5132.
1659. Mikołajczyk, M. and Graczyk, P. P. Synthesis and conformational behaviour of 2-phosphonio- and 2-phosphinyl-1,3-dithianes. Operation of the generalized anomeric effect in S-C-P⁺ system. *J Org Chem.* 1995; **60**:5190-5208.
1660. Mikołajczyk, M.; Graczyk, P. P.; Potrzebowski, M. J.; Wieczorek, M. W., and Błaszczyk, J. Solid state conformation and ³¹P CP/MAS NMR studies of (5,5-dimethyl-1,3-dithian-2-yl)triphenylphosphonium chloride and (5,5-dimethyl-1,3-dithian-2-yl)trimethylphosphonium chloride. *Phosphorus, Sulfur and Silicon*. 1995; **103**:111-124.
1661. Mikołajczyk, M.; Potrzebowski, M. J.; Kaźmierski, Sł.; Gross, H.; Costisella, B.; Keitel, I.; Wieczorek, M. W., and Wawer, I. Synthesis and conformational dynamics of 1,1',5,5'-tetrahydro-7,7',8,8'-tetramethyl-3,3'-spirobi[2,4-benzodithiepin]. *J Org Chem.* 1995; **60**:6335-6341.
1662. Mikołajczyk, M. and Zatorski, A. α -Halogeno sulfoxides as ambident electrophiles towards dialkyl phosphite anions. *Gazzetta Chimica Italiana*. 1995; **125**:323-324.
1663. Miksa, B. and Słomkowski, S. Adsorption and covalent immobilization of human serum albumin (HSA) and gamma globulins (γ G) onto the poly(styrene/acrolein) latexes with pyrene, dansyl and 2,4-dinitrophenyl labels. *J Biomater Sci Polym Ed.* 1995; **7**:77-96.
1664. ---. Polypyrrole core/polyacrolein shell latex for protein immobilization. *Colloid Polym Sci.* 1995; **275**:47-52.

1665. Miksa, B.; Wilczyńska, M.; Cierniewski, C. S., and Basińska, T. Composite poly(methyl methacrylate-methacrylic acid-2-hydroxyethyl methacrylate) latex for immunoassay. The case of plasminogen. *J Biomater Sci Polym Ed.* 1995; **7**:503-513.
1666. Misiura, K.; Pietrasiak, D., and Stec, W. J. Dithymidyl-3',5'-phosphorofluoridates: new synthesis and stability under solvolytic conditions. *J Chem Soc Chem Commun.* 1995:613-614.
1667. Mucha, M. and Ganicz, T. Thermo- and electrooptical phenomena in liquid crystalline compounds. *Proc SPIE-Int Soc Opt Engineers.* 1995; **2372**:105-116.
1668. Okruszek, A.; Sierzchała, A.; Fearon, K. L., and Stec, W. J. Synthesis of oligo(deoxyribonucleoside phosphorothioate)s (S₂-ODNs) by the dithiaphospholane approach. *J Org Chem.* 1995; **60**:6998-7005.
1669. Ouryupin, A. B.; Kadyko, M. I.; Petrovskii, P. V.; Fedin, E. I.; Okruszek, A.; Kinas, R., and Stec, W. J. Enantiomeric 2-anilino-2-oxo-1,3,2-oxazaphosphorinanes: synthesis and NMR investigation of their non-racemic mixtures. *Tetrahedron: Asymmetry.* 1995; **6**:1813-1824.
1670. Pawlak, A. and Gałęski, A. Measurements of characteristic parameters in polymer composites by means of a micropolariscope. *Optical Eng.* 1995; **34**:3398.
1671. Penczek, S. Zastosowanie metod polimeryzacji w syntezie poli(fosforanów alkilenowych)-modeli łańcuchów kwasów nukleinowych i teichoinowych. *Zjazd PTChem ; Lublin.* 1995: Materiały Zjazdowe S-9 R-12.
1672. Penczek, S. and Duda, A. The kinetics and mechanism of ϵ -caprolactone polymerization initiated with covalent metal alkoxides. *Polymeric Materials Science & Engineering.* 1995; **72**:228-229.
1673. Penczek, S.; Kubisa, P., and Nyk, A. Polyaddition of H₃PO₄ and its derivatives to diepoxides *via* activated monomer mechanism. Polymer structures and functionalization. Mishra, Munmaya K., Ed. *Macromolecules engineering. Recent advances.* New York, London: Plenum Press; 1995; pp. 255-270.
1674. Penczek, S. and Szymański, R. On the contribution of covalent and ionic species to the chain growth. *Macromol Chem Phys.* 1995; **196**:957-961.
1675. Penczek, S.; Szymański, R., and Duda, A. Polymerization with contribution of covalent and ionic species. *Macromol Symp.* 1995; **98**:193-216.
1676. Pietrusiewicz, K. M. and Salamończyk, G. Total synthesis of (+)- and (-)-ononitol. *Synthetic Commun.* 1995; **25**(12):1863-1867.
1677. Pietrusiewicz, K. M.; Wiśniewski, W.; Wieczorek, M. W., and Brandi, A. Optically active phosphine chalcogenides. 22. Stereochemistry and X-ray structure of the major endo cycloadduct of (S)-methylphenylvinylphosphine oxide to cyclopentadiene. *Phosphorus, Sulfur and Silicon.* 1995; **101**:253-259.
1678. Piórkowska, E. Nonisothermal crystallization of polymers. I. The background of the mathematical description of spherulitic pattern formation. *J Phys Chem.* 1995; **99**:14007.
1679. ---. Nonisothermal crystallization of polymers. II. The mathematical description of spherulitic pattern formation. *J Phys Chem.* 1995; **99**:14016.
1680. ---. Nonisothermal crystallization of polymers. III. The mathematical description of the final spherulitic pattern. *J Phys Chem.* 1995; **99**:14024.

1681. Pluta, M.; Pakuła, T.; Kryszewski, M.; Kurjata, J., and Chojnowski, J. Morphology, phase transition and viscoelastic properties of poly(oxybisdimethylsilylene). A. mesophase in a silicon analogue of polyether. *Makromol Chem.* 1995; **196**:1607-1623.
1682. Potrzebowski, M. J. ³¹P and ⁷⁷Se CP/MAS and ³¹P CPECHO solid state NMR studies of bis(dineopentoxythiophosphoryl) diselenide and disulfide. *Magn Reson Chem.* 1995; **35**:8-14.
1683. Potrzebowski, M. J.; Błaszczyk, J., and Wieczorek, M. W. Studies of solvate and inclusion complexes of bis[6-O, 6-O'-(1,2:3,4 diisopropylidene, α-D-galactopyranosyl)thiophosphoryl] disulfide in the solid by NMR and X-ray methods. *J Org Chem.* 1995; **60**:2549-2560.
1684. Potrzebowski, M. J.; Kowara, J.; Ciesielski, W., and Skowrońska, A. Correlation of ³¹P chemical shift parameters to molecular structures of hexacoordinate organophosphorus compounds in the solid state. *J Chem Soc Perkin 2.* 1995:1149-1153.
1685. Potrzebowski, M. J.; Michalska, M.; Błaszczyk, J.; Wieczorek, M. W.; Ciesielski, W.; Kaźmierski, Sł., and Pluskowski, J. Molecular modeling, X-ray diffraction and ¹³C, ⁷⁷Se CP/MAS NMR studies of bis[(2,3,4,6)-tetra-O-acetyl-β-D-glucopyranose] diselenide and disulfide. *J Org Chem.* 1995; **60**:3139-3149.
1686. Potrzebowski, M. J.; Vereshchagina, J.; Michalski, J.; Wieczorek, M. W., and Majzner, W. R. Synthesis, X-ray and solid state NMR studies of P-chiral N,N'-dicyclohexyl(-)-methyloxy (phenyl)thioxaphosphoranesulfenamide. *J Chem Soc Dalton Trans.* 1995:3683-3692.
1687. Potrzebowski, M. J.; Wasiak, J.; Ciesielski, W., and Klinowski, J. ¹H/²H dimethyl sulphone as a convenient standard for setting the Hartmann-Hahn match in ¹H-²H CP/MAS NMR. *J Magn Reson Ser A.* 1995; **114**:70-73.
1688. Pretula, J.; Libiszowski, J.; Kałużynski, K.; Szymański, R., and Penczek, S. Kopolimeryzacja 7-oksabicyklo[2.2.1]heptanu z THF. Synteza promezogenicznych bloków polieteryowych. *Zjazd PTChem; Lublin.* 1995: Materiały Zjazdowe S-10 K-3.
1689. Przygoda, M.; Pawlak, A., and Gałęski, A. Charakterystyka napełniaczy węglanowych do tworzyw sztucznych. *Polimery.* 1995; **40**:289-297.
1690. Rębowski, G.; Wójcik, M.; Niewiarowski, W.; Płucienniczak, A.; Płucienniczak, G.; Faber, M.; Bartosz, G., and Gondko, R. Warunki stymulowania ludzkich limfocytów w celu otrzymania ekspresji genu dysmutazy nadadtlenkowej - CuZnSOD. *Kwartalnik Ortopedyczny (Suplement).* 1995:64.
1691. Siwicki, A. K.; Rymuszka, A.; Szymańska, B., and Studnicka, M. Wpływ mutein TNF-α na aktywność neutrofili, makrofagów i proliferację limfocytów oraz na poziom komórek produkujących przeciwciała (ASC) u ryb. *Polish Journal of Immunology.* 1995; **20**:298.
1692. Skowrońska, A.; Dybowski, P.; Koprowski, M., and Krawczyk, E. The Diels-Alder reactions of (Z)-1,2-diheterosubstituted-1,3-dienes. Sulfur as a regiochemical control. *Tetrahedron Lett.* 1995; **36**(44):8133-8136.
1693. ---. Synthesis of (Z)-1,2-diheterosubstituted-1,3-dienes. Novel annelating agents. *Tetrahedron Lett.* 1995; **36**(44):8129-8132.
1694. Sołtysiak, J.; Stańczyk, W. A.; Pluta, M., and Śledzińska, I. Badania własności ciekłokrystalicznych oligo(cyklosiloksanów). *Polimery.* 1995; **40**:285-290.
1695. Stadejek, T.; Pejsek, Z.; Kwinkowski, M.; Okruszek, A., and Winiarczyk, S. Reverse transcription combined with polymerase chain reaction as a detection method for pestiviral infections. *Rev Sci*

Tech Off Int Epiz. 1995; **14**:811-818.

1696. Staerk, D.; Helberg, H. W.; Ulański, J., and Jeszka, J. K. Microwave conductivities of polymer films doped with BEDT-TTF polyiodides. *Acta Phys Polonica A*. 1995; **87**:797-800.
1697. Stańczyk, W. A.; Kowalewska, A.; Białecka-Florjańczyk, W.; Śledzińska, I., and Sołtysiak, J. Synthesis of well-defined organosilicon liquid crystal polymers. *Proc SPIE-Int Soc Opt Engineers*. 1995; **2372**:262-266.
1698. Stec, W. J.; Grajkowski, A.; Karwowski, B.; Kobylańska, A.; Koziołkiewicz, M.; Misiura, K.; Okruszek, A.; Wilk, A.; Guga, P., and Boczkowska, M. Diastereomers of nucleoside 3'-O-(2-thio-1.3.2-oxathia(selena)phospholanes): building blocks for stereocontrolled synthesis of oligo(nucleoside phosphorothioate)s. *J Am Chem Soc*. 1995; **117**:12019-12029.
1699. Szymanowski, H.; Gazicki, M.; Tyczkowski, J., and Olcaytug, F. Plasma deposition of Ge-C films in a three-electrode reactor-plasma diagnostics using indirect methods. *Surf Coat Technol*. 1995; **74-75**:183-187.
1700. Szymański, R. Mikrostruktura polimeru. Florjańczyk, Z. and Penczek, S., Red. *Chemia polimerów*. Warszawa: Wydawnictwo Politechniki Warszawskiej; 1995; p. Rozdział II (16 str.).
1701. ---. On the contribution of covalent and ionic species to the chain growth. Monte Carlo simulation and theoretical considerations. *Macromol Theory Simul*. 1995; **4**:935-946.
1702. ---. Termodynamika polimeryzacji. Florjańczyk, Z. and Penczek, S., Red. *Chemia polimerów*. Warszawa: Wydawnictwo Politechniki Warszawskiej; 1995; p. Rozdział V (19 str.).
1703. Szymański, R. and Matyjaszewski, K. Computer simulation of aggregation of ion pairs in polymerization of styrene by $RCl/SnCl_4/NR_4^+Cl^-$ systems. *Macromol Theory Simul*. 1995; **4**:335-345.
1704. Słomkowski, S.; Kowalczyk, D., and Trznadel, M. Two-dimensional latex assemblies and their potential application in diagnostics. *Trends Polym Sci*. 1995; **3**:297-304.
1705. Słomkowski, S.; Sosnowski, S., and Gadzinowski, M. Properties of the bioerodible polyester microspheres synthesized by the ring-opening polymerization of lactones and lactides. 69th Colloid and Surface Science Symposium; Salt Lake City. ACS; 1995: Abstracts p. 131.
1706. Słomkowski, S.; Trznadel, M.; Miksa, B., and Wang, F. W. Modification of the surface of quartz by the covalently immobilized two-dimensional latex assemblies. 69th Colloid and Surface Science Symposium; Salt Lake City. ACS; 1995: Abstracts p. 167.
1707. Trznadel, M. Biodegradable polymer materials. *Polimery*. 1995; **40**:485-492.
1708. Tyczkowski, J.; Gazicki, M.; Szymanowski, H., and Pietrzyk, B. A three-electrode reactor for PE CVD-new possibilities in the thin film technology. The Tokyo Chapter on the IEEE Nuclear and Plasma Sci Soc. 1995; **EP-95-31~46**:85-91.
1709. Tyczkowski, J.; Szymanowski, H.; Pietrzyk, B., and Odrobina, E. Organic photoluminescent thin films prepared by plasma chemical vapor co-deposition. *J Chem Vap Dep*. 1995; **2(4)**:311-329.
1710. Ulański, J.; Jeszka, J. K.; Polanowski, P.; Głowacki, I.; Kryszewski, M.; Staerk, D., and Helberg, H. W. D.C. conductivity of polymer composites with BEDT-TTF₂I₃ superconductor. *Acta Phys Polonica A*. 1995; **87**:899-903.
1711. Uznański, P.; Pęcherz, J., and Kryszewski, M. Photophysical studies of hydrophobically-functionalised

polyionene systems in aqueous solutions. Canadian J Chem. 1995; **73**:2041.

1712. Wasiak, J.; Heliński, J.; Dąbkowski, W.; Skrzypczyński, Z., and Michalski, J. Phosphoric-carboxylic anhydrides. New synthetic procedures and reactions with nucleophiles. Reexamination of the reaction of Se-alkyl-phosphoroselenoates with alcohols and mercuric trifluoroacetate. Polish J Chem. 1995; **69**:1027-1032.
1713. Wickramanayaka, S.; Hatanaka, Y.; Nakanishi, Y., and Wróbel, A. M. Mechanism of plasma assisted α -SiC:H film deposition. Bull Res Inst Electron. 1995; **30** :119-122.
1714. Wieczorek, M. W.; Bujacz, G. D.; Majzner, W. R.; Graczyk, P. P., and Mikołajczyk, M. Crystal and molecular structures of diastereomeric 2-phosphoryl-, 2-thiophosphoryl- and 2-selenophosphoryl- substituted 1,3-dithianes. Heteroatom Chem. 1995; **6**:377-386.
1715. Wieczorek, M. W.; Błaszczyk, J.; Dziuba, B.; Kielbasiński, P.; Mikołajczyk, M.; Zwanenburg, B., and Rewinkel, J. B. M. Crystal and molecular structure of cyclic sulfoxides: 2-cyano-2-ethoxycarbonyl-3,6-dihydro-4,5-dimethyl-2H-thiapyran 1-oxide and 2-phenyl-2-methoxycarbonyl-3,6-dihydro-2H-thiapyran 1-oxide. Heteroatom Chem. 1995; **60**:6335-6341.
1716. Wieczorek, M. W.; Błaszczyk, J.; Potrzebowski, M. J.; Skowrońska, A., and Dembiński, R. Crystal and molecular structure and solid state NMR studies of bis(5,5-dimethyl-2-oxo-1,3,2-dioxaphosphorinan-2-yl) selenide. Phosphorus, Sulfur and Silicon. 1995; **102**:15-24.
1717. Wilk, A. and Stec, W. J. Analysis of oligo(deoxynucleotide phosphorothioate)s and their diastereomeric composition. Nucleic Acids Res. 1995; **23**:530-534.
1718. Wróbel, A. M. and Walkiewicz-Pietrzykowska, A. Film-forming precursors in plasma chemical vapor deposition using tetramethyl-1,3-disilacyclobutane as a single-source compound. J Chem Vap Dep. 1995; **4**:87-110.
1719. Wróbel, A. M.; Wickramanayaka, S.; Nakanishi, Y.; Fukuda, Y., and Hatanaka, Y. Remote hydrogen plasma chemical vapor deposition of amorphous hydrogenated silicon-carbon films from an organosilane molecular cluster as a novel single-source precursor: structure, growth mechanism and properties of the deposit. Chem Mater. 1995; **7**:1403-1413.
1720. Wróbel, A. M.; Wickramanayaka, S.; Nakanishi, Y., and Hatanaka, Y. High-quality amorphous hydrogenated silicon carbide coatings by remote plasma chemical vapor deposition from a single-source precursor. J Mater Process Technol. 1995; **53**:477-482.
1721. ---. High-quality amorphous hydrogenated silicon carbide coatings by remote chemical vapor deposition from a single-source precursor. Proc 14th International Scientific Conference "Advanced Materials & Technologies"; Zakopane. 1995: str 489-492.
1722. Zabłocka, M.; Igau, A.; Cenac, N.; Donnadieu, B.; Dahan, F.; Majoral, J.-P., and Pietrusiewicz, K. M. Unprecedented inversion of configuration at carbon in the electrophilic cleavage of the carbon-zirconium (IV) bond. J Am Chem Soc. 1995; **117**:8083-8089.
1723. Śledzińska, I.; Ganicz, T.; Sołtysiak, J., and Stańczyk, W. A. Diffraction study of mesomorphism of some side chain cyclosiloxanes and polycarbosilanes. Proc SPIE-Int Soc Opt Engineers. 1995; **2372**:196-203.
1724. Łopusiński, A.; Łuczak, L., and Michalski, J. Stereospecific synthesis of P-epimeric (R_p 1, R_p 2)bis-(O-1-menthyl phenylphosphonothionyl) diselenide. A new variant of the stereoselective

Staundinger reaction. Heteroatom Chem. 1995; **6**(4):365-370.

1725. Antonov, D. A.; Eaborn, C.; Smith, J. D.; Hitchcock, P. B.; Molla, E.; Rozenberg, V. I.; Stańczyk, W. A., and Kowalewska, A. A bulky (tris)methyl ligand incorporating a donor sulphur atom: some $(\text{Me}_3\text{Si})_2(\text{PhSMe}_2\text{Si})\text{CSnMe}_2\text{X}$ compounds. *J Organomet Chem.* 1996; **521**:109-112.
1726. Baraniak, J. Deoxyribonucleoside cyclic 3', 5' -phosphorofluoridates. *Phosphorus, Sulfur and Silicon.* 1996; **111**:80.
1727. Bartzak, Z. and Gałęski, A. Odkształcenie plastyczne polimerów częściowo-krystalicznych: polietylen dużej gęstości. *Polimery.* 1996; **41**:321-333.
1728. ---. On the plastic deformation of the amorphous component in semicrystalline polymers. *Polymer.* 1996; **37**:2113-2123.
1729. Bartzak, Z.; Gałęski, A., and Martuscelli, E. Nucleation phenomena in toughened plastics. Martuscelli, E., Ed. *Advanced Routes for Polymer Toughening.* New York: Elsevier; 1996.
1730. Bartzak, Z.; Krasnikova, N. P., and Gałęski, A. Morphology and texture of high-density polyethylene-polystyrene blends deformed by plane-strain-compression. *J Appl Polym Sci.* 1996; **62**:167-179.
1731. Bartik, T.; Bartik, B.; Brady, M.; Dembiński, R., and Gladysz, J. A. A step-growth approach to metal-capped one-dimensional carbon allotropes: syntheses of C12, C16 and C20 -polyynediyl complexes. *Angew Chem Int Ed Engl.* 1996; **35**:414-417.
Notes: stażowe
1732. Baško, M.; Kubisa, P., and Penczek, S. Application of phosphorus ion trapping for the determination of active species in the cationic copolymerization of aldehydes with cyclic acetals. *Polymer Preprints.* 1996; **37**:331-332.
1733. Bałczewski, P. and Mikołajczyk, M. New free radical reactions of functionalized phosphonates. *Phosphorus, Sulfur and Silicon.* 1996; **111**:178.
1734. Bałczewski, P. and Pietrzykowski, W. M. A free radical approach to functionalization of phosphonates utilizing novel 2- and 3-phosphonyl radicals. *Tetrahedron.* 1996; **52**:13681-13694.
1735. Bednarek, M.; Kubisa, P., and Penczek, S. Kinetic and thermodynamic control in the cationic copolymerization of cyclic ethers. *Macromol Symp.* 1996; **132**:349.
1736. Biela, T. and Duda, A. Solvent effect in the polymerization of ϵ -caprolactone initiated with diethylaluminum ethoxide. *J Polym Sci A: Polym Chem.* 1996; **34**:1807-1813.
1737. Bilecki, W.; Okruszek, A.; Kwinkowski, M.; Sanak, M., and Przewlocki, R. Antisense oligonucleotides against inducible nitric oxide synthase reduce NO production in RAW 264.7 cells. *Biotechnologia.* 1996; **4**:173-182.
1738. Bujnicki, B.; Drabowicz, J.; Mikołajczyk, M.; Kolbe, A., and Stefaniak, L. Protonation of sulfinamides does it occur at oxygen or nitrogen? *J Org Chem.* 1996; **61**:7593-7596.
1739. Błaszczak, J.; Wieczorek, M. W., and Okruszek, A. Conformation of oxathiaphospholane and dithiaphospholane rings in the solid state. *J Mol Struct.* 1996; **374**:85-96.
1740. Błaszczak, J.; Wieczorek, M. W.; Okruszek, A.; Sierucha, A.; Kobylańska, A., and Stec, W. J. The synthesis and X-ray structural studies of 2-cholesteryl-2-thio-1,3,2-oxathiaphospholane and

2-cholesteryl-2-thio-1,3,2-dithiaphospholane. *J Chem Cryst.* 1996; **26**:33-41.

1741. Cenac, N.; Zabłocka, M.; Igau, A.; Majoral, J.-P., and Skowrońska, A. Ring opening of lactones and anhydrides induced by $[\text{Cp}_2\text{ZrHCl}]_n$. *J Org Chem.* 1996; **61**:796-798.
1742. ---. Zirconium-promoted ring opening. Scope and limitations. *Organometallics.* 1996; **15**:1208-1217.
1743. Chojnowski, J. and Cypryk, M. Cyclic siloxanes (ring-opening polymerization). Salamone, J. C., Ed. *Polymeric Materials Encyclopedia.* CRC Press; 1996; pp. 1682-1696.
1744. Chojnowski, J.; Cypryk, M.; Fortuniak, W.; Kaźmierski, K., and Taylor, R. Interactions of hexachlorodiphosphazene ion with an alcohol and with some silicon-oxygen reagents and their role in the catalysis of polycondensation in silanol-alcoxysilane systems. *J Organomet Chem.* 1996; **526**:351-361.
1745. Cierniewski, C. S.; Pawłowska, Z.; Pluskota, E.; Stasiak, M.; Kobylańska, A.; Misiura, K.; Maciaszek, A.; Koziolkiewicz, M., and Stec, W. J. Interaction of antisense oligonucleotides with DNA and proteins studied by fluorescence polarization spectroscopy. *Biotechnologia.* 1996; **4**(35):141-152.
1746. Cypryk, M. Cationic polymerization of 2,2,5,5-tetramethyl-1-oxa-2,5-disilacyclopentane. *International Polymer Seminar; Gliwice.* 1996; 45-48.
1747. Drabowicz, J.; Dudziński, B.; Mikołajczyk, M., and Biscarini, P. Enrichment of optical purity of liquid sulfoxides via their mercury (II) chloride complexes. *Gazetta Chimica Italiana.* 1996; **127**:187-188.
1748. Drabowicz, J. and Martin, J. C. Stereochemistry of spirothiophanes and their oxides: static and dynamic aspects. *Pure & Appl Chem.* 1996; **68**:951-956.
1749. Duda, A. Polymerization of ϵ -caprolactone initiated by aluminum isopropoxide carried out in the presence of alcohols and diols. Kinetics and mechanism. *Macromolecules.* 1996; **29**:1399-1406.
1750. Duda, A.; Penczek, S.; Dubois, Ph., and Mecerreyes, D. Oligomerization and copolymerization of β -butyrolactone- a monomer known as unable to homopolymerize. 1. Copolymerization with ϵ -caprolactone. *Macromol Chem Phys.* 1996; **197**:1273-1283.
1751. Dybowski, P.; Kazimierzak, Ł., and Skowrońska, A. First synthesis of Se-(β -oxoalkyl) selenothiophosphates. *Polish J Chem.* 1996; **70**:320-324.
1752. Dąbkowski, W. and Michalski, J. Novel chemistry and stereochemistry of P-F modified oligonucleotides. *Phosphorus, Sulfur and Silicon.* 1996; **109-110**:265-268.
1753. Eaborn, C.; Hitchcock, P. B.; Kowalewska, A.; Lu, Z.-R.; Smith, J. D., and Stańczyk, W. A. Iodo(methoxydimethylsilyl)methane, a reagent for preparation of novel organometallic compounds. *J Organomet Chem.* 1996; **521**:112-120.
1754. Gadzinowski, M.; Sosnowski, S., and Słomkowski, S. Kinetics of the dispersion ring-opening polymerization of ϵ -caprolactone initiated with diethylaluminum ethoxide. *Macromolecules.* 1996; **29**:6404-6407.
1755. Ganicz, T.; Stańczyk, W. A.; Białecka-Florjańczyk, W., and Śledzińska, I. Synthesis and characterization of liquid crystal polycarbosilanes with pendant mesogenic groups. *Polymer.* 1996; **37**:4167-4174.
1756. Gazicki, M.; Szymanowski, H.; Tyczkowski, J.; Schalko, J., and Olcaytug, F. Correlation between gas phase composition of RF plasma of argon diluted tetraethylgermanium and chemical structure of

therewith deposited Ge/C films. *J Vac Sci Technol A*. 1996; **14**(5):2835-2841.

1757. Gałęski, A.; Kowalewski, T., and Przygoda, M. Highly oriented films and foil fibers made of toughened chalk-filled polypropylene. Preparation and properties. *Fibres & Textiles East Eur*. 1996; **4**:95-99.
1758. Gałęski, A. and Psarski, M. Morphology and kinetics of crystallization of polyethylene from chain disentangled melt. *Macromol Symp*. 1996; **104**:183-190.
1759. Graczyk, P. P. and Mikołajczyk, M. Inapplicability of the antiperiplanar lone pair hypothesis (ALPH) in S-C-P⁺ system. *J Org Chem*. 1996; **61**:2995-3002.
1760. Guljaeva, Z. R.; Pacanovskij, I. I.; Graczyk, P. P.; Mikołajczyk, M., and Ishmaeva, E. A. Polarity and conformations of 2-phosphoryl(selenophosphoryl)-1,3-diheterocyclohexanes in solution. *Zh Obshch Khim*. 1996; **66**:1122-1124.
1761. Hatanaka, Y.; Kitamura, K.; Wickramanayaka, S.; Nakanishi, Y., and Tyczkowski, J. Remote plasma depositions of SiC_xN_y films using hexamethyldisilazane.; Bristol and Philadelphia. *Institute of Physics Publ*; 19961055-1058 *Inst Phys Conf . v. 142*).
1762. Hepuzer, Y.; Yagci, Y.; Biedroń, T., and Kubisa, P. Photoactive epichlorohydrin, 2 photoinitiated free-radical and promoted cationic polymerization by using poliepichlorohydrin with benzoin terminal groups. *Angew Makromol Chem*. 1996; **237**:163-171.
1763. Jeszka, J. K. Nowe przewodzące materiały polimerowe otrzymywane z wykorzystaniem znanych przewodników organicznych. *Polimery*. 1996; **41**:129-192.
1764. Jeszka, J. K.; Sroczynska, A.; Boiteux, G.; Ho-Hoang, A.; Lemaire, M.; Fiche, F., and Kryszewski, M. Electrical properties of heterojunctions of PVDF-C₂F₃H/polypyrrole composites with p- or n-doped silicon. *Adv Mat Opt Electr*. 1996; **6**:348-352.
1765. Kazanski, K.; Kuznetsova, V.; Pretula, J., and Penczek, S. Ionizable hydrogels of new type based on poly(ethylene glycol) phosphates. *Polymer Gels and Networks*. 1996; **4**:335-349.
1766. Kazimierski, P. and Lehmborg, H. Atomic force microscope investigations of topography, lateral force and electrical properties of metal containing amorphous, hydrogenated carbon thin films. *Int J Electronics*. 1996; **81**:467-472.
1767. ---. Charge storage and imaging in amorphous dielectrics by means of a modified SFM. *Proc 6th Europ Conf ECASIA'95* New York: Wiley & Sons; 1996: 403-407.
1768. Kiełbasiński, P. and Mikołajczyk, M. Enzymatic synthesis of chiral, non-racemic phosphoryl compounds. *Phosphorus, Sulfur and Silicon*. 1996; **109-110**:497-500.
1769. Kityk, I. V.; Ulański, J.; Jeszka, J. K., and Tracz, A. Photostimulated optical SGH in BEDO-TTF polyiodides/polycarbonate composites. *Adv Mat Opt Electr*. 1996; **6**:358-362.
1770. Kowalczyk, D.; Marsault, J.-P., and Słomkowski, S. Atomic force microscopy of human serum albumin (HSA) on the poly(styrene/acrolein) microspheres. *Colloid Polym Sci*. 1996; **274**:513-519.
1771. Kowalczyk, D.; Sosnowski, S.; Chehimi, M. M., and Delamar, M. An XPS study of the adsorption of aminopropyltriethoxy silane on quartz. *Int J Adhesion & Adhesives*. 1996; **16**:227-232.
1772. Kryszewski, M. Dlaczego zorganizowane cienkie warstwy różnych materiałów są fascynujące? *Postępy Fizykochemii*. 1996:73-87.

1773. ---. Dlaczego zorganizowane cienkie warstwy różnych materiałów są fascynujące? *Biul Inst Chem Fiz Teor Politechniki Wrocławskiej*. 1996; **2**:75-87.
1774. ---. From reticulate doped to nanostructural polymeric systems. *Macromol Symp*. 1996; **104**:17-26.
1775. Kryszewski, M. and Boiteux, G. Heterogeneous organic nanocomposite systems. *Molec Phys Rep*. 1996; **14**:89-103.
1776. Kryszewski, M. and Bąk, G. W. Dielectric methods in studies of adsorption on solids and multiphase systems. *Polish J Chem*. 1996; **70**:1-13.
1777. Kubisa, P. Cationic polymerization of heterocycles. Matyjaszewski, K., Ed. *Cationic Polymerization*. New York: Marcel Dekker ; 1996; pp. 437-554.
1778. Kubisa, P. and Biedroń, T. Agregacja końcowych grup jonowych w polimerach. *Polimery*. 1996; **41**(7-8):398-405.
1779. ---. Poly(oxyethylenes) terminated at both ends with phosphonium ion end groups. 1. Synthesis and characterization. *Macromol Chem Phys*. 1996; **197**:19-30.
1780. ---. Poly(oxyethylenes) terminated at both ends with phosphonium ion end groups. 2. Properties. *Macromol Chem Phys*. 1996; **197**:31-40.
1781. Kulszewicz-Bajer, I.; Sobczak, J.; Hasik, M., and Pretula, J. Spectroscopic studies of polyaniline protonation with poly(alkylene phosphate)s. *Polymer*. 1996; **37**:25-30.
1782. Kurpiewski, M. R.; Koziolkiewicz, M.; Wilk, A.; Stec, W. J., and Jen-Jacobson, L. Chiral phosphorothioates as probes of protein interactions with individual DNA phosphoryl oxygens: essential interactions of EcoRI endonuclease with the phosphate at pGAATTC. *Biochemistry*. 1996; **35**:8846-8854.
1783. Li, L.; Sosnowski, S.; Kumachaeva, E.; Winnik, M. A.; Rajaram, S.; Balke, S. T., and Chaffey, C. E. Coalescence at the surface of a polymer blend as studied by laser confocal fluorescence microscopy. *Langmuir*. 1996; **12**:2141-2144.
1784. Majoral, J.-P.; Igau, A.; Zabłocka, M.; Mathieu, A.; Cenac, N., and Pietrusiewicz, K. M. Phosphorus and zirconium: a fruitful rendez-vous. *Phosphorus, Sulfur and Silicon*. 1996; **109-110**:185-188.
1785. Majoral, J.-P.; Zabłocka, M.; Igau, A., and Cenac, N. Zirconium species as tools in phosphorus chemistry. 1. $[Cp_2ZrHCl]_n$, a versatile reagent. *Chem Ber*. 1996; **129**:879-886.
1786. Mikołajczyk, M. Fundamental chemistry of chemical warfare agents and interrelationship in technologies. Holm, F., Ed. *Scientific Advances in Alternative Demilitarization Technologies*. Dordrecht: Kluwer Academic Publisher; 1996; pp. 1-13.
1787. Mikołajczyk, M.; Krysiak, J. A.; Midura, W. H.; Wieczorek, M. W., and Błaszczuk, J. α -Phosphoryl sulfoxides. X. A general synthesis of optically active α -chlorovinyl sulfoxides. *Tetrahedron: Asymmetry*. 1996; **7**:3513-3520.
1788. Mikołajczyk, M.; Mikina, M.; Graczyk, P. P., and Bałczewski, P. Insertion of the α -phosphoryl-carbene moiety into the S-S and Se-Se bonds. Synthesis of dithio- and diselenoacetals of formylphosphonates. *Synthesis*. 1996:1232-1238.
1789. Mikołajczyk, M.; Mikina, M.; Wieczorek, M. W., and Błaszczuk, J. The first synthesis of enantiopure (-) and (+) isoterrein from optically inactive meso-tartaric acid. *Angew Chem Int Ed Engl*. 1996;

35:1560-1562.

1790. Mikołajczyk, M.; Łyżwa, P.; Drabowicz, J.; Wieczorek, M. W., and Błaszczyk, J. A highly efficient asymmetric synthesis of β -aminophosphonic acids via addition of α -phosphonate carbanions to chiral, enantiopure sulfinimines. *J Chem Soc Chem Commun.* 1996:1503-1504.
1791. Misiura, K.; Szymanowicz, D., and Stec, W. J. Synthesis and reactivity of dithymidyl-3',5-phosphorothiofluoridates. *Collect Czech Chem Commun.* 1996; **61**:101-106.
1792. Mucha, M. and Ganicz, T. Analysis of mesophase formation in side-chain liquid crystalline polycarbosilanes. *J Therm Anal.* 1996; **46**:795-808.
1793. Mucha, M.; Wolski, A.; Ganicz, T., and Stańczyk, W. A. Orientational effects in novel side chain liquid crystalline polymer. *Macromol Symp.* 1996; **102**:191.
1794. Okruszek, A.; Olesiak, M., and Stec, W. J. Dinucleoside(5'→3')-O-S-phosphorodithioates - new class of dinucleotide analogues. *Phosphorus, Sulfur and Silicon.* 1996; **111**:81.
1795. Omelańczuk, J. and Mikołajczyk, M. Chiral t-butylphenylphosphinothioic acid: a useful chiral solvating agent for direct determination of enantiomeric purity of alcohols, thiols, amines, diols, aminoalcohols and related compounds. *Tetrahedron: Asymmetry.* 1996; **7**:2687-2694.
1796. Pacanovskij, I. I.; Graczyk, P. P.; Guljaeva, Z. R.; Mikołajczyk, M., and Ishmaeva, E. A. 2-Thiophosphoryl-1,3-dithianes. Polarity and conformations in solution. *Zh Obshch Khim.* 1996; **66**:467-469.
1797. Pawlak, A. and Gałęski, A. Photoelastic method of three-dimensional stress determination around axisymmetric inclusions. *Polym Eng Sci.* 1996; **36**:2736-2749.
1798. ---. Residual stresses in epoxy systems by 2-D photoelastic method. *Polym Eng Sci.* 1996; **36**:2727-2735.
1799. Penczek, S. and Duda, A. Selectivity as a measure of "Livingness" of the polymerization of cyclic esters. *Macromol Symp.* 1996; **107**:1-15.
1800. Penczek, S.; Duda, A., and Szymański, R. Selectivity as a measure of "livingness" the case of cyclic esters polymerization. *Polymer Preprints.* 1996; **37**(1):219-220.
1801. Penczek, S.; Sekiguchi, H., and Kubisa, P. Activated monomer polymerization of cyclic monomers. Hatada, K. and Vogl, O., Ed. *Frontiers of Polymer Science.* 1996; pp. 199-222.
1802. Penczek, S.; Szymański, R.; Pretula, J.; Kałużyński, K., and Libiszowski, J. Kinetics and thermodynamics control in cationic copolymerization of bicyclic ethers providing promezogenic units. *Polymer Preprints.* 1996; **37**(1):347-348.
1803. Penczek, S. and Łapienis, G. Poly(alkylene phosphate)s. Salamone, J. C., Ed. *Polymeric Materials Encyclopedia.* Boca Raton: CRC Press; 1996; pp. 53611-5373.
1804. Perlikowska, W.; Modro, A. M.; Modro, T. A., and Mphahlele, M. J. Lithiation of diethyl trichloromethylphosphonate and the transformations of the α -lithiated derivative. *J Chem Soc Perkin 2.* 1996:2611.
1805. Pietrusiewicz, K. M. Stereoselective synthesis and resolution of P-chiral phosphine chaloogenides. *Phosphorus, Sulfur and Silicon.* 1996; **109-110**.
1806. Pluta, M.; Morawiec, J.; Kryszewski, M., and Kowalewski, T. Phase structure and viscoelastic properties of

PP-PS systems with various dispersion of PS component. J Therm Anal. 1996; **46**:1061-1079.

1807. Potrzebowski, M. J. Struktura i dynamika dichalkogenów fosforoorganicznych na podstawie spektroskopii NMR w ciele stałym. Wiadomości Chemiczne. 1996; **50**:9926-950.
1808. Pretula, J.; Kałużyński, K.; Szymański, R., and Penczek, S. Statistical and blok copolymers of 7-oxabicyclo[2.2.1]heptane with tetrahydrofuran. Conditions of copolymerization and distribution of the promesogenic units. Macromolecules. 1996; **29**:6700-6709.
1809. Pyzowski, J.; Woźniak, L. A., and Stec, W. J. New method of preparation of monomers for stereocontrolled synthesis of dinucleoside (3',5') methanephosphonates on large scale. Collect Czech Chem Commun. 1996; **61**:152-153.
1810. Ramasamy, R.; Kanagaratnam, R.; Misiura, K.; Rębowski, G.; Amerakoon, R., and Stec, W. J. Anti-sense oligodeoxynucleoside phosphorothioates non-specifically inhibit invasion of red blood cells by malaria parasites. Biochemical and Biophysical Res Commun. 1996; **218**:930-933.
1811. Różga-Wijas, K.; Chojnowski, J.; Zundel, T., and Boileau, S. Synthesis of siloxane copolymers by kinetically controlled polymerization of cyclotrisiloxanes with mixed siloxane units. Macromolecules. 1996; **29**:2711-2720.
1812. Salamończyk, G.; Han, K.; Guo, Z., and Sih, C. J. Total synthesis of cryptophycins *via* a chemoenzymatic approach. J Org Chem. 1996; **61**:6893-6900.
Notes: stażowe
1813. Sierchala, A.; Okruszek, A., and Stec, W. J. Oxathiaphospholane method of stereocontrolled synthesis of diribonucleoside (3',5') phosphorothioates. J Org Chem. 1996; **61**:6713-6716.
1814. Skowrońska, A.; Krawczyk, E.; Koprowski, M., and Dybowski, P. Thiophosphates and selenophosphates in organic synthesis. A new approach to exocyclic olefins and bicyclic enones. Phosphorus, Sulfur and Silicon. 1996; **109-110**:409-412.
1815. Sosnowski, S.; Gadzinowski, M., and Słomkowski, S. Poly(L,L-lactide) microspheres by the ring-opening polymerization. Macromolecules. 1996; **29**:4556-4564.
1816. Stec, W. J. and Guga, P. Perspectives for medicinal applications of synthetic oligonucleotides: antisense technology. Biotechnologia. 1996; **4**:91-107.
1817. Stec, W. J.; Karwowski, B.; Guga, P.; Misiura, K.; Wieczorek, M. W., and Błaszczak, J. Stereochemistry of DBU-assisted reaction of nucleoside 3'-O-(2-thiono-1,3,2-oxathiaphospholanes) with 5'-hydroxynucleosides. Phosphorus, Sulfur and Silicon. 1996; **109-110** :257-260.
1818. Szymański, R. On the contribution of different reaction routes to polymer formation in reversible polymerization. Oxepane and 1,3-dioxolane polymerization cases. Macromol Theory Simul. 1996; **5**:29-43.
1819. Słomkowski, S. Controlled polymerization of ϵ -caprolactone - from macromolecules to microspheres. Macromol Symp. 1996; **103**:213-228.
1820. Słomkowski, S.; Kowalczyk, D.; Trznadel, M., and Kryszewski, M. Two-dimensional latex assemblies for biosensors. 1996; p. 176.
1821. Słomkowski, S.; Miksa, B.; Trznadel, M.; Kowalczyk, D., and Wang, F. W. Synthesis, morphology, and properties latex monolayers at the quarc-liquid interface. Polymer Preprints. 1996; **37**(2):747-748.

1822. Słomkowski, S.; Sosnowski, S., and Gadzinowski, M. Synthesis and properties of bioerodible latexes and microspheres. *Polymer Preprints*. 1996; **37**(2):135-136.
1823. Tracz, A.; Jeszka, J. K.; Sroczyńska, A.; Saito, G.; Schrader, S.; Ulański, J., and Kryszewski, M. Colourless, transparent conductive polymer films with ultrathin networks of organic crystals. *Adv Mat Opt Electr*. 1996; **6**:330-334.
1824. Tracz, A.; Jeszka, J. K.; Sroczyńska, A.; Ulański, J., and Pakuła, T. Properties and microstructure of crystalline BEDT-TTF polyiodide network in polycarbonate matrix. *Adv Mat Opt Electr*. 1996; **6**:335-342.
1825. Trznadel, M. and Słomkowski, S. Formation and morphology of latex monolayers. Computer simulation studies. *Colloid Polym Sci*. 1996; **274**:1109-1118.
1826. Tyczkowski, J.; Pietrzyk, B., and Szymanowski, H. Hydrogenated carbon films produced by plasma-enhanced CVD from pentane in a three-electrode reactor. *J Chem Vap Dep*. 1996; **4**:261-277.
1827. Ulański, J.; Jeszka, J. K.; Laukhina, E., and Helberg, H. W. Superconductive organic polymer films. *Macromol Symp*. 1996; **104**:251-259.
1828. Woźniak, L. A.; Pyzowski, J., and Stec, W. J. New approach to the synthesis of oligo(nucleoside methanephosphonate)s. *J Org Chem*. 1996; **61**:879.
1829. Wróbel, A. M.; Hatanaka, Y.; Wickramanayaka, S., and Nakanishi, Y. Atomic hydrogen-induced chemical vapor deposition of α -Si:C:H films using alkylsilanes as α single-source precursors. Technical Report. Japan: Inst Electron Commun Eng; 1996; **SDM96-108**. 9-16 ZFP.
1830. Wróbel, A. M.; Kryszewski, M., and Czeremuszkin, G. Plasma chemical vapor deposition of a-C:S:H:H films using organoisoithiocyanates as novel single-source precursors. *Thin Solid Films*. 1996; **289**:112-120.
1831. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Stasiak, M., and Kulpiński, J. Conversion of tetraethoxysilane (TEOS) to silica film-forming precursors in atomic oxygen-induced chemical vapor deposition. *Adv Mater CVD*. 1996; **8**:285-291.
1832. Wyroba, E.; Pawłowska, Z.; Kobylańska, A.; Pluskota, E.; Maszewska, M.; Stec, W. J., and Cierniewski, C. S. Internalization of oligodeoxynucleotide antisense to type-1 plasminogen activator inhibitor mRNA in endothelial cells: A three-dimensional reconstruction by confocal microscopy. *Biol Cell*. 1996; **87**:37-43.
1833. Zabłocka, M.; Cenac, N.; Igau, A.; Donnadiou, B.; Majoral, J.-P.; Skowrońska, A., and Meunier, D. Regioselective synthesis of tricyclic 1,1-diphosphines. *Organometallics*. 1996; **15**:5436-5438.
1834. Aoki, T.; Ogishima, T.; Nakanishi, Y.; Hatanaka, Y., and Wróbel, A. M. Preparation of high-quality SiNx films by remote plasma CVD using TDMAS. *Electrochem Soc Proc*. 1997; **25**:1207-1214.
1835. Aoki, T.; Ogishima, T.; Wróbel, A. M.; Nakanishi, Y., and Hatanaka, Y. Silicon nitride film growth by remote plasma CVD using tris(dimethylamino)silane. *Proc 4th International Symposium on Sputtering and Plasma Processes ISSP '97*; Kanazawa, Japonia. 1997: 345-350.
1836. Argon, A. S.; Bartczak, Z.; Cohen, R. E., and Muratoglu, O. K. Novel mechanism of toughening semi-crystalline polymers. Anderson, S. I.; Brøndsted, P.; Lilholt, H.; Lystrup, A.; Rheinlander, J. T.; Sørensen, B. F., and Totfegaard, H., Eds. *Proceedings of the 18th Risø International Symposium on Material Science: Polymeric Composites-Expanding the Limits*; Roskilde.

Roskilde: Risø National Laboratory; 1997.

1837. Baran, J.; Duda, A.; Kowalski, A.; Szymański, R., and Penczek, S. Intermolecular chain transfer to polymer with chain scission: general treatment and determination of k_p/k_{tr} in L,L-lactide polymerization. *Macromol Rapid Comm.* 1997; **18**:325-334.
1838. Baran, J.; Duda, A.; Kowalski, A.; Szymański, R., and Penczek, S. Quantitative comparison of selectivities in the polymerization of cyclic esters. *Macromol Symp.* 1997; **123**:93-101.
1839. Bartczak, Z. and Gałęski, A. Plastic resistance of isotactic polypropylene α -crystals in bi-oriented polypropylene hydrogenated oligo(cyclopentadiene) blends. *Fibres & Textiles East Eur.* 1997; **5**:32-37.
1840. Bartczak, Z.; Gałęski, A.; Argon, A. S., and Cohen, R. E. Plastic deformation of the amorphous component in semicrystalline polymer. *Proc SPIE-Int Soc Opt Engineers.* 1997; **3095**:71-84.
1841. Bartczak, Z. and Martuscelli, E. Orientation and properties of sequentially drawn films of an isotactic polypropylene/hydrogenated oligocyclopentadiene blends. *Polymer* . 1997; **38**:4139-4149.
1842. Basińska, T. and Caldwell, K. Colloidal particles as immunodiagnostics. Preparation and characterization. *Polymeric Materials Science & Engineering.* 1997; **77**:54-55.
1843. Baško, M.; Kubisa, P., and Penczek, S. Cationic polymerization of methyl glyoxylate with cyclic acetals: structure of active species by phosphine ion-trapping. Faust, R. and Shaffer, T., Eds. *Cationic polymerization, fundamentals and applications.* 1997; p. 41.
1844. Bałczewski, P. Novel 1-phosphonyl radicals derived from 1-mono and 1,1-diheterosubstituted 2-oxoalkylphosphonates as useful phosphoroorganic intermediates in organic synthesis. *Tetrahedron.* 1997; **53**:2199-2212.
1845. Bałczewski, P. A novel free radical approach to methylenomycin B. *Heteroatom Chem.* 1997; **8**:67-69.
1846. Bałczewski, P. and Pietrzykowski, W. M. A new, effective approach for the C-C bond formation utilizing 1-, 2- and 3-phosphonyl radicals derived from iodo-substituted phosphonates and $n\text{-Bu}_3\text{SnH/Et}_3\text{B/O}_2$ system. *Tetrahedron.* 1997; **53**:7291-7304.
1847. Behnisch, J.; Tyczkowski, J.; Gazicki, M.; Peła, I.; Holländer, A., and Ledzion, R. Formation of hydrophobic layers on biologically degradable polymeric foils by plasma polymerization. *Surf Coat Technol.* 1997; **98**:864-866.
1848. Bilecki, W.; Okruszek, A., and Przewłocki, R. The effect of antisense oligodeoxynucleotides on nitric oxide secretion from macrophage-like cells. *Antisense & Nucleic Acid Drug Development.* 1997; **7**:531-537.
1849. Buczek, W.; Cierniewski, C. S.; Kobyłańska, A.; Koziolkiewicz, M.; Okruszek, A.; Pawłowska, Z.; Pluskota, E., and Stec, W. J. Modulation of (PAI-1) biosynthesis in vitro and in vivo with oligo(nucleoside phosphorothioate)s and related constructs. *Pharmacol Ther.* 1997; **76**:161-175.
1850. Chojnowski, J.; Fortuniak, W.; Habimana, J., and Taylor, R. Kinetics and mechanism of oligosiloxanol condensation and oligosiloxane rearrangement catalyzed with model phosphonitrile chlorides catalysts. *J Organomet Chem.* 1997; **534**:105-115.
1851. Cypryk, M. Ab initio study of the basicity and propensity of siloxanols towards hydrogen bond formation. *J Organomet Chem.* 1997; **545-546**:483-493.

1852. Cypriak, M. and Apeloig, Y. Ab initio study of silyloxonium ions. *Organometallics*. 1997; **16**:5938-5949.
1853. Drabowicz, J.; Dudziński, B.; Mikołajczyk, M.; Colonna, S., and Gaggero, N. Chiral *t*-butylphenylphosphinitioic acid in NMR analysis of tertiary amine oxides with stereogenic nitrogen atom. *Tetrahedron: Asymmetry*. 1997; **8**:2267-2270.
1854. Drabowicz, J.; Kotyński, A.; Kudzin, Z. H.; Nazarski, R. B., and Tasz, M. K. Reactions of nitrones with sodium iodide-trifluoroacetic anhydride system. Comments on the Beckmann rearrangement of aldonitrones and competitive processes of nucleophilic addition. *Tetrahedron*. 1997; **53**:14169-14178.
1855. Drabowicz, J.; Łyżwa, P.; Łuczak, J.; Mikołajczyk, M., and Laur, P. New procedures for the oxidation of sulfides to sulfoxides and sulfones. *Phosphorus, Sulfur and Silicon*. 1997; **120-121**:425-426.
1856. Duda, A.; Penczek, S.; Dubois, Ph., and Jerome, R. Statistical and block copolymers of ϵ -caprolactone. International Conference on Advanced Materials ICAM'97-European Materials Research Society Spring Meeting EMRS'97; Strasbourg (France). 1997: H-VII. 4.
1857. Dybowski, P. and Skowrońska, A. A convenient synthesis of episulfides and their conversion into alkenes. *Synthesis*. 1997:1134-1136.
1858. Dybowski, P. and Skowrońska, A. A convenient and stereoselective synthesis of Alk-2-alkenenitriles. *Synthesis*. 1997:284-286.
1859. Dąbkowski, W.; Tworowska, I.; Michalski, J., and Cramer, F. Trimethylchlorosilane: a novel activating reagent in nucleotide synthesis via the phosphoramidite route. *J Chem Soc Chem Commun*. 1997:877-888.
1860. Eaborn, C.; Ganicz, T.; Hitchcock, P. B.; Smith, E. D., and Sözerly, S. E. A novel organolead II species. The plumbacycloalkane derivative. *Organometallics*. 1997; **16**:5621-5622.
1861. Fortuniak, W. and Chojnowski, J. A route to polysiloxanes with pendant imidazole groups. Hydrosilylation of *N*-methylimidazole hydrochloride with methylchlorosilane. *Polym Bull*. 1997; **38**:371-378.
1862. Ganicz, T. and Stańczyk, W. A. Side-chain polycarbosilane-based liquid crystals. *Trends Polym Sci*. 1997(5):305-310.
1863. Gałęski, A. Przemieszczenia i splątania makrocząsteczek w krystalizacji polimerów o giętkich łańcuchach. *Polimery*. 1997; **42**:432.
1864. Gałęski, A. and Bartczak, Z. W kierunku opłacalności recyklingu materiałowego. *Prace Naukowe Katedry Budowy Maszyn Politechniki Śląskiej*. 1997; **1/97**:49-64.
1865. Graczyk, P. P.; Mikołajczyk, M.; Plass, M., and Kolbe, A. Particular intramolecular interaction in differently P-substituted 2-phosphinoyl(axial)-1,3-dithianes. *J Mol Struct*. 1997; **416**:179-185.
1866. Guo, Z.; Salamończyk, G.; Han, K.; Machiya, K., and Sih, C. J. Enzymatic oxidative phenolic coupling. *J Org Chem*. 1997; **62**:6700-6701.
Notes: stażowe
1867. Herczyńska, L.; Chojnowski, J.; Lacombe, L.; Lestel, L.; Połowiński, S., and Boileau, S. Synthesis of microsequential methylvinylsiloxane-dimethylsiloxane copolymers. International Symposium on Ionic Polymerization; Paris. 1997: 240-243.
1868. Horiuchi, S.; Yamochi, H.; Saito, G.; Jeszka, J. K.; Tracz, A.; Sroczyńska, A., and Ulański, J. Highly

oriented BEDO-TTF molecules in metallic polymer composites. *Mol Cryst Liq Cryst.* 1997; **296**:365-382.

1869. Jaworska-Maślanka, M.; Kacperczyk, W.; Korczyński, D., and Leśnikowski, Z. J. Studies on stereospecific formation of P-chiral internucleotide linkage: synthesis of All-R_p and All-S_p methylphosphonate pentanucleotide d(MMTrA_{PM}eT_{PM}eT_{PM}eC_{PM}eTAc) *via* Grignard activated coupling. *Antisense & Nucleic Acid Drug Development.* 1997; **7**:23-30.
1870. Kamiński, R.; Glass, R. S.; Schroeder, T. B.; Michalski, J., and Skowrońska, A. Monoselenophosphate: its hydrolysis and its ability to phosphorylate alcohols and amines. *Bioorg Chem.* 1997; **25**:247-259.
1871. Kazimierski, P. and Lehmborg, H. Electrical conductivity measurements with submicrometer lateral resolution. *Surf Coat Technol.* 1997; **98**:932-936.
1872. Kielbasiński, P. and Mikołajczyk, M. Enzymatic heteroatom chemistry. Enzymatic synthesis of chiral, non-racemic sulfinyl and phosphoryl compounds. *Main Group Chemistry News.* 1997; **5**:7-19.
1873. Kolbe, A.; Plass, M.; Drabowicz, J., and Żurawiński, R. The influence of the molecular interactions on the stability of hydrogen bonded dimers of carboxylic acids. *J Mol Struct.* 1997; **436/437**:161-166.
1874. Kotyński, A.; Kudzin, Z. H.; Okruszek, A.; Krajewska, D.; Olesiak, M., and Sierżchała, A. The iodine-azide reagent in detection of thiophosphoryl nucleotides in thin layer chromatography system. *J Chromatogr A.* 1997; **773**:285-290.
1875. Kowalczyk, D.; Wolszczak, M., and Słomkowski, S. Fluorescence of 1,3-di(1-pyrenyl)propane probe incorporated into human serum albumin. Protein enforced conformation of the probe. *Colloid Polym Sci.* 1997; **275**:99-105.
1876. Kowalewski, T.; Ragosta, G.; Martuscelli, E., and Gałęski, A. Crystallization of poly(ethylene oxide) in i-polypropylene-poly(ethylene oxide) blends. *J Appl Polym Sci.* 1997; **66**:2047.
1877. Kowara, J.; Skowrońska, A.; Capozzi, G., and Michalski, J. A new and efficient conversion of olefins into thiiranes using diethoxyoxophosphoranesulfonyl chloride. *Heteroatom Chem.* 1997; **8**(5):429-433.
1878. Koziolkiewicz, M.; Gendaszewska, E., and Maszewska, M. Stability of stereoregular oligo(nucleoside phosphorothioate)s in human plasma diastereoselectivity of cellular 3'-exonuclease. *Nucleosides & Nucleotides.* 1997; **16**:1677-1682.
1879. Koziolkiewicz, M.; Wójcik, M.; Kobyłańska, A.; Karwowski, B.; Rębowska, B.; Guga, P., and Stec, W. J. Stability of stereoregular oligo(nucleoside phosphorothioate)s in human plasma. Diastereoselectivity of plasma 3'-exonuclease. *Antisense & Nucleic Acid Drug Development.* 1997; **7**:43-48.
1880. Kryszewski, M. Gradient polymers and copolymers. Roslaniec, Z. and El Fray, M. *Europhysics Conferences on Macromolecular Physics*; Szczecin. Technical University of Szczecin Press; 1997.
1881. ---. Is the progress in introducing new polymeric architectures and systems followed by the state of research and the development of scattering techniques? Włochowicz, A. and Janicki, J., Editor. *X-ray investigations of polymers structures.* SPIE-The Engineering; 1997; pp. 2-16.
1882. ---. Some applications of organic conductors. Munn, R. W.; Miniewicz, A., and Kuchta, B., editor. *Electrical and related properties of organic solids.* Dordrecht: Kluwer Academic Publishers; 1997; pp. 1-23.

1883. Kryszewski, M. and Bąk, G. W. Characterisation of boundary phenomena using bond dielectric spectroscopy. *J Adhesion*. 1997; **62**:181.
1884. Kryszewski, M. and Bąk, G. W. The reinforcement of elastic polymer matrix filled with ultrafine particles. *Acta Phys Polonica A*. 1997; **92**:1163-1171.
1885. Kudzin, Z. H.; Łyżwa, P., and Łuczak, J. A facile conversion of 1-aminoalkanephosphonic acids into O,O-diethyl 1-aminoalkanephosphonates. *Synthesis*. 1997:44-46.
1886. Kurjata, J. and Chojnowski, J. Synthesis and thermal properties of polysilethers-polyoxymultisililenes. *International Polymer Seminar ; Gliwice*. 1997: 77-80.
1887. Majzner, W. R.; Wieczorek, M. W.; Mikołajczyk, M., and Graczyk, P. P. 2-(Diphenylphosphinoyl)-1,3-dioxane. *Acta Crystallogr*. 1997; **C53**:467-469.
1888. Michalski, J. and Dąbkowski, W. New chemistry and stereochemistry of phosphorofluoridates and fluoridites towards modified phosphates of biological importance. Eckert, H., Ed. *Ugi-Symposium:Multikomponenten-reaktionen; Munchen*. 1997.
1889. Mikołajczyk, M.; Drabowicz, J., and Kielbasiński, P. Chiral sulfur reagents. Application in asymmetric and stereoselective synthesis. Boca Raton //New York: CRC Press; 1997; ISBN: 0849391202 .
1890. Mikołajczyk, M.; Midura, W. H.; Wladislaw, B.; Biaggio, F. C.; Marzorati, L.; Wieczorek, M. W., and Błaszczyk, J. α -Phosphoryl sulfoxides. XI. Sulfenylation of α -phosphoryl sulfoxides and a general synthesis of optically active ketene dithioacetal mono-S-oxides. *Tetrahedron*. 1997; **53**:2959-2972.
1891. Mikołajczyk, M.; Łuczak, T.; Graczyk, P. P.; Wieczorek, M. W.; Błaszczyk, J.; Bujacz, G. D., and Majzner, W. R. Solid state conformation of and anomeric effect in 2-phosphoryl, 2-thiophosphoryl and 2-selenophosphoryl substituted 1,3-dithiolanes. *J Organomet Chem*. 1997; **536-537**:355-360.
1892. Mikołajczyk, M.; Łyżwa, P., and Drabowicz, J. Asymmetric addition of dialkyl phosphite and diamido phosphite anions to chiral, enantiopuresulfinimines: a new, convenient route to enantiomeric α -aminophosphonic acids. *Tetrahedron: Asymmetry*. 1997; **8**:3991-3994.
1893. Mikołajczyk, M.; Łyżwa, P., and Drabowicz, J. A new asymmetric synthesis of β -aminophosphonic acids. *Phosphorus, Sulfur and Silicon*. 1997; **120-121**:357-358.
1894. Mikołajczyk, M.; Żurawiński, R.; Kielbasiński, P.; Wieczorek, M. W.; Błaszczyk, J., and Majzner, W. R. Total synthesis of racemic and optically active sarkomycin. *Synthesis*. 1997:356-365.
1895. Okruszek, A.; Olesiak, M.; Krajewska, D., and Stec, W. J. Efficient one-pot synthesis of 2'-deoxyribonucleoside-3'-O- and 5'-O-phosphorodithioates. *J Org Chem*. 1997; **62**:2269-2272.
1896. Oza, W. B.; Salamończyk, G.; Guo, Z., and Sih, C. J. Model reactions of thyroxine biosynthesis, identification of the key intermediates in thyroxine formation from 3,5-diiodo-L-thyrosine and 4-hydroxy-3,5-diiodophenylpyruvic acid. *J Am Chem Soc*. 1997; **119**:11315-11316.
Notes: stażowe
1897. Pankiewicz, K.; Lesiak, K.; Zatorski, A.; Goldstain, B. M.; Carr, S. F.; Sochacki, M.; Majumdar, A.; Seidman, M., and Watanabe, K. A. The practical synthesis of a methylene-bis-phosphonate analogue of benzamide adeninedinucleotide: inhibition of human inosine monophosphate dehydrogenase (type I and II). *J Med Chem*. 1997; **40**:1287-1291.
Notes: Staż
1898. Penczek, S. and Duda, A. Polymerization of cyclic esters. Structure and reactivity species. *The Second*

International Conference on Advanced Polymers via Macromolecular Engineering APME'97; Orlando (Florida, USA). 1997: p. 4.

1899. Penczek, S.; Sekiguchi, H., and Kubisa, P. Activated monomer polymerization of cyclic monomers. Hatada, K.; Kitayama, T. , and Vogl, O., Eds. Macromolecular design of polymeric materials. New York: Marcel Dekker; 1997; pp. 199-221.
1900. Penczek, S.; Szymański, R.; Pretula, J.; Kałużyński, K., and Libiszowski, J. Copolymerization of 7-oxabicyclo[2.2.1]heptane with tetrahydrofuran. Faust, R. and Shaffer, T., Eds. Cationic polymerization, fundamentals and applications. 1997; pp. 75-82.
1901. Perlikowska, W.; Mphahlele, M. J., and Modro, T. A. One-pot stereoselective synthesis of (Z)-diethyl α -chlorovinylphosphonates. J Chem Soc Perkin 2. 1997:967-970.
1902. Piórkowska, E. Nonisothermal crystallization of polymers in samples of finite dimensions. 1. Backround of the mathematical description of spherulitic pattern formation. Colloid Polym Sci. 1997; **275**:1035-1045.
1903. ---. Nonisothermal crystallization of polymers in samples of finite dimensions. 2. Description of spherulic pattern formation. Colloid Polym Sci. 1997; **275**:1046-1059.
1904. ---. Thermal effects due to polymer crystallization. J Appl Polym Sci. 1997; **66**:1015-1028.
1905. Potrzebowski, M. J.; Błaszczuk, J.; Wieczorek, M. W., and Klinowski, J. Solid state NMR and X-ray diffraction studies of geometry and intramolecular dynamics of bis(organothiophosphoryl) dichalcogenides. J Phys Chem A. 1997; **101**:8077-8084.
1906. Potrzebowski, M. J.; Błaszczuk, J.; Wieczorek, M. W.; Misiura, K., and Stec, W. J. The synthesis, X-ray and solid state studies of N,N-diisopropylamino-1,3,2,5-oxaselenaphospholane-2-selone. J Chem Soc Perkin 2. 1997:163-168.
1907. Pretula, J.; Kałużyński, K.; Libiszowski, J.; Szymański, R., and Penczek, S. Copolymer of 7-oxabicyclo[2.2.1]heptane with 1,3-dioxane and promesogenic telechelic oligomers thereof. J Polym Sci A: Polym Chem. 1997; **35**:1733-1742.
1908. Pretula, J.; Kałużyński, K.; Szymański, R., and Penczek, S. Polycondensation route leading to poly(alkylene phosphate)s. Macromol Symp. 1997; **122**:269-274.
1909. Pretula, J.; Kałużyński, K.; Szymański, R., and Penczek, S. Preparation of poly(alkylene-H-phosphonate)s and their derivatives by polycondensation of diphenyl H-phosphonate with diols and subsequent transformations. Macromolecules. 1997; **30**:8172-8176.
1910. Różga-Wijas, K.; Chojnowski, J., and Boileau, S. Optically active dimethylsiloxane copolymers with nucleophilic chiral sulfur groups pendant to the polysiloxane chain. J Polym Sci A: Polym Chem. 1997; **35**:879-880.
1911. Salamończyk, G.; Oza, W. B., and Sih, C. J. A concise synthesis of thyroxine (T4) and 3,5,3'-triiodo-L-thyronine (T3). Tetrahedron Lett. 1997; **38**:6965-6968.
Notes: stażowe
1912. Salamończyk, G.; Rehnberg, N.; Krawiecka, B., and Michalski, J. Application of the Arbuzov reaction for the synthesis of phosphonate analogues of myoinositol 1,2-bis- and 1,2,6-trisphosphates and methyl α -D-mannopyranoside 2,3,4-trisphosphate. Tetrahedron Lett. 1997; **38** :647-650.
1913. Sloderbach, A.; Hładoń, B.; Sochacki, M.; Kinas, R.; Kuśnierczyk, H., and Laskowska, H.

Pharmacokinetic-stereoselective differentiation of some isomeric analogues of ifosfamide. *Pol J Pharmacol.* 1997; **49**:463-469.

1914. Stec, W. J.; Cierniewski, C. S.; Okruszek, A.; Kobylańska, A.; Pawłowska, Z.; Koziolkiewicz, M.; Pluskota, E.; Maciaszek, A.; Rębowska, B., and Stasiak, M. Stereodependent inhibition of plasminogen activator inhibitor type 1 by phosphorothioate oligonucleotides; proof of sequence specificity in cell culture and in vivo rats experiments. *Antisense & Nucleic Acid Drug Development.* 1997; **7**:567-573.
1915. Stec, W. J.; Woźniak, L. A.; Pyzowski, J., and Niewiarowski, W. Novel cost-effective methanephosphonoanilidothioate approach to the selective synthesis of dinucleoside (3',5')-methanephosphonates. *Antisense & Nucleic Acid Drug Development.* 1997; **7**:381-395.
1916. Szafran, M.; Dega-Szafran, Z.; Buczak, G.; Katrusiak, A.; Potrzebowski, M. J., and Komasa, A. Molecular structures and hydrogen bonding in the 1:1 and 1:2 complexes of pyridine betaine with 2,6-dichloro-4-nitrophenol; an example of strongly coupled H-bonds, $O-H\cdots O=C-O-H\cdots O^-$. *J Mol Struct.* 1997; **416**:145-160.
1917. Słomkowski, S.; Gadzinowski, M., and Sosnowski, S. Mechanism of particle formation and kinetics of the dispersion polymerization of cyclic esters. *International Symposium on Ionic Polymerization; Paris* . 1997: p. 52.
1918. Słomkowski, S.; Miksa, B.; Kowalczyk, D.; Basińska, T., and Wang, F. W. Proteins at surfaces of poly(styrene/acrolein) latexes and latex assemblies. *ACS Polymer Preprint.* 1997; **38**(2):660-661.
1919. Słomkowski, S.; Sosnowski, S., and Gadzinowski, M. Latexes and microspheres by ring-opening polymerization. *Polymerization of cyclic esters. 7th Iketani Conference, International Symposium of Advanced Technology of Fine Particles; Yokohama.* 1997: p. 34.
1920. Słomkowski, S.; Sosnowski, S., and Gadzinowski, M. Microspheres by dispersion polymerization of lactides and ϵ -caprolactone. *Macromol Symp.* 1997; **123**:45-60.
1921. Słomkowski, S.; Sosnowski, S., and Gadzinowski, M. Polyesters from lactides and ϵ -caprolactone. Dispersion polymerization *versus* polymerization in solution. *International Conference on Advanced Materials ICAM'97-European Materials Research Society Spring Meeting EMRS'97; Strasbourg.* 1997: H4.
1922. Słomkowski, S.; Sosnowski, S.; Gadzinowski, M.; Pichot, Ch., and Elaissari, A. Polyester microspheres. Direct synthesis of potential carriers of bioactive compounds. *ACS Polymer Preprint.* 1997; **38**(2):590-591.
1923. Tamulevicius, S.; Andrulevicius, M.; Jankauskas, J.; Tyczkowski, J., and Mazurczyk, R. Internal stress in plasma deposited thin $a-Ge_xC_y:H$ films. *Medzagotyra (Materials Science).* 1997; **2**:9-13.
1924. Tracz, A.; Jeszka, J. K.; Sroczynska, A.; Ulański, J.; Horiuchi, S.; Yamochi, H., and Saito, G. New transparent colorless, metallically conductive polymer films and their electromechanical transformations. *Synth Met.* 1997; **86**:2173-2174.
1925. Tyczkowski, J.; Mazurczyk, R., and Ledzion, R. Study on band structure model of insulating hydrogenated carbon-germanium films. *Woynarovich, G., Ed. Proc Inter Conf on Dielectrics and Insulation; Budapest. Tech Univ Budapest;* 1997.
1926. Tyczkowski, J. and Pietrzyk, B. A novel type of audio-frequency reactor for plasma deposition-new possibilities in thin film technology. *Binshi, X.; Shining, M.; Jiajun, L., and Youli, Z., Eds. Surface Engineering Towards the 21st Century. Publ China Machine Press;* 1997; pp. 344-347.

1927. Tyczkowski, J.; Pietrzyk, B.; Hatanaka, Y., and Nakanishi, Y. Electrical and optical properties of carbon-tin films plasma-deposited from tetramethyltin in a three-electrode reactor. *Appl Surf Sci.* 1997; **113-114**:534-538.
1928. Tyczkowski, J.; Pietrzyk, B.; Mazurczyk, R.; Polański, K.; Balcerski, J., and Delamar, M. Formation of a crystalline phase in amorphous hydrogenated carbon-germanium films by electron beam irradiation. *Appl Phys Lett.* 1997; **71**(20):2943-2945.
1929. Tyczkowski, J.; Szymanowski, H., and Mazurczyk, R. Characterization of low frequency plasma generated in a three-electrode reactor. *Surf Coat Technol.* 1997; **98**:1369-1373.
1930. Uchimar, T.; Stec, W. J., and Taira, K. Mechanism of the chemoselective and stereoselective ring opening of oxathiaphospholanes: an ab initio study. *J Org Chem.* 1997; **62**:5793-5800.
1931. Ulański, J.; Tracz, A.; Jeszka, J. K.; Laukhina, E.; Khomenko, A.; Polanowski, P.; Staerk, D., and Helberg, H. W. Conductivity of the ET Polyiodides crystalline networks transformed into superconductive phase. Munn, R. W.; Miniewicz, A., and Kuchta, B., Editor. *Electrical and related properties of organic solids.* Dordrecht: Kluwer Academic Publishers; 1997; pp. 241-257.
1932. Ulański, J.; Tracz, A.; Jeszka, J. K.; Laukhina, E., and Pakuła, T. Phase transitions of ET polyiodides leading to superconducting polymer in situ composites. *Synth Met.* 1997; **85**:1591-1592.
1933. Uznański, P.; Marguet, S.; Markovitsi, D.; Schuhmacher, P., and Ringsdorf, H. Photophysical properties of discotic dibenzopyrenes. *Mol Cryst Liq Cryst.* 1997; **1293**:123-133.
1934. Walkiewicz-Pietrzykowska, A.; Wróbel, A. M., and Kryszewski, M. Alkylsilanes and alkylcarbosilanes as single-source precursors for the formation of a-Si:C:H thin-film materials by atomic hydrogen-induced chemical vapor deposition. *Polish J Chem.* 1997; **71**:1831-1840.
1935. Wickramanayaka, S.; Wróbel, A. M., and Hatanaka, Y. Remote plasma deposition of a-SiC:H films using novel source materials. *J Surf Sci Soc Jpn.* 1997; **18**:108-115.
1936. Wróbel, A. M. and Hatanaka, Y. Silicon-carbon thin-film materials produced from organosilane precursors by a remote hydrogen plasma chemical vapor deposition in plasma processing of polymers. d'Agostino, R.; Favia, P., and Fracassi, F., Eds. *Plasma processing of polymers.* Dordrecht: Kluwer Press; 1997; pp. 335-344.
1937. Wróbel, A. M.; Wickramanayaka, S.; Nakanishi, Y.; Hatanaka, Y.; Pawłowski, S., and Olejniczak, W. Atomic hydrogen-induced Chemical Vapor Deposition of a-Si:C:H thin film. Materials from alylsilane precursors. *Diamond Relat Mater.* 1997; **6**:1081-1091.
1938. Wódzki, R.; Kałużynski, K., and Kłosiński, P. Mobile macromolecular carriers of ionic substances, 1. Transport of heavy metal ions by polymer analogues of teichoic acids. *Macromol Chem Phys.* 1997; **198**:1809-1821.
1939. Wójcik, P. and Wójcik, M. Rola wapnia w mięknienu owoców. *Postępy Nauk Rolniczych.* 1997; **4**:27-35.
1940. Yang, Xian-bin; Misiura, K.; Sochacki, M., and Stec, W. J. Deoxyxylothymidine 3'-O-phosphorothioates: synthesis, stereochemistry and stereocontrolled incorporation into oligothymidylates. *Bioorg Med Chem Lett.* 1997; **7**:2651-2656.
1941. Zabłocka, M.; Delest, B.; Igau, A.; Skowrońska, A., and Majoral, J.-P. $[Cp_2ZrHCl]_n$ a useful reducing agent in phosphorus chemistry. *Tetrahedron Lett.* 1997; **38**(34):5997-6000.
1942. Zabłocka, M.; Igau, A.; Donnadieu, B.; Majoral, J.-P.; Skowrońska, A., and Meunier, D. Zirconaindane

phospholanes: key reagents for the synthesis of mono- or tri-cyclic phosphanes and related species. *J Chem Soc Chem Commun.* 1997:1239-1240.

1943. Zielińska, E.; Niewiarowski, W.; Bodalski, J.; Staczyk, A.; Bolanowski, W., and Rębowski, G. Arylamine N-acetyltransferase (NAT2) gene mutations in children with allergic diseases. *Clinical Pharmacology Therapeutics.* 1997; **62**:635-642.
1944. Akao, Y.; Mizoguchi, H.; Misiura, K.; Stec, W. J.; Seto, M.; Ohishi, N., and Yagi, K. Antisense oligodeoxyribonucleotide against MLL-LTG19 chimeric transcript inhibits cell growth and induces apoptosis in an infantile leukemic cell line carrying the t(11;19) chromosomal translocation. *Cancer Res.* 1998; **58**:3773-3776.
1945. Aoki, T.; Ogishima, T.; Wróbel, A. M.; Nakanishi, Y., and Hatanaka, Y. Silicon nitride film growth by remote plasma CVD using tris(dimethylamino)silane. *Vacuum.* 1998; **51**:747-750.
1946. Aoki, T.; Tyczkowski, J.; Ogishima, T.; Nakanishi, Y., and Hatanaka, Y. Microcrystalline Ge films prepared by remote plasma CVD from tetraethylgermanium. *J Chem Vap Dep.* 1998; **6**:196-208.
1947. Baraniak, J.; Korczyński, D.; Kaczmarek, R., and Wasilewska, E. New approach to the solid phase synthesis of N^{3'}-> P^{5'} phosphoroamidate oligonucleotides. *Nucleosides & Nucleotides.* 1998; **17**:1347-1353.
1948. Bartczak, Z. and Gałęski, A. On the plastic resistance of isotactic polypropylene α -crystals in bi-oriented polypropylene/hydrogenated oligo(cyclopentadiene) blends. *Polymer.* 1998; **40**:2501-2508.
1949. Bałczewski, P. and Mikołajczyk, M. Inter-molecular reactions of phosphorus containing carbon centered radicals with alkenes and examples of their utilization in organic synthesis. *Revs on Heteroatom Chemistry.* 1998; **18**:37-59.
1950. Bednarek, M.; Biedroń T. , and Kubisa, P. Synthesis of block copolymers by atom transfer radical polymerization of tert-butyl acrylate with poly(oxyethylene) macroinitiators. *Macromol Rapid Comm.* 1998; **19**.
1951. Bednarek, M. and Kubisa, P. Copolyetehers with controlled structure: mechanism of formation and microstructure. *Macromol Symp.* 1998; **132**:349-358.
1952. Behnisch, J.; Tyczkowski, J.; Gazicki, M.; Peła, I.; Holländer, A., and Ledzion, R. Formation of hydrophobic layers on biologically degradable polymeric foils by plasma polymerization. *Surf Coat Technol.* 1998; **98**:872-874.
1953. Bunnett, J. F. and Mikołajczyk, M., Editors. Arsenic and old mustard: chemical problems in the destruction of old arsenical and "mustard" munitions. Dordrecht //Boston// London: Kluwer Academic Publishers; 1998;(NATO-ASI Series. Partnership sub-series 1, Disarmament technologies; v. **19**). ISBN: 0792351754 .
1954. Błaszczak, J.; Majzner, W. R.; Wiczorek, M. W., and Woźniak, L. A. The X-ray crystal and molecular structure of 5'-bromo-5'-deoxythymidine. *Heteroatom Chem.* 1998; **9**:591-596.
1955. Chojnowski, J.; Fortuniak, W.; Pluta, M., and Ścibiorek, M. Polyoxyligodimethylsilylene by heterofunctional polycondensation, some thermal properties. *Europ Polym J.* 1998; **34**:931-940.
1956. Drabowicz, J. Hypervalent sulfuranes as transient and isolable structures: occurrence, synthesis and reactivity. Akiba, Kin-ya, Editor. *Chemistry of hypervalent compounds.* New York: Wiley-VCH; 1998; pp. 211-240.

1957. Drabowicz, J.; Dudziński, B.; Mikołajczyk, M.; Wieczorek, M. W., and Majzner, W. R. Crystal and molecular structure of the levorotatory (1R, 2S)-ephedrinium (S)-t-butylsulfinyl-acetate: a definite proof of the absolute configuration of enantiomeric t-butyl methyl sulfoxides. *Tetrahedron: Asymmetry*. 1998; **9**:1171-1178.
1958. Drabowicz, J.; Łuczak, J., and Mikołajczyk, M. Triphenylphosphine/dichloroselenurane: a new reagent for a selective conversion of alcohols into alkyl chlorides. *J Org Chem*. 1998; **63**:9565-9568.
1959. Drabowicz, J.; Łuczak, J.; Łyżwa, P., and Mikołajczyk, M. New oxidation procedures based on the use of selenium derivatives as reagents and catalysts. *Phosphorus, Sulfur and Silicon*. 1998; **136-138**:143-158.
1960. Duda, A. Poszerzenie rozkładu stopnia polimeryzacji makrocząsteczek w polimeryzacji żyjącej. *Polimery*. 1998; **43**:135-143.
1961. Duda, A.; Biela, T.; Libiszowski, J.; Penczek, S.; Dubois, Ph.; Mecerreyes, D., and Jerome, R. Block and random copolymers of ϵ -caprolactone. *Polym Degrad Stab*. 1998; **59**:215-222.
1962. Dąbkowski, W.; Michalska, M., and Tworowska, I. Highly efficient synthesis of phosphorodithioates derived from 3'-thiothymidine by anhydro-ring opening of 2,3'-anhydro-5'-O-tritylthymidine with 0,0-disubstituted phosphorodithioic acids. *J Chem Soc Chem Commun*. 1998:427-428.
1963. Dąbkowski, W.; Michalska, M., and Tworowska, I. A simple and efficient synthesis of nucleotides containing 5'-S- or 3'-S-phosphorothioate linkage. *Nuclosides & Nucleotides*. 1998; **17**:1635-1637.
1964. Dąbkowski, W.; Tworowska, I.; Michalski, J., and Cramer, F. Novel unique catalytic activating reagents in synthesis of biophosphates via the phosphoramidite route. *Nuclosides & Nucleotides*. 1998; **17**:1639-1644.
1965. Eaborn, C.; Kowalewska, A., and Stańczyk, W. A. 1,3-Migration of a phenyl group in the conversion of $(\text{Me}_3\text{Si})_2(\text{PhMe}_2\text{Si})\text{CSiMePhX}$ into $(\text{Me}_3\text{Si})_2(\text{Ph}_2\text{MeSi})\text{CSiMe}_2\text{Y}$ species. *J Organomet Chem*. 1998; **560**:41-46.
1966. Fearon, K. L.; Hirschbein, B. L.; Nelson, J. S.; Foy, M. F.; Nguyen, M. Q.; Okruszek, A.; McCurdy, S. N.; Frediani, J. E.; DeDionisio, L. A.; Raible, A. M.; Cagle, E. N., and Boyd, V. L. An improved synthesis of oligonucleotide N3'-P5' phosphoroamidates and their chimera using hindered phosphoramidite monomers and a novel handle for reverse phase purification. *Nucleic Acids Res*. 1998; **26**:3813-3824.
1967. Gazicki, M.; Ledzion, R.; Mazurczyk, R., and Pawłowski, S. Deposition and properties of germanium/carbon films deposited from tetramethylgermanium in a parallel plate RF discharge. *Thin Solid Films*. 1998; **322**:123-131.
1968. Gałęski, A. Crystallization. Karger-Kocsis, J., Ed. *Polypropylene: A-Z reference*. London: Chapman & Hall; 1998; pp. 135-141.
1969. ---. Nucleation. Karger-Kocsis, J., Ed. *Polypropylene: A-Z reference*. London: Chapman & Hall; 1998; pp. 545-553.
1970. Gendaszewska, E. Szczepionki DNA. *Postępy Biochemii*. 1998; **44**:117-124.
1971. Gołos, B.; Misiura, K.; Olesiak, M.; Okruszek, A.; Stec, W. J., and Rode, W. Synthesis and interaction with thymidylate synthetase of 5'-dithiophosphate and 5'-fluorothiophosphate of thymidine. *Acta Biochimica Polonica*. 1998; **45**:83-86.

1972. Grossmann, G.; Potrzebowski, M. J.; Fleischer, U.; Kruger, C.; Malkina, O., and Ciesielski, W. Anisotropy of chemical shift and J coupling for phosphorus-31 and selenium-77 in trimethyl and triphenyl phosphine selenides. *Solid State Nucl Magn Res.* 1998; **12**.
1973. Guga, P.; Koziółkiewicz, M.; Okruszek, A., and Stec, W. J. Oligo(nucleoside phosphorothioate)s. Krieg, A. M. and Stein, C. A., Ed. *Applied antisense oligonucleotide technology*. New York: John Wiley & Sons; 1998; pp. 23-50.
1974. Guo, Z.; Machiya, K.; Salamończyk, G., and Sih, C. J. Total synthesis of bastadins 2,3 and 6. *J Org Chem.* 1998; **63**(4269-4276).
Notes: Stażowe
1975. Hatanaka, Y.; Aoki, T.; Wróbel, A. M., and Korzec, D. Z. Thin film deposition from organo-silicon and -metal by remote plasma chemical vapor deposition. *Proc 15th Symposium on Plasma Processing; Hamamatsu, Japonia.* 1998: 46-51.
1976. Herczyńska, L.; Chojnowski, J.; Lacombe, L.; Lestel, L.; Połowiński, S., and Boileau, S. Synthesis of microsequential methylvinylsiloxane-dimethylsiloxane copolymers by non-equilibrium copolymerization. *J Polym Sci A: Polym Chem.* 1998; **36**:137-145.
1977. Higson, A. P.; Sierchala, A.; Brummel, H.; Zhao, Z., and Caruthers, M. H. Synthesis of an oligothymidylate containing boranophosphate linkages. *Tetrahedron Lett.* 1998; **39**:3899-3902.
1978. Jasińska, B.; Rumiński, J. R.; Guga, P., and Kaczyńska, D. Investigation of complexes of tripeptides leu-leu-tyr and leu-ser-phe with Co(III). *J Serb Chem Soc.* 1998; **63**:845-850.
1979. Jeszka, J. K. and Kryszewski, M. Polimery specjalne, stosowane w elektronice i optoelektronice. Florjańczyk, Z. and Penczek, S., Eds. *Chemia Polimerów*. Warszawa: Oficyna Wydawnicza Politechniki Warszawskiej; 1998; pp. 135-158.
1980. Jeszka, J. K.; Sroczyńska, A.; Tracz, A., and Müller, H. Surface conductive polymer composites on (BEDT-TTF)₂Cu(SCN)₂. *Synth Met.* 1998; **94**:31-34.
1981. Kanagaratnam, R.; Misiura, K.; Rębowski, G., and Ramasamy, R. Malaria merozoite surface protein antisense oligonucleotides lack antisense activity but function as polyanions to inhibit red cell invasion. *Int J Biochem Cell Biol.* 1998; **30**:979-985.
1982. Karwowski, B.; Guga, P.; Kobyłańska, A., and Stec, W. J. Nucleoside 3'-O-(2-oxo-"spiro"-4,4-pentamethylene-1,3,2.-oxathiaphospholanes): monomers for stereocontrolled synthesis of oligo(nucleoside phosphorothioate)s. *Nucleosides & Nucleotides.* 1998; **17**.
1983. Kazimierski, P. and Lehmborg, H. Electrical conductivity measurements with submicrometer lateral resolution. *Surf Coat Technol.* 1998; **98**:939-943.
1984. Kazimierski, P.; Tyczkowski, J.; Delamar, M., and Lehmborg, H. Transition from amorphous insulator to amorphous semiconductor in hydrogenated carbon-germanium films-investigations in submicrometer scale. *J Non-Cryst Solids.* 1998; **227-230**:422-426.
1985. Kaźmierski, K.; Cypryk, M., and Chojnowski, J. Cationic ring-opening polymerization of cyclosiloxanes with mixed siloxane units. *Polymer Preprints.* 1998; **39**:439-440.
1986. Kaźmierski, K.; Cypryk, M., and Chojnowski, J. Selectivity of siloxane-siloxane copolymer synthesis by ring- opening polymerization. *Macromol Symp.* 1998; **132**:404-414.

1987. Kielbasiński, P.; Góralczyk, P.; Mikołajczyk, M.; Wieczorek, M. W., and Majzner, W. R. Enzyme-promoted kinetic resolution of racemic P-chiral phosphonyl and phosphorylacetates. *Tetrahedron: Asymmetry*. 1998; **9**:2641-2650.
1988. Kielbasiński, P.; Omelańczuk, J., and Mikołajczyk, M. Lipase-promoted kinetic resolution of racemic, P-chiral hydroxymethylphosphonates and phosphinates. *Tetrahedron: Asymmetry*. 1998; **9**:3283-3287.
1989. Kielbasiński, P.; Żurawiński, R.; Pietrusiewicz, K. M.; Zabłocka, M., and Mikołajczyk, M. Synthesis of P-chiral, non-racemic phosphinylacetates via enzymatic resolution of racemates. *Polish J Chem*. 1998; **72**:564-572.
1990. Kobylańska, A.; Okruszek, A., and Stec, W. J. Application of oxathiaphospholane method for the synthesis of oligodeoxyribonucleotide 5'-O-conjugates. *Nucleosides & Nucleotides*. 1998; **17**:1977-1982.
1991. Kotyński, A.; Ciesielski, W.; Kudzin, Z. H.; Okruszek, A.; Krajewska, D., and Lipka, P. Iodine-azide reagent in the detection of biologically oriented thiophosphoryl compounds in thin-layer chromatography systems II. *J Chromatogr A*. 1998; **813**:135-143.
1992. Kowalski, A.; Duda, A., and Penczek, S. Kinetics and mechanism of cyclic esters polymerization initiated with tin(II) octoate, 1. Polymerization of ϵ -caprolactone. *Macromol Rapid Comm*. 1998; **19**:567-572.
1993. ---. Polymerization of L,L-lactide initiated with aluminum isopropoxide trimer or tetramer. *Macromolecules*. 1998; **31**:2114-2122.
1994. Kowalski, A.; Libiszowski, J.; Duda, A., and Penczek, S. Kinetics and mechanism of polymerization of cyclic esters. *Polymer Preprints*. 1998; **39**(2):74-75.
1995. Koziółkiewicz, M. Strategia antysensowych oligonukleotydów - nowe trendy. *Postępy Biochemii*. 1998; **44**:125-135.
1996. Koziółkiewicz, M.; Maciaszek, A.; Stec, W. J.; Semizarov, D.; Victorova, L., and Krayevsky, A. Effect of P-chirality of oligo(deoxyribonucleoside phosphorothioate)s on the activity of terminal deoxyribonucleotidyl transferase. *FEBS Letters*. 1998; **434**:77-82.
1997. Krakowiak, A. and Koziółkiewicz, M. Influence of P-chirality of phosphorothioate oligonucleotides on the activity of AMV-reverse transcriptase. *Nucleosides & Nucleotides*. 1998; **17**:1823-1834.
1998. Krakowiak, A. and Koziółkiewicz, M. Oligonukleotydy o właściwościach aptamerycznych. *Postępy Biochemii*. 1998; **44**:306-317.
1999. Kryszewski, M. Application of conducting organic solids and some nonlinear and dipolar polymers for biological sensors: successes and problems. *Photonic Sci News*. 1998; **3**(2):28.
2000. ---. Gradient polymers and gradient copolymers. *Polym Adv Technol*. 1998; **9**:244-259.
2001. ---. Wytwarzanie małych cząsteczek metali i półprzewodników w układach polimerowych. *Polimery*. 1998; **43**:65-134.
2002. Kryszewski, M. and Jeszka, J. K. Nanostructured conducting polymer composites-superparamagnetic particles in conducting polymers. *Synth Met*. 1998; **94**:99-104.
2003. Kryszewski, M. and Ulański, J. Thin chemically anisotropic polyporphyrin films with potential applications in non-linear optics. *Pure Appl Optics*. 1998; **7**:211-220.

2004. Kryszewski, M. and Wojciechowski, R. Anisotropic mesogenic liquid crystalline cellulose derivatives as a basis for functional materials. *Polym Adv Technol.* 1998; **9**:654-660.
2005. Kubisa, P. and Vogl, O. International Symposium on Ionic Polymerization. *Polymer News.* 1998; **23**:9.
2006. Leśniak, E.; Michalska, Z., and Chojnowski, J. One-step synthesis of thermoplastic phenylsilsesquioxane polymer and its copolymers with diphenylsiloxanes. *J Inorg Organometal Polym.* 1998; **8**:1-21.
2007. Maciągiewicz, I.; Dybowski, P., and Skowrońska, A. A convenient synthesis of α -substituted vinylphosphonates based on dithio- and selenophosphates. *Polish J Chem.* 1998; **72**:2389-2393.
2008. Majoral, J.-P.; Meunier, P.; Igau, A.; Pirio, N.; Zabłocka, M.; Skowrońska, A., and Bredeau, S. Zirconocene [Cp₂Zr] synthon and benzynezirconocene complexes as tools in main group element chemistry. *Coordination Chem Rev.* 1998; **178-180**:145-167.
2009. Mazurczyk, R.; Szymanowski, H.; Tyczkowski, J., and Dargis, R. Otrzymywanie cienkich warstw szklów krzemowęglowych domieszkowanych atomami lantanowców. *Materiały I Kongresu PTP*; Kraków. Wyd. Uniw. Jagiellońskiego; 1998: 384-388.
2010. Midura, W. H.; Krysiak, J. A.; Mikołajczyk, M.; Wieczorek, M. W., and Majzner, W. R. A fully diastereoselective asymmetric cyclopropanation of (+)-(S)- α -diethoxyphosphoryl-vinyl p-tolyl sulfoxide. *J Chem Soc Chem Commun.* 1998:1109-1110.
2011. Mikołajczyk, M.; Perlikowska, W.; Omelańczuk, J.; Cristau, H.-J., and Perraud-Darcy, A. Stereoselective synthesis of racemic and optically active E-winyln and E-dienyl sulfoxides via Wittig reaction of α -sulfinyl phosphonium ylides. *J Org Chem.* 1998; **63**:9716-9722.
2012. Mikołajczyk, M. and Żurawiński, R. Synthesis of ($\pm$)-rosaprostol. *J Org Chem.* 1998; **63**:8894-8897.
2013. Miksa, B.; Słomkowski, S., and Marsault, J.-P. Surface morphology of polypyrrole core / polyacrolein shell latex by atomic force microscopy (AFM). *Colloid Polym Sci.* 1998; **275**:34-39.
2014. Misiura, K.; Szymanowicz, D., and Stec, W. J. Synthesis, chemical and enzymatic reactivity of thymidine 3'-O- and 5'-O-phosphorofluoridithioates. *J Chem Soc Chem Commun.* 1998:515-516.
2015. Misiura, K.; Wójcik, M.; Krakowiak, A.; Koziolkiewicz, M.; Pawłowska, Z.; Pluskota, E.; Cierniewski, C. S., and Stec, W. J. Synthesis, biochemical, and biological studies of oligonucleotides bearing lipophilic dimethoxytrityl group. *Acta Biochimica Polonica.* 1998; **45**:27-32.
2016. Modro, A. M.; Modro, T. A.; Mphahlele, M. J.; Perlikowska, W.; Pienaar, A.; Sales, M., and van Rooyen, P. H. Reaction of carbanions generated from arylmethylphosphonates with cyclic enones. Regio and stereoselectivity of addition. *Canadian J Chem.* 1998; **76**(10):1344-1351.
2017. Nawrot, B.; Boczkowska, M.; Wójcik, M.; Sochacki, M.; Kaźmierski, Sł., and Stec, W. J. Novel internucleotide 3'-NH-P(CH₃)(O)-O-5' linkage. Oligo(deoxyribonucleoside methanephosphonamide)s; synthesis, structure and hybridization properties. *Nucleic Acids Res.* 1998; **26**:2650-2658.
2018. Nawrot, B. and Sprinzl, M. Aminoacyl-tRNA analogues; synthesis purification and properties of 3'-anthraniloyl oligoribonucleotides. *Nucleosides & Nucleotides.* 1998; **17**:815-829.
Notes: Staż
2019. Pawłowska, Z.; Pluskota, E.; Chabielska, E.; Buczek, W.; Okruszek, A.; Stec, W. J., and Cierniewski, C. S. Phosphorothioate oligodeoxyribonucleotides antisense to PAI-1 mRNA increase fibrinolysis and modify experimental thrombosis in rats. *Thrombosis Haemostasis.* 1998; **79** :348-353.

2020. Penczek, S.; Duda, A., and Libiszowski, J. Controlled polymerization of cyclic esters. Structure of initiators and of active species related of the selectivity of initiation and propagation. *Macromol Symp.* 1998; **128**:241-254.
2021. Penczek, S.; Duda, A., and Szymański, R. Intra-and intermolecular chain transfer to macromolecules with chain scission. The case of cyclic esters. *Macromol Symp.* 1998; **132**:441-449.
2022. Penczek, S.; Pretula, J., and Kałużyński, K. Polyesters of phosphoric acid: synthesis and kinetics of hydrolysis. *Macromol Symp.* 1998; **130**:305-317.
2023. Potrzebowski, M. J. High resolution ^{77}Se solid state NMR spectroscopy as a tool for structural studies of organoselenium compounds. *Phosphorus, Sulfur and Silicon.* 1998; **136-138**:423-426.
2024. ---. Selenium-77 high resolution solid state NMR studies of organoselenium compounds. *Bull Pol Acad Sci Chem* . 1998; **46**:61-74.
2025. Potrzebowski, M. J.; Błaszczak, J.; Majzner, W. R.; Wieczorek, M. W.; Baraniak, J., and Stec, W. J. X-ray and high resolution selenium-77 solid state NMR spectroscopy as complementary probes to structural studies of organophosphorus diselenides. *Solid State Nucl Magn Res.* 1998; **11**:215-224.
2026. Potrzebowski, M. J.; Cypryk, M.; Michalska, Z.; Kaźmierski, Sł.; Ciesielski, W., and Klinowski, J. Structural studies of bis-imidazole-5,5-dimethyl-1,3,2-dioxaphosphorinane-2-thio-2-hydroxy complex. *J Phys Chem B.* 1998; **102**:4488-4494.
2027. Potrzebowski, M. J.; Michalska, Z.; Koziół, A. E.; Kaźmierski, Sł.; Pluskowski, J., and Ciesielski, W. Structural implications of C-H S contacts in organophosphorus compounds. Studies of 1,6-anhydro-2-O-tosyl-4-S-(5,5-dimethyl-2-tioxa-1,3,2-dioxaphosphorinan-2-yl)-b-D-glucopyranose by X-ray and solid state NMR methods. *J Org Chem.* 1998; **63**:4209-4217.
2028. Potrzebowski, M. J.; Tekely, P., and Dusauroy, Y. Comment to ^{13}C solid state NMR studies of a and g polymorphs of glycine. *Solid State Nucl Magn Res.* 1998; **11**:253-257.
2029. Simic, V.; Girardon, V.; Spassky, N.; Hubert-Pfalzgraf, L. G., and Duda, A. Ring-opening polymerization of lactides initiated with yttrium tris-isopropoxyethoxide. *Polym Degrad Stab.* 1998; **59**:227-230.
2030. Skowrońska, A.; Dybowski, P.; Koprowski, M., and Krawczyk, E. A new strategy for the stereoselective synthesis of olefins based on selenophosphates. *Phosphorus, Sulfur and Silicon.* 1998; **136-138**:215-218.
2031. Stańczyk, W. A. *Polimery ciekłokrystaliczne.* Florjańczyk, Z. and Penczek, S., Ed. *Chemia polimerów.* Warszawa: Oficyna Wydawnicza Politechniki Warszawskiej; 1998; pp. 179-192.
2032. Stańczyk, W. A. and Ganicz, T. Mesomorphic organosilicon polymers. *Proc SPIE-Int Soc Opt Engineers.* 1998; **3319**:210-220.
2033. Stec, W. J. Antisense oligonucleotides as potential therapeutics. *Pol J Pharmacol.* 1998; **50**:35-36.
2034. Stec, W. J.; Karwowski, B.; Boczkowska, M.; Guga, P.; Koziółkiewicz, M.; Sochacki, M.; Wieczorek, M. W., and Błaszczak, J. Deoxyribonucleoside 3'-O-(2-thio- and 3'-O-(2-oxo-"spiro"-4,4-pentamethylene-1,3,2-oxatiaphospholanes): monomers for stereocontrolled synthesis of oligo(nucleoside phosphorothioate)s and chimeric PS/PO oligonucleotides. *J Am Chem Soc.* 1998; **120**:7156-7167.
2035. Szymański, R. Molecular weight distribution in living polymerization proceeding with reshuffling of polymer segments due to chain transfer to polymer with chain scission, 1. Determination of k_p/k_{tr}

ratio from DP_w/DP_n data. Ideal reproduction of polymer chain activities. *Macromol Theory Simul.* 1998; **7**:27-39.

2036. ---. Symulacja rozkładu ciężarów cząsteczkowych jako narzędzie badania procesów polimeryzacyjnych. *Polimery.* 1998; **9**:513-578.
2037. Słomkowski, S. *Polimery biomedyczne.* Florjańczyk, Z. and Penczek, S., Ed. *Chemia polimerów.* Warszawa: Oficyna Wydawnicza Politechniki Warszawskiej; 1998; pp. 159-178.
2038. ---. Polyacrolein containing microspheres: synthesis, properties, and possible medical applications. *Progr Polym Sci.* 1998; **23**:815-874.
2039. Słomkowski, S.; Gadzinowski, M., and Sosnowski, S. Mechanism of particle formation and kinetics of the dispersion polymerization of cyclic esters. *Macromol Symp.* 1998; **132**:451-462.
2040. Słomkowski, S. and Sosnowski, S. Biodegradable poly(L,L-lactide) microspheres. Particles from earlier synthesized polymer and by ring-opening polymerization of L,L-lactide. *Polymer Preprints.* 1998; **39**(2):212-213.
2041. Słomkowski, S.; Sosnowski, S., and Gadzinowski, M. Polyesters from lactides and ϵ -caprolactone. Dispersion polymerization versus polymerization in solution. *Polym Degrad Stab.* 1998; **159**:153-160.
2042. Słomkowski, S.; Sosnowski, S.; Gadzinowski, M.; Pichot, Ch., and Elaissari, A. Direct synthesis of polyester microspheres, potential carriers of bioactive compounds. McCulloch, I. and Shalaby, S. W., Eds. *Tailored polymeric materials for controlled delivery systems.* Washington DC: ACS; 1998; pp. 143-153.
2043. Tamulevicius, S.; Dargis, R.; Jankauskas, J.; Tyczkowski, J.; Szymanowski, H., and Mazurczyk, R. Properties of gd-doped thin silicoorganic coatings deposited by radio frequency glow discharge. 1998:224-234.
2044. Tekely, P.; Potrzebowski, M. J.; Dusauroy, Y., and Luz, Z. Measurement of spin diffusion and intermolecular distances between chemically equivalent nuclei in rotating solids. *Chem Phys Lett.* 1998; **291**:471-479.
2045. Tracz, A.; Jeszka, J. K.; Pakuła, T., and Rabe, J. P. Structure and optical properties of polycarbonate films with microcrystallites of BEDT-TTF polyiodites. *Synth Met.* 1998; **94**:17-22.
2046. Tworowska, I. and Dąbkowski, W. New efficient synthesis of phosphonofluorodithioates RO-P(S)(S-)F and their structural analogues. *J Chem Soc Chem Commun.* 1998:2611-2612.
2047. Tyczkowski, J. Audio frequency glow discharge - new prospects for deposition of thin films of plasma glasses from organic precursors. *Pol J Appl Chem.* 1998; **42**:135-141.
2048. ---. Nowa klasa materiałów cienkowarstwowych wytwarzanych metodą nakładania plazmowego (PE CVD) z organicznych pochodnych węglowców. *Materiały I Kongresu PTP; Kraków. Wyd Uniw Jagiellońskiego;* 1998. Notes: pp 303-310
2049. Tyczkowski, J. and Pietrzyk, B. New class of thin amorphous films produced by PECVD from organic compounds of carbon family. *Mater Sci Forum.* 1998; **287-288**:431-434.
2050. Tyczkowski, J.; Pietrzyk, B., and Delamar, M. Hydrogenated carbon-lead films plasma-deposited from tetraethyllead in a three-electrode reactor. *Chem Mater.* 1998; **10**:3879-3887.

2051. Tyczkowski, J. and Szymanowski, H. Hydrogenated carbon-germanium films produced by PE CVD in a new AF three-electrode reactor. *Medzagotyra (Materials Science)*. 1998; **2**(7):3-9.
2052. Tyczkowski, J.; Szymanowski, H., and Mazurczyk, R. Characterization of low frequency plasma generated in a three-electrode reactor. *Surf Coat Technol*. 1998; **98**:1365-1369.
2053. Ulański, J.; Polanowski, P.; Hofmann, M.; Dormann, E., and Laukhina, E. Microwave and D.C. conductivity of a-ET₂I₃ and b-ET₂I₃ microcrystals in polymer films. *Synth Met*. 1998; **94**:23-25.
2054. Uznański, P.; Pęcherz, J.; Wolszczak, M., and Kryszewski, M. Photophysical studies of functionalised polyionene complexes in solutions and in the solid state. *J Photochem Photobiol A: Chemistry*. 1998; **115**:129-136.
2055. Wawer, I.; Piekarska-Bartoszewicz, B.; Temeriusz, A.; Potrzebowski, M. J., and Ciesielski, W. ¹³C CP/MAS NMR study of ureido sugars, derivatives of 2-amino-2-deoxy-β-D glucopyranose and peptides. *Solid State Nucl Magn Res*. 1998; **12**:45-50.
2056. Wieczorek, M. W.; Bujacz, G. D.; Majzner, W. R.; Graczyk, P. P., and Mikołajczyk, M. Crystal and molecular structure of diastereomeric 2-diphenylthiophosphinoyl-cis-(4,6-dimethyl)1,3-dithianes. *Heteroatom Chem*. 1998; **9**:537-541.
2057. Wieczorek, M. W.; Majzner, W. R.; Kaczmarek, R.; Baraniak, J., and Stec, W. J. Crystal and molecular structures of isomeric 2-morpholino-2-thiono-4-methyl-1,3,2-dioxaphosphorinane and 2-morpholino-2-oxo-4-methyl-1,3,2-dioxaphosphorinane. *Heteroatom Chem*. 1998; **9**:271-279.
2058. Wojciechowski, R.; Ulański, J.; Kryszewski, M.; Tracz, A.; Jeszka, J. K.; Müller, H.; Lefrant, S., and Falques, E. Transformation of (BEDT-TTF)₂I₃ networks in polymer films into superconducting β₁ phase as studied by resonant Raman spectroscopy. *Synth Met*. 1998; **94**:27-30.
2059. Woźniak, L. A.; Chworoś, A.; Pyzowski, J., and Stec, W. J. Base-dependent regioselective and P-stereocontrolled hydrolysis of Nucleoside 3'-O-(O-2,4,6-trimethylbenzoyl methanephosphonothioate)s. *J Org Chem*. 1998; **63**:9109-9112.
2060. Woźniak, L. A.; Koziołkiewicz, M.; Kobylańska, A., and Stec, W. J. Potassium peroxy monosulfate (oxone) - an efficient oxidizing agent for phosphothio compounds. *Bioorg Med Chem Lett*. 1998; **8**:2641-2646.
2061. Woźniak, L. A. and Penczek, S. Kwasy nukleinowe. Florjańczyk, Z. and Penczek, S., Ed. *Chemia polimerów*. Warszawa: Oficyna Wydawnicza Politechniki Warszawskiej; 1998; pp. 9-26.
2062. Woźniak, L. A. and Penczek, S. Peptydy i białka. Florjańczyk, Z. and Penczek, S., Ed. *Chemia polimerów*. Warszawa: Oficyna Wydawnicza Politechniki Warszawskiej; 1998; pp. 27-56.
2063. Woźniak, L. A.; Wieczorek, M. W.; Pyzowski, J.; Majzner, W. R., and Stec, W. J. Stereochemistry of the DBU/LiCl assisted nucleophilic substitution at phosphorus in nucleoside-3'-O-(Se-methyl methanephosphonoselenoates). *J Org Chem*. 1998; **63**:5395-5402.
2064. Wróbel, A. M. and Walkiewicz-Pietrzykowska, A. Mechanism of the initiation step in atomic hydrogen-induced CVD of amorphous hydrogenated silicon-carbon films from single-source precursors. *Adv Mater CVD*. 1998; **4**:133-141.
2065. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Stasiak, M.; Aoki, T.; Hatanaka, Y., and Szumilewicz, J. Reactivity, of alkylsilanes and alkylcarbosilanes in atomic hydrogen-induced chemical vapor deposition. *J Electrochem Soc*. 1998; **145**:1060-1065.

2066. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Wickramanayaka, S., and Hatanaka, Y. Mechanism of amorphous silica film formation from tetraethoxysilane in atomic oxygen-induced chemical vapor deposition. *J Electrochem Soc.* 1998; **145**:2866-2876.
2067. Wójcik, P. and Wójcik, M. Rola wapnia w fitotoksyczności glinu. *Postępy Nauk Rolniczych.* 1998; **274**:25-39.
2068. Yang, Xian-bin; Sierzchała, A.; Misiura, K.; Niewiarowski, W.; Sochacki, M.; Stec, W. J., and Wieczorek, M. W. The first stereocontrolled solid-phase synthesis of di-, tri- and tetra[adenosine(2',5')]phosphorothioate)s. *J Org Chem.* 1998; **63**:7097-7100.
2069. Zabłocka, M.; Miquel, Y.; Igau, A.; Majoral, J.-P., and Skowrońska, A. One pot synthesis of mono- or bi-cyclic phosphiranes and phosphirenes. *J Chem Soc Chem Commun.* 1998:1177-1178.
2070. Zielińska, E.; Niewiarowski, W., and Bodalski, J. The arylamine N-acetyltransferase (NAT2) polymorphism and the risk of adverse reactions of cotrimoxazole in children. *European J Clin Pharmacology.* 1998; **54**:779-785.
2071. Zielińska, E.; Niewiarowski, W.; Bodalski, J.; Strekowicz, J.; Mianowska, K., and Sekulska, M. Genotyping of the arylamine N-acetyltransferase polymorphism in the prediction of idiosyncratic reactions to trimethoprim-sulfamethoxazole in infants. *Pharmacy World Science.* 1998; **20**:123-130.
2072. Śledzińska, I.; Ganicz, T.; Stańczyk, W. A., and Białecka-Florjańczyk, W. The liquid crystalline properties of dimers with organosilicon spacers. *Proc SPIE-Int Soc Opt Engineers.* 1998; **3319**:220-223.
2073. Łuczak, L.; Łopusiński, A., and Michalski, J. P-chiral thioxophosphoranesulfonyl chlorides $RR'P(S)SOCl$. A unique stereochemical probe to study nucleophilic displacement at a dicoordinate sulfur center. *Tetrahedron.* 1998; **54**:9731-9746.
2074. Acharya, P.; Nawrot, B.; Sprinzl, M.; Thibaudeau, C., and Chattopadhyaya, J. The strength of the 3'-gauche effect dictates the structure of 3'-O-anthraniloyl adenosine and its 5'-phosphate, two analogues of the 3'-end of aminoacyl-tRNA. *J Chem Soc Perkin 2.* 1999:1531-1536.
Notes: Staż
2075. Bagno, A.; Bujnicki, B.; Bertrand, S.; Comuzzi, C.; Dorigo, F.; Janvier, P., and Scorrano, G. Site of protonation of carboxylic and non-carboxylic amides in the gas phase and in water. *Chem-Eur J.* 1999; **5**:523-536.
2076. Bakalarz, A.; Heliński, J.; Krawiecka, B.; Michalski, J., and Potrzebowski, M. J. Convenient synthesis of propane aminophosphonic acids, aminodiphosphonic acids and their structural analogues, mediated by azetidinium salts. *Tetrahedron.* 1999; **55**:12211-12226.
2077. Baraniak, J.; Korczyński, D.; Kaczmarek, R., and Stec, W. J. Tetra(thymidine phosphorofluoridate)s *via* tetra(thymidine phosphoroselenoate)s: synthesis and stability. *Nucleosides & Nucleotides.* 1999; **18**:2147-2154.
2078. Baraniak, J.; Korczyński, D., and Stec, W. J. Synthesis of 2',3'-dideoxynucleoside-3'-N-(2-oxo-1,3,2-oxathiaphospholanes) and their DBU-assisted ring-opening condensation with 5'-OH nucleosides. *J Org Chem.* 1999; **64**:4533-4536.
2079. Baraniak, J.; Wasilewska, E.; Korczyński, D., and Stec, W. J. Diadenylated polyols as new non-isopolar analogues of diadenosine tri- and tetraphosphates. *Tetrahedron Lett.* 1999; **40**:8603-8606.
2080. Bartczak, Z.; Argon, A. S.; Cohen, R. E., and Kowalewski, T. The morphology and orientation of

polyethylene in ultra thin and thin films crystallized in contact with crystalline and amorphous substrates. *Polymer*. 1999; **40**:2367-2380.

2081. ---. The near-interface morphology and orientation of polyethylene in ultra thin and thin films crystallized in contact with crystalline and amorphous substrates. *Polymer*. 1999; **40**:2367-2380.
2082. Bartzak, Z.; Argon, A. S.; Cohen, R. E., and Weinberg, M. Toughness mechanism in semi-crystalline polymer blends: I. High-density polyethylene toughened with rubbers. *Polymer*. 1999; **40**:2331-2346.
2083. ---. Toughness mechanism in semi-crystalline polymer blends: II. High-density polyethylene toughened with calcium carbonate filler particles. *Polymer*. 1999; **40**:2347-2365.
2084. Bartzak, Z.; Argon, A. S.; Cohen, R. E., and Weinberg, M. Toughness mechanism in semi-crystalline polymer blends: 1. High density polyethylene toughened with rubbers. *Polymer*. 1999; **40**:2331-2346.
2085. Bartzak, Z. and Gałęski, A. Yield and plastic resistance of α -crystals in polypropylene. *Polymer*. 1999; **40**:3677-3684.
2086. Basińska, T. and Caldwell, K. Colloidal particles as immunodiagnostics: preparation and FFF characterization. Provder, T., Ed. *Chromatography of polymers, hyphenated and multidimensional techniques*. ACS; 1999; pp. 162-177.
2087. Bałczewski, P.; Mikołajczyk, M., and Pietrzykowski, W. M. Synthesis, reactions and applications of phosphorus containing carbon centered radicals. *Phosphorus, Sulfur and Silicon*. 1999; **144-146**:605-608.
2088. Bednarek, M.; Biedroń, T.; Heliński, J.; Kałużyński, K.; Kubisa, P., and Penczek, S. Branched polyether with multiple primary hydroxyl groups: polymerization of 3-ethyl-2-hydroxymethyloxetane. *Macromol Rapid Comm*. 1999; **20**:369-372.
2089. Bednarek, M.; Biedroń, T., and Kubisa, P. Synthesis of block copolymers by atom transfer radical polymerization of tert-butyl acrylate with poly(oxyethylene) macroinitiators. *Macromol Rapid Comm*. 1999; **20**:59-65.
2090. Bednarek, M. and Kubisa, P. Cationic copolymerization of tetrahydrofuran with ethylene oxide in the presence of diols: composition, microstructure and properties of copolymers. *J Polym Sci A: Polym Chem*. 1999; **37**:3455-3463.
2091. ---. Mechanism of cyclic fraction formation in the cationic copolymerization of tetrahydrofuran with ethylene oxide. *Macromol Chem Phys*. 1999; **200**:2443-2447.
2092. Bednarek, M.; Kubisa, P., and Penczek, S. Coexistence of activated monomer and active chain end mechanisms in cationic polymerization of tetrahydrofuran with ethylene oxide in the presence of diols. *Macromolecules*. 1999; **32**:5257.
2093. Bieliński, D. M.; Ślusarski, L.; Morawiec, J., and Gałęski, A. Determination of the poisson ration in polymer composites. *Archiwum Nauki o Materiałach*. 1999; **20**:155-156.
2094. Biscarini, P.; Drabowicz, J.; Łuczak, J., and Mikołajczyk, M. Enantiomeric 2,2'-dihydroxy-1,1'-binaphtyl and O,O'-(1,1'-binaphtyl-2,2'-diyl)-dithiophosphonic acid as chiral auxiliaries in the preparation of optically active sulfinyl derivatives. *Phosphorus, Sulfur and Silicon*. 1999; **153-154**:365-366.
2095. Błaszczak, J.; Wieczorek, M. W.; Krajewska, D.; Okruszek, A., and Stec, W. J. The synthesis and X-ray

structural studies of bis(1,3,2-dithiaphospholane). Phosphorus, Sulfur and Silicon. 1999; **147**:295.

2096. Bąk, G. W.; Kryszewski, M., and Saryga, E. Relation between structure and electrical properties of diamond and diamond-like structures. ERP-8 Characterization and Application of Dielectrics. 1999; SPIE 37DP:111-116.
2097. Cadierno, V.; Zabłocka, M.; Donnadieu, B.; Igau, A., and Majoral, J.-P. Zwitterionic 18-electron d⁰-anionic metallocene complexes. Organometallics. 1999; **18**:1882-1886.
2098. Cadierno, V.; Zabłocka, M.; Donnadieu, B.; Igau, A.; Majoral, J.-P., and Skowrońska, A. Reductive elimination of α -phosphinozirconocene iminoacyl complexes: first evidence of neutral n¹-imine zirconocene. Synthesis of bi- or tricyclic β -phosphino imines. J Am Chem Soc. 1999; **121**:11086-11092.
2099. Cadierno, V.; Zabłocka, M.; Donnadieu, B.; Igau, A.; Majoral, J.-P., and Skowrońska, A. Reductive elimination of α -phosphinozirconocene iminoacyl complexes: first evidence of neutral η^1 -imine zirconocene. Synthesis of bi- or tricyclic β -phosphino imines. J Am Chem Soc. 1999; **121**:11086-11092.
2100. Cadierno, V.; Zabłocka, M.; Igau, A.; Majoral, J.-P., and Skowrońska, A. A practical and efficient synthetic route to stable zirconocene-ate zwitterionic complexes. C R Acad Sci Paris. 1999; **t 2**(Serie IIc):229-233.
2101. Chojnacki, J.; Becker, B.; Konitz, A.; Wojnowski, W., and Potrzebowski, M. J. Synthesis and X-ray and solid state NMR studies on silver (I) silanethiolates. Crystal structure of bis{tri-*o*-tolylsilanethiolato[tri-phenylphosphine]silver(I)bis(toluene)}. J Chem Soc Dalton Trans. 1999:3063.
2102. Chworoś, A. and Woźniak, L. A. A facile conversion of thio- and selenophosphoric acids and their derivatives into fluoridates by means of reaction with silver fluoride. Tetrahedron Lett. 1999; **44**:9337-9340.
2103. Cierniewski, C. S.; Byzova, T.; Papierak, M.; Haas, T. A.; Niewiarowska, J.; Zhang, L.; Cieślak, M., and Płow, E. F. Peptide ligands can bind to distinct sites in integrin $\alpha_{IIb}\beta_3$ and elicit different functional response. J Biol Chem. 1999; **274**:16923-16932.
2104. Colonna, S.; Gaggero, N.; Drabowicz, J.; Łyżwa, P., and Mikołajczyk, M. The first efficient bovine serum albumin catalyzed asymmetric oxidation of tertiary amines to the corresponding N-oxide via kinetic dynamic resolution. J Chem Soc Chem Commun. 1999:1787-1788.
2105. Cypriak, M. Ab initio calculation of the ²⁹Si NMR chemical shifts of simple silicon compounds. Bull Pol Acad Sci Chem. 1999; **47**:33-40.
2106. Drabowicz, J.; Bujnicki, B.; Biscarini, P., and Mikołajczyk, M. Diastereomeric sulfinates derived from (L)-N-methyl-ephedrine: synthesis, applications and rearrangements. Tetrahedron: Asymmetry. 1999; **10**:3177-3187.
2107. Drabowicz, J.; Masson, S.; Mauger, C.; Midura, W. H.; Mikołajczyk, M.; Saint-Clair, J. F., and Vazeux, M. Synthesis and reactivity of some aromatic sulfides substituted by an ortho-phosphonyl group. Phosphorus, Sulfur and Silicon. 1999; **147**:413.
2108. Drabowicz, J.; Łyżwa, P.; Omelańczuk, J.; Pietrusiewicz, K. M., and Mikołajczyk, M. New procedures for the resolution of chiral tert-butylphenylphosphine oxide and some of its reactions. Tetrahedron: Asymmetry. 1999; **10**:2757-2763.

2109. Dybowski, P.; Koprowski, M.; Maciągiewicz, I., and Skowrońska, A. A general synthesis of thiophosphates containing α,β -unsaturated carbonyl moiety. *Synthesis*. 1999(5):844-848.
2110. Dąbkowski, W.; Tworowska, I.; Michalski, J.; Poniatowska, E., and Cramer, F. Novel unique activating reagents in synthesis of biophosphates *via* phosphoroamidite route. *Phosphorus, Sulfur and Silicon*. 1999; **144-146**:109-112.
2111. Dąbkowski, W.; Tworowska, I.; Poniatowska, E.; Michalski, J., and Cramer, F. New phosphitylating reagents containing P-F bond and their application in the synthesis of P-fluoro nucleosidyl phosphates, thiophosphates and selenophosphates. *Nucleosides & Nucleotides*. 1999; **18**:1247-1248.
2112. Furrer, P.; Billeci, T. M.; Donati, A.; Kojima, C.; Karwowski, B.; Sierżba, A.; Stec, W. J., and James, T. L. Structural effect of complete [R_p]-phosphorothioate and phosphorodithioate substitutions in the DNA strand of a model antisense inhibitor-target RNA complex. *J Mol Struct*. 1999; **285**:1609-1621.
2113. Ganicz, T.; Stańczyk, W. A.; Białecka-Florjańczyk, W., and Śledzińska, I. Liquid crystal dimer with organosilicon spacers as models for side chain LC polymers. *Polymer*. 1999; **40**:4733-4738.
2114. Gałęski, A.; Pawlak, A.; Pluta, M.; Morawiec, J., and Pracella, M. Przygotowanie i recykling materiałowy PET. *Prace Naukowe Katedry Budowy Maszyn Politechniki Śląskiej*. 1999(1):207-218.
2115. Herczyńska, L.; Lestel, L.; Boileau, S.; Chojnowski, J., and Połowiński, S. Modification of polysiloxanes by free radical addition of pyridylthiols to the vinyl groups of the polymer. *Europ Polym J*. 1999; **35**:1115-1121.
2116. Jeszka, J. K.; Tracz, A.; Sroczyńska, A.; Kryszewski, M.; Yamochi, H.; Horiuchi, S.; Saito, G., and Ulański, J. Metallic polymer composites with bis(ethylenedioxy)-tetrafulvalene salts. Preparation-properties relationship. *Synth Met*. 1999; **106**:75-83.
2117. Jeszka, J. K.; Tracz, A.; Sroczyńska, A.; Ulański, J.; Müller, H.; Pakula, T., and Kryszewski, M. Direct preparation of polymer composites with β -ET₂I₃ polycrystalline layers. *Synth Met*. 1999; **103**:1820-1821.
2118. Kazimierski, P. and Tyczkowski, J. Deposition technology of a new multilayer system from twin amorphous hydrogenated materials. *Surf Coat Technol*. 1999; **116/119**:614-617.
2119. ---. Nanoscale imaging of charge distribution in thin films by modified AFM. Konsta, A. A.; Vassilikou-Dova, A., and Vartzeli-Nikaki, K., Eds. *Proc ISE-10 on Electrets* Piscataway: IEEE Service Center; 1999: 79-82.
2120. Kielbasiński, P. Enzyme-promoted syntheses of chiral, non-racemic heteroorganic compounds with a sole stereogenic centre on the heteroatom. *Revs on Heteroatom Chemistry*. 1999; **19**:143-172.
2121. ---. The first enzymatic preparation of S-chiral non-racemic sulfoximines. *Polish J Chem*. 1999; **73**:735-738.
2122. Kielbasiński, P.; Zwanenburg, B.; Damen, T. J. G.; Wieczorek, M. W.; Majzner, W. R., and Bujacz, G. D. Kinetic resolution of racemic cyclic sulfoxides using hydrolytic enzymes. *Eur J Org Chem*. 1999:2573-2578.
2123. Kobylańska, A.; Pluskota, E.; Pawłowska, Z.; Okruszek, A.; Cierniewski, C. S., and Stec, W. J. The cytotoxicity of anti-PAI-1 oligonucleotides and their conjugates. *Nucleosides & Nucleotides*. 1999; **18**:1709-1710.

2124. Kobylańska, A.; Pluskota, E.; Świątkowska, M.; Wójcik, M.; Cierniewska-Cieślak, A.; Krakowiak, A.; Boczkowska, M.; Pawłowska, Z.; Okruszek, A.; Koziolkiewicz, M.; Cierniewski, C. S., and Stec, W. J. Inhibition of plasminogen activator inhibitor release in endothelial cell cultures by antisense oligodeoxyribonucleotides with 5'-end lipophilic modification. *Acta Biochimica Polonica*. 1999; **46**:679-691.
2125. Kotyński, A.; Kudzin, Z. H.; Ciesielski, W., and Drabowicz, J. Unusual induction in the iodone-azide induced reaction exhibited by organophosphorus compounds on thin-layer chromatography plates. *J Chromatogr A*. 1999; **831**:321-324.
2126. Kowalewska, A.; Stańczyk, W. A.; Boileau, S.; Lestel, L., and Smith, J. D. Novel polymer systems with very bulky organosilicon side chain substituents. *Polymer*. 1999; **40**:813-818.
2127. Koziolkiewicz, M.; Krakowiak, A.; Owczarek, A., and Boczkowska, M. Phosphorothioate oligonucleotides as aptamers or retroviral reverse transcriptases. Barciszewski, J. and Clark, B., Eds. *RNA Biochemistry and Biotechnology*. Dordrecht: Kluwer Academic Publishers; 1999; pp. 315-324.
2128. Koziolkiewicz, M.; Owczarek, A., and Gendaszewska, E. Enzymatic assignment of diastereomeric purity of stereodefined phosphorothioate oligonucleotides. *Antisense & Nucleic Acid Drug Development*. 1999; **9**:171.
2129. Kryszewski, M. and Bąk, G. W. Detection of structure inhomogeneity in graded index polymeric materials by space charge measurements: numerical solutions. *IRD-8 Polymers and Liquid Crystals*; 1999: 106-111.
2130. Kryszewski, M. and Pęcherz, J. The use of various ionenes as humidity sensors. Konsta, A. A.; Vassilikou-Dova, A., and Vartzeli-Nikaki, K., Eds. *Proc ISE-10 on Electrets*; Piscataway. IEEE Service Center; 1999: 265-268.
2131. Kubisa, P. and Penczek, S. Cationic activated monomer polymerization of heterocyclic monomers. *Progr Polym Sci*. 1999; **24**:1409-1437.
2132. Kubisa, P. and Vogl, O. International Symposium on Ionic Polymerization IP'97. *Progr Polym Sci*. 1999; **24**:315-327.
2133. Kurjata, J.; Ścibiorek, M.; Fortuniak, W., and Chojnowski, J. Thermolysis of poly[oxy(trisdimethylsilylene)] and poly[oxytetraakis(tetradimethylsilylene)]. Evidence for the transient formation of permethyltrisiloxetane. *Organometallics*. 1999; **18**:1259-1266.
2134. Kuznetsova, O.; Kałużynski, K.; Łapienis, G.; Pretula, J., and Penczek, S. Synthesis and some properties of poly(alkylene phosphorothioate)s prepared from the corresponding poly(alkylene H-phosphonate)s. *J Bioactive Compatibl Polym*. 1999; **14**:232-242.
2135. Laukhina, E.; Tkacheva, V.; Shibaeva, R.; Khasanov, S.; Rovira, C.; Veciana, J.; Vidal-Gancedo, J.; Tracz, A.; Jeszka, J. K.; Sroczynska, A.; Wojciechowski, R.; Ulański, J., and Laukhin, V. Molecular metals-polycarbonate bilayered films: preparation, structure and electrical properties. *Synth Met*. 1999; **103**:1785-1786.
2136. Ligor, M.; Ścibiorek, M., and Buszewski, B. New coating surfaces of fibres for solid-phase microextraction. *J Microcolumn Separation*. 1999; **11**:377-383.
2137. Maciągiewicz, I.; Dybowski, P., and Skowrońska, A. A general one-pot synthesis of vinyl-thiiranes and conjugated dienes. *Tetrahedron Lett*. 1999; **40**:3791-3794.
2138. Maszewski, J.; Maszewska, M., and Polit, J. Effects of antheridial peptides derived from *Chara* on cell

cycle-regulated processes in human and yeast cells. *Folia Histochemica Et Cytobiologica*. 1999; **37**:209-217.

2139. Mazurczyk, R. Semiconductor superlattices. *Chaos Soliton Fract.* 1999; **10-12**:1971-1982.
2140. Midura, W. H.; Krysiak, J. A., and Mikołajczyk, M. 1,3-dipolar cycloaddition of diazoalkanes to racemic and optically active α -(diethoxyphosphoryl)vinyl p-tolyl sulfoxides: a new synthesis of 3-phosphorylpyrazoles and asymmetric synthesis of cyclopropanes. *Tetrahedron*. 1999; **55**:14791-14802.
2141. Mielniczak, G. and Łopusiński, A. Synthesis of 2-phosphoro-1,2-thiazetidine 1,1-dioxide. *Heteroatom Chem.* 1999; **10**:61-67.
2142. ---. Synthesis of N,N'-bis(diethylphosphoryl)sulfamide. *Polish J Chem.* 1999; **73**:1947-1953.
2143. Mikołajczyk, M.; Mikina, M., and Żurawiński, R. New phosphonate-mediated syntheses of cyclopentanoids and prostaglandins. *Pure & Appl Chem.* 1999; **71**:473-480.
2144. Mikołajczyk, M.; Łyżwa, P., and Drabowicz, J. Asymmetric synthesis of aminophosphonic acids. *Phosphorus, Sulfur and Silicon*. 1999; **144-146**:157.
2145. Miksa, B.; Słomkowski, S.; Chehimi, M. M.; Delamar, M.; Majoral, J.-P., and Caminade, A.-M. Tailored modification of quartz surfaces by covalent immobilization of small molecules (γ -aminopropyltriethoxysilane), monodisperse macromolecules (dendrimers), and poly(styrene/acrolein/divinylbenzene) microspheres with narrow diameter distribution. *Colloid Polym Sci.* 1999; **277**:58-65.
2146. Misiura, K.; Bollmark, M.; Stawiński, J., and Stec, W. J. Studies on enzymatic hydrolysis of thymidin-3'-yl thymidin-5'-yl phosphorofluoridates and the corresponding phosphorothiofluoridates. *J Chem Soc Chem Commun.* 1999:2115-2116.
2147. Ogino, K.; Kanegae, A.; Yamaguchi, R.; Sato, H., and Kurjata, J. Oxidative coupling polymerization of 4-methyltriphenylamine. *Macromol Rapid Comm.* 1999; **20**:103-106.
2148. Okruszek, A. Oxathiaphospholane method of the stereocontrolled synthesis of phosphorothioate analogues of oligonucleotides. Barciszewski, J. and Clark, B., Eds. *RNA Biochemistry and Biotechnology*. Dordrecht: Kluwer Academic Publishers; 1999; pp. 325-334.
2149. Okruszek, A. and Stec, W. J. Nowe biotechnologie w rozwoju medycyny. Komitet prognoz "Polska 2000 plus" przy Prezydium PAN. *Perspektywy awangardowych dziedzin nauki i technologii do roku 2010*. Warszawa: DW Elipsa; 1999; pp. 156-170.
2150. Pawlak, A.; Perkins, W. G.; Massey, F. L.; Hiltner, A., and Baer, E. Mechanical properties of poly(ethylene terephthalate) modified with functionalized polymers. *J Appl Polym Sci.* 1999; **73**:203-219.
2151. Pawlak, A. and Piórkowska, E. Effect of negative pressure on melting behavior of spherulites in thin films of several crystalline polymers. *J Appl Polym Sci.* 1999; **74**:1380-1385.
2152. Penczek, S.; Baran, J.; Szymański, R.; Libiszowski, J., and Kowalski, A. Kinetics of elementary reactions in cyclic esters polymerization. Puskas, J. E., Ed. *Ionic Polymerizations and Related Processes*. Amsterdam: Kluwer Academic Publishers; 1999; pp. 283-299.
2153. Penczek, S.; Duda, A.; Kowalski, A., and Libiszowski, J. Controlled polymerization of cyclic esters. Covalent metal alkoxides vs carboxylates: $\text{Sn}(\text{OC}_4\text{H}_9)_2$ vs $\text{Sn}(\text{OC}(\text{O})\text{C}_7\text{H}_{15})_2$ (viz. $\text{Sn}(\text{Oct})_2$). *Polymeric Materials Science & Engineering*. 1999; **80**:95-96.

2154. Penczek, S. and Vairon, J.-P. The ionic polymerization of ethylenic, carbonyl and heterocyclic monomers: a striking example of successful international cooperation. *Scientific Bridges for 2000 and Beyond*. Paris: Editions TEC & DOC; 1999; pp. 169-177.
2155. Pietrusiewicz, K. M.; Hołody, W.; Koprowski, M.; Cicchi, S.; Goti, A., and Brandi, A. Asymmetric and doubly asymmetric 1,3-dipolar cycloadditions in the synthesis of enantiopure organophosphorus compounds. *Phosphorus, Sulfur and Silicon*. 1999; **144-146**:389-392.
2156. Pietrzyk, B. and Tyczkowski, J. New semiconductor films produced by PECVD from tetraethyllead. *Medzagotyra (Materials Science)*. 1999; **2**(9):36-38.
2157. Polanowski, P.; Ulański, J.; Wojciechowski, R.; Tracz, A.; Jeszka, J. K.; Matejcek, S.; Dormann, E.; Pongs, B., and Helberg, H. W. Thin layers of ET_2I_3 obtained by in situ crystallization - role of polymer matrix. *Synth Met*. 1999; **102**:1789-1790.
2158. Potrzebowski, M. J. ^{31}P high resolution solid state NMR spectroscopy as a tool for structural studies of organothiophosphoryl compounds. *Phosphorus, Sulfur and Silicon*. 1999; **147**:339.
2159. Potrzebowski, M. J.; Ciesielski, W., and Katarzyński, R. Selenium-77 and carbon-13 high resolution solid state NMR studies of selenomethionine. *Magn Reson Chem*. 1999; **37**:173-181.
2160. Potrzebowski, M. J.; Ganicz, K.; Ciesielski, W.; Skowrońska, A.; Wieczorek, M. W.; Błaszczyk, J., and Majzner, W. R. Investigation of solute-solvents interactions in dithiophosphoroorganic carbohydrate derivative by means of X-ray and solid state NMR. *J Chem Soc Perkin 2*. 1999:2163-2170.
2161. Potrzebowski, M. J.; Schneider, C., and Tekely, P. Hydrogen bonding pattern in N-benzoyl (-DL)-L-phenylalanine as revealed by solid state NMR spectroscopy. *Chem Phys Lett*. 1999; **313**(3-4):569-574.
2162. Pretula, J.; Kałużyński, K.; Szymański, R., and Penczek, S. Transesterification of oligomeric dialkyl Phosphonates, leading to the high-molecular-weight poly-H-phosphonates. *J Polym Sci A: Polym Chem*. 1999; **37**:1365-1381.
2163. Sato, H.; Kanegae, A.; Yamaguchi, R.; Ogino, K., and Kurjata, J. Oligomerization of aromatic tertiary amines. *Chemistry Letters*. 1999:79-80.
2164. Schlosser, A.; Blechsmidt, B.; Nawrot, B., and Sprinzl, M. Aminoacylation of tRNA induces a conformational switch on the 3'-terminal ribose. Barciszewski, J. and Clark, B., Eds. *RNA Biochemistry and Biotechnology*. Dordrecht: Kluwer Academic Publisher; 1999; pp. 159-168. Notes: Staż
2165. Skowrońska, A.; Maciągiewicz, I.; Dybowski, P.; Krawczyk, E., and Owsianik, K. A new synthesis of tri- and tetrasubstituted olefins based on thio- and selenophosphates. *Phosphorus, Sulfur and Silicon*. 1999; **144-146**:409-412.
2166. Spangler, L. A.; Mikołajczyk, M.; Burdge, E. L.; Kielbasiński, P.; Smith, H. C.; Łyżwa, P.; Fisher, J. D., and Omelańczuk, J. Synthesis of biological activity of enantiomeric pairs of phosphosulfonate herbicides. *J Agr Food Chem*. 1999; **47**:318-321.
2167. Stec, W. J. Nucleoside-O-2-thiono-1.3.2-oxathiaphospholanes - versatile tools in the synthesis of oligonucleotide analogues. *Phosphorus, Sulfur and Silicon*. 1999; **144-146**:367-370.
2168. Słomkowski, S. Polymeric microspheres: synthesis, properties, and application in modern diagnostics. *Biocybernetics and Biochemical Engineering*. 1999; **19**:155-171.

2169. Słomkowski, S.; Miksa, B.; Chehimi, M. M.; Delamar, M.; Cabet-Deliry, E.; Majoral, J.-P., and Caminade, A.-M. Inorganic-organic systems with tailored properties controlled on molecular, macromolecular, and microscopic level. *Reactive & Functional Polymers*. 1999; **41**:45-57.
2170. Słomkowski, S.; Sosnowski, S., and Gadzinowski, M. Latexes and microspheres by ring-opening polymerization. Polymerization of cyclic esters. *Colloids and Surfaces A: Physicochem and Eng Aspects*. 1999; **153**:111-118.
2171. Tadeusiak, E.; Krawiecka, B., and Michalski, J. Synthesis of phosphocarnitine. *Tetrahedron Lett*. 1999; **40**:1791-1792.
2172. Tracz, A.; Jeszka, J. K., and Pakuła, T. Does β -T-ET₂I₃ really have a definite interlayer spacing? *Synth Met*. 1999; **103**:1972-73.
2173. Tworowska, I. and Dąbkowski, W. New strategies for chemical synthesis of phosphorodithioates derived from 2'- or 3'- or 5'-thionucleosides. *Nucleosides & Nucleotides*. 1999; **18**:977-978.
2174. Tyczkowski, J. Audio-frequency three-electrode reactor for plasma chemical vapor deposition. *J Vac Sci Technol A*. 1999; **17**:470-479.
2175. Tyczkowski, J. and Ledzion, R. Electronic band structure of insulating hydrogenated carbon-germanium films. *J Appl Phys*. 1999; **86**:4412-4418.
2176. Tyczkowski, J.; Szymanowski, H., and Dargis, R. Gadolinium-doped organosilicon films grown by plasma chemical vapor deposition. *Surf Coat Technol*. 1999; **116/119**:629-633.
2177. Uznański, P. Effects of order on the spectral properties of discotic liquid crystal heptyloxydibenzopyrene. *Acta Phys Polonica A*. 1999; **94**:825-834.
2178. Woźniak, L. A. Stereodefined methanephosphonate analogues of nucleic acids. *Revs on Heteroatom Chemistry*. 1999; **19**:173-202.
2179. Woźniak, L. A.; Chworoś, A., and Stec, W. J. Mixed phosphorus-carboxylic anhydrides as synthons for stereoselective synthesis of [R_p]-dinucleoside (3',5')-methanephosphonates. *Phosphorus, Sulfur and Silicon*. 1999; **144-146**:649-652.
2180. Woźniak, L. A. and Stec, W. J. Oxidation in organophosphorus chemistry: potassium peroxy-monosulphate. *Tetrahedron Lett*. 1999; **40**:2637-2640.
2181. Wróbel, A. M. Mechanism of the initiation step in remote oxygen plasma chemical vapor deposition of silics films from tetraethoxysilane. *Proc IUPAC 14th International Symposium on Plasma Chemistry (ISPC-14)*; 1999: 1321-1326.
2182. Wróbel, A. M. and Hatanaka, Y. Remote oxygen plasma chemical vapor deposition from TEOS-a model process for mechanistic study of a-SiO₂ film formation. *Proc 1st Takayanagi Kenjiro Memorial Symposium on Optical Advanced materials and Devices*; Hamamatsu. Japan: Shizuoka University; 1999: 27-33.
2183. Włodarska, M.; Saryga, E.; Walkiewicz-Pietrzykowska, A.; Bąk, G. W.; Buczkowska, M., and Wróbel, A. M. Electrical properties of some plasma polymers obtained by microwave plasma chemical vapour deposition. *IRD-8 Polymers and Liquid Crystals*; 1999: 89-93.
2184. Yang, Xian-bin; Misiura, K., and Stec, W. J. Reactivity of nucleoside 5'-O-phosphates, -phosphorothioates, -methanephosphonates and -methanephosphonothioates towards activated xylonucleosides. *Heteroatom Chem*. 1999; **10**:91-104.

2185. Zabłocka, M.; Skowrońska, A.; Igau, A., and Majoral, J.-P. Zirconium species as tools in phosphorous chemistry. *Polish J Chem.* 1999; **73**:1437-1450.
2186. Zielińska, E.; Bodalski, J.; Niewiarowski, W.; Bolanowski, W., and Matusiak, I. Comparison of acetylation phenotype with genotype coding for N-acetyltransferase (NAT2) in children. *Pediatric Research.* 1999; **45**:1-6.
2187. Aamouche, A.; Devlin, F. J.; Stephens, P. J.; Drabowicz, J.; Bujnicki, B., and Mikołajczyk, M. Vibrational circular dichroism and absolute configuration of chiral sulfoxides: tert-butyl methyl sulfoxide. *Chem-Eur J.* 2000; **6**:4479-4486.
2188. Argon, A. S.; Bartczak, Z.; Cohen, R. E., and Muratoglu, O. K. Novel mechanism of toughening semi-crystalline polymers. Person, R. A.; Sue, H.-J., and Yee, A. F., Eds. *Toughening of plastics-advanced in modeling and experiments.* Washington DC: American Chemical Society; 2000.
2189. Baraniak, J.; Kaczmarek, R., and Stec, W. J. Conjugation of amino acid O-methyl esters with AZT-5'-O-phosphorothioate and phosphorodithioate. *Tetrahedron Lett.* 2000; **41**:9139-9142.
2190. Bartczak, Z. and Gałęski, A. Plastic deformation of crystalline polymer blends studied by X-ray techniques. *Proc SPIE-Int Soc Opt Engineers.* 2000; **4240**:59-69.
2191. Bartczak, Z.; Gałęski, A., and Morawiec, J. Wysokowytrzymałe materiały polimerowe otrzymywane przez walcowanie z wiązaniami bocznymi. IX Seminarium "Tworzywa Sztuczne w Budowie Maszyn"; Kraków. 2000: 23-29.
2192. Bartczak, Z.; Gałęski, A., and Pluta, M. Ternary blends of high-density polyethylene-polystyrene-poly(ethylene/butylene-b-styrene) copolymers: properties and orientation behavior in plane-strain compression. *J Appl Polym Sci.* 2000; **76**:1746-1761.
2193. Baśko, M.; Kubisa, P.; Penczek, S.; Moreau, M., and Vairon, J.-P. Cationic copolymerization of methyl glyoxylate with 1,3-dioxolane. *Macromolecules.* 2000; **33**:294-302.
2194. Bałczewska, E. and Bałczewski, P. Biologicznie aktywne bisfosfoniany-struktura, synteza, właściwości i działanie. *Wiadomości Chemiczne.* 2000; **54**(11-12):1075-1088.
2195. Bałczewski, P.; Białas, T., and Mikołajczyk, M. A novel synthesis of diethyl 3-iodoalkyl- and 3-iodoalkenylphosphonates *via* the iodine atom transfer addition reaction. *Tetrahedron Lett.* 2000; **41**:3687-3690.
2196. Bałczewski, P. and Mikołajczyk, M. An expedient synthesis of ($\pm$) desepoxy-4,5-didehydromethylenomycin A methyl ester. *Organic Lett.* 2000; **2**:1153-1155.
2197. Bednarek, M.; Biedroń, T.; Kałużyński, K.; Kubisa, P.; Pretula, J., and Penczek, S. Ring-opening polymerization processes involving activated monomer mechanism. Cationic polymerization of cyclic ethers containing hydroxyl groups. *Macromol Symp.* 2000; **157**:1-11.
2198. Bednarek, M.; Biedroń, T., and Kubisa, P. Otrzymywanie kopolimerów blokowych w procesie kontrolowanej rodnikowej polimeryzacji akryloamidu wobec funkcjonalizowanego poli(tlenku etylenu) jako makroinicjatora. *Polimery.* 2000; **45**:664-673.
2199. ---. Studies of atom transfer radical polymerization (ATRP) of acrylates by MALDI-TOF mass spectrometry. *Macromol Chem Phys.* 2000; **201**:58-66.
2200. Boczkowska, M.; Guga, P.; Karwowski, B., and Maciaszek, A. Effect of P-chirality of internucleotide

bonds on B-Z conversion of stereodefined self-complementary phosphorothioate oligonucleotides of the [PS]-d(CG)₄ and [PS]-d(GC)₄ series. *Biochemistry*. 2000; **39**:11057-11064.

2201. Cadierno, V.; Zabłocka, M.; Donnadieu, B.; Igau, A., and Majoral, J.-P. Early transition metal α -diazoalkane complexes. *Angew Chem Int Ed Engl*. 2000; **39**:4524-4528.
2202. Cadierno, V.; Zabłocka, M.; Donnadieu, B.; Igau, A.; Majoral, J.-P., and Skowrońska, A. Unexpected formal [1+3] cycloadditions between azides and α -zirconated phosphanes: a route to unprecedented phosphazide and iminophosphorane complexes. *Chem-Eur J*. 2000; **6**(2):345-352.
2203. Chojnowski, J. and Cypryk, M. Synthesis of linear polysiloxanes. Jones, R. S.; Ando, W., and Chojnowski, J., Eds. *Silicon-based polymers. The science and technology of their synthesis and applications*. Dordrecht: Kluwer Academic Publishers; 2000; pp. 3-42.
2204. Chojnowski, J.; Kaźmierski, K.; Cypryk, M., and Fortuniak, W. Cationic ring opening polymerization of cyclotrisiloxanes with mixed siloxane units. Clarson, S. J.; Fitzgerald, J. J.; Owen, M. J., and Smith, S. D., Eds. *Silicones and silicon-modified materials*. Washington D.C.: Oxford University Press; 2000; pp. 20-37.
2205. Chworoś, A.; Woźniak, L. A., and Stec, W. J. The synthesis of unsymmetrical S¹-(3-O-thymidine-O-methanephosphonyl)-S²-p-nitrophenyl disulfides and their reactions with triphenylphosphine. *Tetrahedron Lett*. 2000; **41**:1219-1222.
2206. Cohen, H.; Levy, R. J.; Gao, J.; Fishbein, I.; Kousaev, V.; Sosnowski, S.; Słomkowski, S., and Golomb, G. Sustained delivery and expression of DNA encapsulated in polymeric particles. *Gene Therapy*. 2000; **7**:1896-1905.
2207. Cypryk, M.; Kaźmierski, K.; Fortuniak, W., and Chojnowski, J. Microstructure of the copolymer chain generated by anionic ring-opening polymerization of a model cyclotrisiloxane with mixed siloxane units. *Macromolecules*. 2000; **33**:1536-1545.
2208. Da Costa, C. P.; Okruszek, A.; Stec, W. J., and Sigel, H. Complex formation of lead (II) in aqueous solution with methylthiophosphate (MePS²⁻) and uridine 5'-O-thiomonophosphate (UMPS²⁻). *Chimia*. 2000; **54**:418.
2209. Drabowicz, J. and Halaba, G. Stereochemical aspect of the chemistry of hypervalent chalcogen compounds. *Revs on Heteroatom Chemistry*. 2000; **22**:1-32.
2210. Drabowicz, J. and Mikołajczyk, M. Selenium at higher oxidation state. Wirth, T., Ed. *Topics in Current Chemistry*. 2000; **208**:143-176.
2211. Drews, M.; Banasiewicz, T.; Paszkowski, J.; Szmeja, J.; Pyda, P.; Rzymiski, K.; Koziółkiewicz, M.; Owczarek, A., and Maszewska, M. Leczenie paliatywne nowotworów przerzutowych wątroby metodą doguzowego podawania TNF- α . *Współczesna Onkologia*. 2000; **4**:65-67.
2212. Duda, A.; Kowalski, A., and Libiszowski, J. Kinetics and mechanism of ϵ -caprolactone polymerization initiated with stannous octoate. *Polimery*. 2000; **45**:465-474.
2213. Duda, A. and Penczek, S. Thermodynamics, kinetics and mechanism of cyclic esters polymerization. Scholz, C. and Gross, R. A., Eds. *Polymers from renewable resources: biopolymers and biocatalysis*. Washington D.C.: Oxford University Press-USA; 2000; pp. 160-199.
2214. Duda, A.; Penczek, S.; Kowalski, A., and Libiszowski, J. Polymerizations of ϵ -caprolactone and L,L-dilactide initiated with stannous octoate and stannous butoxide- a comparison. *Macromol Symp*. 2000; **153**:41-53.

2215. Dąbkowski, W.; Tworowska, I.; Michalski, J., and Cramer, F. 2,4-Dinitrophenol: a novel activating reagent in nucleotide synthesis *via* the phosphoramidite route. Design of new effective phosphitylating reagents. *Tetrahedron Lett.* 2000; **41**:7535-7539.
2216. ---. New efficient synthesis of thymidine cyclic 3',5'-phosphorofluoridate and its sulfur analogue *via* the phosphoroamidite route. *Nucleosides, Nucleotides & Nucleic Acids.* 2000; **19**(10-12):1779-1785.
2217. Friedrich, K.; Jeszka, J. K., and Pakula, T. Simulation of single complex macromolecules. *J Mol Liq.* 2000; **86**:193-199.
2218. Gadzinowski, M.; Słomkowski, S.; Elaissari, A., and Pichot, Ch. Phase transfer and characterization of poly(ϵ -caprolactone) and poly(L-lactide) microspheres. *J Biomater Sci Polym Ed.* 2000; **11**:459-480.
2219. Ganicz, K. Solid state NMR spectroscopy as a tool to investigation of structure and dynamics of amino acids and model peptides. *Bull Pol Acad Sci Chem.* 2000; **48**:57-75.
2220. Ganicz, K.; Kaźmierski, Sł.; Olejniczak, S., and Potrzebowski, M. J. Investigation of structure and dynamics of model carbohydrate derivatives by means of solid state NMR. *Molec Phys Rep.* 2000; **29**:29-33.
2221. Ganicz, T.; Mazurek, M.; Stańczyk, W. A., and Śledzińska, I. Synthetic approach to "condis" type mesomorphic networks. *Proc SPIE-Int Soc Opt Engineers.* 2000; **4147**:376-381.
2222. Ganicz, T.; Stańczyk, W. A.; Gladkova, N., and Śledzińska, I. Vinylsilanes as monomers for side chain polymer liquid crystals. *Macromolecules.* 2000; **33**:289-293.
2223. Gazicki, M.; Błasińska, A.; Mazurczyk, R.; Ledzion, R., and Uznański, P. An FTIR investigation of structural bonding in thin films deposited from tetramethylgermanium in parallel plate radio frequency glow discharge. *J Wide Bandgap Mater.* 2000; **7/3**:1-17.
2224. Gałęski, A. Materiały polimerowe o wysokiej wytrzymałości. *Materiały Kompozytowe w Budownictwie Mostowym*; Łódź: Politechnika Łódzka; 2000: 52-63.
2225. ---. Toughening of crystalline polymers systems. *Proceedings of the 3rd Nordic Meeting on Materials and Mechanics*; Dania: Aalborg University; 2000: 21-45.
2226. Gács-Baitz, E.; Woźniak, L. A., and Kajtár-Peredy, M. Conformational properties of diastereomeric 5'-O-DMT-2'-deoxythymidine 3'-O-(S-methyl methanephosphonothiolate)s and Se-methyl methanephosphonoselenoate)s. *Chirality.* 2000; **12**:675-680.
2227. Hammam, A. G.; El-Hafez, Abd N. A.; Midura, W. H., and Mikołajczyk, M. Chemistry of seven-membered heterocycles. VI. Synthesis of novel bicyclic heterocyclic compounds as a potential anticancer and anti-HIV agents. *Z Naturforsch.* 2000; **B 55**:417-424.
2228. Hatanaka, Y.; Sano, K.; Aoki, T., and Wróbel, A. M. Experiments and analyses of SiC thin film deposition from organo-silicon by a remote plasma method. *Thin Solid Films.* 2000; **368**:287-291.
2229. Huczko, A.; Lange, H.; Tyczkowski, J.; Kazimierski, P., and Tomassi, P. Template-based plasma synthesis of carbonaceous nanostructures. *Molecular Nanostructures.* 2000:230-233.
2230. Jankowski, S.; Olejniczak, S.; Olczak, J.; Potrzebowski, M. J., and Zabrocki, J. NMR studies of cis-trans isomerization of dermorphin tetrazole analogues. *Molec Phys Rep.* 2000; **29**:173-175.
2231. Jeszka, J. K. Nanoskopowe materiały molekularne. Nizioł, S.; Petelenz, P., and Wasiutyński, T., Red.

Kryształy molekularne 2000. Kraków: Wyd WFTJ AGH; 2000; pp. 88-91.

2232. Jeszka, J. K.; Tracz, A.; Wostek, D.; Boiteux, G., and Kryszewski, M. Preparation of organic metal nanocrystals in polymer matrix. *Synth Met.* 2000; **109**:165-168.
2233. Jones, R. S.; Ando, W., and Chojnowski, J., Eds. Silicon-containing polymers-the science and technology of their synthesis and applications. Dordrecht: Kluwer Academic Publishers; 2000. ISBN: 0412831104 .
Notes: 28 rozdziałów, 768 stron
2234. Karacar, A.; Freytag, M.; Thönnessen, H.; Omelańczuk, J.; Jones, P. G.; Bartsch, R., and Schmutzler, R. Monoxidised sulfur and selenium derivatives of 1,8-bis(diphenylphosphino)-naphthalene: synthesis and coordination chemistry. *Z Für Anorg Allgem Chem.* 2000; **626**:2361-2372.
2235. Kazanski, K.; Łapienis, G.; Kuznetsova, V.; Pakhomova, L. K.; Evreinov, V. V., and Penczek, S. Stricly monofunctional methyl ethers of poly(ethylene glycol) and the related methacrylate macromonomers. *Vysokomol Soedin.* 2000; **42**:915-926.
2236. Kazimierski, P. and Tyczkowski, J. Thin amorphous hydrogenated carbon-germanium films - a new material for reversible data storage. *Medzagotyra (Materials Science).* 2000; **9**(4).
2237. Kaźmierczak, T.; Krasnikova, N. P.; Gałęski, A., and Pracella, M. Plastic deformation of polyamide 6/polypropylene-g-acrylic acid blends. *Macromol Symp.* 2000; **149**:185-189.
2238. Kaźmierski, Sł.; Olejniczak, S., and Potrzebowski, M. J. ¹³C CP/MAS solid state NMR studies of stucture and dynamics of 1,6:3,4-doanhydro-2-O-tosyl-β-D-galactopyranose. *Solid State Nucl Magn Res.* 2000; **16**:131-139.
2239. Kielbasiński, P. On the applicability of the Jones's active model of pig liver esterase to S-chiral and prochiral sulfinyl substrates. *Tetrahedron: Asymmetry.* 2000; **11**:911-915.
2240. Kielbasiński, P. and Mikołajczyk, M. Hydrolytic enzymes in the synthesis of non-racemic heteroorganic compounds with a stereogenic centre on the heteroatom. Zwanenburg, B.; Mikołajczyk, M., and Kielbasiński, P., Eds. *Enzymes in action: green solutions for chemical problems.* Dordrecht: Kluwer Academic Publishers; 2000; pp. 161-191.
2241. Kowalewska, A.; Lickiss, P. D.; Lucas, R., and Stańczyk, W. A. Reactions of the Si-H bonds in tetrakis(dimethylsilyl)methane and silane. *J Organomet Chem.* 2000; **597**:111-115.
2242. Kowalski, A.; Duda, A., and Penczek, S. Kinetics and mechanism of cyclic esters polymerization initiated with tin(II) octoate. 3. Polymerization of *L,L*-dilactide. *Macromolecules.* 2000; **33**:7359-7370.
2243. ---. Kinetics and mechanism of cyclic esters polymerization initiated with tin(II) octoate. 2. Macromolecules fitted with tin(II) alkoxide species observed directly in MALDI-TOF spectra. *Macromolecules.* 2000; **33**:689-695.
2244. Kowalski, A.; Libiszowski, J.; Duda, A., and Penczek, S. Polymerization of *L,L*-dilactide initiated by tin(II) butoxide. *Macromolecules.* 2000; **33**:1964-1971.
2245. Krawczyk, E. and Skowrońska, A. A novel one-pot synthetic method for α-methylenation of lactones and cycloalkanones based on thiophosphates. *Heteroatom Chem.* 2000; **11**(5):353-361.
2246. Krawczyk, E.; Skowrońska, A., and Michalski, J. Reaction of three-coordinate phosphorus compounds with organophosphorus pseudohalogens. Part. 4. The mechanism of interaction between bis(phosphinoyl) diselenides [R₁R₂P(O)Se]₂ with three-coordinate phosphorus compounds. *J*

Chem Soc Perkin 2. 2000:1135-1140.

2247. Kryszewski, M. Free volume from the viewpoint of positron annihilation life time spectroscopy and small angle X-ray scattering. *Proc SPIE*. 2000; **4240**:1-6.
2248. ---. From microcrystals to nanoparticles in heterogenous polymers. *Mol Cryst Liq Cryst*. 2000; **353**:243-256.
2249. ---. Nanointercalates-novel class of materials with promising properties. *Synth Met*. 2000; **109**:47-54.
2250. ---. Photoconductivity of organic solids and their confined structures. Kajzar, F. and Agranovich, W., Eds. *Multiphonon and light driven processes in organics: new phenomena, materials and applications*. Dordrecht: Kluwer Academic Press; 2000; pp. 281-298.
2251. Kubisa, P. Polimeryzacja rodnikowa z odwracalną dezaktywacją aktywnych centrów. *Polimery*. 2000; **45**:741-750.
2252. Kubisa, P.; Bednarek, M.; Biedroń, T.; Biela, T., and Penczek, S. Progress in activated monomer polymerization. Kinetics of AM polymerization. *Macromol Symp*. 2000; **153**:217-226.
2253. Kudzin, Z. H. and Sochacki, M. Mass spectrometry and gas chromatography-mass spectrometry of aminoalkanephosphonic acids. Kukhar, V. P. and Hudson, H. R., Eds. *Amonophosphonic and amonophosphinic acids: chemistry and biological activity*. Chichester: Wiley & Sons; 2000; pp. 363-405.
2254. Maciągiewicz, I. and Skowrońska, A. A novel approach to highly substituted enynes based on thiophosphates. *Synlett*. 2000:1781-1782.
2255. Majerska, K.; Duda, A., and Penczek, S. Kinetics and mechanism of cyclic esters polymerization initiated with tin(II) octoate. 4. Influence of 2,6-ditertbutylpyridine on kinetics of polymerization of ϵ -caprolactone and L,L-dilactide. *Macromol Rapid Comm*. 2000; **21**:1327-1332.
2256. Mielniczak, G. and Łopusiński, A. On the route to the N-phosphoryl sulfamic acid. *Polish J Chem*. 2000; **74**:785-791.
2257. Mikołajczyk, M.; Graczyk, P. P.; Bałczewski, P.; Żurawiński, R., and Perlikowska, W. The E $\rightarrow$ Z isomerization of 1-methylsulfanylpropenoic N-arylthioamides. *Phosphorus, Sulfur and Silicon*. 2000; **159**:149-155.
2258. Mikołajczyk, M.; Mikina, M., and Jankowiak, A. A novel synthesis of racemic and enantiomeric forms of prostaglandin B₁ methyl ester. *J Org Chem*. 2000; **65**:5127-5130.
2259. Mikołajczyk, M.; Mikina, M.; Jankowiak, A., and Mphahlele, M. J. A new synthesis of racemic rosaprostol. *Synthesis*. 2000:1075-1077.
2260. Nawrot, B. Selekcja kwasów nukleinowych in vitro. *Wiadomości Chemiczne*. 2000; **54**:617-636.
2261. Niewiarowski, W.; Gendaszewska, E.; Rębowski, G.; Wójcik, M.; Mikołajczyk, B.; Goss, W.; Soszyński, M., and Bartosz, G. Multidrug resistance-associated protein-reduction of expression in human leukemia cells by antisense phosphorothioate oligonucleotides. *Acta Biochimica Polonica*. 2000; **47**:1183-1188.
2262. Pawlak, A.; Pluta, M.; Morawiec, J.; Gałęski, A., and Pracella, M. Characterization of scrap poly(ethylene terephthalate). *Europ Polym J*. 2000; **36**:1875-1884.

2263. Penczek, S. Cationic ring-opening polymerization (CROP) major mechanistic phenomena. *J Polym Sci A: Polym Chem.* 2000; **38**:1919-1933.
2264. Penczek, S.; Biela, T., and Duda, A. Living polymerization with reversible chain transfer and reversible deactivation: the case of cyclic esters. *Macromol Rapid Comm.* 2000; **21**:941-950.
2265. Penczek, S.; Duda, A.; Kowalski, A.; Libiszowski, J.; Majerska, K., and Biela, T. On the mechanism of polymerization of cyclic esters induced by tin(II) octoate. *Macromol Symp.* 2000; **157**:61-70.
2266. Penczek, S.; Duda, A.; Szymański, R., and Biela, T. What we have learned in general from cyclic esters polymerization? *Macromol Symp.* 2000; **153**:1-15.
2267. Perruchot, Ch.; Chehimi, M. M.; Delamar, M.; Cabet-Deliry, E.; Miksa, B.; Słomkowski, S.; Khan, A. M., and Armes, S. P. Chemical deposition and characterization of thin polypyrrole films into glass plates. Role of organosilane treatment. *Colloid Polym Sci.* 2000; **278**:1139-1154.
2268. Pietrzyk, B. and Tyczkowski, J. Właściwości elektryczne cienkich warstw a-C:H wytwarzanych metodą nakładania plazmowego z pentanu. *Karbo.* 2000; **4/5**:161-164.
2269. Pluta, M.; Bartczak, Z., and Gałęski, A. Changes in the morphology and orientation of bulk spherulitic polypropylene due to plane-strain compression. *Polymer.* 2000; **41**:2271-2288.
2270. Polanowski, P.; Tracz, A.; Ulański, J., and Dormann, E. Influence of matrix on conductivity properties of crystalline network of α -(BEDT-TTF)₂I₃ in polymer composites. *Synth Met.* 2000; **109**:235-238.
2271. Potrzebowski, M. J. Solid state NMR studies of carbohydrates and thier analogues. Rahman, Atta-Ur., Ed. *New advances in analytical chemistry.* Harwood Academic Pub; 2000; pp. 359-403.
2272. Potrzebowski, M. J.; Tekely, P.; Wieczorek, M. W., and Błaszczuk, J. X-ray and ¹³C solid sate NMR of N-benzoyl-phenylalanine. *J Pept Res.* 2000; **56**:185-194.
2273. Psarski, M.; Piórkowska, E., and Gałęski, A. Crystallization of polyethylene from melt with lowered chain entanglements. *Macromolecules.* 2000; **33**:916-932.
2274. Psarski, M.; Pracella, M., and Gałęski, A. Crystal phase and crystallinity of polyamide 6/functionalized polyolefin blends. *Polymer.* 2000; **41**:4923-4932.
2275. Pyzowski, J.; Chworoś, A.; Woźniak, L. A., and Stec, W. J. One-pot synthesis of nucleoside 3'-O-(S-phenyl methanephosphonate)s. *Tetrahedron Lett.* 2000; **41**:1223-1226.
2276. Pyzowski, J.; Woźniak, L. A., and Stec, W. J. Oligomeric building block approach to the synthesis of diastereomerically pure pentathymidine 3',5'-methanephosphonates. *Organic Lett.* 2000; **2**:771-773.
2277. Romeo, R.; Woźniak, L. A., and Chatgililoglu, Ch. Radical-based reduction of phosphine sulfides and selenides by (Me₃Si)₃SiH. *Tetrahedron Lett.* 2000; **41**:9899-9902.
2278. Salamończyk, G.; Kuźnikowski, M., and Skowrońska, A. A divergent synthesis of thiophosphate-based dendrimers. *Tetrahedron Lett.* 2000; **41**:1643-1645.
2279. Sauvet, G.; Dupond, S.; Kaźmierski, K., and Chojnowski, J. Biocidal polymers active by contact. Synthesis of polysiloxanes with biocidal activity. *J Appl Polym Sci.* 2000; **75**:1005-1012.
2280. Skowrońska, A.; Kowara, J.; Kamiński, R.; Bujacz, G. D., and Wieczorek, M. W. Preparation of hexacoordinated tris(bidentate) phosphorus compounds with 1,3,2-dioxaphosphorinane rings.

NMR and X-ray crystallographic studies of their conformation. *J Org Chem.* 2000; **65**:304-315.

2281. Stańczyk, W. A.; Ganicz, T.; Gładkova, N., and Białecka-Florjańczyk, W. Polyvinylsilanes-a novel group of organosilicon liquid crystal system. *Proc SPIE-Int Soc Opt Engineers.* 2000; **4147**:23-29.
2282. Stec, W. J. Tendencje rozwojowe światowej biotechnologii. *Biotechnologia.* 2000; **1**(48):15-30.
2283. Stec, W. J. and Koziolkiewicz, M. Oligonukleotydy: czy tylko fragmenty kwasów nukleinowych? *Kosmos.* 2000; **19**:489-501.
2284. Stec, W. J.; Koziolkiewicz, M., and Taira, K. Stereochemical support for serratia endonuclease active site geometry. *Pure & Appl Chem.* 2000; **72**:1777-1781.
2285. Stivers, J. T.; Jagadeesh, G. J.; Nawrot, B.; Stec, W. J., and Shuman, S. Stereochemical outcome and kinetic effects of Rp and Sp-phosphorothioate substitutions at the cleavage site of vaccina type I DNA topoisomerase. *Biochemistry.* 2000; **39**:5561-5572.
2286. Słomkowski, S.; Kowalczyk, D.; Chehimi, M. M., and Delamar, M. X-ray photoelectron spectroscopy (XPS) as a tool for studies of surface layer of microspheres. The case of polystyrene (PS) and poly(styrene-acroleun) (PSA) microspheres with attached human serum albumin (HSA). *Colloid Polym Sci.* 2000; **278**:878-883.
2287. Słomkowski, S.; Sosnowski, S.; Gadzinowski, M.; Pichot, Ch., and Elaissari, A. Tailored synthesis of polyesters by dispersion ring-opening polymerization of ϵ -caprolactone and lactides. *Macromol Symp.* 2000; **150**:259-268.
2288. Tracz, A. Kompozyty polimerowe z β -ET₂I₃. Wpływ matrycy polimerowej na strukturę i nadprzewodnictwo. Nizioł, S.; Petelenz, P., and Wasiutyński, T., Red. *Kryształy molekularne* 2000. Kraków: Wyd WFTJ AGH; 2000; pp. 304-306.
2289. ---. Structure of β -ET₂I₃ in conducting polymer films. *Synth Met.* 2000; **109**:267-271.
2290. ---. Transformation of polycrystalline layers of BEDT-TTF triiodide salt by reaction with Br₂. *Synth Met.* 2000; **109**:273-276.
2291. Wang, F. W.; Polavarapu, P. L.; Drabowicz, J., and Mikołajczyk, M. Absolute configurations, predominant conformations and tautomeric structures of enantiomeric tert-butylphenylphosphine oxides. *J Org Chem.* 2000; **65**:7561-7565.
2292. Warashina, M.; Takagi, Y.; Stec, W. J., and Taira, K. Difference among mechanisms of ribozyme-catalyzed reactions. *Current Opinion in Biotechnology.* 2000; **11**:354-362.
2293. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Hatanaka, Y.; Wickramanayaka, S., and Nakanishi, Y. Oligomerization and polymerization steps in remote plasma chemical vapor deposition of silicon-carbon and silica films from organosilicon sources. *Chem Mater.* 2000; **13**:1884-1895.
2294. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Stasiak, M.; Klemberg-Sapieha, J. E.; Bieliński, D. M.; Aoki, T., and Hatanaka, Y. Remote microwave plasma chemical vapor deposition of thin Si:N:C films from a single-source precursor. *J Wide Bandgap Mater.* 2000; **8**:3-15.
2295. Wróbel, A. M.; Wickramanayaka, S.; Nakanishi, Y., and Hatanaka, Y. Structure-property relationships of amorphous hydrogenated silicon-carbon films produced by atomic hydrogen-induced CVD from single-source precursors. *Chem Vap Deposition.* 2000; **6**:1-8.
2296. Wódzki, R.; Świątkowski, M.; Łapienis, G., and Kałużyński, K. Poli(oksyetylen) i pochodne jako

makrocząsteczkowe przenośniki do separacji metali. Zeszyty Naukowe Politechniki Śląskiej. 2000; **Chemia**(8):223-227.

2297. Yang, Xian-bin; Misiura, K.; Stec, W. J.; Potrzebowski, M. J.; Kaźmierski, Sł.; Wieczorek, M. W., and Majzner, W. R. Nucleophilic $N^1 \rightarrow N^3$ rearrangement of 5'-O-trityl-O²,3'-cycloanhydrothymidine. Nucleosides, Nucleotides & Nucleic Acids. 2000; **19**:1657-1673.
2298. Zwanenburg, B.; Mikołajczyk, M., and Kielbasiński, P., Eds. Enzymes in action: green solutions for chemical problems. Dordrecht: Kluwer Academic Publishers; 2000;(NATO-ASI Series. Partnership sub-series 1, Disarmament technologies; v. **vol. 33**). ISBN: 0792366956 . Notes: 22 rozdziały, 470 stron
2299. Ścibiorek, M.; Gładkova, N., and Chojnowski, J. Controlled synthesis of amphiphilic siloxane-siloxane block copolymers with carboxyl function. Polym Bull. 2000; **44**:377-384.
2300. Łapienis, G. and Penczek, S. Highly branched (star-like) polymers by reacting oligoalcohols with bicyclic compounds. 1. Monomethoxy poly(ethylene oxide) and diepoxides. Macromolecules. 2000; **33**:6630-6632.
2301. Alcaro, S. S.; Tafi, A. A.; Ortuso, F. F.; Woźniak, L. A.; Gacs-Baitz, E. E., and Maurizio, M. Conformational search of antisense nucleotides. Bioorg Med Chem Lett. 2001; **11**:2273-2277.
2302. Alexandre, M.; Pluta, M.; Dubois, Ph., and Jerome, R. Metallocene catalysed polymerization of ethylene in the presence of graphite. 1. Synthesis and characterization of the composites. Macromol Chem Phys. 2001; **11**:202.
2303. Bakalarz-Jeziorna, A.; Heliński, J., and Krawiecka, B. Synthesis of multifunctionalized phosphonic acid esters *via* opening of oxiranes and azetidinium salts with phosphoryl-substituted carbanions. J Chem Soc Perkin 1. 2001:1086-1090.
2304. Basińska, T. Adsorption studies of human serum albumin, human γ -globulins, and human fibrinogen on the surface of P(S/PGL) microspheres. J Biomater Sci Polym Ed. 2001; **12**:(12):1359-1371.
2305. Basińska, T.; Słomkowski, S.; Dworak, A.; Panchev, I., and Chehimi, M. M. Synthesis and characterization of poly(styrene/ α -t-butoxy- ω -vinylbenzyl-poliglicydol) microspheres. Colloid Polym Sci. 2001; **279**:916-924.
2306. Bałczewska, E. and Bałczewski, P. Mechanizmy przeciwwresorpcyjnego działania bis-fosfonianów w chorobach układu kostnego. Postępy Biochemii. 2001; **47**:331-339.
2307. Bałczewski, P. and Mikołajczyk, M. Mechanistic studies of the iodine atom transfer addition reaction of 1-iodoalkylphosphonates to alkenes in the presence of α, α' -azoisobutyronitrile (AIBN). New J Chem. 2001; **25**:659-663.
2308. Bałczewski, P.; Szadowiak, A., and Białas, T. A new radical method for synthesis of carbon-carbon bond in phosphonates *via* the iodine atom transfer addition reaction of alkenes. Annals of the Polish Chemical Society Year 2001. 2001:54.
2309. Bednarek, M.; Kubisa, P., and Penczek, S. Multihydroxyl branched polyethers. 2. Mechanistic aspects of cationic polymerization of 3-ethyl-3-(hydroxymethyl)oxetane. Macromolecules. 2001; **34**:5112-5119.
2310. Benimetskaya, L.; Miller, P.; Benimetsky, S.; Maciaszek, A.; Guga, P.; Beaucage, S. L.; Wilk, A.; Grajkowski, A.; Halperin, A. L., and Stein, C. A. Inhibition of potentially anti-apoptotic proteins by antisense protein kinase C- α (Isis 3521) and antisense bcl-2 (G3139) phosphorothioate

oligodeoxynucleotides: relationship to the decreased viability of T24 bladder and PC3 prostate cancer cells. *Molecular Pharmacology*. 2001; **60**:1296-1307.

2311. Biedroń, T.; Kałużyński, K.; Pretula, J.; Kubisa, P.; Penczek, S., and Loontjens, T. Synthesis of high molar mass poly(alkylene phosphate) by polyaddition of diepoxides to difunctional phosphoric acids. Unusual elimination of the side reaction. *J Polym Sci A: Polym Chem*. 2001; **39**:3024-3033.
2312. Biedroń, T. and Kubisa, P. Atom transfer radical polymerization of acrylates in an ionic liquid. *Macromol Rapid Comm*. 2001; **22**:1237-1242.
2313. Boncler, M. A.; Koziolkiewicz, M., and Watała, C. Aptamer inhibits degradation of platelet proteolytically activatable receptor, par-1, by thrombin. *Thromb Res*. 2001; **1**:215-222.
2314. Brauge, L.; Caminade, A.-M.; Majoral, J.-P.; Słomkowski, S., and Wolszczak, M. Segmental mobility in phosphorus containing dendrimers. Studies by fluorescent spectroscopy. *Macromolecules*. 2001; **34**:5599-5606.
2315. Bucheńska, J.; Słomkowski, S.; Tazbir, J. W., and Sobolewska, E. Poly(ethylene terephthalate) yarn with antibacterial properties. *J Biomater Sci Polym Ed*. 2001; **12**:55-62.
2316. Cadierno, V.; Zabłocka, M.; Donnadieu, B.; Igau, A.; Majoral, J.-P., and Skowrońska, A. X-H (X=C,N,O,P,S) Bond activations induced by β -heterosubstituted zirconaindenes. *Chem-Eur J*. 2001; **7**:221-229.
2317. Chojnowski, J. Precyzyjna synteza blokowych kopolimerów siloksanowo-siloksanowych zawierających segmenty hydrofilowe i hydrofobowe. *Polimery*. 2001; **46**:461-467.
2318. Chojnowski, J.; Cypryk, M.; Fortuniak, W.; Kaźmierski, K.; Ścibiorek, M., and Różga-Wijas, K. Controlled synthesis of all-siloxane architectures by ring-opening polymerization. *Polymer Preprints*. 2001; **42**:227-228.
2319. Chworoś, A.; Coppel, Y.; Dubey, I.; Pratviel, G., and Meunier, B. Guanine oxidation: NMR characterization of a dehydro-guanidynohydantoin residue generated by a 2e-oxidation of d(GpT). *J Am Chem Soc*. 2001; **123**: 5867-5877.
2320. Chworoś, A. and Woźniak, L. A. Stereochemical correlation and absolute configuration assignment for thymidine 3'-(S-phenyl methanephosphonothioate). Epton, R., Ed. "Innovation and perspectives in solid phase synthesis and combinatorial libraries" Proceedings of the Vth International Sympozjum, York 1999. Birmingham: Mayflower Worldwide Ltd; 2001; pp. 43-46.
2321. Cypryk, M. Analiza rozkładu sekwencji w kopolimerach siloksanowych jako narzędzie badania mechanizmu polimeryzacji cyklosiloksanów. *Polimery*. 2001; **46** :469-475.
2322. ---. Thermochemistry of redistribution of poly[oxy-multi(dimethylsilyl)anes], [(Me₂Si)_mO]_n to polysiloxanes and polysilanes, theoretical study. *Macromol Theory Simul*. 2001; **10**:158-164.
2323. Da Costa, C. P.; Okruszek, A., and Sigel, H. Metal ion binding to phosphorothioates and thionucleotides. Complex stability comparisons between phosphate ligands and their thiophosphate analogues. *J Inorg Biochem*. 2001; **86**:37.
2324. Dobrowolska, M.; Juszczynski, P.; Niewiarowski, W.; Rębowski, G.; Bartosz, G.; Soszyński, M.; Krykowski, E.; Robak, T., and Warzocha, K. Udział genu mrp w wielolekowej oporności przewlekłej białaczki limfatycznej. *Acta Haematolog Pol*. 2001; **32**:113-117.
2325. Drabowicz, J.; Dudziński, B.; Mikołajczyk, M.; Wang, F. W.; Dehlavi, A.; Goring, J.; Park, M.; Rizzo, C.

- J.; Polavarapu, P. L.; Biscarini, P.; Wieczorek, M. W., and Majzner, W. R. Absolute configuration, predominant conformations and vibrational circular dichroism spectra of enantiomers of n-butyl t-butyl sulfoxide. *J Org Chem.* 2001; **66**:1122-1129.
2326. Drabowicz, J. and Mikołajczyk, M. Hypervalent structures derived from the perfluorocumyl and cumyl ligands: new synthetic procedures, optical activity and the selected interconversions. *Phosphorus, Sulfur and Silicon.* 2001; **168**:252-258.
2327. Duda, A. and Penczek, S. Mechanisms of aliphatic polyester formation, biopolymers. Steinbüchel, A and Doi, Y., Eds. *Biopolymers.* Weinheim: Wiley-VCH; 2001; p. 60 str.
2328. Dąbkowski, W. and Tworowska, I. Synthesis of phosphorofluoridates and phosphorofluoridothioates *via* the phosphoramidite approach. *J Chem Soc Perkin 1.* 2001:2462-2469.
2329. Eaborn, C.; Kowalewska, A.; Smith, J. D., and Stańczyk, W. A. Anchimeric assistance by gamma-substituents Z, Z=MeO, PhO, MeS, or PhS in reactions of the bromides (Me₃Si)₂(ZMe₂Si)CSiMe₂Br with AgBF₄. *J Organomet Chem.* 2001; **640**:29-36.
2330. Florjańczyk, Z.; Penczek, S., and Słomkowski, S. Polymerization processes and polymer materials I. *Macromol Symp.* 2001; **174**:1-434.
2331. ---. Polymerization processes and polymer materials II. *Macromol Symp.* 2001; **175**:1-428.
2332. Fortuniak, W.; Chojnowski, J., and Sauvet, G. Controlled synthesis of siloxane polymers and siloxane-siloxane block copolymers with 3-chloropropyl groups pendant to siloxane chain. *Macromol Chem Phys.* 2001; **202**:2306-2313.
2333. Ganicz, T. and Stańczyk, W. A. Usieciowane w matrycy akrylanowej mezomorficzne poli(di-n-alkilosiloksany). *Polimery.* 2001; **46**:476-482.
2334. Graja, A.; Brau, A.; Farges, J.-P.; Golub, M.; Tracz, A., and Jeszka, J. K. Electrical properties of composite materials obtained by mechanochemical charge transfer between BEDT-TTF and gold-derived acceptors. *Synth Met.* 2001; **120**:753-754.
2335. Guga, P.; Domański, K., and Stec, W. J. Oxathiaphospholane approach to the synthesis of P-chiral. Isotopomeric deoxyribonucleosidephosphorothioates and phosphates labeled with oxygen isotope. *Angew Chem Int Ed Engl.* 2001; **40**:610-613.
2336. Jeszka, J. K.; Tracz, A.; Wostek, D.; Boiteux, G., and Kryszewski, M. Preparation of ET₂I₃ nanocrystals. *J New Mar Electrochem Syst.* 2001; **4**:149-153.
2337. Kamiński, R.; Glass, R. S., and Skowrońska, A. A convenient synthesis of selenocarboxamides from nitriles. *Synthesis.* 2001; **9**:1308-1310.
2338. Karacar, A.; Freytag, M.; Thönnessen, H.; Omelańczuk, J.; Jones, P. G.; Bartsch, R., and Schmutzler, R. Oxidation reactions of 1,8-bis(phosphino)naphthalenes: syntheses and molecular structures of bis(phosphine oxides) and of a bis(phosphine sulfide). *Heteroatom Chem.* 2001; **12**:102-113.
2339. Karacar, A.; Klaukien, V.; Freytag, M.; Thönnessen, H.; Omelańczuk, J.; Jones, P. G.; Bartsch, R., and Schmutzler, R. Phosphonium salts of 1,8-bis(diphenylphosphino)-naphthalene: molecular structures and NMR-spectroscopic studies. *Z Für Anorg Allgem Chem.* 2001; **627**:2589-2603.
2340. Karwowski, B.; Okruszek, A.; Wengel, J., and Stec, W. J. Stereocontrolled synthesis of LNA dinucleoside phosphorothioate by the oxathiaphospholane approach. *Bioorg Med Chem Lett.* 2001; **11**:1001-1003.

2341. Kałużyński, K.; Pretula, J.; Łapienis, G.; Baško, M.; Bartczak, Z.; Dworak, A., and Penczek, S. Di-hydrophilic block copolymers with ionic and nonionic blocks. I. Poly(ethylene oxide)-b-polyglycidol with OP(O)(OH)₂, COOH, or SO₃H functions. Synthesis and influence for CaCO₃ crystallization. *J Polym Sci A: Polym Chem*. 2001; **39**:955-963.
2342. Koprowski, M.; Krawczyk, E.; Skowrońska, A.; McPertlin, M.; Choi, N., and Radojevic, S. Stereospecific [2,3] sigmatropic rearrangement of allylic sulfoxides and selenoxides. Synthesis of novel polyclinic allylic alcohols and α -hydroxy ketones. *Tetrahedron*. 2001; **57**:1105-1118.
2343. Koziolkiewicz, M.; Gendaszewska, E.; Stein, C. A.; Maszewska, M., and Stec, W. J. The mononucleotide-dependent, non-antisense mechanism of action of phosphodiester and phosphorothioate oligonucleotides depends upon the activity of an ecto-5'-nucleotidase. *Blood*. 2001; **98**:995-1002.
2344. Koziolkiewicz, M.; Owczarek, A.; Domański, K.; Nowak, M.; Guga, P., and Stec, W. J. Stereochemistry of cleavage of internucleotide bond by *Serratia marcescens* endonuclease. *Bioorg Med Chem* . 2001; **9**:2403-2409.
2345. Krysiak, J. A.; Kato, T.; Gornitzka, H.; Bacereido, A., and Mikołajczyk, M. The first asymmetric cyclopropanation reactions involving a stable carbene. *J Org Chem*. 2001; **66**:8240-8242.
2346. Mauger, C.; Masson, S.; Vazeux, M.; Saint-Clair, J. F.; Midura, W. H.; Drabowicz, J., and Mikołajczyk, M. Synthesis, characterization and resolution of racemic (2-methylsulfinyl)phenyl-phosphonic acid methyl ester *via* its cinchoninium salts. *Tetrahedron: Asymmetry*. 2001; **12**:167-174.
2347. Mielniczak, G. and Łopusiński, A. Iodosobenzene and iodoxybenzene as reagents for oxygen transfer in organophosphorus chemistry. *Synlett*. 2001:505-508.
2348. Mikołajczyk, M. Biologically active cyclopentanones and cyclopentenones: phosphonate-based strategies and syntheses. *Annals of the Polish Chemical Society Year 2001*. 2001:5.
2349. Mikołajczyk, M. and Midura, W. H. Cyclopropanation of α -sulfinyl vinylphosphonates. *Journal of Tsinghua Univ. (Sci. & Tech.)*. 2001; **41**:8-11.
2350. Mikołajczyk, M.; Midura, W. H.; Schmutzler, R.; Schiebel, H. M., and Schulze, R. α -Phosphoryl sulfoxides. XII. A question of the sulfinyl oxygen participation in the alkaline hydrolysis of α -phosphoryl sulfoxides. *New J Chem*. 2001; **25**:1073-1077.
2351. Misiura, K.; Kardacka, K., and Kuśnierczyk, H. Synthesis, *in vitro* metabolic studies, and antitumor activity of methyl analogues of ifosfamide. *Arch Pharm Med Chem*. 2001; **334**:291-294.
2352. Misiura, K.; Kinas, R.; Kuśnierczyk, H.; Radzikowski, Cz., and Stec, W. J. (S)-(-)-Bromofosfamide (CBM-11): synthesis and antitumor activity and toxicity in mice . *Anti-Cancer Drugs*. 2001; **12**:453-458.
2353. Misiura, K.; Szymanowicz, D., and Kuśnierczyk, H. Synthesis, chemical and enzymatic reactivity, and toxicity of dithymidyl-3',5'-phosphorofluoridate and -phosphothiofluoridate. *Bioorg Med Chem* . 2001; **9**:1525-1532.
2354. Mladenova, R.; Petrova, T.; Manolova, N.; Rashkov, I., and Kubisa, P. Preparation, characterization and biological activity of amides and ester from 8-hydroxyquinoline-2-carboxylic acid and Jeffamines ED (R) or poly(ethylene oxide). *J Bioactive Compatibl Polym*. 2001; **16**:259-276.
2355. Morawiec, J.; Bartczak, Z.; Kaźmierczak, T., and Gałęski, A. Rolling of polymeric materials with side constraints. *Material Science and Engineering A*. 2001; **317**:21-27.

2356. Nawrot, B.; Michalak, O.; Olejniczak, S.; Wieczorek, M. W.; Lis, T., and Stec, W. J. Alkylation of thymine with 1,2-dibromoethane. *Tetrahedron*. 2001; **57**:3970-3985.
2357. Nowacki, R.; Kolańska, J., and Piórkowska, E. Cavitation during isothermal crystallization of isotactic polypropylene. *J Appl Polym Sci*. 2001; **79**:2439-2448.
2358. Okruszek, A.; Sierchała, A.; Żmudzka, K., and Stec, W. J. The synthesis of dithymidine boranophosphate by the oxathiaphospholane approach. *Nucleosides, Nucleotides & Nucleic Acids*. 2001; **20**:1843-1849.
2359. Olesiak, M.; Okruszek, A., and Stec, W. J. The synthesis of S-phosphorodithioate analogs of di and oligonucleotides with sulfur in 3'- or 5'-bridging position. *J Inorg Biochem*. 2001; **86**:364.
2360. Owsianik, K.; Zabłocka, M.; Igau, A.; Majoral, J.-P., and Skowrońska, A. Versatile behavior of β -heterosubstituted zirconaindene complexes: M-Cl bond activation (M=Si,P,Au fragments). *Eur J Inorg Chem*. 2001:1693-1697.
2361. Pakuła, T.; Minkin, P.; Friedrich, K., and Jeszka, J. K. Structure and dynamics of highly branched polymers. *Polymeric Materials Science & Engineering*. 2001:265-268.
2362. Pawlak, A. and Gałęski, A. Określanie trójwymiarowych naprężeń wokół mikrowtrąceń w polimerach z zastosowaniem elastooptyki. *Polimery*. 2001; **46**:293-301.
2363. Pawlak, A. and Piórkowska, E. Crystallization of isotactic polypropylene in temperature gradient. *Colloid Polym Sci*. 2001; **279**:939-946.
2364. Pawlak, A.; Więcek, T.; Wasilewski, A., and Gałęski, A. Observation of stresses in transparent materials by microphotoelasticity. *Microscopy and Analysis*. 2001; **69**:17-19.
2365. Pawlak, A.; Zinck, P.; Gałęski, A., and Gerard, J.-F. Photoelastic studies of residual stresses around fillers embedded in an epoxy matrix. *Macromol Symp*. 2001; **169**:197-210.
2366. Pawłowska, Z.; Chabielska, E.; Kobyłańska, A.; Maciaszek, A.; Świątkowska, M.; Buczek, W.; Stec, W. J., and Cierniewski, C. S. Regulation of PAI-1 concentration in platelets by systemic administration of antisense oligonucleotides to rats. *Thrombosis Haemostasis*. 2001; **85**:1086-1089.
2367. Penczek, S.; Pretula, J., and Kałużyński, K. Models of biomacromolecules and other useful structures based on the poly(alkylene phosphate) chains. *Polish J Chem*. 2001; **75**:1171-1181.
2368. Perlikowska, W.; Gouygou, M.; Daran, J.-C.; Balavoine, G., and Mikołajczyk, M. Kinetic resolution of P-chiral tertiary phosphines and chlorophosphines: a new approach to optically active phosphoryl and thiophosphoryl compounds. *Tetrahedron Lett*. 2001; **42**:7841-7845.
2369. Piórkowska, E. Krystalizacja sferolityczna polimerów-modelowanie i symulacja komputerowa. *Polimery*. 2001; **46**:323-334.
2370. ---. Modelling of crystallization kinetics in fiber reinforced composites. *Macromol Symp*. 2001; **169**:43-148.
2371. Pluta, M.; Alexandre, M.; Blacher, S.; Dubois, Ph., and Jerome, R. Metallocene catalysed polymerization of ethylene in the presence of graphite.II. Structure and electrical properties. *Polymer*. 2001; **42**:9293.
2372. Pluta, M.; Bartczak, Z.; Pawlak, A.; Gałęski, A., and Pracella, M. Phase srtructure and viscoelastic properties of compatibilized blends of PET and HDPE recyclates. *J Appl Polym Sci*. 2001;

2373. Potrzebowski, M. J.; Ganicz, K., and Kaźmierski, Sł. ³¹P High resolution solid state NMR of phosphoroorganic compounds of biological interests. Polish J Chem. 2001; **75**:1147-1169.
2374. Potrzebowski, M. J.; Kaźmierski, Sł.; Michalska, M.; Olejniczak, S., and Latanowicz, L. Investigation of structure and motional behavior of 1,6:3,4-dianhydro-2-O-tosyl- α -D-galactopyranose in solution by means of multiple-field ¹³C spin-lattice relaxation times . J Mol Struct. 2001; **597**:7-19.
2375. Potrzebowski, M. J.; Yang, Xian-bin.; Misiura, K.; Majzner, W. R.; Wieczorek, M. W.; Kaźmierski, Sł.; Olejniczak, S., and Stec, W. J. Synthesis and structural studies of S_P and R_P diastereomers of deoxyxylothymidyl-3'-O-acetylthymidyl (3',5')-O-(2-cyanoethyl)-phosphorothioate in solution and solid state . Eur J Org Chem. 2001:1491-1501.
2376. Rockitt, S.; Duddeck, H., and Omelańczuk, J. First direct discrimination of chiral phosphorus thionate (P=S) derivatives by multinuclear magnetic resonance spectroscopy in the presence of a chiral dirhodium complex. Chirality. 2001; **13**:214-223.
2377. Rębowski, G.; Wójcik, M.; Boczkowska, M.; Gendaszewska, E.; Soszyński, M.; Bartosz, G., and Niewiarowski, W. Antisense hairpin loop oligonucleotides as inhibitors of expression of multidrug resistance-associated protein 1 (MRP1); their stability in fetal calf serum and human plasma. Acta Biochimica Polonica. 2001; **48**:1061-1076.
2378. Salamończyk, G.; Kuźnikowski, M., and Poniatowska, E. Synthesis and oxydation of selenophosphate dendrimers. Chem Commun. 2001:2202-2203.
2379. Schlosser, A.; Nawrot, B.; Grillenbeck, N., and Sprinzl, M. Fluorescence-monitored conformational change of the 3'-end of tRNA upon aminoacylation. J Biomolec Struct Dyn. 2001; **19**:285-291.
2380. Skowrońska, A.; Dybowski, P.; Koprowski, M.; Krawczyk, E., and Maciągiewicz, I. Thiophosphates and selenophosphates as tools in the construction of carbon-carbon double bond. Polish J Chem. 2001; **75**:1121-1135.
2381. Sosnowski, S. Poly(L-lactide) microspheres with controlled crystallinity. Polymer. 2001; **42**:637-643.
2382. Sosnowski, S.; Gadzinowski, M., and Słomkowski, S. Biodegradable, monodisperse nano- and microspheres forming stable suspension in water media. Annals of the Polish Chemical Society Year 2001. 2001:281.
2383. Stec, W. J. Oxathiaphospholane approach to phosphorylation. Journal of Tsinghua Univ. (Sci. & Tech.). 2001; **41**:1-7.
2384. Słomkowski, S.; Miksa, B.; Basińska, T.; Gambhir, A. G.; Kumar, A., and Malhotra, B. D. Polymer microspheres with immobilized enzymes and other proteins as materials for biosensors. Biocybernetics and Biochemical Engineering. 2001; **21**:49-65.
2385. Takagi, Y.; Warashina, M.; Stec, W. J.; Yoshinari, K., and Taira, K. Recent advances in the elucidation of the mechanisms of action of ribozymes. Nucleic Acids Res. 2001; **29**:1815-1834.
2386. Tracz, A. Why superconducting transition of polycrystalline β -(ET)₂I₃ in surface conducting films is observed below 8 K? Synth Met. 2001; **123**:477-480.
2387. Tracz, A.; Jeszka, J. K.; Kucińska, I.; Chapel, J.-P., and Boiteux, G. Nanoscale morphology of melt crystallized polyethylene/graphite (HOPG) interphase. Macromol Symp. 2001; **169**:129-135.

2388. Tracz, A.; Wosnitza, J.; Barakat, S.; Hagel, J., and Müller, H. Superconducting properties of organic composites: blends of $\beta\text{Co}^-(\text{ET})_2\text{I}_3$ with paraffin and polycarbonate. *Synth Met.* 2001; **120**:849-850.
2389. Tworowska, I.; Dąbkowski, W., and Michalski, J. Novel synthesis of tri- and tetracoordinate phosphorus compounds containing the P-trifluoromethyl group by nucleophilic trifluoromethylation of the corresponding P-fluoro systems. *Angew Chem Int Ed Engl.* 2001; **40**: 2988-2990.
2390. Uznański, P. Dielectric relaxations in photochromically doped polymeric matrices studied by optical waveguide technique. *IEEE Trans Electr Insul.* 2001; **8**:507-511.
2391. Uznański, P.; Amiens, C.; Bardaji, M.; Donnadieu, B.; Coppel, Y.; Chaudret, B., and Laguna, A. Oxidation of photochromic spirooxazines by coinage metal cations. Part II. Oxidation by gold (III) compounds and synthesis of gold colloids. *New J Chem.* 2001; **25**:1495-1499.
2392. Uznański, P.; Amiens, C.; Donnadieu, B.; Coppel, Y., and Chaudret, B. Oxidation of photochromic spirooxazines by coinage metal cations. Part I. Reaction with AgNO_3 : formation and characterisation of silver particles. *New J Chem.* 2001; **25**:1486-1494.
2393. Varnum, J. M.; Baraniak, J.; Stec, W. J., and Brenner, C. Di-, tri- and tetra-5'-O-phosphorothioadenosyl substituted polyols as inhibitors of Fhit: importance to the α - β bridging oxygen and β phosphorus replacement. *BMC Chem Biol.* 2001; **1**:1-3.
2394. Wang, F. W.; Polavarapu, P. L.; Drabowicz, J.; Mikołajczyk, M., and Łyżwa, P. Absolute configurations, predominant conformations and tautomeric structures of enantiomeric tert-butylphenylphosphinothioic acid. *J Org Chem.* 2001; **66**:9015-9019.
2395. Wróbel, A. M. Remote hydrogen plasma chemical vapor deposition from alkylsilane and alkylcarbosilane single sources: mechanism of the process and properties of resulting silicon-carbon deposits. *J Phys France IV.* 2001; **11Pr3**:691-702.
2396. Wódzki, R.; Świątkowski, M., and Pretula, J. Sprzężony proces perwaporacji i pertrakcji ułatwionej przez poli(glikol propylenowy) i jego pochodne. *Zeszyty Naukowe Politechniki Śląskiej.* 2001; **146 (Chemia)**:239-242.
2397. Wódzki, R.; Świątkowski, M., and Łapienis, G. Influence of water on the pertraction of some cations by amphiphilic macroionophores. *Proceedings of the XVIth International Symposium on Physico-Chemical Methods on the Mixtures Separation "Ars Separatoria 2001"*. 2001:302-307.
2398. Wódzki, R.; Świątkowski, M., and Łapienis, G. Mobile macromolecular carriers of ionic substances. 2. Transport rates and separation of some divalent cations by poly(oxyethylene)phosphates. *Macromol Chem Phys.* 2001; **202**:145-154.
2399. Łapienis, G. and Penczek, S. Preparation of monomethyl ethers of poly(ethyleneglycol)s free of the poly(ethylene glycol). *J Bioactive Compatible Polym.* 2001; **16**:206-220.
2400. Łopusiński, A. and Mielniczak, G. Liquid ammonia as a medium in the convenient preparation of ammonium O,O-dialkyl phosphorothioate and ammonium O,O-dialkyl phosphoroselenoate. *Synthetic Commun.* 2001; **31**:91-96.
2401. Żurawiński, R.; Nakamura, K.; Drabowicz, J.; Kielbasiński, P., and Mikołajczyk, M. Biocatalytic syntheses of chiral non-racemic 2-hydroxyalkane phosphonates. *Tetrahedron: Asymmetry.* 2001; **12**:3139-3145.
2402. Azioune, A.; Chehimi, M. M.; Miksa, B.; Basińska, T., and Słomkowski, S. The hydrophobic

protein-polypyrrole interactions: the role of van der Waals and Lewis acid-base forces as determined by contact angle measurements. *Langmuir*. 2002; **18**:1150-1156.

2403. Azzam, T.; Peppas, N. A.; Słomkowski, S., and Domb, A. J. "Length and breadth" polyrotaxane structures - a new concept in three-dimensional polymeric systems. *Polym Adv Technol*. 2002; **13**:(10-12):788-797.
2404. Baraniak, J.; Kaczmarek, R.; Korczyński, D., and Wasilewska, E. Oxathiaphospholane approach to N- and O-phosphorothioylation of amino acids. *J Org Chem*. 2002; **67**:7267-7274.
2405. Baraniak, J.; Kaczmarek, R.; Wasilewska, E., and Stec, W. J. Oxathiaphospholane approach to the synthesis of conjugates of amino acids methyl esters with nucleosides. *Phosphorus, Sulfur and Silicon*. 2002; **177**:(9):1667-1670.
2406. Bardaji, M.; Uznański, P.; Amiens, C.; Chaudret, B., and Laguna, A. Auophilic complexes as gold atom sources in organic media. *J Chem Soc Chem Commun*. 2002(6):598-599.
2407. Bartczak, Z. Deformation of high-density polyethylene produced by rolling with side constraints. I. Orientation behavior. *J Appl Polym Sci*. 2002; **86**:(6):1396-1404.
2408. ---. Mechanism of toughness improvement of semi-crystalline polymers. *J Macromol Sci Phys*. 2002; **B41**:1205-1229.
2409. Bartczak, Z.; Morawiec, J., and Gałęski, A. Deformation of high-density polyethylene produced by rolling with side constraints. II. Mechanical properties of oriented bars. *J Appl Polym Sci*. 2002; **86**:(6):1405-1412.
2410. ---. Structure and properties of isotactic polypropylene oriented by rolling with side constraints. *J Appl Polym Sci*. 2002; **86**:(6):1413-1425.
2411. Basińska, T. Poly(styrene/acrolein) and poly(styrene/ α -tert-butoxy- ω -vinylbenzyl-polyglycidol) microspheres. Similarities and differences. *E-Polymers*. 2002(011):1-14.
2412. Baško, M. and Kubisa, P. Synthesis of double hydrophilic graft copolymers with a polyacetal backbone. *Macromolecules*. 2002; **35**:8948-8953.
2413. Bałczewski, P.; Białas, T.; Szadowiak, A., and Mikołajczyk, M. A new of the mechanistic pathway in the iodine atom transfer addition reaction involving 1-iodoalkylphosphonates and related non-phosphorus systems. *Phosphorus, Sulfur and Silicon*. 2002; **177**:1579-1582.
2414. Bednarek, M.; Penczek, S., and Kubisa, P. Polymerization of hydroxymethyloxetanes. Synthesis of branched polyethers with primary hydroxyl groups. *Macromol Symp*. 2002; **177**:155-161.
2415. Biedroń, T. and Kubisa, P. Atom transfer radical polymerization of acrylates in an ionic liquid. Synthesis of block copolymers. *J Polym Sci A: Polym Chem*. 2002; **40**:2799-2809.
2416. Biela, T.; Duda, A., and Penczek, S. Control of Mn, Mw/Mn, end-groups, and kinetics in living polymerization of cyclic esters. *Macromol Symp*. 2002; **183**:1-10.
2417. Biela, T.; Duda, A.; Penczek, S.; Rode, K., and Pasch, H. Well-defined star polyactides and their behaviour in two-dimensional chromatography. *J Polym Sci A: Polym Chem*. 2002; **40**:2884-2887.
2418. Bieliński, D. M.; Wróbel, A. M., and Walkiewicz-Pietrzykowska, A. Mechanical and tribological properties of thin remote microwave plasma CVD a-Si:N:C films from a single-source precursor. *Tribol Lett*. 2002; **13**:71-76.

2419. Blodget, J.; Wang, Y.; Bluhm, L. H.; Li, T.; Polavarapu, P. L.; Drabowicz, J.; Pietrusiewicz, K. M., and Zygo, K. Resolution of tert-butyl-1-(2-methylnaphthyl)phosphine oxide using selectors identified from a chemical combinatorial library. *Anal Chem.* 2002; **74**:5212-5216.
2420. Boczkowska, M. Dichroizm kołowy kwasów nukleinowych. Cz. II. Polimery. *Wiadomości Chemiczne.* 2002; **56**:3-4.
2421. ---. Dichroizm kołowy kwasów nukleinowych. Cz. I. Monomery. *Wiadomości Chemiczne.* 2002; **56**:1-2.
2422. Boczkowska, M.; Guga, P., and Stec, W. J. Stereodefined phosphorothioate analogues of DNA: relative thermodynamic stability of model PS-DNA/DNA and PS-DNA/RNA complexes. *Biochemistry.* 2002; **41**:12483-12487.
2423. Budzisz, E.; Graczyk-Wojciechowska, J.; Zięba, R., and Nawrot, B. A new series of 2-substituted 3-phosphonic derivatives of chromone. Part II. Synthesis, *in vitro* alkylating and *in vivo* antitumor activity. *New J Chem.* 2002; **26**:1799-1804.
2424. Cadierno, V.; Zabłocka, M.; Donnadieu, B.; Igau, A., and Majoral, J.-P. Preparation of zwitterionic 18-electron d⁰-anionic-metallocene complexes induced by β-heterosubstituted aza-zirconaindenenes. *Organometallics.* 2002; **21**:3215-3220.
2425. Chen, Y.; Bednarek, M.; Kubisa, P., and Penczek, S. Synthesis of multihydroxyl branched polyethers by cationic copolymerization of 3,3-bis(hydroxymethyl)oxetane and 3-ethyl-3(hydroxymethyl)oxetane. *J Polym Sci A: Polym Chem.* 2002; **40**:1991-2002.
2426. Chojnowski, J.; Cypryk, M.; Fortuniak, W.; Różga-Wijas, K., and Ścibiorek, M. Controlled synthesis of vinylmethylsiloxane-dimethylsiloxane gradient, block and alternate copolymers by anionic ROP of cyclotrisiloxanes. *Polymer.* 2002; **43**:1993-2001.
2427. Chojnowski, J.; Cypryk, M., and Kaźmierski, K. Cationic polymerization of a model cyclotrisiloxane with mixed siloxane units initiated by a protic acid. Mechanism of polymer chain formation. *Macromolecules.* 2002; **35**:9904-9912.
2428. Chworoś, A.; Seguy, C.; Pratviel, G., and Meunier, B. Characterization of dehydroguanidinohydantoin oxidation product of guanine in a dinucleotide. *Chem Res Toxicol.* 2002; **15**:1643-1651.
2429. Chworoś, A.; Woźniak, L. A., and Stec, W. J. New examples of mixed seleno-sulfides; reactions with triphenylphosphine. *J Chem Soc Chem Commun.* 2002:518-519.
2430. Cieślak, M.; Niewiarowska, J.; Nawrot, B.; Koziółkiewicz, M.; Stec, W. J., and Cierniewski, C. S. DNA enzymes to β1 and β3 mRNA downregulate expression of the targeted integrins and inhibit endothelial cell capillary tube formation in fibrin. *J Biol Chem.* 2002; **277**:6779-6787.
2431. Cypryk, M. and Apeloig, Y. Mechanism of the Si-O bond cleavage in siloxanols. Theoretical study. *Organometallics.* 2002; **21**:2165-2175.
2432. Cypryk, M. and Chojnowski, J. Silanones and metasilicates from negatively charged $\equiv\text{SiO}^{(-)}$ and $=\text{SiO}_2^{(2-)}$ precursors. Theoretical study. *J Organomet Chem.* 2002; **642**:163-170.
2433. Da Costa, C. P.; Krajewska, D.; Okruszek, A.; Stec, W. J., and Sigel, H. Stabilities of lead (II) complexes formed in aqueous solution with methyl thiophosphate (MeOPS²⁻), uridine 5'-O-thiomonophosphate (UMPS²⁻) or adenosine 5'-O-thiomonophosphate (AMPS²⁻). *J Biol Inorg Chem.* 2002; **7**:405-415.
2434. Drabowicz, J. Unexpected conversions of selected heteroorganic compounds. *Heteroatom Chem.* 2002;

2435. Drabowicz, J.; Łuczak, J.; Mikołajczyk, M., and Pedersen, C. Th. The reaction of 1,2-dithiole-3-thiones with trivalent phosphorus compounds: stereochemical and spectroscopic studies. *Phosphorus, Sulfur and Silicon*. 2002; **177**:2027-2028.
2436. Drabowicz, J.; Łuczak, J.; Mikołajczyk, M.; Yamamoto, Y.; Matsukawa, S., and Akiba, Kin-ya. The first enantiomerically pure, C₂-symmetric spiro-selenurane: 3,3,3',3'-tetramethyl-1,1'-spirobi[3H,2,1]-benzoxaselenole. *Tetrahedron: Asymmetry*. 2002; **13**:2079-2082.
2437. Duda, A. Synthesis of aliphatic polyesters of various architectures by the controlled ring-opening polymerization of cyclic esters. *Polimery*. 2002; **47**:469-478.
2438. Duda, A.; Kowalski, A.; Penczek, S.; Uyama, H., and Kobayashi, S. Kinetics of the ring-opening polymerization of 6-, 7-, 9-, 12-, 13-, 16-, and 17-membered lactones. Comparison of chemical and enzymatic polymerization. *Macromolecules*. 2002; **35**:4266-4270.
2439. Gambhir, A. G.; Kumar, A.; Malhotra, B. D.; Miksa, B., and Słomkowski, S. Covalent immobilization of urease to polypyrrole microspheres for application to urea biosensor. *E-Polymers*. 2002(052):1-9.
2440. Ganicz, T.; Białęcka-Florjańczyk, W.; Stańczyk, W. A., and Śledzińska, I. Liquid crystalline crosslinked polycarbosilanes. *Proc SPIE*. 2002; **4759**:90-94.
2441. Ganicz, T.; Białęcka-Florjańczyk, W.; Stańczyk, W. A., and Śledzińska, I. Liquid crystalline networks based on polycarbosilane main chain. *E-Polymers*. 2002(P-125).
2442. Gałęski, A. Dynamic mechanical properties of crystalline polymer blends. The influence of interface and orientation. *E-Polymers*. 2002(026):1-29.
2443. Gałęski, A. and Piórkowska, E. Negative pressure development during crystallization of polymers. Imre, A.; Haris, H. J., and Williams, P. R., Eds. *Liquids under negative pressure*. New York: Kluwer; 2002; pp. 127-136.
2444. ---. Stan aktualny i perspektywy recyklingu tworzyw sztucznych. *Prace Naukowe Instytutu Materiałoznawstwa i Mechaniki Technicznej Politechniki Wrocławskiej*. 2002; **63**:59-72.
2445. ---. Stan aktualny i perspektywy recyklingu tworzyw sztucznych. *Plastics Review*. 2002; **8**:(21):25.
2446. Gendaszewska, E. Receptory nukleotydowe. *Postępy Biochemii*. 2002; **48**:220-229.
2447. Grzelka, A.; Chojnowski, J.; Cypryk, M.; Fortuniak, W.; Hupfield, P. C., and Taylor, R. G. Polycondensation and disproportionation of an oligosiloxanol in the presence of a superbase. *J Organomet Chem*. 2002; **660**:14-26.
2448. Guga, P.; Domański, K.; Koziolkiewicz, M.; Owczarek, A., and Stec, W. J. Synthesis of P-chiral [¹⁸O]-labeled isotopomeric oligo(deoxyribonucleoside phosphorothioate)s and phosphates. *Phosphorus, Sulfur and Silicon*. 2002; **177**:(9):1601-1604.
2449. Guga, P.; Okruszek, A., and Stec, W. J. Recent advances in stereocontrolled synthesis of P-chiral analogues of biophosphates. *Topics in Current Chemistry*. 2002; **220**:170-200.
Notes: New aspects in phosphorus chemistry I
2450. Hatada, K.; Kahovec, J.; Baron, M.; Horie, K.; Kitayama, T.; Kubisa, P.; Moss, G. P.; Stepto, R. F. T., and Wilks, E. S. Definitions relating to stereochemically asymmetric polymerizations (IUPAC

recommendations 2001). Pure & Appl Chem. 2002; **74**:915-922.

2451. Jeszka, J. K. 20 Years of reticulate doping-beyond conductive properties. Polish J Chem. 2002; **76**:201-218.
2452. Jurkiewicz, P.; Kral, T.; Okruszek, A.; Hoff, M., and Langner, M. Integration of oligonucleotides with positively charged liposomes using fluorescence techniques. Cell Mol Biol Lett. 2002; **7**:287.
2453. Juszczynski, P.; Niewiarowski, W.; Krykowski, E.; Robak, T., and Warzocha, K. Expression of the multidrug resistance-associated protein (mrp) gene in chronic lymphocytic leukemia. Leukemia Lymphoma. 2002; **43**:153-158.
2454. Kaźmierczak, T. and Gałęski, A. Transformation of polyethylene crystals by high-pressure annealing. J Appl Polym Sci. 2002; **86**(6):1337-1350.
2455. Kielbasiński, P.; Albrycht, M.; Łuczak, J., and Mikołajczyk, M. Enzymatic reactions in ionic liquids: lipase-catalyzed kinetic resolution of racemic P-chiral hydroxymethanephosphinates and hydroxymethylphosphine oxides. Tetrahedron: Asymmetry. 2002; **13**:735-738.
2456. Kinas, R.; Okruszek, A., and Stec, W. J. Reinvestigation of the reaction between sodium diethyl phosphonate and diethyl phosphochloridate. Evidence for single electron transfer process in the formation of direct P(IV)-P(IV) bond. Tetrahedron Lett. 2002; **43**:7875-7879.
2457. Knobloch, B.; Da Costa, C. P.; Linert, W.; Okruszek, A., and Sigel, H. Stability constants of metal ion (M^{2+}) complexes formed with N3-deprotonated uridine (Urd-H)⁻, or uridine 5'-O-thiomonophosphate, (UMPS-H)³⁻. Chimia. 2002; **56**:394.
2458. Koprowski, M.; Sebastián, R.-M.; Maraval, V.; Zabłocka, M.; Cadierno, V.; Donnadieu, B.; Igau, A.; Caminade, A.-M., and Majoral, J.-P. Iminophosphine palladium complexes in catalytic stille coupling reactions: from monomers to dendrimers. Organometallics. 2002; **21**:4680-4687.
2459. Koziolkiewicz, M.; Owczarek, A.; Wójcik, M.; Domański, K.; Guga, P., and Stec, W. J. Retention of the configuration in the action of human plasma 3'-exonuclease on oligo(deoxynucleoside phosphorothioate). A new method for assignment of absolute configuration at phosphorus in isotopomeric deoxyadenosine 5'-O-[¹⁸O]-phosphorothioate. J Am Chem Soc. 2002; **124**:4623-4627.
2460. Krakowiak, A.; Owczarek, A.; Koziolkiewicz, M., and Stec, W. J. Stereochemical course of Escherichia coli RNase H. ChemBioChem. 2002; **3**(12):1242-1250.
2461. Krawczyk, E.; Owsianik, K.; Skowrońska, A.; Wieczorek, M. W., and Majzner, W. R. An expedient, stereoselective synthesis of highly functionalized cyclic compounds. New J Chem. 2002; **26**:1753-1767.
2462. Krawczyk, E.; Skowrońska, A., and Michalski, J. Studies on the interaction of phosphine selenides and their structural analogues with dihalogens and sulfuryl chloride. J Chem Soc Dalton Trans. 2002:4471-4478.
2463. Kudzin, Z. H.; Gralak, D. K.; Drabowicz, J., and Łuczak, J. Novel approach for the analysis of glyphosate and its potential metabolites. J Chromatogr A. 2002; **947**:124-141.
2464. Kulshrestha, A. S.; Libiszowski, J.; Duda, A.; Penczek, S., and Gross, R. A. Enzyme catalyzed lactone polymerizations: and group functionalization. Polymer Preprints. 2002; **43**(2):1205-1206.
2465. Libiszowski, J.; Kowalski, A.; Duda, A., and Penczek, S. Kinetics and mechanism of cyclic esters

polymerization initiated with covalent metal carboxylates. 5. End-group studies in the model ϵ -caprolactone and L,L-dilactide/Tin(II) and zinc octoate/butyl alcohol systems. *Macromol Chem Phys.* 2002; **203**:1694-1701.

2466. Maciągiewicz, I.; Dybowski, P., and Skowrońska, A. A general convenient synthesis of conjugated dieneynes. *J Organomet Chem.* 2002; **643/644**:501-503.
2467. Magiera, D.; Baumann, W.; Podkorytov, I. S.; Omelańczuk, J., and Duddeck, H. Stable $\text{Rh}_2(\text{MTPA})_4\leftarrow$ phosphine adducts - the first example of P-chirality recognition by ^{103}Rh NMR signals. *Eur J Inorg Chem.* 2002:3253-3257.
2468. Majoral, J.-P.; Igau, A.; Cadierno, V., and Zabłocka, M. Benzyne-zirconocene reagents as tools in phosphorus chemistry. *Topics in Current Chemistry.* 2002; **220**:54-78.
2469. Malik, S.; Duddeck, H.; Omelańczuk, J., and Choudhary, M. I. First direct discrimination of chiral phosphine selenide ($\text{P}=\text{Se}$) derivatives by multinuclear resonance spectroscopy in the presence of a chiral dirhodium complex. *Chirality.* 2002; **14**:407-411.
2470. Markowicz, S. W.; Pokrzepowicz, K.; Karolak-Wojciechowska, J.; Czyłkowski, R.; Omelańczuk, J., and Sobczak, A. Optically pure α -pinene derivatives obtained from the material of 65% optical purity. Part I. Di[3a-(2a-hydroxy)pinane] amine. *Tetrahedron: Asymmetry.* 2002; **13**:1981-1991.
2471. Maszewska, M.; Kobyłańska, A.; Gendaszewska-Darmach, E., and Koziołkiewicz, M. Bromodeoxyuridine-labeled oligonucleotides as tools for oligonucleotide uptake studies . *Antisense & Nucleic Acid Drug Development.* 2002; **12**:379-391.
2472. Midura, W. H. and Mikołajczyk, M. Asymmetric cyclopropanation of chiral (1-dimethoxyphosphoryl-2-phenyl)vinyl p-tolyl sulfoxide: a new synthesis of enantiomerically pure 2-amino-3-phenyl-1-cyclopropane-phosphoric acids - a constrained analog of phaclofen. *Tetrahedron Lett.* 2002; **43**:3061-3065.
2473. Mikołajczyk, M., editor. *Heteroatom Chem. Vol. 13*: 2002. Notes: Guest Editor - Special Issue ICHAC 6
2474. ---. Phosphonate-mediated synthesis of biologically active cyclopentanones and cyclopentenones. *Phosphorus, Sulfur and Silicon.* 2002; **177**:1839-1842.
2475. Mikołajczyk, M.; Łuczak, J., and Kielbasiński, P. Chemo-enzymatic synthesis of phosphocarnitine enantiomers. *J Org Chem.* 2002; **67**:7872-7875.
2476. Mikołajczyk, M.; Łyżwa, P., and Drabowicz, J. A new efficient procedure for asymmetric synthesis of α -aminophosphonic acids *via* addition of lithiated bis(diethylamino)phosphine borane complex to enantiopure sulfinimines. *Tetrahedron: Asymmetry.* 2002; **13**:2571-2576.
2477. Misiura, K.; Kinas, R., and Kuśnierczyk, H. Studies on side-chain hydroxylation of ifosfamide and its bromo analogue. *Bioorg Med Chem Lett.* 2002; **12**:427-431.
2478. Misiura, K.; Szymanowicz, D.; Kuśnierczyk, H.; Wietrzyk, J., and Opolski, A. Isophosphoramidate mustard analogues as prodrugs for anticancer gene-directed enzyme-prodrug therapy (GDEPT). *Acta Biochimica Polonica.* 2002; **49**:169-176.
2479. Misiura, K.; Szymanowicz, D.; Kuśnierczyk, H.; Wietrzyk, J., and Opolski, A. Synthesis and antitumor activity of stereoisomers of 4-hydroperoxy derivatives of ifosfamide and its bromo analogue. *Farmaco.* 2002; **57**:315-319.

2480. Molchanov, S.; Orzelski, W.; Gryff-Keller, A., and Potrzebowski, M. J. Magnetic shielding tensors of carbon nuclei in 3,5-dichlorophenylacetylene, a theoretical *ab initio* and experimental study. *Mol Phys.* 2002; **100**:273-286.
2481. Morawiec, J.; Bartczak, Z.; Pluta, M., and Gałęski, A. High-strength uniaxially drawn tapes from scrap recycled poly(ethylene terephthalate). *J Appl Polym Sci.* 2002; **86**:(6):1426-1435.
2482. Morawiec, J.; Krasnikova, N. P.; Gałęski, A., and Pracella, M. Oriented film from recycled poly(ethylene terephthalate)/recycled high-density polyethylene by compatibilized blends. *J Appl Polym Sci.* 2002; **86**:(6):1486-1496.
2483. Nawrot, B. Katalityczne DNA-deoksyrybozymy. *Postępy Biochemii.* 2002; **48**:20-33.
2484. ---. Katalityczne kwasy nukleinowe. Barciszewski, J. and Koroniak, H., Red. Na pograniczu chemii i biologii. Poznań: Wydawnictwo Naukowe UAM; 2002; pp. 26-52.
2485. Nawrot, B.; Antoszczyk, S.; Maszewska, M.; Rębowski, G.; Kuwabara, T.; Warashina, M.; Taira, K., and Stec, W. J. Modulation of beta-secretase gene expression by action of catalytic nucleic acids. *Nucleic Acids Res.* 2002; Supplement 2:105-106.
2486. Nawrot, B.; Michalak, O.; Nowak, M.; Okruszek, A.; Dera, M., and Stec, W. J. Bis(hydroxymethyl)phosphinic acid analogues of acyclic nucleosides: synthesis and incorporation into short DNA oligomers. *Tetrahedron Lett.* 2002; **43**:5397-5400.
2487. Nawrot, B.; Sobczak, M., and Antoszczyk, S. Synthesis of dinucleoside (N3'→MeP5') methanephosphonamides. *Organic Lett.* 2002; **4**:1799-1802.
2488. Olejniczak, A. B.; Koziołkiewicz, M., and Leśnikowski, Z. J. Carboranyl oligonucleotides: 4. Synthesis and physicochemical studies of oligonucleotides containing 2'-(o-carboran-1-yl)methyl group. *Antisense & Nucleic Acid Drug Development.* 2002; **12**:79-94.
2489. Olejniczak, S.; Ganicz, K.; Tomczyk, M.; Gudej, J., and Potrzebowski, M. J. Structural studies of 2-(3', 4'-dihydroxyphenyl)-7-O-β-(D)-glucopyranosyloxy-8-hydroxy-chroman-4-one in liquid and solid state by means of 2D NMR spectroscopy and DFT calculations. *J Chem Soc Perkin 2.* 2002:1059-1065.
2490. Olesiak, M.; Krajewska, D.; Wasilewska, E.; Korczyński, D.; Baraniak, J.; Okruszek, A., and Stec, W. J. Thiophosphorylation of biologically relevant alcohols by the oxathiaphospholane approach. *Synlett.* 2002:967-971.
2491. Paul, M.-A.; Alexandre, M.; Degée, Ph.; Pluta, M.; Gałęski, A., and Dubois, Ph. New nanocomposite materials based on plasticized poly(L-Lactide) and organo-modified montmorillonites. *E-Polymers.* 2002(P-050).
2492. Pawlak, A.; Chapel, J.-P., and Piórkowska, E. Morphology of iPP spherulites crystallized in a temperature gradient. *J Appl Polym Sci.* 2002; **86**:(6):1318-1328.
2493. Pawlak, A. and Gałęski, A. Determination of stresses around beads in stressed epoxy resin by photoelasticity. *J Appl Polym Sci.* 2002; **86**:(6):1436-1444.
2494. Pawlak, A.; Morawiec, J., and Gałęski, A. Compatibilization, processing and properties of post-consumer PET/polyolefin blends. *Polimery.* 2002; **47**:(7-8):491-499.
2495. Pawlak, A.; Morawiec, J.; Pazzagli, F.; Pracella, M., and Gałęski, A. Recycling of postconsumer poly(ethylene terephthalate) and high-density polyethylene by compatibilized blending. *J Appl*

Polym Sci. 2002; **86**:(6):1473-1485.

2496. Penczek, S., editor. Current Organic Chemistry (Polymer Chemistry). Vol. **6**: 2002. Notes: Executive Guest Editor
2497. ---. Mechanism of polymerization of cyclic esters and synthesis of new functional polymers. Polymer Preprints (Japan). 2002; **1** :47-49.
2498. ---. Terminology of kinetics, thermodynamics, and mechanisms of polymerization. J Polym Sci A: Polym Chem. 2002; **40**:1665-1676.
2499. Penczek, S.; Biela, T., and Łapienis, G. Gwiazdźiste i silnie rozgałęzione polietery i polilaktydy. Polimery. 2002; **47**:600-610.
2500. Penczek, S.; Kałużyński, K.; Pretula, J.; Bartczak, Z.; Zielenkiewicz, W., and Kamiński, M. Towards polymer-inorganic hybrid molecular composites: calorimetric studies of the polymer-inorganic particles interaction. E-Polymers. 2002(055):1-7.
2501. Pietrusiewicz, K. M.; Koprowski, M., and Pakulski, Z. Enantioselective desymmetrization of a phospholene meso-epoxide. Tetrahedron: Asymmetry. 2002; **13**:1017-1019.
2502. Piórkowska, E. Modelling of polymer crystallization in a temperature gradient. J Appl Polym Sci. 2002; **86**:(6):1351-1362.
2503. Piórkowska, E.; Billon, N.; Haudin, J. M., and Kolasieńska, J. Spherulitic structure development during crystallization in a finite volume. J Appl Polym Sci. 2002; **86**:(6):1373-1385.
2504. Piórkowska, E. and Gałęski, A. Modelling of polymer crystallization in plates, pipes, and rods during cooling. J Appl Polym Sci. 2002; **86**:(6):1363-1372.
2505. Piórkowska, E. and Nowacki, R. Cavitation during isothermal crystallization of isotactic polypropylene and poly(methylene oxide). Imre, A.; Haris, H. J., and Williams, P. R., Eds. Liquids under negative pressure. New York: Kluwer; 2002; pp. 137-144.
2506. Pluta, M. and Gałęski, A. Crystalline and supermolecular structure of polylactide in relation of the crystallization method. J Appl Polym Sci. 2002; **86**:(6):1386-1395.
2507. Pluta, M.; Gałęski, A.; Alexandre, M.; Paul, M.-A., and Dubois, Ph. Polylactide/montmorillonite nanocomposites and microcomposites prepared by melt blending: structure and some physical properties. J Appl Polym Sci. 2002; **86**:(6):1497-1506.
2508. Pola, J.; Kupcik, J.; Blechta, V.; Galikova, A. ; Galik, A.; Šubrt, J.; Kurjata, J., and Chojnowski, J. Thermally stable polyoxocarbosilane thin films by pulsed IR laser ablation of poly[oxy(tetramethyldisilane-1,2-diyl)]. Chem Mater. 2002; **14**:1242-1248.
2509. Pomorski, L.; Bartos, M.; Okruszek, A.; Matejkowska, M.; Tazbir, J., and Kuzdak, K. Carcinogenic effect of combined administration of 2,4-diaminoanisole sulfate, 4,4'-thiodianiline and N,N'-diethylthiourea in male Wistar rats. Neoplasma. 2002; **49**:(4):247-250.
2510. Potrzebowski, M. J.; Grossmann, G.; Ganicz, K.; Olejniczak, S.; Ciesielski, W.; Koziół, A. E.; Wawrzycka, I.; Bujacz, G. D.; Haeberlen, U., and Schmitt, H. X-ray, ³¹P CP/MAS of bis[6-O,6-O'-(1,2:3,4-diisopropylidene- α -D-galactopyranosyl)thiophosphoryl] disulfide. Importance of C-H S+P contacts in the solid state. Chem-Eur J. 2002; **8**:2691-2699.
2511. Potrzebowski, M. J.; Heliński, J., and Ciesielski, W. Two-dimensional and variable temperature ³¹P solid

state NMR studies of symmetrical/unsymmetrical single crystal
bis[6-O,6-O'-(1,2:3,4-diisopropylidene- β -D-galactopyranosyl)thiophosphoryl] dichalcogenides. *J Chem Soc Chem Commun.* 2002;1582-1583.

2512. Potrzebowski, M. J.; Tadeusiak, E.; Misiura, K.; Ciesielski, W.; Bujacz, G. D., and Tekely, P. New method of distinction of enantiomers/racemates and assignment of enantiomeric purity by means of the solid state NMR. Examples from oxazaphosphorinanes. *Chem-Eur J.* 2002; **8**:5007-5011.
2513. Pracella, M.; Pazzagli, F., and Gałęski, A. Reactive compatibilization and properties of recycled poly(ethylene terephthalate)/polyethylene blends. *Polym Bull.* 2002; **48**:67-74.
2514. Pracella, M.; Rolla, L.; Chiona, D., and Gałęski, A. Compatibilization and properties of poly(ethylene terephthalate)/polyethylene blends based on recycled materials. *Macromol Chem Phys.* 2002; **203**:1471-1485.
2515. Rudloff, J.; Antonietti, M.; Coelfen, H.; Pretula, J.; Kałużynski, K., and Penczek, S. Double hydrophilic block copolymers with acidic monophosphate esters moieties as crystal growth modifier of CaCO_3 . *Macromol Chem Phys.* 2002; **4**:627-635.
2516. Salamończyk, G.; Kuźnikowski, M., and Poniatowska, E. Dendrimers bearing three types of branching functions. *Tetrahedron Lett.* 2002; **43**:1747-1749.
2517. Skowrońska, A.; Koprowski, M., and Krawczyk, E. New chemistry of enol phosphates. *Phosphorus, Sulfur and Silicon.* 2002; **177**:1877-1880.
2518. Smolarz, H. D. and Potrzebowski, M. J. Persilben - new carboxystilbenes from *Polygonum Persicaria* L. *J Mol Struct.* 2002; **605**:151-156.
2519. Sosnowski, S.; Słomkowski, S.; Lorenc, A., and Kricheldorf, H. Mechanism of dispersion polymerization of L-lactide initiated with 2,2-dibutyl-2-stanna-1,3-dioxepane. *Colloid Polym Sci.* 2002; **280**:107-115.
2520. Sołtysiak, J.; Białecka-Florjańczyk, W.; Kowalczyk, E.; Ganicz, T.; Śledzińska, I.; Przedmojski, J., and Bednarek, E. The effect of molecular architecture on liquid crystalline properties of cyclosiloxanes. *Proc SPIE.* 2002; **4759**:101-105.
2521. Stec, W. J. Oligo(nucleoside phosphorothioate)s - the quest of P-chirality. *Phosphorus, Sulfur and Silicon.* 2002; **177**(9):1775-1778.
2522. Szymański, R. On the reshuffling of polymer segments in star polymer systems. *Macromolecules.* 2002; **35**:8239-8242.
2523. Szymański, R. and Baran, J. Molecular weight distribution in living polymerization proceeding with reshuffling of polymer segments due to chain transfer to polymer chain scission. 2. Monte Carlo simulation of polymer reshuffling proceeding with disproportionation of chain functionalities. *Macromol Theory Simul.* 2002; **11**:836-844.
2524. Słomkowski, S.; Basińska, T., and Miksa, B. New types of microspheres and microsphere-related materials for medical diagnostics. *Polym Adv Technol.* 2002; **13**(10-12):906-918.
2525. Słomkowski, S.; Miksa, B.; Kowalczyk, D.; Basińska, T.; Chehimi, M. M., and Delamar, M. Polymeric microspheres and related materials for medical diagnostics. Law, W.-T.; Akmal, N., and Usmani, A. M., Eds. *Biomedical diagnostic science and technology.* New York: Marcel Dekker; 2002; pp. 393-412.

2526. Słomkowski, S.; Sosnowski, S., and Gadzinowski, M. Dispersion polymerization of lactides and ϵ -caprolactone. *Polimery*. 2002; **47**:485-490.
2527. Tekely, P.; Gardiennet, C.; Potrzebowski, M. J.; Sebald, A.; Reichert, D., and Luz, Z. Probing molecular geometry of solids by NMR spin exchange at $n = 0$ rotational resonance condition. *J Chem Phys*. 2002; **116**:7607-7616.
2528. Tomczyk, M.; Gudej, J., and Sochacki, M. Flavonoids from *Ficaria verna* huds. *Z Naturforsch C- A Journal of Biosciences*. 2002; **57**:440-444.
2529. Tracz, A. Ion exchange in $(\text{BO})_{2.4}\text{I}_3$ microcrystals: a method for obtaining colorless, transparent, metallicallly conductive polymer films. *J Appl Polym Sci*. 2002; **86**(6):1465-1472.
2530. ---. The microcrystals of BEDT-TTF and BEDO-TTF polyiodides forming the conductive networks within polymer film surface and their transformations. *Polish J Chem*. 2002; **76**:457-470.
2531. Tracz, A.; Jeszka, J. K.; Kucińska, I.; Chapel, J.-P.; Boiteux, G., and Kryszewski, M. Influence of the crysallization conditions on the morphology of the contact layer of polyethylene crystallized on graphite: atomic force microscopy studies. *J Appl Polym Sci*. 2002; **86**(6):1329-1336.
2532. Tracz, A.; Stabel, A., and Rabe, J. P. Influence of controlled nanoscale roughness on physisorbed 2D-crystals at graphite-liquid interfaces. *Langmuir*. 2002; **18** :9319-9326.
2533. Tracz, A.; Wostek, D.; Kucińska, I.; Jeszka, J. K.; Watson, M.; Müllen, K., and Pakuła, T. Micro-fibres of hexa (alkyl)-peri-hexabenzocoronene. 2002; pp. 315-318.
2534. Tran-Thi, T. H.; Prayer, C.; Millie, P.; Uznański, P., and Hynes, J. T. Substituents and solvent effects on the nature of the transitions of pyrenol and pyranine. Identification of an intermediate in the excited-state. *J Phys Chem A*. 2002; **106**:2244-2255.
2535. Tworowska, I.; Dąbkowski, W.; Kazimierzak, L., and Michalski, J. The phosphorofluoroamidite approach to mixed phosphites. *J Organomet Chem*. 2002; **643/644**:490-493.
2536. Tworowska, I.; Dąbkowski, W., and Michalski, J. Synthesis of P-fluorodithioacids of phosphorus and their synthetic applications. *Phosphorus, Sulfur and Silicon*. 2002; **177**:1855-1858.
2537. Uznański, P. and Pęcherz, J. Surface plasmon resonance of azobenzene-incorporated polyelectrolyte thin films as an H^+ indicator. *J Appl Polym Sci*. 2002; **86**(6):1459-1464.
2538. Walkowiak, B.; Baraniak, J.; Cierniewski, C. S., and Stec, W. J. Inhibition of ADP triggered blood platelet aggregation by synthetic adenosine nucleotide analogs. *Bioorg Med Chem Lett*. 2002; **12**:1959-1962.
2539. Wang, F. W.; Wang, Y.; Polavarapu, P. L.; Li, T.; Drabowicz, J.; Pietrusiewicz, K. M., and Zygo, K. Absolute configuration of tert-butyl-1-(2-methylnaphtyl)phosphine oxide. *J Org Chem*. 2002; **67**:6539-6541.
2540. Wróbel, A. M. Atomic hydrogen-induced chemical vapor deposition of hard silicon-carbon thin films from organosilicon single sources. *Annual Report Polish Academy of Sciences*. 2002:51-52.
2541. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Klemberg-Sapieha, J. E.; Hatanaka, Y.; Aoki, T., and Nakanishi, Y. Remote hydrogen plasma chemical vapor deposition of silicon-carbon thin-film materials from a hexamethyldisilane source: characterization of the process and the deposits. *J Appl Polym Sci*. 2002; **86**(6):1445-1458.

2542. Wódzki, R.; Świątkowski, M.; Kałużyński, K., and Pretula, J. Pertraction of cations in a hybrid membrane system containing soluble polymeric ionophores. *J Appl Polym Sci.* 2002; **84**:99-109.
2543. Wódzki, R.; Świątkowski, M., and Łapienis, G. Properties of star-shaped polymer with poly(ethylene glycol) branches and monoesters of phosphoric acid end groups in pertraction of alkali, alkaline earth, and transient metal cations. *Reactive & Functional Polymers.* 2002; **52**:149-161.
2544. Ydens, I.; Degée, Ph.; Libiszowski, J.; Duda, A.; Penczek, S., and Dubois, Ph. Controlled synthesis of amphiphilic poly(Methyl methacrylate)-g-[poly(ester)/poly(ether)] graft terpolymers. *Polymer Preprints.* 2002; **43**(2):38-39.
2545. Zabłocka, M.; Owsianik, K.; Igau, A.; Skowrońska, A., and Majoral, J.-P. From P-metalated trans-iminophosphanes to N-metalated cis-iminophosphanes: an unprecedented rearrangement. *Eur J Inorg Chem.* 2002:801-804.
2546. Alazaroaie, S.; Toader, V.; Carlescu, I.; Kaźmierski, K.; Scutaru, D. ; Hurduc, N., and Simionescu, C. I. Liquid crystalline polymers 14. Synthesis and thermal behaviour of some polyethers containing azo-mesogens. *Europ Polym J.* 2003; **39**(7):1333-1339.
2547. Antoszczyk, S. and Nawrot, B. Rybozymy w medycynie. *Biotechnologia.* 2003(2/61):140-152.
2548. Bałczewski, P.; Białas, T., and Szadowiak, A. A comparison of reactivity of $(\text{EtO})_2\text{P}(\text{O})\text{CH}_2\text{I}$ with related non-phosphorus-containing iodides in the radicaliodine atom transfer addition. *Heteroatom Chem.* 2003; **14**(2):186-188.
2549. Bałczewski, P.; Mikołajczyk, M.; Chefczyńska, A., and Szadowiak, A. Dialkyl 2-oxo-1-sulfenylalkylphosphonates as new heteroatom reagents in organic synthesis. *Annals of the Polish Chemical Society Year 2003.* 2003:6-9.
2550. Bednarek, M. Multihydroxyl branched polyethers by cationic copolymerization of hydroxymethyl oxetanes: copolymerization of 3-ethyl-3-(hydroxymethyl)oxetane with difunctional oxetane. *Polymer International.* 2003; **52**:1595-1599.
2551. ---. Multihydroxyl hyperbranched polyethers. *Polimery.* 2003; **48**(3):163-170.
2552. Biedroń, T. and Kubisa, P. Ionic liquids as reaction media for polymerization processes: atom transfer radical polymerization (ATRP) of acrylates in ionic liquids. *Polymer International.* 2003; **52**(10):1584-1588.
2553. Biela, T.; Duda, A.; Rode, K., and Pasch, H. Characterization of star-shaped poly(L-lactide)s by liquid chromatography at critical conditions. *Polymer.* 2003; **44**(6):1851-1860.
2554. Boileau, S.; Bouteiller, L., and Kowalewska, A. Telechelic polydimethylsiloxanes with terminal acetylenic groups prepared by phase-transfer catalysis. *Polymer.* 2003; **44**(21):6449-6455.
2555. Bousalem, S.; Yassar, A.; Basińska, T.; Miksa, B.; Słomkowski, S.; Azioune, A., and Chehimi, M. M. Synthesis, characterization and biomedical applications of functionalized polypyrrole-coated polystyrene latex particles. *Polym Adv Technol.* 2003; **14**(11-12):820-825.
2556. Bucheńska, J.; Słomkowski, S.; Tazbir, J., and Sobolewska, E. Antibacterial poly(ethylene terephthalate) yarn containing cephalosporin type antibiotic. *Fibres & Textiles East Eur.* 2003; **11**(1):41-47.
2557. Błaszczak, I. and Wróbel, A. M. Cienkie warstwy węglazotku krzemu wytwarzane z prekursora krzemooorganicznego w selektywnym procesie plazmowym CVD. *Inżynieria Materiałowa.* 2003; **6**:431-434.

2558. Cadierno, V.; Zabłocka, M.; Donnadieu, B.; Igau, A., and Majoral, J.-P. Zircona-phosphazine complexes: synthesis and X-ray determination. *New J Chem.* 2003; **27**:(4):675-679.
2559. Chojnowski, J. Jubileusz docenta Pawła Rościszewskiego- inicjatora produkcji silikonów w Polsce. *Polimery.* 2003; **48**:840-842.
2560. Chojnowski, J. Kontrolowana synteza funkcjonalizowanych polisiloksanów o strukturze dendrytycznej. *Polimery.* 2003; **48**:(7-8):477-483.
2561. Chojnowski, J.; Cypryk, M.; Fortuniak, W.; Kaźmierski, K.; Różga-Wijas, K., and Ścibiorek, M. Controlled synthesis of all siloxane-functionalized architectures by ring-opening polymerization. Clarson, S. J.; Fitzgerald, J. J.; Owen, M. J.; Smith, S. D., and Van Dyke, M. E., Eds. *Synthesis and properties of silicones and silicone-modified materials.* Washington: American Chemical Society; 2003; pp. 12-25.
Notes: ISBN 0841238049
2562. Chojnowski, J.; Cypryk, M.; Fortuniak, W.; Ścibiorek, M., and Różga-Wijas, K. Synthesis of branched polysiloxanes with controlled branching and functionalization by anionic ring-opening polymerization. *Macromolecules.* 2003; **36**:(11):3890-3897.
2563. Chojnowski, J.; Cypryk, M., and Kurjata, J. Organic polysilanes interrupted by heteroatoms. *Progr Polym Sci.* 2003; **28**:(5):691-728.
2564. Chęcińska, L.; Kudzin, Z. H.; Małecka, M.; Nazarski, R. B., and Okruszek, A. Physical image vs structure relation. Part 10. [(Diphenoxyphosphinyl)methylidene]triphenylphosphorane-the double P⁺-stabilised carbanion: a crystallographic, computational and solution NMR comparative study on the ylidic bonding. *Tetrahedron.* 2003; **59**:(39):7681-7693.
2565. Ciesielski, W.; Skowron, M. K.; Bałczewski, P., and Szadowiak, A. Determination of some thiophosphorus insecticides based on coulometric titration with the anodically generated chlorine: a further insight in the reaction mechanism in aqueous medium. *Talanta.* 2003; **60**:(4):725-732.
2566. Cieślak, M.; Szymański, J.; Adamiak, R. W., and Cierniewski, C. S. Structural rearrangements of the 10-23 DNAzyme to beta 3 integrin subunit mRNA induced by cations and their relations to the catalytic activity. *J Biol Chem.* 2003; **278**:(48):47987-47996.
2567. Cypryk, M. Comparison of steric hindrance in silylenium and carbenium cations and their complexes-natural steric analysis. *J Organomet Chem.* 2003; **686**:(1-2):164-174.
2568. Cypryk, M.; Kurjata, J., and Chojnowski, J. Tertiary trisilyloxonium ion in cationic ring-opening polymerisation of a model cyclic siloxane, octamethyl-1,4-dioxatetrasilacyclohexane. *J Organomet Chem.* 2003; **686**:(1-2):373-378.
2569. Da Costa, C. P.; Okruszek, A., and Sigel, H. Complex formation of divalent metal ions uridine 5'-O-thiomonophosphate or metyl thiophosphate: comparison of complex stabilities with those of the parent phosphate ligands. *ChemBioChem.* 2003; **4**:(7):593-602.
2570. Douillard, A.; Hardy, L.; Stevenson, I.; Boiteux, G.; Seytre, G.; Kaźmierczak, T., and Gałęski, A. Texture and morphology of biaxially poly(ethylene naphtalene-2,6-dicarboxylate). *J Appl Polym Sci.* 2003; **89**:(8):2224-2232.
2571. Drabowicz, J.; Bujnicki, B., and Mikołajczyk, M. An efficient procedure for the synthesis of ¹⁸O-labelled methanesulfinyl chloride. *J Labelled Compounds and Radiopharmaceuticals.* 2003; **46**:(11):1001-1005.

2572. Drabowicz, J.; Łyżwa, P.; Łopusiński, A.; Mikołajczyk, M.; Polavarapu, P. L.; Yamamoto, Y.; Akiba, Kin-ya; Girek, T., and Pietrusiewicz, K. M. Some optically active compounds with a stereogenic heteroatom *via* nonclassical resolution of the corresponding racemates. Proceedings of the XVIIIth International Symposium on Physico-Chemical Methods of the Mixture Separation "Ars Separatoria 2003"; Złoty Potok (częstochowskie). 2003: 29-33.
2573. Duda, A. Polilaktyd - Tworzywo sztuczne XXI wieku? Przemysł Chem. 2003; **82**:905-907.
2574. Duda, A. and Penczek, S. Poliaktyd[poli(kwas mlekowy)]: synteza, właściwości i zastosowania. Polimery. 2003; **XLVIII**:(1):16-27.
2575. Gadzinowska, K. and Piórkowska, E. Influence of sample thickness and surface nucleation on *i*-PP crystallization kinetics in DSC measurements. Polimery. 2003; **XLVIII**:(11/12):790-799.
2576. Gadzinowski, M. and Sosnowski, S. Biodegradable/biocompatible ABC triblock copolymer bearing hydroxyl groups in the middle block. J Polym Sci A: Polym Chem. 2003; **41**:(23):3750-3760.
2577. Gadzinowski, M.; Sosnowski, S., and Słomkowski, S. Struktury polilaktydowe otrzymywane na drodze dializy - nowe materiały na rusztowania do hodowli komórkowych. Inżynieria Biomateriałów. 2003; **6**:75-77.
2578. Ganicz, T. and Stańczyk, W. A. Organosilicon mesomorphic polymer systems. Progr Polym Sci. 2003; **28**:(2):303-329.
2579. Gawroński, J.; Grajewski, J.; Drabowicz, J., and Mikołajczyk, M. The first nonempirical circular dichroism determination of the absolute configuration on *N*-phthalimidodulfoximines based on exciton coupling mechanism and a correlation with the absolute configuration of chiral sulfoxides. J Org Chem. 2003; **68**:(25):9821-9822.
2580. Gałęski, A. Koniec epoki recyklingu łupanego: recykling tworzyw sztucznych, za i przeciw, postępy i perspektywy. Recykling Review. 2003; **1**:22-25.
2581. ---. Strength and toughness of crystalline polymer systems. Progr Polym Sci. 2003; **28**:(12):1643-1699.
2582. Gałęski, A. and Bartzak, Z. Cavitation and cavity-free deformation of filled crystalline polymer systems. Macromol Symp. 2003; **194**:47-62.
2583. Gendaszewska-Darmach, E.; Maszewska, M.; Zakłós, M., and Koziółkiewicz, M. Degradation of extracellular nucleotides and their analogs HeLa and HUVEC cell cultures. Acta Biochimica Polonica. 2003; **50**:(4):973-984.
2584. Golański, J.; Baraniak, J., and Watała, C. Ograniczenia w zastosowaniu pfa-100 do badania stopnia zahamowania reaktywności płytek krwi przez inhibitory purynoreceptorów w układzie *in vitro*. Acta Haematolog Pol. 2003; **34**:340.
2585. Grossmann, G.; Potrzebowski, M. J.; Olejniczak, S.; Ziółkowska, N. E.; Bujacz, G. D.; Ciesielski, W.; Prezdo, W.; Nazarov, V., and Golovko, V. Structural studies of *N*-(2'-substituted phenyl)-9,10-dihydro-9,10-ethanoanthracene-11,12-dicarboximides by X-ray diffraction and NMR spectroscopy - proofs for CH/π interactions in liquid and solid phases. New J Chem. 2003; **27**:(7):1095-1101.
2586. Guranowski, A.; Starzyńska E. ; McLennan, A. G.; Baraniak, J., and Stec, W. J. Phosphoro(thio)adenosylated polyols as strong inhibitors of (*symmetrical*) and (*asymmetrical*) dinucleoside tetraphosphatases. Biochem J. 2003; **373**:(Part 2):635-640.

2587. Jeong, J. M.; Abe, K.; Sato, H.; Pretula, J.; Kałużyński, K., and Ogino, K. Synthesis and characterization of low molecular weight photorefractive materials with thioxanthene unit. *Synth Met.* 2003; **139**(1):11-19.
2588. Jeong, J. M.; Sato, H.; Pretula, J.; Kałużyński, K., and Ogino, K. Monolithic photorefractive molecular glass with electron-transporting fluorene unit. *JPN J Appl Phys Part 1.* 2003; **42**:(4A):1655-1659.
2589. Jeziorna, A.; Heliński, J., and Krawiecka, B. Synthesis of polyfunctional organosulfur compounds mediated by azetidinium salts. *Synthesis.* 2003(2):288-294.
2590. Jeziorna, A.; Heliński, J., and Krawiecka, B. Synthesis of polyfunctional phosphorodithioates and structural analogues mediated by azetidinium ions and epoxides. *Tetrahedron Lett.* 2003; **44**:(16):3239-3243.
2591. Jurkiewicz, P.; Okruszek, A.; Hoff, M., and Langner, M. Associating oligonucleotides with positively charged liposomes. *Cell Mol Biol Lett.* 2003; **8**:(1):77-84.
2592. Kayastha, A. M.; Srivastava, P. K.; Miksa, B., and Słomkowski, S. Unique activity of ureases immobilized on poly(styrene-co-acrolein) microspheres. *J Bioactive Compatibl Polym.* 2003; **18**:(2):113-124.
2593. Kaźmierski, Sł. Zastosowania spektroskopii magnetycznego rezonansu jądrowego w badaniach strukturalnych węglowodanów i ich pochodnych. *Wiadomości Chemiczne.* 2003; **57**:(5-6):339-365.
2594. Kielbasiński, P. and Mikołajczyk, M. Application of hydrolytic enzymes in synthesis of chiral heteroorganic compounds. *Prace Naukowe WSP Częstochowa (Chemia i Ochrona Środowiska).* 2003; **VII**:21-38.
2595. Kielbasiński, P.; Żurawiński, R.; Albrycht, M., and Mikołajczyk, M. The first enzymatic desymmetrizations of prochiral phosphine oxides. *Tetrahedron: Asymmetry.* 2003; **14**:(21):3379-3384.
2596. Kolbe, A.; Plass, M.; Żurawiński, R.; Kielbasiński, P., and Mikołajczyk, M. Molecular interactions in 3-carboxy-2-diphenylphosphinoylcyclopentanone. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy.* 2003; **59**:(12):2875-2881.
2597. Kowalewska, A. and Stańczyk, W. A. Highly thermally resistant UV-curable poly(siloxane)s bearing bulky substituents. *Chem Mater.* 2003; **15**:(15):2991-2997.
2598. Krajewska, D.; Stawińska, M.; Bryś, M.; Młynarski, W.; Witas, H.; Okruszek, A., and Kiliańska, Z. M. Genotyping of p53 codon 175 in colorectal cancer. *Med Sci Monit.* 2003; **9**:188-191.
2599. Krieg, A. M.; Guga, P., and Stec, W. J. P-chirality-dependent immune activation by phosphorothioate CpG oligodeoxynucleotides. *Oligonucleotides.* 2003; **13**:(6):491-499.
2600. Kryszewski, M. and Jeszka, J. K. Charge carrier transport in heterogenous conducting polymer materials. *Macromol Symp.* 2003; **194**:75-86.
2601. Kubisa, P. Hyperbranched polyethers by ring-opening polymerization: Contribution of activated monomer mechanism. *J Polym Sci A: Polym Chem.* 2003; **41**:(4):457-468.
2602. Kudzin, Z. H.; Gralak, D. K.; Andrijewski, G.; Drabowicz, J., and Łuczak, J. Simultaneous analysis of biologically active aminoalkanephosphonic acids. *J Chromatogr A.* 2003; **998**:(1-2):183-199.

2603. Kumar, A.; Phadtare, S.; Pasricha, R.; Guga, P.; Ganesh, K. N., and Sastry, M. Assembling gold nanoparticles in solution using phosphorothioate DNA as structural interconnects. *Curr Sci India*. 2003; **84**:(1):71-74.
2604. Kwaśnicka, D. A.; Krakowiak, A.; Thacker, C.; Brenner, C., and Vincent, S. R. Coordinate expression of NADPH-dependent flavin reductase, free-1 and hint-related 7meGMP-directed hydrolase, DCS-1. *J Biol Chem*. 2003; **278**:39051-39058.
2605. Maciągiewicz, I.; Dybowski, P., and Skowrońska, A. A general and convenient synthesis of highly substituted conjugated trienynes. *Synthesis*. 2003(5):723-727.
2606. ---. A general and stereoselective method for synthesis of tri- and tetrasubstituted alkenes. *Tetrahedron*. 2003; **59**:(32):6057-6066.
2607. Magiera, D.; Omelańczuk, J.; Dziuba, K.; Pietrusiewicz, K. M., and Duddeck, H. Phosphine-Rh-2[(R)-MTPA](4) adducts in solution: characterization by NMR spectroscopy and chiral discrimination. *Organometallics*. 2003; **22**:(12):2464-2471.
2608. Maraval, V.; Owsianik, K.; Arquier, D.; Igau, A.; Coppel, Y.; Donnadieu, B.; Zabłocka, M., and Majoral, J.-P. Dynamic behavior of an N-metalated beta-enaminoimine complex-Preparation of N-phosphanylenamine and beta-enaminoimine derivatives. *Eur J Inorg Chem*. 2003(5):960-968.
2609. Maraval, V.; Pyzowski, J.; Caminade, A.-M., and Majoral, J.-P. "Lego" chemistry for the straightforward synthesis of dendrimers. *J Org Chem*. 2003; **68**:(15):6043-6046.
2610. Marciniak, B.; Małeczka, M., and Ścibiorek, M. Synthesis of silylene-alkylene-silylene-vinylene polymers *via* catalytic silylative coupling (SC) polycondensation. *Macromolecules*. 2003; **36**:(15):5545-5550.
2611. Maszewska, M.; Leclaire, J.; Cieślak, M.; Nawrot, B.; Okruszek, A.; Caminade, A.-M., and Majoral, J.-P. Water-soluble polycationic dendrimers with a phosphoramidothioate backbone: preliminary studies of cytotoxicity and oligonucleotide/plasmid delivery in human cell culture. *Oligonucleotides*. 2003; **13**:(4):193-205.
2612. Michalska, Z.; Rogalski, L.; Różga-Wijas, K.; Chojnowski, J.; Fortuniak, W., and Ścibiorek, M. Synthesis and catalytic activity of the transition metal complex catalysts supported on the branched functionalized polysiloxanes grafted on silica. *J Mol Catal A-Chem*. 2003; **208** :187-194.
2613. Midura, W. H.; Krysiak, J. A., and Mikołajczyk, M. The first synthesis of enantiomerically pure cyclopropylphosphonate analogues of nucleotides *via* asymmetric cyclopropanation of chiral (1-diethoxyphosphoryl)vinyl p-tolyl sulfoxide. *Tetrahedron: Asymmetry*. 2003; **14**:(10):1245-1249.
2614. Mielniczak, G. and Łopusiński, A. Iodoform, a new reagent in the Todd-Atherton reaction. *Synthetic Commun*. 2003; **33**:(22):3851-3859.
2615. ---. One-step transformation of ammonium dialkyl phosphoroselenoates into dialkyl phosphoramidates. *Heteroatom Chem*. 2003; **14**:(2):121-127.
2616. Mikołajczyk, M. A multidisciplinary research in the Centre of Molecular and Macromolecular Studies of PASRigdahl, M.; Gubański, S. M., and Rychwalski, R. W. Proceedings of the Polish-Swedish Symposium - Materials - Energy Supply - Society and Environment; 2003: 1-8.
2617. Mikołajczyk, M. and Bałczewski, P. Phosphonate chemistry and reagents in the synthesis of biologically active and natural products. *Topics in Current Chemistry*. 2003; **223**:161-214.

2618. Misiura, K.; Szymanowicz, D.; Wietrzyk, J., and Opolski, A. Phosphate prodrugs in isophosphoramidate mustard. *Acta Pol Pharm Drug Res.* 2003; **60**:109-112.
2619. Misiura, K.; Zubowska, M., and Zielińska, E. Analysis of the urinary excretion of ifosfamide and its N-dechloroethylated metabolites in children using P-32-NMR spectroscopy. *Arzneimittel-Forschung-Drug Research.* 2003; **53**:(5):372-377.
2620. Nawrot, B. Hamowanie ekspresji genu proteazy aspartylowej ASP2 - białka krytycznego w rozwoju choroby Alzheimer. *Działalność Naukowa PAN (Wybrane Zagadnienia).* 2003(II):69-71.
2621. Nawrot, B.; Antoszczyk, S.; Maszewska, M.; Rębowski, G.; Kuwabara, T.; Warashina, M.; Taira, K., and Stec, W. J. Efficient inhibition of β -secretase (BACE) gene expression in HEK293T cells by tRNA^{Val}/CTE-driven Hammerhead ribozymes. *European J Biochem.* 2003; **270**:3962-3970.
2622. Nawrot, B.; Antoszczyk, S., and Sierant, M. Hamowanie ekspresji genów białek uczestniczących w wytwarzaniu beta-amyloidu jako perspektywa neuroprotekcji w chorobie Alzheimer. Śmiałowska, M., Red. *Neuroprotekcja.* Kraków: Wyd. Platan; 2003; pp. 65-75.
2623. Omelańczuk, J.; Karacar, A.; Freytag, M.; Jones, P. G.; Bartsch, R.; Mikołajczyk, M., and Schmutzler, R. Chiral 1,8-bis(*tert*-butylphenylphosphino)naphtalene oxides and sulfides: resolution and structures. *Inorg Chim Acta.* 2003; **350**:583-591.
2624. Owczarek, A.; Kaczmarek, R.; Mikołajczyk, B.; Wasilewska, E.; Korczyński, D.; Baraniak, J.; Koziolkiewicz, M.; Stec, W. J., and Brenner, C. Stereochemical analysis of diastereomeric 1,3-bis(adenosine-5'-O-phosphorothioyl)glycerols. *Nucleosides, Nucleotides & Nucleic Acids.* 2003; **22**:(5-8):797-799.
2625. Owsianik, K.; Zabłocka, M.; Donnadieu, B., and Majoral, J.-P. Metallo-azaspirophosphanes: synthesis, structure and reactivity. *Angew Chem Int Ed Engl.* 2003; **42**:(19):2176-2179.
2626. Pakulski, Z.; Koprowski, M., and Pietrusiewicz, K. M. Chiral base promoted enantioselective rearrangement of organophosphorus epoxides. *Tetrahedron.* 2003; **59**:(41):8219-8226.
2627. Pawlak, A.; Morawiec, J.; Piórkowska, E., and Gałęski, A. Nanokompozyty polipropylenu i polietylenu z glinkami typu montmorylonit. *Prace Naukowe Instytutu Technologii Organicznej i Tworzyw Sztucznych Politechniki Wrocławskiej, Seria: Konferencje.* 2003; **52/25**:26-31.
2628. ---. Polypropylene nanocomposites-preparation and properties . Łojkowski, W. and Blizzard, J. R., Eds. *Interfacial effects and novel properties of nanomaterials.* Trans Tech Publications Inc.; 2003; pp. 335-338.
2629. Penczek, S.; Szymański, R.; Duda, A., and Baran, J. Living polymerization of cyclic esters- a route to (bio)degradable polymers. Influence of chain transfer to polymer on livingness. *Macromol Symp.* 2003; **201**:(1):261-270.
2630. Piórkowska, E. and Gałęski, A. New possibilities in the description of overall crystallization of polymers. *J Macromol Sci Phys.* 2003; **B42**:(3-4):773-792.
2631. Poniatowska, E. and Salamończyk, G. Phosphite dendrimers and their organometallic derivatives. *Tetrahedron Lett.* 2003; **44**:(23):4315-4317.
2632. Potrzebowski, M. J. What light-resolution solid-state NMR spectroscopy can offer to organic chemists? *Eur J Org Chem.* 2003(8):1367-1376.
2633. Potrzebowski, M. J.; Assfeld, X.; Ganicz, K.; Olejniczak, S.; Cartier, A.; Gardiennet, C., and Tekely, P. An

experimental and theoretical study of the C-13 and P-31 chemical shielding tensors in solid O-phosphorylated amino acids. *J Am Chem Soc.* 2003; **125**:(14):4223-4232.

2634. Radomska-Galant, I. and Basińska, T. Poly(styrene/alpha-tert-butoxy-omega-vinylbenzylpolyglycidol) microspheres for immunodiagnosics. Principle of a novel latex test based on combined electrophoretic mobility and particle aggregation measurements. *Biomacromolecules.* 2003; **4**:(6):1848-1855.
2635. Rysz, J.; Guga, P.; Grycewicz, T.; Mudyna, J., and Luciak, M. Blood serum and neutrophil L-arginine concentrations and nitric oxide release by neutrophils in chronic uremic patients and healthy persons. *Med Sci Monit.* 2003; **9**:311-315.
2636. Różga-Wijas, K.; Chojnowski, J.; Fortuniak, W.; Ścibiorek, M.; Michalska, Z., and Rogalski, L. Branched functionalised polysiloxane-silica hybrids for immobilisation of catalysts. *J Mater Chem.* 2003; **13**:(9):2301-2310.
2637. Salamończyk, G. Acyclovir terminated thiophosphate dendrimers. *Tetrahedron Lett.* 2003; **44**:(40):7449-7453.
2638. Sauvet, G.; Chojnowski, J.; Kaźmierski, K., and Hurdac, N. Synthesis and characterization of some polysiloxanes with chloro-benzyl groups. *Bull Inst Politechnic DIN IASI.* 2003; **5**:329-334.
2639. Sauvet, G.; Fortuniak, W.; Kaźmierski, K., and Chojnowski, J. Amphiphilic block and statistical siloxane copolymers with antimicrobial activity. *J Polym Sci A: Polym Chem.* 2003; **41**: (19):2939-2948.
2640. Sierant, M. and Nawrot, B. Charakterystyka zjawiska *RNA interference*, podstawy strukturalne i właściwości siRNA. *Wiadomości Chemiczne.* 2003; **57**:570-585.
2641. ---. Krótkie interferujące RNA jako narzędzia do sekwencyjno-specyficznego wyciszania ekspresji genów. 2003(2/61):84-103.
2642. Sierant, M. and Okruszek, A. Konstrukcja syntetycznego genu K₂L-tPA - delecyjnej odmiany tkankowego aktywatora plazminogenu. Ekspresja genu w bakteriach *E. coli* i renaturacja rekombinowanego białka. *Biotechnologia.* 2003(4/63):124-141.
2643. Stasiak, J.; Piórkowska, E., and Gałęski, A. The influence of blowing extrusion process of PA film on its structure and physical properties. *Polimery.* 2003; **48**:(3):194-203.
2644. Szadowiak, A. and Bałczewski, P. Synthesis, anionic and radical reactions of (-)-dimenthyl alkylphosphonates. *Annals of the Polish Chemical Society Year 2003.* 2003:71-74.
2645. Szymański, R. and Baran, J. Molecular weight distribution in living polymerization proceeding with reshuffling of polymer segments due to chain transfer to polymer with chain scission. Part IV. Systems with cyclization. *Polimery.* 2003; **XLVIII**:(11/12):758-764.
2646. Słomkowski, S. Preparation of biodegradable particles by polymerization processes . Elaissari, A., Ed. *Colloidal biomolecules, biomaterials and biomedical applications.* New York: Marcel Dekker; 2003; pp. 371-427.
2647. Słomkowski, S.; Sosnowski, S., and Przerwa, E. Reversible adsorption of spherical particles from binary mixtures - approximation of stationary state for surface coverage. *CR Chimie.* 2003; **6**:1393-1401.
2648. Tadeusiak, E. Badania układów racemat/enancjomer oraz określenie nadmiaru enancjomerycznego za pomocą wysokorozdzielczej spektroskopii NMR w cieczy i ciele stałym. *Wiadomości Chemiczne.* 2003; **57**:(5-6):367-389.

2649. Tonelli, M.; Ulyanov, N. B.; Billeci, T. M.; Karwowski, B.; Guga, P.; Stec, W. J., and James, T. L. Dynamic NMR structures of [Rp]- and [Sp]-phosphorothioated DNA-RNA hybrids: is flexibility required for RNase H recognition? *Biophysical Journal*. 2003; **85**(4):2525-2538.
2650. Tracz, A.; Jeszka, J. K.; Watson, M.; Pisula, W.; Müllen, K., and Pakuła, T. Uniaxial alingment of the super-structure of a hexa (alkyl) hexa-peri-hexabenzocoronene on untreated glass by simple solution processing. *J Am Chem Soc*. 2003; **125**(7):1682-1683.
2651. Tracz, A.; Kucińska, I., and Jeszka, J. K. Formation of highly ordered, unusually broad polyethylene lamellae in contact with atomically flat solid surfaces. *Macromolecules*. 2003; **36**:10130-10132.
2652. Tracz, A.; Wegner, G., and Rabe, J. P. Scanning tunneling microscopy study of graphite oxidation in ozone-air mixtures. *Langmuir*. 2003; **19**(17):6807-6812.
2653. Trapasso, F.; Krakowiak, A.; Cesari, R.; Arkles, J.; Yendamuri, S.; Ishii, H.; Kuroki, T.; Bieganowski, P.; Pace, H. C.; Huebner, K.; Croce, C. M., and Brenner, C. Designed FHIT alleles establish that fhit-induced apoptosis in cancer cells is limited by substrate binding. *Proc Natl Acad Sci USA*. 2003; **100**:1592-1597.
2654. Uznański, P. UV-assisted formation of nanoaggregates from photochromic spiropyrans in nonpolar solvents. *Langmuir*. 2003; **19**(6):1919-1922.
2655. Watała, C.; Golański, J.; Różalski, M.; Boncler, M. A.; Luzak, B.; Baraniak, J.; Korczyński, D., and Drygas, W. Is platelet aggregation a more contributor than platelet adhesion to the overall platelet-related primary haemostasis measured by PFA-100 (TM)? *Thromb Res*. 2003; **109**(5-6):299-306.
2656. Waśkowski, B.; Kudzin, Z. H.; Ciesielski, W., and Kowalski, J. Determination of nitrogen in organic compounds and biological samples by gas chromatography after prior degradation into molecular nitrogen with use of solid oxidants. *Chemia Analityczna*. 2003; **48**(2):223-231.
2657. Woźniak, L. A. and Okruszek, A. The stereospecific synthesis of P-chiral biophosphates and their analogues by the Stec reaction. *Chem Soc Rev*. 2003; **32**(3):158-169.
2658. Wróbel, A. M.; Błaszczyk, I.; Walkiewicz-Pietrzykowska, A.; Tracz, A.; Klemberg-Sapieha, J. E.; Aoki, T., and Hatanaka, Y. Remote hydrogen-nitrogen plasma chemical vapor deposition from tetramethyldisilazane source. Part 1. Mechanism of the process, structure and surface morphology of deposited amorphous hydrogenated silicon carbonitride films. *J Mater Chem* . 2003; **13**(4):731-737.
2659. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Bieliński, D. M.; Klemberg-Sapieha, J. E.; Nakanishi, Y.; Aoki, T., and Hatanaka, Y. Remote hydrogen plasma chemical vapor deposition from (dimethylsilyl)(trimethylsilyl)methane. 2. Property structure relationships for resulting silicon-carbon films. *Chem Mater*. 2003; **15**(8):1757-1762.
2660. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Klemberg-Sapieha, J. E.; Nakanishi, Y.; Aoki, T., and Hatanaka, Y. Remote hydrogen plasma chemical vapor deposition from (dimethylsilyl)(trimethylsilyl)methane. 1. Kinetics of the process; Chemical and morphological structure of deposited siliconcarbon films. *Chem Mater*. 2003; **15**(8):1749-1756.
2661. Wójcik, M. and Koziołkiewicz, M. Oczyszczanie białek z zastosowaniem chromatografii oddziaływań hydrofobowych . *Analityka*. 2003(1):21-25.
2662. ---. Wykorzystanie chromatografii w odwróconym układzie faz do izolowania białek. *Analityka*. 2003(2):8-11.

2663. ---. Wykorzystanie chromatografii z unieruchomionym jonem metalu do izolowania białek. *Wiadomości Chemiczne*. 2003; **57**:(1-2):99-113.
2664. Wójcik, P.; Wójcik, M., and Treder, W. Boron absorption and translocation in apple rootstocks under conditions of low medium boron. *J Plant Nutr.* 2003; **26**:(5):961-968.
2665. Wójcik, P. and Wójcik, M. Effects of boron fertilization on 'Conference' pear tree vigor, nutrition, and fruit yield and storability. *Plant and Soil*. 2003; **256**:(2):413-421.
2666. Ydens, I.; Degée, Ph.; Dubois, Ph.; Libiszowski, J.; Duda, A., and Penczek, S. Combining ATRP of methacrylates and ROP of L,L-dilactide and epsilon-caprolactone. *Macromol Chem Phys*. 2003; **204**:(1):171-179.
2667. Ydens, I.; Degée, Ph.; Libiszowski, J.; Duda, A.; Penczek, S., and Dubois, Ph. Controlled synthesis of amphiphilic poly(methacrylate)-g-[poly(ester)/poly(ether)] graft terpolymers. Matyjaszewski, K., Ed. *Advances in controlled/living radical polymerization*. Washington: American Chemical Society; 2003; pp. 283-298.
2668. Zabłocka, M.; Koprowski, M.; Donnadieu, B.; Majoral, J.-P.; Achard, M., and Buono, G. New enantiopure cyclic beta-iminophosphine ligands: applications in Pd-catalyzed asymmetric allylic substitution. *Tetrahedron Lett.* 2003; **44**:(11):2413-2415.
2669. Ślusarski, L.; Bieliński, D. M.; Pawlak, A.; Morawiec, J.; Gałęski, A. , and Piórkowska, E. Nanokompozyty polimerowe-właściwości powierzchniowe i objętościowe. *Archiwum Nauki o Materiałach*. 2003; **24**:489-504.
2670. Łapienis, G. and Penczek, S. Multibranched star-shaped polyethers. *Macromol Symp.* 2003; **195**:317-327.
2671. Żmudzka, K.; Johansson, T.; Janicka, M.; Wójcik, M.; Nowak, M.; Stawiński, J., and Nawrot, B. Novel DNA analogues with 2-, 3- and 4-pyridylphosphonate internucleotide bonds: synthesis and hybridization properties . *New J Chem*. 2003; **27**:(12):1698-1705.
2672. Żurawiński, R.; Donnadieu, B.; Mikołajczyk, M., and Chauvin, R. Chiral phosphino(sulfinylmethyl)triarylphosphonium ylide ligands: rhodium complexes and catalytic properties. *Organometallics*. 2003; **22**:(23):4810-4817.
2673. Baran, J.; Kałużyński, K.; Szymański, R., and Penczek, S. Hydrolysis of poly(alkylene amidophosphate)s containing amino acid or peptide residues in the side groups. Kinetics and selectivity of hydrolysis. *Biomacromolecules*. 2004; **5**:(5):1841-1848.
2674. Baraniak, J.; Kaczmarek, R., and Wasilewska, E. Synthesis of nucleoside-amino acid conjugates containing boranephosphate, boranephosphorothioate and boranephosphoramidate linkages. *Tetrahedron Lett.* 2004; **45**:671-675.
2675. Baraniak, J.; Kaczmarek, R.; Wasilewska, E.; Korczyński, D., and Stec, W. J. New approach to preparation of N-acylphosphoramido(thio)(seleno)ates. *Tetrahedron Lett.* 2004; **45**:(22):4269-4272.
2676. Bartczak, Z.; Chiono, V., and Pracella, M. Blends of propylene-ethylene and propylene-1-butene random copolymers: I. Morphology and structure. *Polymer*. 2004; **45**:(22):7549-7561.
2677. Basińska, T.; Słomkowski, S.; Kaźmierski, Sł.; Dworak, A., and Chehimi, M. M. Studies of the surface layer structure and properties of poly(styrene/ α -t-butoxy- ω -polyglycidol) microspheres by carbon nuclear magnetic resonance, X-ray photoelectron spectroscopy and the adsorption of human serum albumin and γ -globulins. *J Polym Sci A: Polym Chem*. 2004; **42**:(2):615-623.

2678. Baško, M. and Kubisa, P. Properties of double-hydrophilic graft copolymers with a polyacetal backbone. *J Polym Sci A: Polym Chem.* 2004; **42**:(5):1189-1197.
2679. Bałczewski, P.; Szadowiak, A., and Białas, T. Two mechanisms of initiation in the iodine atom transfer addition reaction initiated by AIBN. *Annals of the Polish Chemical Society Year 2004.* 2004; pp. 44-47.
Notes: ISBN 8392034325
2680. Bednarek, M. and Kubisa, P. Chain-growth limiting reactions in the cationic polymerization of 3-ethyl-3-hydroxymethyloxetane. *J Polym Sci A: Polym Chem.* 2004; **42**:(2):245-252.
2681. ---. Matrix-assisted laser desorption/ionization time-of-flight mass spectrometry analysis of atom transfer radical polymerization macroinitiators derived from poly(3-ethyl-3-hydroxymethyloxetane). *J Polym Sci A: Polym Chem.* 2004; **42**:(2):608-614.
2682. ---. Zastosowanie poli(3-etylo-3-hydroksymetylooksetanu) jako makroinicjatora do syntezy polimerów gwieździstych tlenku etylenu. *Efektywność inicjowania. Polimery.* 2004; **XLIX**:(10):719.
2683. Białas, T.; Szadowiak, A., and Bałczewski, P. EPR-investigations of radicals derived from diethyl iodomethylphosphonate in solid and liquid state. *Heteroatom Chem.* 2004; **15**:(2):127-130.
2684. Biedroń, T.; Bednarek, M., and Kubisa, P. Cationic polymerization of 3-ethyl-3-hydroxymethyloxetane in an ionic liquid. *Macromol Rapid Comm.* 2004; **25**:(8):878-881.
2685. Biedroń, T. and Kubisa, P. Cationic polymerization of styrene in a neutral ionic liquid. *J Polym Sci A: Polym Chem.* 2004; **42**:(13):3230-3235.
2686. Block, E.; Glass, R. S.; Jacobsen, N. E.; Johnson, S.; Kahakachchi, C.; Kamiński, R.; Skowrońska, A.; Boakye, H. T.; Tyson, J. F., and Uden, P. C. Identification and synthesis of a novel selenium-sulfur amino acid found in selenized yeast: rapid indirect detection NMR methods for characterizing low-level organoselenium compounds in complex matrices. *J Agr Food Chem.* 2004; **52**:(12):3761-3771.
2687. Boileau, S.; Bouteiller, L., and Kowalewska, A. Polysiloxanes containing crosslinkable diacetylenic units in the main chain. *Polymer International.* 2004; **53**:191-197.
2688. Bousalem, S.; Mangeney, C.; Alcote, Y.; Chehimi, M. M.; Basińska, T., and Słomkowski, S. Immobilization of proteins onto novel, reactive polypyrrole-coated polystyrene latex particles. *Colloids and Surfaces A: Physicochem and Eng Aspects.* 2004; **249**:(1-3):91-94.
2689. Bousalem, S.; Mangeney, C.; Chehimi, M. M.; Basińska, T.; Miksa, B., and Słomkowski, S. Synthesis, characterization and potential biomedical applications of N-succinimidyl ester functionalized, polypyrrole-coated polystyrene latex particles. *Colloid Polym Sci.* 2004; **282**:(12):1301-1307.
2690. Budzisz, E.; Keppler, B. K.; Giester, G.; Woźniczka, M.; Kufelnicki, A., and Nawrot, B. Synthesis, crystal structure and biological characterization of a novel palladium (II) complex with a coumarin-derived ligand. *Eur J Inorg Chem.* 2004(22):4412-4419.
2691. Budzisz, E.; Krajewska, U.; Rozalski, M.; Szulawska, A.; Czyż, M., and Nawrot, B. Biological evaluation of novel Pt(II) and Pd(II) complexes with pyrazole-containing ligands. *European Journal of Pharmacology.* 2004; **502**:(1-2):59-65.
2692. Budzisz, E.; Małecka, M., and Nawrot, B. Synthesis and structure of highly substituted pyrazole ligands and their complexes with platinum (II) and palladium (II) metal ions. *Tetrahedron.* 2004; **60**:(8):1749-1759.

2693. Błaziak, D. and Stec, W. J. Oxathiaphospholane approach to the synthesis of macrocyclic alkylphosphorothioates. *Annals of the Polish Chemical Society Year 2004.* 2004; pp. 660-663. Notes: ISBN 8392034325
2694. Chojnowski, J. Dendrigraft functionalized polysiloxanes. *Annual Report Polish Academy of Sciences.* 2004:48-52.
2695. Chojnowski, J. Ring opening polymerization of cyclosiloxanes. *Morrisville:* 2004: 389-405.
2696. Chworoś, A.; Arnaud, P.; Zakrzewska, K.; Guga, P.; Pratviel, G.; Stec, W. J., and Meunier, B. Comparison of the cleavage profiles of oligonucleotide duplexes with or without phosphorothioate linkages by using a chemical nuclease probe. *J Biol Inorg Chem.* 2004; **9**(3):374-384.
2697. Chworoś, A.; Severcan, I.; Koyfman, A. Y.; Weinkam, P.; Oroujev, E.; Hansma, H. G., and Jaeger, L. Building programmable jigsaw puzzles with RNA. *Science.* 2004; **306**:2068-2072.
2698. Cieślak, M.; Koziołkiewicz, M.; Goss, W., and Stec, W. J. Phosphorothioate oligodeoxyribonucleotide as inhibitors of T4 polynucleotide kinase activity. Schinazi, R. F. and Liotta, D. C., Eds. *Frontiers in nucleosides and nucleic acids.* Tucker, Georgia, USA: IHL Press; 2004; pp. 509-517. Notes: ISBN 0975418807
2699. Cypryk, M. Mechanism of hydrolysis of polyfluorosilanes. Theoretical study. *Annals of the Polish Chemical Society Year 2004.* 2004; pp. 423-426. Notes: ISBN 8392034325
2700. Cypryk, M.; Chojnowski, J.; Kaźmierski, K., and Kurjata, J. Mechanism of the cationic ring opening polymerization of cyclosiloxanes-interpretation of new results. *Polimery.* 2004; **49**(7-8):491-497.
2701. Cypryk, M.; Chojnowski, J., and Kurjata, J. Tertiary silyloxonium ions in the ring-opening polymerization (ROP) of cyclosiloxanes- cationic ROP of octamethyltetrasiloxane-1,4-dioxane. *Abstracts of Papers of the American Chemical Society.* 2004; **227** : (581-POLY Part 2).
2702. Domański, D. M.; Bryszewska, M., and Salamończyk, G. Preliminary evaluation of the behavior of fifth-generation thiophosphate dendrimer in biological systems. *Biomacromolecules.* 2004; **5**(5):2007-2012.
2703. Drabowicz, J.; Łuczak, J.; Mikołajczyk, M.; Yamamoto, Y.; Matsukawa, S., and Akiba, M. Y. First optically active selenurane oxide: resolution of C-2-symmetric 3,3,3',3'-tetramethyl-1,1'-spirobi[3h,2,1]-benzoxaselenole oxide. *Chirality.* 2004; **16**(9):598-601.
2704. Drabowicz, J.; Łuczak, J.; Łopusiński, A.; Mikołajczyk, M.; Wang, F. W., and Polavarapu, P. L. Structural studies and selected conversions of some chiral and achiral heteroorganic compounds. *Annals of the Polish Chemical Society Year 2004.* 2004; pp. 205-208. Notes: ISBN 8392034325
2705. Drabowicz, J.; Łuczak, J.; Łyżwa, P.; Mikołajczyk, M., and Pedersen, C. Th. Sulfurization of trivalent phosphorus compounds with 1,2-dithiole-3-thione. *Bulletin of the Korean Chemical Society.* 2004; **25**(11):1692-1694.
2706. Duda, A. Stereocontrolled polymerization of chiral heterocyclic monomers. *Polimery.* 2004; **49**:469-478.
2707. Fortuniak, W.; Różga-Wijas, K.; Chojnowski, J.; Labadens, F., and Sauvet, G. Reactions of tertiary hydroxyalkylamines with 3-halogenopropyl substituted polysiloxanes: a route to water soluble and amphiphilic silicones. *Reactive & Functional Polymers.* 2004; **61**(3):315-323.

2708. Gadzinowska, K. and Piórkowska, E. Wyznaczanie gęstości zarodkowania sferolitów na podstawie cienkich ścinków próbek objętościowych. *Polimery*. 2004; **XLIX**:(10):698-705.
2709. Gadzinowski, M.; Sosnowski, S., and Słomkowski, S. Biodegradable scaffolds with bimodal pore size distribution. *Engineering of Biomaterials*. 2004; 7:118-120.
2710. Ganicz, T. Linear and crosslinked silicon based liquid crystalline materials. *SPIE*. 2004; **5565**:369-376.
2711. Ganicz, T.; Mizerska, U.; Moszner, M.; O'Brien, M.; Perry, R., and Stańczyk, W. A. The effectiveness of rhodium (I), (II) and (III) complexes as catalysts in hydrosilylation of model olefin and polyether with triethoxysilane and poly(dimethylsiloxane-co-methylsiloxane). *Applied Catalysis A: General*. 2004; **259**:(1):49-55.
2712. Ganicz, T. and Stańczyk, W. A. Synthesis of novel tri-podal mesogenic alkenes and side-chain polysiloxanes. *J Organomet Chem*. 2004; **689**:(16):2606-2613.
2713. Garcia Ruano, J. L.; Fajardo, C.; Rosario Martin, M.; Midura, W. H., and Mikołajczyk, M. Asymmetric cyclopropanation of (5*S*,*S*_s)-3-*p*-tolylsulfinyl-5-ethoxyfuran-2(5*H*)-one with sulfonium ylides: influence of the sulfur ylide substituents on stereoselectivity. *Tetrahedron: Asymmetry*. 2004; **15**:(16):2475-2482.
2714. Goetzendorf-Grabowska, B.; Królikowska, H., and Gadzinowski, M. Polymer microspheres as carriers of antibacterial properties of textiles: a preliminary study. *Fibres & Textiles East Eur*. 2004; **12**:(4):62-64.
2715. Golański, J.; Pluta, J.; Baraniak, J., and Watała, C. Limited usefulness of the PFA-100 (TM) for the monitoring of ADP receptor antagonists-*in vitro* experience. *Clinical Chemistry and Laboratory Medicine*. 2004; **42**:(1):25-29.
2716. Grzelka, A.; Chojnowski, J.; Cypriak, M.; Fortuniak, W.; Hupfield, P. C., and Taylor, R. G. Polysiloxanol condensation and disproportionation in the presence of a superacid. *J Organomet Chem*. 2004; **689**:(4):705-713.
2717. Grzelka, A.; Chojnowski, J.; Fortuniak, W.; Taylor, R. G., and Hupfield, P. C. Kinetics of the anionic ring opening polymerization of cyclosiloxanes initiated with a superbase. *J Inorg Organometal Polym*. 2004; **14**:(2):85-99.
2718. ---. Kinetics of the polymerization of permethylcyclosiloxanes initiated by tetrakis(pentafluorophenyl)borate protic complex. *J Inorg Organometal Polym*. 2004; **14**:(2):101-116.
2719. Guga, P. Konfigurowanie systemów HPLC. *Analityka*. 2004; 1:28-33.
2720. Góra, M.; Woźniak, L. A., and Stec, W. J. Synthesis of dinucleoside (3',5')-phosphorothioates and diastereomerically pure chimeric oligonucleotides. *Annals of the Polish Chemical Society Year 2004*. 2004; pp. 668-671.
Notes: ISBN 8392034325
2721. Horie, K.; Baron, M.; Fox, R. B.; He, J.; Hess, M.; Kahovec, J.; Kitayama, T.; Kubisa, P.; Marechal, E.; Mormann, W.; Stepto, R. F. T.; Tabak, D.; Vohlidal, J.; Wilks, E. S.; Work, W. J.; Allegra, G.; Baron, M.; Fradet, A.; Hatada, K.; Hess, M.; Horie, K.; Jenkins, A. D.; Jin, J. I.; Jones, R. G.; Kahovec, J.; Kitayama, T.; Kratochvil, P.; Kubisa, P.; Meisel, I.; Metanomski, W. V.; Moad, G.; Mormann, W.; Penczek, S.; Rebelo, L. P.; Rinaudo, M.; Schopov, I.; Schubert, M.; Shibaev, V. P.; Słomkowski, S.; Stepto, R. F. T.; Tabak, D.; Vohlidal, J.; Wilks, E. S.; Work, W. J.; Dorfner, K.; Frechet, M. J.; Harris, W. I.; Hodge, P.; Nishikubo, T.; Ober, C. K.; Reichmanis, E.; Sherrington,

D. C.; Tomoi, M., and Wohrle, D. Definitions of terms relating to reactions of polymers and functional polymeric materials. *Pure & Appl Chem.* 2004; **76**:(4):889-906.
Notes: (IUPAC Recommendations 2003)

2722. Jin, Y. ; Rogunova, M.; Hiltner, A.; Baer, E.; Nowacki, R.; Gałęski, A., and Piórkowska, E. Structure of polypropylene crystallized in confined nanolayers. *J Polym Sci B: Polym Phys.* 2004; **42**:(18):3380-3396.
2723. Jin, Y.; Rogunova, M.; Hiltner, A.; Baer, E.; Nowacki, R.; Gałęski, A., and Piórkowska, E. Structure of polypropylene crystallized in confined nanolayers. *Abstracts of Papers of the American Chemical Society.* 2004; **228**:458-PMSE Part 2.
2724. Kanaori, K.; Sakamoto, S.; Yoshida, H.; Guga, P.; Stec, W. J.; Tajima, K., and Makino, K. Effect of phosphorothioate chirality on i-motif structure and stability. *Biochemistry.* 2004; **43**:(19):5672-5679.
2725. Kazanski, K.; Rakova, G. V.; Kozlov, S. I.; Stegno, E. V., and Łapienis, G. Free-radical polymerization of poly(ethylene oxide) macromonomers with catalytic chain transfer in aqueous solutions. *Polymer Science Series A.* 2004; **46**:(3):214-225.
2726. Kaźmierski, K.; Hurdac, N.; Sauvet, G., and Chojnowski, J. Polysiloxanes with chlorobenzyl groups as precursors of new organic-silicone materials. *J Polym Sci A: Polym Chem.* 2004; **42**:(7):1682-1692.
2727. Kowalewska, A.; Stańczyk, W. A., and Eckberg, R. Application of tris(trimethylsilyl)methyl derivatives in polymer chemistry. *Polimery.* 2004; **49**:(7-8):479-485.
2728. Koziolkiewicz, M. and Wójcik, M. Wykorzystanie chromatografii jonowymiennej do izolowania białek. *Analityka.* 2004; **3**:4-9.
2729. Krakowiak, A.; Pace, H. C.; Blackburn, G. M.; Adams, M.; Mekhalfia, A.; Kaczmarek, R.; Baraniak, J.; Stec, W. J., and Brenner, C. Biochemical, crystallographic and mutagenic characterization of hint, the AMP-lysine hydrolase, with novel substrates and inhibitors. *J Biol Chem.* 2004; **279**:(18):18711-18716.
2730. Krawczyk, E.; Koprowski, M.; Skowrońska, A., and Łuczak, J. α -Hydroksy ketones in high enantiomeric purity from asymmetric oxidation of enol phosphates with (salen) manganese(III) complex. *Tetrahedron: Asymmetry.* 2004; **15**:(17):2599-2602.
2731. Krysiak, J. A.; Lyon, C.; Bacereido, A.; Gornitzka, H.; Mikołajczyk, M., and Bertrand, G. Stable optically pure phosphino(silyl)carbenes: reagents for highly enantioselective cyclopropanation reactions. *Chem-Eur J.* 2004; **10**:(8):1982-1986.
2732. Kryszewski, M. Fifty years of study of the piezoelectric properties of macromolecular structured biological materials. *Acta Phys Polonica A.* 2004; **105**:(4):389-408.
2733. Kryszewski, M. Some properties and methods of preparation of thin solid anisotropic organic films. *Nonlinear Optics, Quantum Optics.* 2004; **31**:(1-4):1-16.
2734. Kubisa, P. Application of ionic liquids as solvent for polymerization processes. *Progr Polym Sci.* 2004; **29**:(1):3-12.
2735. Kurjata, J.; Chojnowski, J.; Yeoh, C.-T.; Rossi, N. A. A., and Holder, S. J. Synthesis of poly[dimethylsiloxane-block-oligo(ethylene glycol) methyl ether methacrylate]: an aphiphilic copolymer with a comb-like block. *Polymer.* 2004; **45**:(18):6111-6121.

2736. Kurpiewski, M. R.; Engler, L. E.; Woźniak, L. A.; Kobylańska, A.; Koziółkiewicz, M.; Stec, W. J., and Jen-Jacobson, L. Mechanisms of coupling between DNA recognition specificity and catalysis in *EcoRI* endonuclease. *Structure*. 2004; **12**:(10):1775-1788.
2737. Langner, M. and Okruszek, A. Kompleksy lipidowe jako nośniki materiału genetycznego. *Postępy Biochemii*. 2004; **50**:(1):11-18.
2738. Libiszowski, J.; Kowalski, A.; Biela, T., and Duda, A. Odporność cieplna poli(L-laktydu) otrzymanego w wyniku polimeryzacji L,L-dilaktydu inicjowanej pochodnymi Sn(II). *Polimery*. 2004; **XLIX**:(10):690.
2739. Libiszowski, J.; Kowalski, A.; Szymański, R.; Duda, A.; Raquez, J. M.; Degée, Ph., and Dubois, Ph. Monomer-linear macromolecules-cyclic oligomers equilibria in the polymerization of 1,4-dioxan-2-one. *Macromolecules*. 2004; **37**:(1):52-59.
2740. Majerska, K. and Duda, A. Stereocontrolled polymerization of racemic lactide with chiral initiator: combining stereoselection and chiral ligand-exchange mechanism. *J Am Chem Soc*. 2004; **126**:(4):1026-1027.
2741. Majoral, J.-P.; Zabłocka, M., and Igau, A. Zirconium in organophosphorus chemistry: new advances. *Abstracts of Papers of the American Chemical Society*. 2004; **227**:(30-ORGN Part 2).
2742. Michalska, Z.; Rogalski, L.; Różga-Wijas, K.; Chojnowski, J.; Fortuniak, W., and Ścibiorek, M. Synthesis and catalytic activity of the transition metal complex catalysts supported on the branched functionalized polysiloxanes grafted on silica. *J Mol Catal A-Chem*. 2004; **208**:(1-2):187-194.
2743. Michalski, J. and Dąbkowski, W. New chemistry and stereochemistry of tricoordinate phosphorus esters containing phosphorus-fluorine bond. *CR Chimie*. 2004; **7**:(8-9):901-907.
2744. Michalski, J. and Dąbkowski, W. State of the art. Chemical synthesis of biophosphates and their analogues via p(III) derivatives. *Topics in Current Chemistry*. 2004; **232**:93-144.
2745. Midura, W. H. Phosphonates containing sulfur and selenium. Synthesis of vinylphosphonates bearing α -sulphenyl, α -selenenyl, α -sulfinyl and α -seleninyl moieties and studies on nucleophilic addition. *Tetrahedron*. 2004; **60**:(52):12217-12229.
2746. Midura, W. H. and Krysiak, J. A. Phosphonates containing sulfur and selenium. Synthesis of vinylphosphonates bearing α -sulphenyl, α -selenenyl, α -sulfinyl and α -seleninyl moieties and studies on nucleophilic addition. *Tetrahedron*. 2004; **60**:(52):12217-12229.
2747. Mierczyńska, A.; Friedrich, J.; Maneck, H. E.; Boiteux, G., and Jeszka, J. K. Segregated network polymer/carbon nanotubes composites. *Central European Journal of Chemistry*. 2004; **2**:(2):ZFP.
2748. Mikołajczyk, M.; Bałczewski, P.; Chęczyńska, A., and Szadowiak, A. α -Alkyl(aryl)sulphenyl substituted β -ketophosphonates: synthesis, properties and reactivity. *Tetrahedron*. 2004; **60**:3067-3074.
2749. Mikołajczyk, M.; Drabowicz, J., and Łyżwa, P. Asymmetric synthesis of phosphonic analogs of β -amino acids. Juaristi, E. and Soloshonok, V. A., Eds. *Enantioselective synthesis of β -amino acids*. 2nd ed. New York, Chichester: J. Wiley & Sons Inc.; 2004; pp. 262-276.
2750. Mikołajczyk, M. and Kielbasiński, P. Biokataliza w chemii jako podstawa chirotechnologii. Marciniec, B., Red. *Misja Chemii*. Poznań: Wydawnictwo Poznańskie; 2004; pp. 81-96.
2751. Misiura, K. Leki oksazafosforinanowe. Poszukiwanie nowych pochodnych, badania metabolizmu i stosowanie nowych strategii terapeutycznych. *Postępy Hig Med Dośw*. 2004; **58**:463-471.

2752. ---. Synthesis of potential metabolites of (S)-(-)-bromofosfamide. *Pharmazie*. 2004; **59**:(9):668-672.
2753. Misiura, K. and Stec, W. J. Oxathiaphospholane approach to the synthesis of nucleoside methanephosphonothioates. *Synlett*. 2004(12):2143-2146.
2754. Misiura, K.; Szymanowicz, D.; Olesiak, M., and Stec, W. J. DBU-assisted 1,3,2-oxathiaphospholane ring-opening condensation with selected O-, S-, N- and C-nucleophiles. *Tetrahedron Lett*. 2004; **45**:(22):4301-4305.
2755. Miśkiewicz, P.; Rybak, A.; Jung, J.; Głowacki, I.; Tracz, A.; Müllen, K., and Ulański, J. Zorientowane warstwy materiałów dyskotycznych do zastosowań w tranzystorach polowych. *Zeszyty Naukowe Akademii Im. J. Długosza*. 2004; **6/7**:125-130.
2756. Morawiec, J.; Pawlak, A.; Slouf, M.; Gałęski, A., and Piórkowska, E. Influence of compatibilizer type, polypropylene molecular weight and blending sequence on montmorillonite exfoliation in nanocomposites. *Polimery*. 2004; **49**:(1):52-55.
2757. Nawrot, B. Targeting BACE with small inhibitory nucleic acids - a future for Alzheimer's disease therapy? *Acta Biochimica Polonica*. 2004; **51**:(2):363-370.
2758. Nawrot, B.; Michalak, O.; De Clercq, E., and Stec, W. J. Analogues of acyclic nucleosides derived from tris-(hydroxymethyl)phosphine oxide or bis-(hydroxymethyl) phosphinic acid coupled to DNA nucleobases. *Antiviral Chemistry and Chemotherapy*. 2004; **15**:315-324.
2759. Nawrot, B.; Michalak, O.; Janicka, M.; Maszewska, M., and Stec, W. J. Novel nucleic acids with a chimeric phosphinate/phosphonate backbone; synthesis and biophysical properties. *Arkivoc*. 2004; **iii**:151-175.
2760. Nawrot, B.; Sipa, K.; Sierant, M.; Maszewska, M., and Taira, K. BACE-directed silencing efficiency of siRNA expressed under tRNA^{Val} promoter. *Annals of the Polish Chemical Society Year 2004*. 2004; pp. 625-628.
Notes: ISBN 8392034325
2761. Nawrot, B.; Sobczak, M.; Maszewska, M.; Nowak, M., and Stec, W. J. Oligonucleotides containing P-chiral methanephosphonamidate (3'N-P5') linkages - synthesis, physicochemical and biological properties. Schinazi, R. F. and Liotta, D. C., Eds. *Frontiers in nucleosides and nucleic acids*. Tucker, Georgia, USA: IHL Press; 2004; pp. 481-507.
Notes: ISBN 0975418807
2762. Nowacki, R.; Monasse, B.; Piórkowska, E.; Gałęski, A., and Haudin, J. M. Spherulite nucleation in isotactic polypropylene based nanocomposites with montmorillonite under shear. *Polymer*. 2004; **45**:(14):4877-4892.
2763. Olejniczak, S. and Potrzebowski, M. J. Solid state NMR studies and density functional theory (DFT) calculations of conformers of quercetin. *Organic & Biomolecular Chemistry*. 2004; **2**:(16):2315-2322.
2764. Olejniczak, S.; Potrzebowski, M. J., and Woźniak, L. A. Synthesis and NMR structural analysis of 2'-OMe-uridin-3'-yl(3',5')-5'-O-(N-isobutyryl-2'-OMe-cytidine) methylthiophosphonates. *Eur J Org Chem*. 2004(9):1958-1966.
2765. Olejniczak, S.; Sobczak, M.; Potrzebowski, M. J.; Polak, M.; Plavec, J., and Nawrot, B. Assignment of absolute configuration at phosphorus of P-chiral diastereomers of deoxyribonucleoside methanephosphonamidates by means of NMR spectroscopy. *Tetrahedron*. 2004; **60**:(18):3979-3986.

2766. Pawlak, A.; Morawiec, J.; Piórkowska, E., and Gałęski, A. Nanokompozyty polipropylenu i polietylenu z glinkami typu montmorylonit. *Polimery*. 2004; **49**:240-247.
2767. Penczek, S.; Duda, A.; Florjańczyk, Z.; Kubisa, P., and Słomkowski, S. *Chemia polimerów-u podstaw molekularnej biologii, medycyny i technologii nowoczesnych materiałów*. Marciniec, B., Ed. Misja Chemii. Poznań: Wydawnictwo Poznańskie; 2004; pp. 139-153.
2768. Penczek, S.; Pretula, J., and Kałużyński, K. Simultaneous introduction of phosphonic and carboxylic acid functions to hydroxylated macromolecules. *J Polym Sci A: Polym Chem*. 2004; **42**:(3):432-443.
2769. Perlikowska, W.; Gouygou, M.; Mikołajczyk, M., and Daran, J.-C. Enantiomerically pure disulfides: key compounds. *Tetrahedron: Asymmetry*. 2004; **15**:(22):3519-3529.
2770. Piris, J.; Pisula, W.; Tracz, A.; Pakuła, T.; Müllen, K., and Warman, J. M. Thermal switching of the anisotropy of a macroscopically aligned film of a discotic liquid crystal. *Liquid Crystals*. 2004; **31**:(7):993-996.
2771. Piórkowska, E.; Pawlak, A.; Chapel, J.-P., and Nowacki, R. Crystallization of polymers in temperature gradient. *Int J Forming Processes*. 2004; **7**:195-208.
2772. Pluta, M. Morphology and properties of polylactide modified by thermal treatment, filing with layered silicates and plasticization. *Polymer*. 2004; **45**:(24):8239-8251.
2773. Potrzebowski, M. J. Spektroskopia NMR w ciele stałym-nowe możliwości w badaniach strukturalnych biomolekuł. *Działalność Naukowa PAN (Wybrane Zagadnienia)*. 2004.
2774. Pracella, M.; Chiona, D.; Ishak, R., and Gałęski, A. Recycling of PET and polyolefin based packaging materials by reactive blending. *Polymer-Plastics Technology and Engineering*. 2004; **43**:(6):1711-1722.
2775. Przerwa, E.; Sosnowski, S., and Słomkowski, S. Deposition of poly(styrene/alpha-tert-butoxy-omega-vinyl-benzyl-polyglycidol) microspheres on mica plates crossing the liquid-air interface: formation of stripe pattern. *Langmuir*. 2004; **20**:(11):4684-4689.
2776. Przykorska, A.; Solecka, K.; Olszak, K.; Keith, G.; Nawrot, B., and Kuligowska, E. Wheat (*Triticum vulgare*) chloroplast ChSI exhibits 5' flap structure-specific endonuclease activity. *Biochemistry*. 2004; **43**:(35):11283-11294.
2777. Sielski, J.; Jeszka, J. K., and Kryszewski, M. Wpływ częściowego porządkowania pierścieni karbazylowych w PVK na ruchliwość unoszenia dziur. *Zeszyty Naukowe Akademii Im. J. Długosza*. 2004; **6/7**:23-26.
2778. Sierant, M. and Okruszek, A. Ciałka inkluzyjne i ich wykorzystanie do otrzymywania rekombinantowych białek w systemie ekspresyjnym *Escherichia coli*. *Biotechnologia*. 2004; **1/64**:9-19.
2779. Sipa, K. Krótkie cząsteczki kwasów nukleinowych jako terapeutyki. *Laboratorium*. 2004; **4**:38-42.
2780. Stańczyk, W. A.; Ganicz, T.; Kowalewska, A., and Fortuniak, W. Hybrydowe ciekłe kryształy. *Działalność Naukowa PAN (Wybrane Zagadnienia)*. 2004; **18**:74-76.
2781. Słabicki, M. M.; Potrzebowski, M. J.; Bujacz, G. D.; Olejniczak, S., and Olczak, J. Synthesis, X-ray and nuclear magnetic resonance (NMR) studies of signaling the tripeptide sequence (Tyr-D-Ala-Phe) of dermorphin and deltorphins I and II. Comparative analysis in the liquid and solid phases. *J Phys Chem B*. 2004; **108**:(14):4535-4545.

2782. Tadeusiak, E. Dyfrakcja promieniowania rentgenowskiego-metoda proszkowa-użyteczna technika badania związków chemicznych. Wiadomości Chemiczne. 2004; **58**:(1-2):47-57.
2783. ---. Phosphonic analogues of carnitine. Bioorg Chem. 2004; **32**:473-482.
2784. ---. Synthesis of phosphonic analogues of carnitine and γ -amino- β -hydroxybutyric acid. Bioorg Chem. 2004; **32**:(6):473-482.
2785. Tadeusiak, E.; Kruszyński, R., and Misiura, K. Determination of enantiomeric excess of cyclophosphamide by X-ray powder diffraction (XRPD). Polish J Chem. 2004; **78**:(3):431-435.
2786. Tadeusiak, E.; Olejniczak, S., and Ciesielski, W. C-13 and P-31 high resolution solid state NMR studies of cyclophosphamide and its analogues. Heteroatom Chem. 2004; **15**:(5):388-394.
2787. Takenaka, Y.; Miyaji, H.; Hoshino, A.; Tracz, A.; Jeszka, J. K., and Kucińska, I. Interface structure of epitaxial polyethylene crystal grown on HOPG and MoS₂ substrates. Macromolecules. 2004; **37**:(26):9667-9669.
2788. Tracz, A.; Pakuła, T., and Jeszka, J. K. Zone casting-a universal method of preparation of oriented anisotropic layers of organic materials. Materials Science-Poland. 2004; **22**:627-632.
2789. ---. Zone casting - a universal method of preparing oriented anisotropic layers of organic materials. Materials Science-Poland. 2004; **22**:(4):415-421.
2790. Tracz, A.; Wostek-Wojciechowska, D.; Kucińska, I., and Jeszka, J. K. Wytwarzanie i właściwości monowarstw nanocząsteczek złota w warstwie powierzchniowej polimeru. Zeszyty Naukowe Akademii Im. J. Długosza. 2004; **6/7**:42-45.
2791. Varfolomeyev, S.; Efremenko, E.; Beletskaya, I.; Bertini, I.; Blackburn, G. M.; Bogdanov, A.; Cunin, R.; Eichler, J.; Galaev, I.; Gladyshev, V.; O'Hagan, D.; Haertle, T.; Jarv, J.; Karyakin, A.; Kurochkin, I.; Mikołajczyk, M.; Poroikov, V.; Sakharov, I.; Spener, F.; Voyer, N., and Wild, J. Post-genomic chemistry. Pure & Appl Chem. 2004; **76**:1985-1999.
2792. Wang, F. W.; Polavarapu, P. L.; Drabowicz, J.; Kielbasiński, P.; Potrzebowski, M. J.; Mikołajczyk, M.; Wieczorek, M. W.; Majzner, W. R., and Łażewska, I. Solution and crystal structures of chiral molecules can be significantly different: *tert*-butylphenylphosphinoselenoic acid. J Phys Chem A. 2004; **108**:(11):2072-2079.
2793. Wendler, B.; Jachowicz, M.; Kaczmarek, Ł.; Rylski, A.; Bieliński, D. M., and Wróbel, A. M. Investigation of magnetron deposited Si-based protective coatings on Si and steel substrates. Acta Metallurgica Slovaca. 2004; **10**:615-619.
2794. Wendler, B.; Jachowicz, M.; Kaczmarek, Ł.; Rylski, A.; Bieliński, D. M.; Wróbel, A. M., and Jakubowski, K. Si-Based protective coatings on Si and steel substrates. Inżynieria Materiałowa. 2004; **140**:673-675.
2795. Wostek-Wojciechowska, D.; Jeszka, J. K.; Uznański, P.; Amiens, C.; Chaudret, B., and Lecante, P. The solid-state synthesis of metal nanoparticles from organometallic precursors. Materials Science-Poland. 2004; **22**:627-632.
2796. ---. Synthesis of gold nanoparticles in solid state by thermal decomposition of an organometallic precursor. Materials Science-Poland. 2004; **22**:(4):407-413.
2797. Woźniak, L. A. Mercury trifluoroacetate-catalyzed conversion of Se-alkyl phosphoroselenolates into the corresponding phosphates. J Organomet Chem. 2004; **689**:(17):2745-2751.

2798. Woźniak, L. A.; Bukowiecka-Matusiak, M.; Mourgues, S., and Stec, W. J. Synthesis and stereochemistry of dinucleoside (3',5')-phosphorothioates. Mechanism of oximate removal of the 2-chlorophenyl group. *Annals of the Polish Chemical Society Year 2004.* 2004; pp. 640-643.
Notes: ISBN 8392034325
2799. Woźniak, L. A.; Janicka, M.; Bukowiecka-Matusiak, M., and Stec, W. J. P-Chiral nonionic analogues of nucleic acids-tools in molecular biology and potential therapeutics. *Annals of the Polish Chemical Society Year 2004.* 2004; pp. 656-659.
Notes: ISBN 8392034325
2800. Woźniak, L. A.; Majzner, W. R., and Stec, W. J. 2'-OMe-uridine-3'-yl (3', 5')-5'-O-(2'-OMe cytidine)-methanephosphonothioates - new building blocks for synthesis and biophysical properties. *Arkivoc.* 2004; **iii**:101-111.
2801. Woźniak, L. A. and Stec, W. J. Methanephosphonate analogues of oligonucleotides . Schinazi, R. F. and Liotta, D. C., Eds. *Frontiers in nucleosides and nucleic acids.* Tucker, Georgia, USA: IHL Press; 2004; pp. 457-477.
Notes: ISBN 0975418807
2802. Wróbel, A. M.; Błaszczak-Lęzak, I.; Walkiewicz-Pietrzykowska, A.; Bieliński, D. M.; Aoki, T., and Hatanaka, Y. Silicon carbonitride films by remote hydrogen-nitrogen plasma CVD from a tetramethyldisilazane source. *J Electrochem Soc.* 2004; **151**:(11):C723-C730.
2803. Wódzki, R.; Świątkowski, M.; Pretula, J., and Kałużyński, K. Poly[poly(oxypropylene) phosphate] macroionophores for transport and separation of cations in a hybrid: Cation exchange polymer and liquid membrane system. *J Appl Polym Sci.* 2004; **93**:(3):1436-1445.
2804. Wójcik, M. and Koziołek, M. Wykorzystanie chromatografii jonowymiennej do izolowania białek. *Analityka.* 2004(3):4-9.
2805. Yamochi, H.; Haneda, T.; Tracz, A.; Ulański, J.; Drozdova, O.; Yakushi, K., and Saito, G. Humidity sensitive conductivity of (BEDO-TTF)(2)Br(H₂)(3) as a bulk property. *Journal De Physique IV.* 2004; **114**:591-593.
2806. Zabłocka, M.; Koprowski, M.; Majoral, J.-P.; Achard, M., and Buono, G. Synthesis and applications in Pd-catalyzed asymmetric allylic substitution of enantiopure cyclic β imino-phosphine ligand. Roberts, S. M.; Xiao, J.; Whittall, J., and Pickett, T. E., Eds. *Catalysts for fine chemical synthesis: metal catalysed carbon-carbon bond forming reactions.* John Wiley & Sons; 2004; pp. 36-40.
Notes: ISBN 0470862017
2807. Łapienis, G. and Penczek, S. Reaction of oligoalcohols with diepoxides: an easy, one-pot way to star-shaped, multibranched polymers. II. Poly(ethylene oxide) stars - synthesis and analysis by size exclusion chromatography triple-detection method. *J Polym Sci A: Polym Chem.* 2004; **42**:(7):1576-1598.
2808. Łopusiński, A. New route to O,O-diethyl phosphorocyanidate. *Heteroatom Chem.* 2004; **15**:(5):395-397.
2809. Żmudzka, K.; Nawrot, B.; Chojnacki, J., and Stec, W. J. An oxathiaphospholane approach to one-pot phosphorothioylation of isoprenoid alcohols. *Organic Lett.* 2004; **6**:(9):1385-1387.
2810. Żurawiński, R.; Donnadieu, B.; Mikołajczyk, M., and Chauvin, R. Palladium complexes of a chiral P,C-chelating phosphino-(sulfinylmethyl)phosphonium ylide ligand. *J Organomet Chem.* 2004; **689**:(2):380-386.
2811. Abrunhosa, I.; Drabowicz, J.; Grach, G.; Gulea, M.; Hamel, M.; Masson, S.; Mikołajczyk, M., and Vazeux,

- M. New chiral ortho-P,S-difunctionalized aromatic compounds. *Phosphorus, Sulfur and Silicon*. 2005; **180**:(5-6):1267-1272.
2812. Albrycht, M.; Kielbasiński, P.; Drabowicz, J.; Mikołajczyk, M.; Matsuda, T.; Harada, T., and Nakamura, K. Supercritical carbon dioxide as a reaction medium for enzymatic kinetic resolution of P-chiral hydroxymethanephosphinates. *Tetrahedron: Asymmetry*. 2005; **16**:(11):2015-2018.
 2813. Argon, A. S.; Gałęski, A., and Kaźmierczak, T. Rate mechanisms of plasticity in semicrystalline polyethylene. *Polymer*. 2005; **46**:(25):11798-11805.
 2814. Azioune, A.; Siroti, F.; Tanguy, J.; Jouini, M.; Chehimi, M. M.; Miksa, B., and Słomkowski, S. Interactions and conformational changes of human serum albumin at the surface of electrochemically synthesized thin polypyrrole films. *Electrochimica Acta*. 2005; **50**:(7-8):1661-1667.
 2815. Bartczak, Z. Effect of chain entanglements on plastic deformation behavior of linear polyethylene. *Macromolecules*. 2005; **38**:(18):7702-7713.
 2816. ---. Influence of molecular parameters on high-strain deformation of polyethylene in the plane-strain compression. Part II. Strain recovery. *Polymer*. 2005; **46**:(23):10339-10354.
 2817. Bartczak, Z. and Kozanecki, M. Influence of molecular parameters on high-strain deformation of polyethylene in the plane-strain compression. Part. I. Stress-strain behavior. *Polymer*. 2005; **46**.
 2818. Bartczak, Z. and Łęzak, E. Evolution of lamellar orientation and crystalline texture of various polyethylenes and ethylene-based copolymers in plane-strain compression. *Polymer*. 2005; **46**:6050-6063.
 2819. Basińska, T. Hydrophilic core-shell microspheres: a suitable support for controlled attachment of proteins and biomedical diagnostics. *Macromolecular Bioscience*. 2005; **5**:(12):1145-1168.
 2820. Basińska, T.; Wiśniewska, M., and Chmiela, M. Principle of a new immunoassay based on electrophoretic mobility of poly(styrene/ α -tert-butoxy- ω -vinylbenzyl-polyglycidol) microspheres. Application for determination of *Helicobacter pylori* IgG in blood serum. *Macromolecular Bioscience*. 2005; **5**:70-77.
 2821. Bałczewski, P.; Drabowicz, J.; Szadowiak, A.; Żurawiński, R.; Kielbasiński, P., and Mikołajczyk, M. Functions containing at least one phosphorus arsenic, antimony or bismuth and no halogen, chalcogen or nitrogen. Katritzky, A. R. and Taylor, R. J. K., Eds. *Comprehensive organic functional group transformations II*. First edition 2005 ed. Elsevier Science; 2005; pp. 957-1054. Notes: ISBN 0080442560
 2822. Bałczewski, P.; Szadowiak, A., and Białas, T. Two pathways of initiation in the intermolecular iodine atom transfer addition reaction (I-ATRA) initiated by AIBN. *Heteroatom Chem*. 2005; **16**:(3):246-253.
 2823. Bednarek, M. and Kubisa, P. Copolymerization with the feeding of one of the comonomers: cationic activated monomer copolymerization of ϵ -caprolactone with ethylene oxide. *J Polym Sci A: Polym Chem*. 2005; **43**:(17):3788-3796.
 2824. Biedroń, T. and Kubisa, P. Radical polymerization in a chiral ionic liquid: atom transfer radical polymerization of acrylates. *J Polym Sci A: Polym Chem*. 2005; **43**:(15):3454-3459.
 2825. Biela, T.; Duda, A.; Pasch, H., and Rode, K. Star-shaped poly(L-lactide)s with variable numbers of hydroxyl groups at polyester arms chain-ends and directly attached to the star-shaped core - controlled synthesis and characterization. *J Polym Sci A: Polym Chem*. 2005; **43**:(23):6116-6133.

2826. Breiby, D. W.; Bunk, O.; Pisula, W.; Solling, T. I.; Tracz, A.; Pakula, T.; Müllen, K., and Nielsen, M. M. Structure of zone-cast HBC-C₁₂H₂₅ films. *J Am Chem Soc.* 2005; **127**:(32):11288-11293.
2827. Błaszczyk-Łęzak, I.; Wróbel, A. M.; Kivitorma, M. P. M., and Vayrynen, I. J. Silicon carbonitride films produced by remote hydrogen microwave plasma CVD using a (dimethylamino)dimethylsilane precursor. *Chem Vap Deposition.* 2005; **11**:(1):44-52.
2828. Chojnowski, J. Synthesis of organofunctional polysiloxanes of various topologies. Auner, N. and Weis, J., Eds. *Organosilicon chemistry VI. From molecules to materials.* Weinheim: Wiley-VCH; 2005; pp. 620-627.
Notes: ISBN 3527312145
2829. Chojnowski, J.; Rubinsztajn, S.; Cella, J. A.; Fortuniak, W.; Cypryk, M.; Kurjata, J., and Kaźmierski, K. Mechanism of the B(C₆F₅)₃ - catalyzed reaction of silyl hydrides with alkoxysilanes. Kinetic and spectroscopic studies. *Organometallics.* 2005; **24**:(25):6077-6084.
2830. Clark, J. L.; Hollecker, L.; Mason, J. Ch.; Stuyver, L. J.; Tharnish, P. M.; Lostia, S.; McBrayer, T. R.; Schinazi, R. F.; Watanabe, K. A.; Otto, M. J.; Furman, P. A.; Stec, W. J.; Petterson, S. E., and Pankiewicz, K. Design, synthesis, and antiviral activity of 2'-deoxy-2'-fluoro-2'-C-methylcytidine, a potent inhibitor of hepatitis C virus replication. *J Med Chem.* 2005; **48**:(17):5504-5508.
2831. Colonna, S.; Pironti, V.; Drabowicz, J.; Brebion, F.; Fensterbank, L., and Malacria, M. Enantioselective synthesis of thiosulfonates and of acyclic alkylidenemethylene sulfide sulfoxides. *Eur J Org Chem.* 2005(9):1727-1730.
2832. Cypryk, M. Hydrolysis of fluorosilanes: a theoretical study. *J Phys Chem A.* 2005; **109**:(51):12020-12026.
2833. Cypryk, M.; Chojnowski, J., and Kurjata, J. Tertiary trisilyloxonium ion and silylenium cation in cationic ring-opening polymerization of cyclic siloxanes. Auner, N. and Weis, J., Eds. *Organosilicon chemistry VI. From molecules to materials.* Weinheim: Wiley-VCH; 2005; pp. 85-92.
Notes: ISBN 3527312145
2834. Danko, M.; Libiszowski, J.; Biela, T.; Wolszczak, M., and Duda, A. Molecular dynamics of star-shaped poly(L-lactide)s in tetrahydrofuran as solvent monitored by fluorescence spectroscopy. *J Polym Sci A: Polym Chem.* 2005; **43**:(19):4586-4599.
2835. Drabowicz, J.; Bałczewski, P.; Szadowiak, A.; Żurawiński, R., and Mikołajczyk, M. Alkynylnitrogen and -phosphorus compounds. Katritzky, A. R. and Taylor, R. J. K., Eds. *Comprehensive organic functional group transformations II* . First edition 2005 ed. Amsterdam: Elsevier; 2005; pp. 1115-1170.
Notes: Part III Functions linked by a single bond to an *sp* carbon atom - 2.22 ISBN 0080442560
2836. Drabowicz, J. and Martin, J. C. Reaction of orthometallated perfluorocumyl alkoxides with sulfinyl derivatives: synthetic and mechanistic aspects. *Phosphorus, Sulfur and Silicon.* 2005; **180**:(5-6):1345-1349.
2837. Drabowicz, J.; Łuczak, J.; Mikołajczyk, M.; Kondratenko, N. V., and Yagupolski, L. M. Attempts to obtain active trifluoromethyl aryl sulfoxides *via* resolutions of the racemates. *Phosphorus, Sulfur and Silicon.* 2005; **180**:(5-6):1417-1418.
2838. Drabowicz, J.; Łuczak, J.; Łyżwa, P.; Kielbasiński, P.; Mikołajczyk, M.; Yamamoto, Y.; Matsukawa, S.; Akiba, Kin-ya; Wang, F. W.; Polavarapu, P. L., and Wieczorek, M. W. Some chiral and achiral low- and high-coordinated selenium and tellurium compounds: syntheses, structural determination, and selected synthetic applications. *Phosphorus, Sulfur and Silicon.* 2005; **180**:(3-4):741-753.

2839. Drabowicz, J.; Łyżwa, P.; Luczak, J.; Dudziński, B.; Mikołajczyk, M.; Colonna, S.; Gaggero, N.; Yamamoto, Y.; Akiba, Kin-ya; Girek, T.; Yagupolski, L. M.; Yagupolski, Y. L., and Matsnev, A. V. Stable and dynamic, in situ formed, diastereomers as intermediates in resolutions of heteroatom containing racemates and measurements of enantiomeric excess value. Proceedings of the XX International Symposium on Physico-Chemical Methods of the Mixtures Separation "Ars Separatoria 2005"; Szklarska Poręba, Poland. 2005: 15-19.
2840. Duda, A.; Biela, T.; Kowalski, A., and Libiszowski, J. Amines as (co)initiators of cyclic esters polymerization. *Polimery*. 2005; **50**:501-508.
2841. Duda, A.; Kowalski, A.; Libiszowski, J., and Penczek, S. Thermodynamic and kinetic polymerizability of cyclic esters. *Macromol Symp*. 2005; **224**:71-83.
2842. Duda, A.; Libiszowski, J.; Mosnáček, J., and Penczek, S. Copolymerization of cyclic esters at the living polymer-monomer equilibrium. *Macromol Symp*. 2005; **226**:109-120.
2843. Dąbkowski, W. and Michalski, J. A novel approach to synthesis of nucleotides and their structural analogues *via* tricoordinate phosphorus reagents. *Collection Symposium Series*. 2005; **7**:39-46.
2844. Dąbkowski, W.; Ożarek, A., and Tworowska, I. Highly selective *O*-phosphitylation of amino alcohols using P^{III} reagents containing 4-nitro and 2,4-dinitro aryloxy leaving groups. *New J Chem*. 2005; **29**(11):1396-1399.
2845. Dąbkowski, W. and Tworowska, I. Synthesis of phosphorofluoridates and phosphorofluoridothioates *via* the phosphoramidite approach. *Organic & Biomolecular Chemistry*. 2005; **3**(5):866-874.
2846. Dąbkowski, W.; Tworowska, I.; Kazimierzak, L., and Michalski, J. Studies on the role of DBU in the reaction of $P(III)$ -Oaryl system with nucleoside. *Polish J Chem*. 2005; **79**:467-472.
2847. Gadzinowski, M.; Sosnowski, S., and Słomkowski, S. Poly(L,L-lactide) and poly(L,L-lactide-co-glycolide) microparticles by dialysis. *E-Polymers*. 2005(084 DEC 9).
2848. Ganicz, T.; Kowalewska, A.; Stańczyk, W. A.; Botts, M.; Nye, S. A., and Rubinsztajn, S. A novel organometallic route to phenylethenyl-modified polysiloxanes. *J Mater Chem*. 2005; **15**(5):611-619.
2849. Ganicz, T.; Pakuła, T.; Fortuniak, W., and Białecka-Florjańczyk, W. Linear and hyperbranched liquid crystalline polysiloxanes. *Polymer*. 2005; **46**(25):11380-11388.
2850. Gati, T.; Toth, G.; Drabowicz, J.; Moeller, S.; Hofer, E.; Polavarapu, P. L., and Duddeck, H. Effective enantiodifferentiation of spirochalcogenuranes by the dirhodium method: towards the determination of absolute configurations? *Chirality*. 2005; **17**:S40-S47.
2851. Gałęski, A. Strength and toughness of crystalline polymer systems. Michler, G. H. and Balta -Calleja, F. J., Ed. *Mechanical properties of polymers based on nanostructure and morphology*. Boca Raton: CRC-Taylor & Francis; 2005; pp. 159-214. Notes: ISBN 1574447718
2852. Gałęski, A.; Piórkowska, E.; Pluta, J.; Kuliński, Z., and Masirek, R. Modyfikacja fizycznych właściwości polilaktydu. *Polimery*. 2005; **50**:562-569.
2853. Guga, P.; Maciaszek, A., and Stec, W. J. Oxathiaphospholane approach to the synthesis of oligodeoxyribonucleotides containing stereodefined internucleotide phosphoroselenoate function. *Organic Lett*. 2005; **7**(18):3901-3904.

2854. Guga, P.; Maciaszek, A., and Stec, W. J. Oxathiaphospholane approach to the synthesis of oligodeoxyribonucleotides containing stereodefinied internucleotide phosphoroselenoate function. *Coll Symp Series*. 2005; **7**:167-171.
2855. Gulea, M.; Kielbasiński, P.; Mikołajczyk, M.; Łyżwa, P., and Masson, S. Asymmetric syntheses of α -sulfinylphosphonates in the thiolane series. *Phosphorus, Sulfur and Silicon*. 2005; **180**:(5-6):1465-1466.
2856. Hamel, M.; Grach, G.; Abrunhosa, I.; Gulea, M.; Masson, S.; Vazeux, M.; Drabowicz, J., and Mikołajczyk, M. Asymmetric oxidation of sulfenates to sulfinates as a new route to optically active ortho-phosphorylated phenyl sulfoxides. *Tetrahedron: Asymmetry*. 2005; **16**:(20):3406-3415.
2857. Hughes, C. E.; Olejniczak, S.; Heliński, J.; Ciesielski, W.; Repisky, M.; Andronesi, O. C.; Potrzebowski, M. J., and Baldus, M. Probing structure in the polymorphic domain of the L-enantiomer of N-benzoyl-phenylalanine by means of 2D solid-state NMR spectroscopy and DFT calculations. *J Phys Chem B*. 2005; **109**:(49):23175-23182.
2858. Imanishi, T.; Kuwabara, T.; Nawrot, B.; Obika, S.; Stec, W. J.; Taira, K.; Warashina, M., and Woźniak, L. A. Effect of modifications on the intracellular activity of a DNA enzyme. Khachigian, L. *Synthetic nucleic acids as inhibitors of gene expression: mechanisms, applications and therapeutic implications*. Hauppauge, NY: CRC Press LLC; 2005; pp. 95-113.
Notes: ISBN 0849330254
2859. Jakubowski, W.; Lutz, J.-F.; Słomkowski, S., and Matyjaszewski, K. Block and random copolymers as surfactants for dispersion polymerization. I. Synthesis *via* atom transfer radical polymerization and ring-opening polymerization. *J Polym Sci A: Polym Chem*. 2005; **43**:(7):1498-1510.
2860. Jankova, K.; Bednarek, M., and Hvilsted, S. Star polymers by ATRP of styrene and acrylates employing multifunctional initiators. *J Polym Sci A: Polym Chem*. 2005; **43**:(17):3748-3759.
2861. Jankowski, S.; Huben, K.; Paneth, P.; Ciesielski, W.; Quinn, L. D.; Vokal, B., and Dolenec, T. Solid-state CP/MAS P-31 NMR in studies of the aminophosphonic acids and esters in marine animals. *Polish J Chem*. 2005; **79**:(3):573-581.
2862. Jeziorna, A. and Krawiecka, B. The stereocontrolled synthesis of polyfunctional organosulfur compounds *via* chiral azetidinium salts and epoxyamines. *Tetrahedron: Asymmetry*. 2005; **16**:(9):1577-1581.
2863. Kaźmierczak, T. and Gałęski, A. α -relaxation in polyethylene as a function of crystal thickness Banabic, D., Ed. *Proceedings of ESAFORM 2005*; Bucharest. Publishing House of the Romanian Academy; 2005: 801-804.
Notes: ISBN 9732711752
2864. Kaźmierczak, T.; Gałęski, A., and Argon, A. S. Plastic deformation of polyethylene crystals as a function of crystal thickness and compression rate. *Polymer*. 2005; **46**:(21):8926-8936.
2865. Kielbasiński, P.; Albrycht, M.; Mikołajczyk, M.; Wieczorek, M. W.; Majzner, W. R.; Filipczak, A. D., and Ciołkiewicz, P. Synthesis of chiral hydroxythiolanes as potential catalysts for asymmetric organozinc additions to carbonyl compounds. *Heteroatom Chem*. 2005; **16**:(2):93-103.
2866. Kielbasiński, P.; Rachwalski, M.; Mikołajczyk, M.; Moelands, M. A. H.; Zwanenburg, B., and Rutjes, F. P. J. T. Lipase-promoted dynamic kinetic resolution of racemic β -hydroksyalkyl sulfones. *Tetrahedron: Asymmetry*. 2005; **16**:(12):2157-2160.
2867. Kielbasiński, P.; Łyżwa, P.; Mikołajczyk, M.; Gulea, M.; Lemarié, M., and Masson, S. Asymmetric synthesis of α -sulfinylphosphonates in the thiolane series. *Tetrahedron: Asymmetry*. 2005;

16:(3):651-655.

2868. Kielbasiński, P.; Żurawiński, R.; Bałczewski, P., and Mikołajczyk, M. Alkylphosphorus compounds. Katritzky, A. R. and Taylor, R. J. K., Eds. Comprehensive organic functional group transformations II. First edition 2005 ed. Amsterdam: Elsevier; 2005; pp. 383-461.
Notes: Part I Functions linked by a single bond to an sp^3 carbon atom - 2.08 ISBN 0080442560
2869. Knobloch, B.; Suliga, D.; Okruszek, A., and Sigel, R. K. O. Acid-base and metal-ion binding properties of the RNA dinucleotide uridylyl-(5'→3')-[5']uridylylate (pUpU³⁻). Chem-Eur J. 2005; **11**:(14):4163-4170.
2870. Kowalewska, A. Photoacid catalyzed sol-gel process. J Mater Chem. 2005; **15**:(47):4997-5006.
2871. Kowalewska, A. and Stańczyk, W. A. Applied aspects of chemistry of tris(trimethylsilyl)methyl and related ligands. Trzeciak, A. M., Ed. Education in Advanced Chemistry. Wrocław: Wydawnictwo Uniwersytetu Wrocławskiego; 2005; pp. 259-273.
2872. ---. New UV-curable alkoxyloxanes modified with tris(trimethylsilyl)methyl derivatives. Auner, N. and Weis, J., Eds. Organosilicon chemistry VI. From molecules to materials. Weinheim: Wiley-VCH; 2005; pp. 729-733.
Notes: ISBN 3527312145
2873. Kowalewska, A.; Stańczyk, W. A., and Eckberg, R. Tris(silyl)trifluoromethanesulfonates and their tetrakis(silyl) analogues as potential catalysts in photoinitiated cationic polymerization. Applied Catalysis A: General. 2005; **287**:(1):54-59.
2874. Kowalski, A.; Libiszowski, J.; Biela, T.; Cypriak, M.; Duda, A., and Penczek, S. Kinetics and mechanism of cyclic esters polymerization initiated with Tin(II) octoate. Polymerization of ϵ -caprolactone and L,L-lactide co-initiated with primary amines. Macromolecules. 2005; **38**:(20):8170-8176.
2875. Kozlov, S. I.; Rakova, G. V.; Łapienis, G., and Kazanski, K. Specifics of catalytic chain transfer in free-radical polymerization of poly(ethylene oxide) macromonomers. Polymer Science Series A. 2005; **47**:(10):1055-1062.
2876. Krawczyk, E.; Owsianik, K., and Skowrońska, A. Regio- and stereoselective reactions between cyclic Baylis-Hillman type adducts and N-nucleophiles and P-nucleophile. Tetrahedron. 2005; **61**:1449-1457.
2877. Krawiecka, B. and Jeziorna, A. Stereocontrolled synthesis of 3-amino-2-hydroxyalkyl diphenylphosphine oxides mediated by chiral azetidinium salts and epoxyamines. Tetrahedron Lett. 2005; **45**:(25):4381-4384.
2878. Kubisa, P. Ionic liquids in the synthesis and modification of polymers. J Polym Sci A: Polym Chem. 2005; **43**:(20):4675-4683.
2879. Kudzin, Z. H.; Depczyński, R.; Andrijewski, G.; Drabowicz, J., and Łuczak, J. 1-(N-acylamino)alkanephosphonates. Part IV. N-acylation of 1-aminoalkenephosphonic acids. Polish J Chem. 2005; **79**:499-513.
2880. Kudzin, Z. H.; Saganiak, M.; Andrijewski, G., and Drabowicz, J. Oxidation of phosphonocysteine and phosphonohomocysteine. Synthesis of phosphonocysteic and phosphonohomocysteic acids. Polish J Chem. 2005; **79**:529-536.
2881. Kuliński, Z. and Piórkowska, E. Crystallization and properties of plasticized poly(L-lactide) Banabic, D., Ed. Proceedings of ESAFORM 2005; Bucharest. Publishing House of the Romanian Academy;

2005ISBN: ISBN 97327117452.

2882. Kuliński, Z. and Piórkowska, E. Crystallization, structure and properties of plasticized poly(L-lactide). *Polymer*. 2005; **46**:(23):10290-10300.
2883. Maciągiewicz, I.; Dybowski, P., and Skowrońska, A. A general one-pot synthesis of vinyl-thiiranes and conjugated dienes. *Polish J Chem*. 2005; **79**:515-523.
2884. Majoral, J.-P. and Zabłocka, M. Zirconate complexes: multifaceted reagents. *New J Chem*. 2005; **29**:(1):32-41.
2885. Maria, S.; Biedroń, T.; Poli, R., and Kubisa, P. Atom transfer radical polymerization of methyl acrylate with Mo^{III} coordination compounds as catalysts in ionic liquids. *Polymer Preprints*. 2005; **46**:(2):158-159.
2886. ---. Atom transfer radical polymerization of methyl acrylate with Mo^{III} coordination compounds as catalysts in ionic liquids. *Abstracts of Papers of the American Chemical Society*. 2005; **230**:442-POLY.
2887. Michalski, J.; Dąbkowski, W., and Tworowska, I. New chemistry and stereochemistry of organophosphorus compounds directed towards biology. Zhao, Yufen, Ed. *Phosphorus and Life Chemistry*. 2005; pp. 232-255.
Notes: Publikacja przetłumaczona na jęz. chiński - ISBN 7-302-08506-4
2888. Michalski, J-G*.; Kucharska, E.; Wandas, M.; Hanuza, J.; Waśkowska, A.; Mączka, M.; Talik, Z.; Olejniczak, S., and Potrzebowski, M. J. Crystal structure, vibrational and NMR studies and chemical quantum calculations of 2-phenylazo-5-nitro-6-methyl-pyridine (C₁₂H₁₀N₄O₂). *J Mol Struct*. 2005; **744-747**:377-392.
2889. Midura, W. H. Asymmetric cyclopropanation of optically active vinyl sulfoxides: a new synthetic approach to biologically active compounds. *Phosphorus, Sulfur and Silicon*. 2005; **180**:(5-6):1285-1290.
2890. Midura, W. H.; Krysiak, J. A.; Cypriak, M.; Mikołajczyk, M.; Wieczorek, M. W., and Filipczak, A. D. Asymmetric cyclopropanation of optically active (1-diethoxyphosphoryl)vinyl *p*-tolyl sulfoxide with sulfur ylides: a rationale for diastereoselectivity. *Eur J Org Chem*. 2005(4):653-662.
2891. Mikołajczyk, M. Acyclic and cyclic aminophosphonic acids: asymmetric syntheses mediated by chiral sulfinyl auxiliary. *J Organomet Chem*. 2005; **690**:(10):2488-2495.
2892. Mikołajczyk, M. Asymmetric cyclopropanation of chiral (1-phosphoryl)vinyl sulfoxides: a new approach to constrained analogs of biologically active compounds. *Pure & Appl Chem*. 2005; **77**:(12):2091-2098.
2893. Mikołajczyk, M.; Midura, W. H.; Michedkina, E.; Filipczak, A. D., and Wieczorek, M. W. Stereoselective cyclopropanation of 2-[(S)-(4-methylphenyl)sulfinyl]-cyclopent-2-en-1-one with sulfur ylides and alpha-halo carbanions. *Helv Chim Acta*. 2005; **88**:(7):1769-1775.
2894. Misiura, K.; Szymanowicz, D., and Stec, W. J. Synthesis of nucleosides α -thiotriphosphates *via* an oxathiaphospholane approach. *Organic Lett*. 2005; **7**:2217-2220.
2895. Morawiec, J.; Pawlak, A.; Slouf, M.; Gałęski, A.; Piórkowska, E., and Krasnikova, N. P. Preparation and properties of compatibilized LDPE/organo-modified montmorillonite nanocomposites. *Europ Polym J*. 2005; **41**:(5):1115-1122.
2896. Mosnáček, J.; Duda, A.; Libiszowski, J., and Penczek, S. Copolymerization of LL-lactide at its living polymer-monomer equilibrium with epsilon-caprolactone as comonomer. *Macromolecules*. 2005;

38:(6):2027-2029.

2897. Nagarajan, R.; Kwon, K.; Nawrot, B.; Stec, W. J., and Stivers, J. T. Catalytic phosphoryl interactions of topoisomerase IB. *Biochemistry*. 2005; **44**:(34):11476-11485.
2898. Nawrot, B. *Proteazy aspartylowe w chorobie Alzheimera*; Warszawa. 2005.
Notes: Tylko w wersji elektronicznej
2899. Nawrot, B.; Rębowska, B.; Cieślińska, K., and Stec, W. J. New approach to the synthesis of oligodeoxyribonucleotides modified with phosphorothioates of predetermined sense of *P*-chirality. *Tetrahedron Lett*. 2005; **46**:(39):6641-6644.
2900. Nawrot, B.; Widera, K.; Sipa, K.; Antoszczyk, S.; Sierant, M.; Wójcik, M., and Maszewska, M. Use of small inhibitory nucleic acids for down--regulation of genes involved in Alzheimer's disease. Medimond s.r.l. Proceedings of JMMC; Vienna. 2005: 49-54 (abstract in Current Contents).
2901. Nawrot, B.; Widera, K.; Wójcik, M.; Cieślińska, K.; Rębowska, B., and Stec, W. J. Phosphorothioate modified DNAzymes. *Coll Symp Series*. 2005; **7**:375-378.
2902. Pawlak, A. and Gałęski, A. Plastic deformation of crystalline polymers: the role of cavitation and crystal plasticity. *Macromolecules*. 2005; **38**:(23):9688-9697.
2903. Penczek, S.; Duda, A., and Kubisa, P. Living ring-opening polymerizations of heterocyclic monomers. Jagur-Grodzinski, J., Ed. *Living and Controlled Polymerization*. New York: Nova Science Publishers, Inc., 2005; pp. 173-212.
2904. Penczek, S.; Pretula, J., and Kałużyński, K. Poly(alkylene phosphates): from synthetic models of biomacromolecules and biomembranes toward polymer - inorganic hybrids (mimicking biomineralization). *Biomacromolecules*. 2005; **6**:(2):547-551.
2905. Penczek, S.; Pretula, J., and Kałużyński, K. Synthesis of triblock copolymer: poly(ethylene glycol)-poly(alkylene phosphate)-poly(ethylene glycol) as a modifier of CaCO₃ crystallization. *J Polym Sci A: Polym Chem*. 2005; **43** :650-657.
2906. Petrovic, A. G.; Polavarapu, P. L.; Drabowicz, J.; Zhang, Y.; McConnell, O. J., and Duddeck, H. Absolute configuration of C₂-symmetric spiroseleuranone: 3,3,3',3'-tetramethyl-1,1'-spiro[3H,2,1]benzoxaselenole. *Chem-Eur J*. 2005; **11**:(14):4257-4262.
2907. Pisula, W.; Menon, A.; Stepputat, M.; Lieberwirth, I.; Kolb, U.; Tracz, A.; Sirringhaus, H.; Pakula, T., and Müllen, K. A zone-casting technique for device fabrication of field-effect transistors based on discotic hexa-peri-hexabenzoeoronene. *Adv Materials*. 2005; **17**:(6):684.
2908. Piórkowska, E.; Billon, N.; Haudin, J. M., and Gadzinowska, K. Spherulic structure development during crystallization in confined space II. Effect of spherulite nucleation at borders. *J Appl Polym Sci*. 2005; **97**:(6):2319-2329.
2909. Poon, B.; Rogunova, M.; Hiltner, A.; Baer, E.; Chum, S. P.; Gałęski, A., and Piórkowska, E. Structure and properties of homogeneous copolymers of propylene and 1-hexene. *Macromolecules*. 2005; **38**:(4):1232-1243.
2910. Potrzebowski, M. J. and Kaźmierski, Sł. High-resolution solid-state NMR studies of inclusion complexes. *Topics in Current Chemistry*. 2005; **246**:91-140.
Notes: New techniques in solid-state NMR

2911. Potrzebowski, M. J.; Kaźmierski, Sł.; Olejniczak, S.; Heliński, J.; Ciesielski, W., and Dolle, A. Comparative analysis of NMR spectral parameters and molecular dynamics of 1 : 6-anhydro- 3 : 4-thia-2-O-tosyl-beta-D-allopyranose and 1,6 : 3,4-dianhydro-2-O-tosyl-beta-D-galactopyranose in the solid phase. *J Phys Org Chem.* 2005; **18**:(7):602-609.
2912. Poznański, J.; Szymański, J.; Basińska, T.; Słomkowski, S., and Zielenkiewicz, W. Aggregation of aqueous lysozyme solutions followed by dynamic light scattering and H-1 NMR spectroscopy. *J Mol Liq.* 2005; **121**:(1):21-26.
2913. Pracella, M.; Chiona, D.; Pawlak, A., and Gałęski, A. Reactive mixing of PET and PET/PP blends with glycidyl methacrylate-modified styrene-*b*-(ethylene-*co*-olefin) block copolymers. *J Appl Polym Sci.* 2005; **98**:(5):2201-2211.
2914. Radke, W.; Rode, K.; Gorshkov, A. V., and Biela, T. Chromatographic behavior of functionalized star-shaped poly(lactide)s under critical conditions of adsorption. Comparison of theory and experiments. *Polymer.* 2005; **46**:5456-5465.
2915. Robé, E.; Ortega, C.; Mikina, M.; Mikołajczyk, M.; Daran, J.-C., and Gouygou, M. Stereochemically dynamics 2,2'-biphosphole ligands for asymmetric catalysis. *Organometallics.* 2005; **24**:(23):5549-5559.
2916. Rysz, J.; Guga, P.; Ciałkowska-Rysz, A.; Grycewicz, T.; Markuszewski, L.; Kujawski, K.; Błaszczak, R.; Olszewski, R.; Luciak, M., and Banach, M. Stężenia aminokwasów w osoczu i granulocytach obojętnochłonnych u pacjentów przewlekle dializowanych. *Pol Merk Lek.* 2005; **XIX**:(114):769.
2917. Różga-Wijas, K.; Chojnowski, J.; Fortuniak, W., and Ścibiorek, M. Branched functionalized polysiloxane-silica hybrids. Auner, N. and Weis, J., Eds. *Organosilicon chemistry VI. From molecules to materials.* Weinheim: Wiley-VCH; 2005; pp. 942-947. Notes: ISBN 3527312145
2918. Różga-Wijas, K.; Chojnowski, J.; Ścibiorek, M., and Fortuniak, W. Polysiloxane-silica hybrids from novel precursors by the sol-gel process. *J Mater Chem.* 2005; **15**:2383-2392.
2919. Różycka-Sokołowska, E.; Girek, T.; Marciniak, B.; Pavlyuk, V.; Drabowicz, J., and Matsumoto, K. 5-(N,N-diethylamino)-4,6-diphenyl-1,2,3-triazine. *Acta Crystallographica Section E-Structure Reports Online.* 2005; **61**:O93-O95.
2920. Salamończyk, G. Reactivity inside a selenophosphate dendrimer. *Phosphorus, Sulfur and Silicon.* 2005; **180**:(3-4):1051-1056.
2921. Schneider, G.; Nawrot, B.; Sipa, K.; Kuźnicki, J., and Filipek, A. Studies of CacyBP/SIP function using small interfering RNA. *FEBS Letters.* 2005; **272**:160-160 Suppl.
2922. Skowrońska, A. and Bodalski, R. Quinquevalent phosphorus acids. Allen, D. W. and Tebby, J. C., Eds. *Organophosphorus chemistry.* Cambridge: Royal Society of Chemistry; 2005; pp. 77-161. Notes: ISBN 0854043446
2923. Sosnowski, S. and Słomkowski, S. Scaffolds for cell cultures produced from nano- and microparticles. *Engineering of Biomaterials.* 2005; **8**:214-216.
2924. Stańczyk, W. A. The 70th birth anniversary of Prof. Julian Chojnowski. *Polimery.* 2005; **50**:(7-8):608-609.
2925. Stec-Michalska, K.; Antoszczyk, S.; Klupińska, G., and Nawrot, B. Loss of *FHIT* expression in the gastric mucosa of patients with family history of gastric cancer and *Helicobacter pylori* infection. *World Journal of Gastroenterology.* 2005; **11**:(1):17-21.

2926. Szawkało, J.; Zawadzka, A.; Wojtasiewicz, K.; Leniewski, A.; Drabowicz, J., and Czarnocki, Z. First enantioselective synthesis of the antitumour alkaloid (+)-crispine A and determination of its enantiomeric purity by H-1 NMR. *Tetrahedron: Asymmetry*. 2005; **16**:(22):3619-3621.
2927. Szymański, J.; Basińska, T.; Słomkowski, S., and Zielenkiewicz, W. Microcalorimetric, volumetric and dynamic light scattering studies on nucleating ovalbumin solutions. *J Mol Liq*. 2005; **121** (1):56-61.
2928. Słomkowski, S. Characterization of complex polymer systems by fluorescence spectroscopy. Ciardelli, F. and Penczek, S., Eds. *Chemical modification and blending of synthetic and natural macromolecules*. Kluwer; 2005; pp. 317-355.
Notes: ISBN 1402027346
2929. Słomkowski, S.; Gadzinowski, M.; Sosnowski, S.; De Vita, C.; Pucci, A.; Ciardelli, F.; Jakubowski, W., and Matyjaszewski, K. Biodegradable nano- and microparticles with controlled surface properties. *Macromol Symp*. 2005; **226**:239-252.
2930. Słomkowski, S.; Gadzinowski, M.; Sosnowski, S., and Radomska-Galant, I. Polylactide containing nanoparticles-new carriers of active compounds. *Polimery*. 2005; **50**:(7-8):546-554.
2931. Tang, C. B.; Tracz, A.; Kruk, M.; Matyjaszewski, K., and Kowalewski, T. Large-scale alignment of thin-film nanostructured block copolymers by zone-casting and their conversions into carbons. *Abstracts of Papers of the American Chemical Society*. 2005; **229**:538-POLY Part 2.
2932. Tang, Ch.; Tracz, A.; Kruk, M.; Zhang, R.; Smilgies, D.-M.; Matyjaszewski, K., and Kowalewski, T. Long-range ordered thin films of block copolymers prepared by zone-casting and their thermal conversion into ordered nanostructured carbon. *J Am Chem Soc*. 2005; **127**:(19):6918-6919.
2933. Tracz, A.; Kucińska, I.; Wostek-Wojciechowska, D., and Jeszka, J. K. The influence if micro- and nanoparticles on model atomically flat surfaces on crystallization of polyethylene. *Europ Polym J*. 2005; **41**:(3):501-509.
2934. Tracz, A. and Ungar, G. AFM study of lamellar structure of melt-crystallized *n*-alkane C₃₉₀H₇₈₂. *Macromolecules*. 2005; **38**:(12):4962-4965.
2935. Varfolomeyev, S.; Efremenko, E.; Beletskaya, I.; Bertini, I.; Blackburn, G. M.; Bogdanov, A.; Cunin, R.; Eichler, J.; Galaev, I.; Gladyshev, V.; O'Hagan, D.; Haertle, T.; Jarv, J.; Karyakin, A.; Kurochkin, I.; Mikołajczyk, M.; Poroikov, V.; Sakharov, I.; Spener, F.; Voyer, N., and Wild, J. Postgenomic chemistry (IUPAC Technical Report). *Pure & Appl Chem*. 2005; **77**:(9):1641-1645.
2936. Walkiewicz-Pietrzykowska, A.; Cotrino, J., and Gonzalez-Eliphe, A. R. Deposition of thin films of SiO_xCyH in a surfatron microwave plasma reactor with hexamethyldisiloxane as precursor. *Chem Vap Deposition*. 2005; **11**:(6-7):317-323.
2937. Wostek-Wojciechowska, D.; Jeszka, J. K.; Amiens, C.; Chaudret, B., and Lecante, P. The solid-state synthesis of metal nanoparticles from organometallic precursors. *J Colloid and Interface Science*. 2005; **287**:(1):107-113.
2938. Woźniak, L. A.; Góra, M.; Bukowiecka-Matusiak, M.; Mourgues, S.; Pratviel, G.; Meunier, B., and Stec, W. J. The P-stereocontrolled synthesis of PO/PS-chimeric oligonucleotides by incorporation of dinucleoside phosphorothioates bearing an O-4-nitrophenyl phosphorothioate protecting group. *Eur J Org Chem*. 2005(14):2924-2930.
2939. Woźniak, L. A.; Janicka, M., and Bukowiecka-Matusiak, M. Chirality of phosphorus: hybrid duplexes of chimeric oligonucleotides containing methylphosphonothioate linkages with complementary DNA

and RNA. J Organomet Chem. 2005; **690**:(10):2658-2663.

2940. Woźniak, L. A.; Janicka, M., and Bukowiecka-Matusiak, M. Consequence of *P*-chirality in chimeric 2'-*O*-methyloligoribonucleotides with stereoregular methylphosphonothioate linkages. Eur J Org Chem. 2005(24):5189-5197.
2941. Wódzki, R.; Świątkowski, M., and Łapienis, G. Transport and separation properties of poly(oxypropylene) bisphosphates as macroionophores of alkali, alkaline-earth and transient metal cations in a hybrid liquid membrane system. Reactive & Functional Polymers. 2005; **62**:(2):195-208.
2942. Zielińska, E.; Zubowska, M., and Misiura, K. Role of GSTM1, GSTP1, and GSTT1 gene polymorphism in ifosfamide metabolism affecting neurotoxicity and nephrotoxicity in children. Journal of Pediatric Hematology Oncology. 2005; **27**:(11):582-589.
2943. Łapienis, G. and Penczek, S. One-pot synthesis of star-shaped macromolecules containing polyglycidol and poly(ethylene oxide) arms. Biomacromolecules. 2005; **6**(2):752-762.
2944. Łęzak, E. and Bartczak, Z. Experimental study of formation of β and γ phase isotactic polypropylene and their estimation by wide -angle X-ray Scattering . Fibres & Textiles East Eur. 2005; **13**:51-56.
2945. Antoszczyk, S.; Taira, K., and Kato, T. Correlation of structure and activity of short hairpin RNA. Nucl Acids Res Symp Ser. 2006; **50**:295-296.
2946. Bartczak, Z. Effect of chain entanglements on plastics deformation behavior of polyethylene. 13th International Conference on Deformation, Yield and Fracture of Polymers DYFP 2006; Rolduc-Kerkrade, NL. Book of Extended Abstracts; 2006: p. 405-408.
2947. Bartczak, Z. and Pracella, M. Blends of propylene-ran-ethylene and propylene-ran-(1-butene) copolymers: crystal superstructure and mechanical properties. Europ Polym J. 2006; **42**:(8):1819-1829.
2948. Baśko, M.; Biedroń, T., and Kubisa, P. Polymerization processes in ionic liquids. Cationic polymerization of styrene . Macromol Symp. 2006; **240**:107-113.
2949. Baśko, M. and Kubisa, P. Cationic copolymerization of ϵ -caprolactone and L,L -lactide by an activated monomer mechanism. J Polym Sci A: Polym Chem. 2006; **44**:(24):7071-7081.
2950. Bałczewski, P.; Koprowski, M.; Bodzioch, A.; Marciniak, B., and Różycka-Sokołowska, E. Unusual transformation of the diarylmethanol derivative into an unknown 1,2,3,6,7,10-hexahydroxylated anthracene system. J Org Chem. 2006; **71**:(7):2899-2902.
2951. Bałczewski, P.; Szadowiak, A., and Białas, T. The iodine atom transfer addition reaction (I-ATRA) initiated by AIBN: optimization, scope and radical reaction pathways. Heteroatom Chem. 2006; **17**:(1):22-35.
2952. Bałczewski, P.; Szadowiak, A.; Białas, T.; Wieczorek, M. W., and Balińska, A. Synthesis of both R-p and S-p enantiomers of unsymmetrical methylphosphonates based on a new approach utilizing a P-ester bond with alpha-hydroxyacids. Tetrahedron: Asymmetry. 2006; **17**:(8):1209-1216.
2953. Bednarek, M. Functionalization of multihydroxyl branched poly(3-ethyl-3-hydroxy-methyloxetane). Synthesis of star poly(ethylene oxide). Polimery. 2006; **51**:(10):727-734.
2954. Bednarek, M. and Kubisa, P. Cationic polymerization of 2-hydroxymethyltetrahydrofuran. J Polym Sci A: Polym Chem. 2006; **44**:(21):6484-6493.
2955. Bernal-Lara, T. E.; Masirek, R.; Hiltner, A.; Baer, E.; Piórkowska, E., and Gałęski, A. Morphology studies

of multilayered HDPE/PS systems. *J Appl Polym Sci.* 2006; **99**(2):597-612.

2956. Bieganski, P.; Seidle, H. F.; Wójcik, M., and Brenner, C. Synthetic lethal and biochemical analyses of NAD and NADH kinases in *Saccharomyces cerevisiae* establish separation of cellular functions. *J Biol Chem.* 2006; **281**(32):22439-22445.
2957. Biela, T.; Duda, A., and Penczek, S. Enhanced melt stability of star-shaped stereocomplexes as compared with linear stereocomplexes. *Macromolecules.* 2006; **39**(11):3710-3713.
2958. Biela, T.; Kowalski, A.; Libiszowski, J.; Duda, A., and Penczek, S. Progress in polymerization of cyclic esters: mechanisms and synthetic applications. *Macromol Symp.* 2006; **240**:47-55.
2959. Biela, T. and Polańczyk, I. One-pot synthesis of star-shaped aliphatic polyesters with hyperbranched cores and their characterization with size exclusion chromatography. *J Polym Sci A: Polym Chem.* 2006; **44**(13):4214-4221.
2960. Buchalski, P.; Cypryk, M.; Lipkowski, J.; Pasynkiewicz, S., and Pietrzykowski, A. Novel tetrahedral tetranickel cluster with alkylidyne ligand $(\text{NiCp})_4(\mu_3\text{-CR})$. *J Organomet Chem.* 2006; **691**:5837-5842.
2961. Bukowiecka-Matusiak, M. and Woźniak, L. A. Struktura DNA od A do Z - biologiczne implikacje różnorodności strukturalnej DNA. *Postępy Biochemii.* 2006; **52**:229-238.
2962. Błaszczak-Lęzak, I.; Wróbel, A. M.; Aoki, T.; Nakanishi, Y.; Kucińska, I., and Tracz, A. Remote nitrogen microwave plasma chemical vapor deposition from a tetramethyldisilazane precursor. 1. Growth mechanism, structure, and surface morphology of silicon carbonitride films. *Thin Solid Films.* 2006; **497**(1-2):24-34.
2963. Błaszczak-Lęzak, I.; Wróbel, A. M., and Bieliński, D. M. Remote hydrogen microwave plasma chemical vapor deposition of silicon carbonitride films from a (dimethylamino)dimethylsilane precursor: compositional and structural dependencies of film properties. *Diamond Relat Mater.* 2006; **15**(10):1650-1658.
2964. Błaszczak-Lęzak, I.; Wróbel, A. M., and Bieliński, D. M. Remote nitrogen microwave plasma chemical vapor deposition from a tetramethyldisilazane precursor. 2. Properties of deposited silicon carbonitride films. *Thin Solid Films.* 2006; **497** (1-2):35-41.
2965. Błaszczak-Lęzak, I.; Wróbel, A. M.; Kivitorra, M. P. M.; Vayrynen, I. J., and Aoki, T. Remote hydrogen microwave plasma chemical vapor deposition of silicon carbonitride films from a (dimethylamino)dimethylsilane precursor: characterization of the process, chemical structure, and surface morphology of the films. *Diamond Relat Mater.* 2006; **15**(9):1484-1491.
2966. Chen, XY.; Gałęski, A., and Michler, G. H. Morphological alteration and strength of polyamide 6 subjected to high plane-strain compression. *Polymer.* 2006; **47**(9):3171-3185.
2967. Chojnowski, J.; Fortuniak, W.; Kurjata, J.; Rubinsztajn, S., and Cella, J. A. Oligomerization of hydrosiloxanes in the presence of tris(pentafluorophenyl)borane. *Macromolecules.* 2006; **39**(11):3802-3807.
2968. Chojnowski, J.; Fortuniak, W.; Rościszewski, P.; Werel, W.; Łukasiak, J.; Kamysz, W., and Halasa, R. Polysilsesquioxanes and oligosilsesquioxanes substituted by alkylammonium salts as antibacterial biocides. *Journal of Inorganic and Organometallic Polymers and Materials.* 2006; **16**(3):219-230.
2969. Christ, M. L.; Zabłocka, M.; Spencer, S.; Lavender, R. J.; Lemaire, M., and Majoral, J.-P. Cyclic beta-iminophosphine: new P-stereogenic ligand for the asymmetric catalysed hydrogenation of

ketones. *J Mol Catal A-Chem.* 2006; **245**:(1-2):210-216.

2970. Cypryk, M. and Delczyk, B. New gradient siloxane copolymers. *Polimery.* 2006; **51**:(7-8):499-506.
2971. Diaz-Alvarez, A. E.; Crochet, P.; Zabłocka, M.; Cadierno, V.; Duhayon, C.; Gimeno, J., and Majoral, J.-P. Imination reactions of free and coordinated 2-diphenylphosphino-1-phenyl-phospholane: access to regioisomeric ruthenium(II) complexes containing novel iminophosphorane-phosphine ligands. *New J Chem.* 2006; **30**:(9):1295-1306.
2972. Diaz-Alvarez, A. E.; Crochet, P.; Zabłocka, M.; Duhayon, C.; Cadierno, V.; Gimeno, J., and Majoral, J.-P. Water-soluble group 8 and 9 transition metal complexes containing a trihydrazinophosphaadamantane ligand: catalytic applications in isomerization of allylic alcohols and cycloisomerization of (Z)-enynols in aqueous medium. *Advanced Synthesis & Catalysis.* 2006; **348**:(12-13):1671-1679.
2973. Gajda, J.; Pacholczyk, J.; Bujacz, A.; Bartoszak-Adamska, E.; Bujacz, G. D.; Ciesielski, W., and Potrzebowski, M. J. Structure and dynamics of L-selenomethionine in the solid state. *J Phys Chem B.* 2006; **110**:(51):25692-25701.
2974. Ganicz, T.; Pakuła, T., and Stańczyk, W. A. Novel liquid crystalline resins based on MQ siloxanes. *J Organomet Chem.* 2006; **691**:(23):5052-5055.
2975. Gałęski, A.; Morawiec, J.; Mohanraj, J., and Chen, XY. Deep plastic deformation of commodity crystalline polymers (PE, PP, PA6, POM). *Macro 2006 - 41 st International Symposium on Macromolecules Proceedings; Rio de Janeiro.* 2006.
2976. Gomez, E. D.; Albert, D.; Mattiza, J.; Duddeck, H.; Chojnowski, J., and Cypryk, M. Enantiodifferentiation of a silane and the analogous hydrocarbon by the dirhodium method - silane...dirhodium complex interaction. *Tetrahedron: Asymmetry.* 2006; **17**:(11):1743-1748.
2977. Gołębiewski, J.; Różański, A., and Gałęski, A. Badanie procesu wytwarzania nanokompozytu polipropylenu z montmorylonitem. *Polimery.* 2006; **51**:(5):374-381.
2978. Grande, D.; Ganicz, T.; Stańczyk, W. A., and Boileau, S. Liquid crystalline materials based on polycarbosilazanes. *Int Soc Opt Eng.* 2006; **6238**:487-495.
2979. Guga, P.; Boczkowska, M.; Janicka, M.; Maciaszek, A.; Nawrot, B.; Antoszczyk, S., and Stec, W. J. Enhanced P-stereodependent stability of complexes formed by phosphorothioate oligonucleotides due to involvement of sulfur as strong hydrogen bond acceptor. *Pure & Appl Chem.* 2006; **78**:(5):993-1002.
2980. Guga, P.; Karwowski, B.; Błaziak, D.; Janicka, M.; Okruszek, A.; Rębowska, B., and Stec, W. J. Cyclization versus oligomerization of S_p - and R_p -5'-OH- N^4 -benzoyl-2'-deoxycytidine-3'-O-(2-thio-4,4'-penthamethylene-1,3,2-oxathiaphospholane)s. *Tetrahedron.* 2006; **62**:(11):2698-2704.
2981. Hess, M.; Jones, R. G.; Kahovec, J.; Kitayama, T.; Kratochvil, P.; Kubisa, P.; Mormann, W.; Stepto, R. F. T.; Tabak, D.; Vohlidal, J., and Wilks, E. S. Terminology of polymers containing ionizable or ionic groups and of polymers containing ions - (IUPAC recommendations 2006). *Pure & Appl Chem.* 2006; **78**:(11):2067-2074.
2982. Jeszka, J. K.; Kadłubowski, Sł., and Ulański, J. Monte Carlo simulations of nanogels formation by intramolecular recombination of radicals on polymer chain. Dispersive kinetics controlled by chain dynamics. *Macromolecules.* 2006; **39**:(2):857-870.

2983. Jeszka, J. K. and Pakuła, T. Monte Carlo simulation of linear polymer melts in shear flow. Effect of shear stress and confined space on chain dynamics. *Polymer*. 2006; **47**:(20):7289-7301.
2984. Jin, Y. ; Hiltner, A.; Baer, E.; Masirek, R.; Piórkowska, E., and Gałęski, A. Formation and transformation of smectic polypropylene nanodroplets. *J Polym Sci B: Polym Phys*. 2006; **44**:(13):1795-1803.
2985. Kaźmierski, Sł. and Potrzebowski, M. J. Solid-state NMR spectroscopy as a tool for searching of polymorphism of the bioorganic compounds. *Wiadomości Chemiczne*. 2006; **60**:(11-12).
2986. Kielbasiński, P.; Albrycht, M.; Żurawiński, R., and Mikołajczyk, M. Lipase-mediated kinetic resolution of racemic and desymmetrization of prochiral organophosphorus P-boranes. *J Mol Catal B -Enzymatic*. 2006; **39**:(1-4):45-49 .
Notes: Sp. Iss.
2987. Knobloch, B.; Sigel, H.; Okruszek, A., and Sigel, R. K. O. Acid-base properties of the nucleic-acid model 2'-deoxyguanylyl(5'→3')-2'-deoxy-5'-guanylate, d(pGpG)³⁻, and of related guanine derivatives. *Organic & Biomolecular Chemistry*. 2006(6):1085-1090.
2988. Koprowski, M.; Łuczak, J., and Krawczyk, E. Asymmetric oxidation of enol phosphates to alphahydroxy ketones by (salen)manganese(III) complex. Effects of the substitution pattern of enol phosphates on the stereochemistry of oxygen transfer. *Tetrahedron*. 2006; **62**:(52):12363-12374.
2989. Kowalewska, A. and Stańczyk, W. A. New dendrimeric systems based on sterically hindered carbosilane units - synthesis and application. *Arkivoc*. 2006; **part (v)**:110-115.
2990. Kowalewska, A. and Stańczyk, W. A. New dendritic systems based on sterically hindered carbosilane units - synthesis and applications. *Arkivoc*. 2006(Part 5):110-115.
2991. Kozlov, S. I.; Łapienis, G.; Rakova, G. V., and Kazanski, K. Atom transfer radical polymerization of poly(oxyethylene oxide) macromonomers in aqueous media. *Vysokomol Soedin*. 2006; **48**:1758-1773.
2992. Krawczyk, E. A simple thiophosphate-based method for alpha-alkylidenation of lactones. *Synthesis*. 2006(4):716-722.
2993. Kubisa, P. Perspectives of ionic liquids' applications in polymer chemistry. *Polimery*. 2006; **51**:(7-8):485-490.
2994. Kuliński, Z.; Piórkowska, E.; Gadzinowska, K., and Stasiak, M. Plasticization of poly(L-lactide) with poly(propylene glycol). *Biomacromolecules*. 2006; **7**:(7):2128-2135.
2995. Kurdziel, K.; Olejniczak, S.; Okruszek, A.; Głowiak, T.; Kruszyński, R.; . ; Materazzi, S., and Potrzebowski, M. J. Search of structure and ligands exchange for palladium (II) complexes with *N*-allylimidazole; X-ray and solid-state/solution NMR studies . *J Organomet Chem*. 2006; **691**:(5):869-878.
2996. Lotz, B.; Ruan, J.; Thierry, A.; Alfonso, G. C.; Hiltner, A.; Baer, E.; Piórkowska, E., and Gałęski, A. A structure of copolymers of propene and hexene isomorphous to isotactic pol(1-butene) form I. *Macromolecules*. 2006; **39**:(17):5777-5781.
2997. Matrab, T.; Chehimi, M. M.; Pinson, J.; Słomkowski, S., and Basińska, T. Growth of polymer brushes by atom transfer radical polymerization on glassy carbon modified by electro-grafted initiators based on aryl diazonium salts. *Surf Interface Anal*. 2006; **38**:565-568.
2998. Midura, W. H. (S)-dimethylsulfonium(*p*-tolylsulfanyl)methylide: a new chiral sulfonium ylide and its use in

asymmetric epoxidation. *Synlett*. 2006(5):733-736.

2999. Mierczyńska, A.; Pietrzak, L., and Jeszka, J. K. Nanorurki węglowe jako składnik kompozytów. XV Ogólnopolska Konferencja Kryształy Molekularne 2006 Materiały konferencyjne: Wydawnictwo PŁ; 2006: 113-114. ISBN: ISBN 83-7283-197-1.
3000. Mikołajczyk, M.; Krysiak, J. A.; Midura, W. H.; Wieczorek, M. W., and Różycka-Sokołowska, E. A general route to racemic and enantiomeric carbo- and heterocyclic vinyl sulfoxides *via* tandem Michael addition/Horner olefination of α -phosphorylvinyl sulfoxides. *J Org Chem*. 2006; **71**:(23):8818-8823.
3001. Mikołajczyk, M. and Midura, W. H. Chiral α -phosphorylvinyl sulfoxides. *Speciality Chemicals Magazine*. 2006; **26**:48-51.
3002. Misiura, K. Ifosfamide. Metabolic studies, new therapeutic approaches and new analogs. *Mini-Reviews in Medicinal Chemistry*. 2006; **6**:(4):395-400.
3003. Nawrot, B. and Sipa, K. Chemical and structural diversity of siRNA molecules. *Current Topics in Medicinal Chemistry*. 2006; **6**:(9):913-925.
3004. Nawrot, B.; Sobczak, M.; Wójcik, M.; Janicka, M.; Nowak, M.; Cypryk, M., and Stec, W. J. A novel class of DNA analogs bearing 5'-C-phosphonothymidine units: synthesis and physicochemical and biochemical properties. *Oligonucleotides*. 2006; **16**:(1):68-82.
3005. Olah, L.; Filipczak, K.; Jaegermann, Z.; Czigany, T.; Borbas, L.; Sosnowski, S.; Ulański, J., and Rosiak, J. Synthesis, structural and mechanical properties porous scaffolds for bone tissue regeneration based on neat poly(ϵ -caprolactone) and its composites with calcium carbonates. *Polym Adv Technol*. 2006; **17**:889-897.
3006. Olejniczak, S.; Nopora, P.; Gajda, J.; Ciesielski, W., and Potrzebowski, M. J. ^{31}P Double-quantum solid state NMR study of phosphoroorganic compounds with (O)P-O-P(O), (S)P-O-P(S) and (S)P-S-P(O) unit. *Solid State Nucl Magn Res*. 2006; **30**:141-149.
3007. Papiewska-Pajak, I. and Antoszczyk, S. Regulation of beta 1 integrin expression in endothelial cells by chimeric tRNA (Val) ribozyme. *Acta Biochimica Polonica*. 2006; **53**:(2):311-316.
3008. Piórkowska, E.; Gałęski, A., and Haudin, J. M. Critical assessment of overall crystallization kinetics theories and predictions . *Progr Polym Sci*. 2006; **31**:(6):549-575.
3009. Piórkowska, E.; Kuliński, Z.; Gałęski, A., and Masirek, R. Plasticization of semicrystalline poly(L-lactide) with poly(propylene glycol). *Polymer*. 2006; **47**:(20):7178-7188.
3010. Pluta, M. Melt compounding of polylactide/organoclay: structure and properties of nanocomposites. *J Polym Sci B: Polym Phys*. 2006; **44**:(23):3392-3405.
3011. Pluta, M.; Paul, M.-A.; Alexandre, M., and Dubois, Ph. Plasticized polylactide/clay nanocomposites. I. The role of filler content and its surface organo-modification on the physico-chemical properties. *J Polym Sci B: Polym Phys*. 2006; **44**:(2):299-311.
3012. ---. Plasticized polylactide/clay nanocomposites. II. The effect of aging on structure and properties in relation to the filler content and the nature of its organo-modification. *J Polym Sci B: Polym Phys*. 2006; **44**:(2):312-325.
3013. Pluta, M. and Zielińska, A. Wpływ rozproszenia montmorylonitu na właściwości nanokompozytów z matrycą polilaktydową. "Polimery i Kompozyty Konstrukcyjne" VII Konferencja

Naukowo-Techniczna ; Istebna-Beskid. Materiały konferencyjne; 2006: str. 151-154.

3014. Potrzebowski, M. J.; Bujacz, G. D.; Bujacz, A.; Olejniczak, S.; Napora, P.; Heliński, J.; Ciesielski, W., and Gajda, J. Study of molecular dynamics and the solid state phase transition mechanism for unsymmetrical thiopyrophosphate using X-ray diffraction, DFT calculations and NMR spectroscopy. *J Phys Chem A*. 2006; **110**:(2):761-771.
3015. Potrzebowski, M. J.; Ciesielski, W.; Ganicz, K.; Głuszek, J.; Szczygiał, B.; Kucharczyk, B., and Masalski, J. Si-29 and C-13 solid state NMR as a tool to study thermal processes in epoxy-silica hybrids. *Polish J Chem*. 2006; **80**:(7):1185-1194.
3016. Potrzebowski, M. J.; Gajda, J.; Ciesielski, W., and Montesinos, I. M. Distance measurements in disodium ATP hydrates by means of P-31 double quantum two-dimensional solid-state NMR spectroscopy. *J Magn Reson* . 2006; **179**:(2):173-181.
3017. Potrzebowski, M. J.; Heliński, J.; Olejniczak, S., and Ciesielski, W. Understanding self-organization of the inclusion complexes in the solid state-DSC, NMR and DFT studies. *J Phys Org Chem*. 2006; **19**:(1):53-60.
3018. Pracella, M.; Chiona, D.; Anguillesi, I.; Kuliński, Z., and Piórkowska, E. Functionalization, compatibilization and properties of polypropylene composites with Hemp fibres. *Composites Science and Technology*. 2006; **66**:(13):2218-2230.
3019. Pretula, J.; Kałużnyński, K.; Wiśniewski, B.; Szymański, R.; Loontjens, T., and Penczek, S. H_3PO_4 in a direct synthesis of oligo-poly(ethylene phosphate) from ethylene glycol. *J Polym Sci A: Polym Chem*. 2006; **44**:(7):2358-2362.
3020. Pęczek, Ł.; Stec-Michalska, K.; Krakowiak, A.; Michalski, B.; Chojnacki, J.; Klupińska, G., and Nawrot, B. The level of FHIT gene expression versus cytotoxicity of helicobacter pylori strains. *Helicobacter*. 2006; **11**:(4):331-332.
3021. Sipa, K. and Nawrot, B. Mechanizm interferencji RNA i wykorzystanie RNAi dla celów terapeutycznych. Przewłocka, B.; Kraków. Materiały XXIII Zimowej Szkoły Instytutu Farmakologii PAN "Proteomika i genomika w biologii i medycynie"; 2006: 53-63.
3022. Skowrońska, A. and Bodalski, R. Quinquevalent phosphorus acid. *Organophosphorus chemistry*. 2006; pp. 169-264.
3023. Sosnowski, S.; Woźniak, P., and Lewandowska-Szumiel, M. Polyester scaffolds with bimodal pore size distribution for tissue engineering. *Macromolecular Bioscience*. 2006; **6**:(6):425-434.
3024. Stec-Michalska, K.; Pęczek, Ł.; Krakowiak, A.; Klupińska, G.; Chojnacki, J.; Michalski, B., and Nawrot, B. Determination of the level of mRNA of fragile histidine triad (FHIT) protein in the gastric mucosa of cigarette smoking patients with nonulcer dyspepsia infected with *Helicobacter pylori*. *Gastroenterologia Polska*. 2006; **13**:259-263.
3025. Słomkowski, S. Biodegradable nano- and microparticles as carriers of bioactive compounds. *Acta Pol Pharm Drug Res*. 2006; **62**:351-358.
3026. ---. Hybrid polymeric materials for medical applications. *Polimery*. 2006; **51**:(2):87-94.
3027. Słomkowski, S.; Gadzinowski, M.; Sosnowski, S.; Radomska-Galant, I.; Pucci, A.; De Vita, C., and Ciardelli, F. Nanoparticles from polylactide and polyether block copolymers: formation, properties, encapsulation, and release of pyrene - fluorescent model of hydrophobic drug. *Journal of Nanoscience and Nanotechnology*. 2006; **6**:(9-10):3242-3251.

3028. Tadeusiak, E.; Ciesielski, W., and Olejniczak, S. The determination of enantiomeric excess of valine by ODESSA solid-state NMR experiment. *Magn Reson Chem.* 2006; **44**:(10):905-908.
3029. Tracz, A.; Kucińska, I., and Jeszka, J. K. Unusual crystallization of polyethylene at melt/atomically flat interface: lamellar thickening growth under normal pressure. *Polymer.* 2006; **47**:(20):7251-7258.
3030. Tracz, A.; Mierczyńska, A.; Takimiya, K.; Otsubo, T.; Niihara, N., and Jeszka, J. K. Conducting polymer films with new oorganic donor MDT-TSF: preparation and properties. *Materials Science-Poland.* 2006; **24**:(2):517-526 Part 2.
3031. Tracz, A.; Wójcik, S., and Kłos, M. Fabrication of thin oriented organic layers and micropatterns by zone casting. *Mathematical Modeling and Computer Simulation of Materials Technologies.* 2006; **2**:(4):142-151.
3032. Tracz, A.; Wójcik, S.; Makowski, T.; Geerts, Y., and Pisula, W. Zorientowane warstwy ftalocyjaniny H₂Pc-O-(14,10)4 otrzymane metodą zone casting. *XV Ogólnopolska Konferencja Kryształy Molekularne 2006Materiały konferencyjne: Wydawnictwo PŁ; 2006: 151-152. ISBN: ISBN 83-7283-197-1.*
3033. Ulański, J.; Kadłubowski, Sł., and Jeszka, J. K. Nanogel formation by intrachain radiation-induced cross-linking. Simulation and experiment. *Materials Science-Poland.* 2006; **24**:(2):467-476 Part 2.
3034. Uznański, P.; Amiens, C.; Chaudret, B., and Bryszewska, E. Gold nanoparticles from oxonium precursor: synthesis in the presence of primary amine and characterization. *Polish J Chem.* 2006; **80**:(11):1845-1855.
3035. Uznański, P.; Amiens, C.; Chaudret, B., and Bryszewska, E. High-temperature synthesis of gold nanoparticles - towards organized gold arrays. *Scientific Bulletin No 987, PŁ, Physics.* 2006; **26**:103-110.
3036. ---. Uporządkowane układy nanocząstek złota wytwarzane w warunkach wysokotemperaturowych . *XV Ogólnopolska Konferencja Kryształy Molekularne 2006Materiały konferencyjne: Wydawnictwo PŁ; 2006: str. 153-154. ISBN: ISBN 83-7283-197-1.*
3037. Walkiewicz-Pietrzykowska, A.; Espinos, J. P., and Gonzalez-Elipe, A. R. Type of precursor and synthesis of silicon oxycarbide (SiO_xC_yH) thin films with a surfatron microwave oxygen/argon plasma. *J Vac Sci Technol A.* 2006; **24**:(4):988-994.
3038. Woźniak, L. A.; Bukowiecka-Matusiak, M.; Góra, M., and Stec, W. J. One-pot synthesis of dinucleoside (3',5')-methylphosphonothioates and their seleno congeners *via* the phosphonotriazolidite approach. *Synlett.* 2006(9):1331-1334.
3039. Wróbel, A. M.; Błaszczuk-Łęzak, I., and Walkiewicz-Pietrzykowska, A. Właściwości cienkich warstw węglazotku krzemu wytwarzanych w selektywnym procesie plazmowym CVD. *Inżynieria Materiałowa.* 2006; **5**:1275-1277.
3040. Wójcik, M.; Seidle, H. F.; Bieganski, P., and Brenner, C. Glutamine-dependent NAD(+) synthetase - how a two-domain, three-substrate enzyme avoids waste. *J Biol Chem.* 2006; **281**:(44):33395-33402.
3041. Wójcik, P. and Wójcik, M. Effect of boron fertilization on sweet cherry tree yield and fruit quality. *J Plant Nutr.* 2006; **29**:(10):1755-1766.
3042. Wójcik, S. and Tracz, A. Otrzymywanie zorientowanych warstw i mikrowzorów BEDO metodą zone casting. *XV Ogólnopolska Konferencja Kryształy Molekularne 2006Materiały konferencyjne:*

Wydawnictwo PŁ; 2006: str. 161-162. ISBN: ISBN 83-7283-197-1.

- 3043. Zabłocka, M. and Duhayon, C. Design of neutral, mono- or di-cationic water-soluble trihydrazidophosphoradamantanes. *Tetrahedron Lett.* 2006; **47**:(16):2687-2690.
- 3044. Łęzak, E.; Bartczak, Z., and Gałęski, A. Plastic deformation behavior of beta-phase polypropylene in plane-strain compression at room temperature. *Polymer.* 2006; **47**:(26):8562-8574.
- 3045. ---. Plastic deformation of the g phase isotactic polypropylene in plane-strain compression. 13th International Conference on Deformation, Yield and Fracture of Polymers DYFP 2006; Rolduc-Kerkrade, NL. Book of Extended Abstracts; 2006: p. 413-416.
- 3046. Łęzak, E.; Bartczak, Z., and Gałęski, A. Plastic deformation of the gamma phase in isotactic polypropylene in plane-strain compression. *Macromolecules.* 2006; **39**:(14):4811-4819.
- 3047. Basińska, T.; Kergoat, L.; Mangeney, C.; Chehimi, M. M., and Słomkowski, S. Poly(styrene/alpha-tertbutoxy-omega-vinylbenzyl-polyglycidol) microspheres for the preparation of novel photonic crystals. *E-Polymers.* 2007(087).
- 3048. Baško, M. and Kubisa, P. Polyester oligodiols by cationic AM copolymerization of L,L-lactide and caprolactone initiated by diols. *J Polym Sci A: Polym Chem.* 2007; **45**:3090-3097.
- 3049. Bałczewski, P.; Bachowska, B.; Białas, T.; Biczak, R.; Wieczorek, M. W., and Balińska, A. Synthesis and phytotoxicity of new ionic liquids incorporating chiral cations and/or chiral anions. *J Agr Food Chem.* 2007; **55**:(5):1881-1892.
- 3050. Bałczewski, P.; Szadowiak, A.; Bodzioch, A.; Białas, T.; Wieczorek, M. W., and Szyrej, M. The difference in reactivity of (-)-mono and dimethyl vs. diethyl alkylphosphonates in the alpha-lithiation reaction: carbanionic synthesis of unknown (-)-dimethyl 1-iodoalkylphosphonates and their first use in the radical iodine atom transfer addition (I-ATRA) and cyclisation (I-ATRC) reactions. *J Organomet Chem.* 2007; **692**: (5):997-1009.
- 3051. Bednarek, M.; Jankova, K., and Hvilsted, S. Novel polymers based on atom transfer radical polymerization of 2-methoxyethyl acrylate. *J Polym Sci A: Polym Chem.* 2007; **45**:(3):333-340.
- 3052. Biedroń, T. and Kubisa, P. Chain transfer to ionic liquid in an anionic polymerization of methyl methacrylate. *J Polym Sci A: Polym Chem.* 2007; **45**:(17):4168-4172.
- 3053. Biela, T. Stereocomplexes of star-shaped poly[(R)-lactide]s and poly[(S)-lactide]s bearing various number of arms. Synthesis and thermal properties. *Polimery.* 2007; **52**:(2):106-116.
- 3054. Błaszczuk-Łęzak, I. and Wróbel, A. M. Silicon carbonitride by remote microwave plasma CVD from organosilicon precursor: physical and mechanical properties of deposited Si : C : N films. *Appl Surf Sci.* 2007; **253**:(18):7404-7411.
- 3055. Błaszczuk-Łęzak, I.; Wróbel, A. M.; Kivitorma, M. P. M.; Vayrynen, I. J., and Tracz, A. Silicon carbonitride by remote microwave plasma CVD from organosilicon precursor: growth mechanism and structure of resulting Si : C : N films. *Appl Surf Sci.* 2007; **253**:(17):7211-7218.
- 3056. Chojnowski, J. Silicone resins. *McGraw-Hill Encyclopedia of Science and Technology.* 10 th ed. New York: McGraw-Hill; 2007; pp. 489-492.
- 3057. Chojnowski, J.; Fortuniak, W.; Ścibiorek, M.; Różga-Wijas, K., and Grzelka, A. 3-chloropropyl functionalized dendrigraft polysiloxanes and dendritic polyelectrolytes. *Macromolecules.* 2007; **40**:(26):9339-9347.

3058. Chojnowski, J.; Rubinsztajn, S.; Fortuniak, W., and Kurjata, J. Oligomer and polymer formation in hexamethylcyclotrisiloxane (D_3) - hydrosilane systems under catalysis by tris(pentafluorophenyl)borane. *J Inorg Organometal Polym Mat.* 2007; **17**:(1):173-187.
3059. Chou, T. F.; Baraniak, J.; Kaczmarek, R.; Zhou, X.; Cheng, J. L.; Ghosh, B., and Wagner, C. R. Phosphoramidate pronucleotides: a comparison of the phosphoramidase substrate specificity of human and *Escherichia coli* histidine triad nucleotide binding proteins. *Molecular Pharmaceutics.* 2007; **4**:(2):208-217.
3060. Chęcińska, L.; Rybarczyk-Pirek, A. J. ; Kudzin, Z. H., and Okruszek, A. O-Phenyl (triphenylphosphoniomethyl) phosphonate phenol solvate: supramolecular structure generated by O-H...O, C-H... and C-H... π (arene) hydrogen bonds. *Acta Crystallographica Section C.* 2007; **63**:(9):o504-o506.
3061. Cypryk, M. General review on polysiloxane synthesis. DeJaeger, R. and Gleria, M., Eds. *Inorganic polymers.* NOVA Science Publishers; 2007; pp. 1-58.
Notes: ISBN: 1600216560
3062. Cypryk, M. Zastosowanie spektroskopii ^{29}Si NMR do badań polimerów krzemoorganicznych. *Polimery.* 2007; **52**:(10):730-735.
3063. Cypryk, M.; Chojnowski, J., and Rubinsztajn, S. Tertiary silyloxonium ions in the ring-opening polymerization (ROP) of cyclosiloxanes-cationic ROP of octamethyltetrasiloxane. Clarson, S. J.; Fitzgerald, J. J.; Owen, M. J.; Smith, S. D., and Van Dyke, M. E., Eds. *The science and technology of silicones and silicone-modified materials.* Washington DC: American Chemical Society; 2007; pp. 10-16.
Notes: ISBN: 0841239436
3064. Cypryk, M.; Delczyk, B.; Pospiech, P., and Strzelec, K. Modyfikacje polimerów siloksanowych. *Polimery.* 2007; **52**:(7-8):12-18.
3065. Diaz-Alvarez, A. E.; Crochet, P.; Zabłocka, M.; Cadierno, V.; Vendier, L.; Gimeno, J., and Majoral, J.-P. Half-sandwich ruthenium(II) complexes containing a tricyclic beta-iminophosphine ligand: catalytic activity in Diels-Alder reactions. *Polyhedron.* 2007; **26**:(4):933-940.
3066. Douillard, A.; Hakme, C.; David, L.; Stevenson, I.; Boiteux, G.; Seytre, G.; Kaźmierczak, T., and Gałęski, A. Morphology and texture development of uniaxially stretched poly(ethylene naphthalene-2,6-dicarboxylate). *J Appl Polym Sci.* 2007; **103**:(1):395-401.
3067. Dołęga, A.; Baranowska, K.; Gajda, J.; Kaźmierski, Sł., and Potrzebowski, M. J. Cadmium tri-tert-butoxysilanethiolates: structural and spectroscopic models of metal sites in proteins. *Inorg Chim Acta.* 2007; **360**:(9):2973-2982.
3068. Drabowicz, J.; Kielbasiński, P., and Mikołajczyk, M. The ene-S(II) compounds: Product subclass 10: Alk-1-enesulfonic acid derivatives. Molander, G., Ed. *Science of synthesis. Compounds with two carbon-heteroatom bonds: ene-X compounds (X=S, Se, Te, N, P).* Stuttgart - New York: Georg Thieme Verlag; 2007; pp. 177-182.
Notes: ISBN 978-3-13-118851-9 (GTV) ISBN 978-1-58890-464-5 (TNY)
3069. ---. The ene-S(II) compounds: Product subclass 11: Alk-1-enyl disulfides. Molander, G., Ed. *Science of synthesis. Compounds with two carbon-heteroatom bonds: ene-X compounds (X=S, Se, Te, N, P).* Stuttgart - New York: Georg Thieme Verlag; 2007; pp. 183-186.
Notes: ISBN 978-3-13-118851-9 (GTV) ISBN 978-1-58890-464-5 (TNY)
3070. ---. The ene-S(II) compounds: Product subclass 6: Alk-1-enethiols. Molander, G., Ed. *Science of synthesis.*

Compounds with two carbon-heteroatom bonds: ene-X compounds (X=S, Se, Te, N, P). Stuttgart - New York: Georg Thieme Verlag; 2007; pp. 101-108.
Notes: ISBN 978-3-13-118851-9 (GTV) ISBN 978-1-58890-464-5 (TNY)

3071. ---. The ene-S(II) compounds: Product subclass 7: Metal alk-1-enethiolates. Molander, G., Ed. Science of synthesis. Compounds with two carbon-heteroatom bonds: ene-X compounds (X=S, Se, Te, N, P). Stuttgart - New York: Georg Thieme Verlag; 2007; pp. 109-112.
Notes: ISBN 978-3-13-118851-9 (GTV) ISBN 978-1-58890-464-5 (TNY)
3072. ---. The ene-S(II) compounds: Product subclass 8: Alk-1-enyl sulfides. Molander, G., Ed. Science of synthesis. Compounds with two carbon-heteroatom bonds: ene-X compounds (X=S, Se, Te, N, P). Stuttgart - New York: Georg Thieme Verlag; 2007; pp. 113-168.
Notes: ISBN 978-3-13-118851-9 (GTV) ISBN 978-1-58890-464-5 (TNY)
3073. ---. The ene-S(II) compounds: Product subclass 9: Alk-1-enylsulfonium salts. Molander, G., Ed. Science of synthesis. Compounds with two carbon-heteroatom bonds: ene-X compounds (X=S, Se, Te, N, P). Stuttgart - New York: Georg Thieme Verlag; 2007; pp. 169-175.
Notes: ISBN 978-3-13-118851-9 (GTV) ISBN 978-1-58890-464-5 (TNY)
3074. Drabowicz, J.; Krasowska, D., and Mielniczak, A. A new chiral bithiophene based on derivatization of 1, 1'-binaphthyl-2,2'-diol. Polish J Chem. 2007; **81**:(11):1983-1985.
3075. Drabowicz, J.; Krasowska, D., and Zając, A. Advances in the synthesis of chiral sulphinyl derivatives. Speciality Chemicals Magazine. 2007; **27**:34-37.
3076. Drabowicz, J.; Kudelska, W.; Łopusiński, A., and Zając, A. The chemistry of phosphinic and phosphinous acid derivatives containing *t*-butyl group as a single bulky substituent: synthestic, mechanistic and stereochemical aspects. Current Organic Chemistry . 2007; **11**:(1):3-15.
3077. Drabowicz, J.; Zając, A.; Krasowska, D.; Bujnicki, B.; Dudziński, B.; Janicka, M.; Mikołajczyk, M.; Chmielewski, M.; Czarnocki, Z.; Gawroński, J.; Polavarapu, P. L.; Wieczorek, M. W.; Marciniak, B., and Sokołowska-Różycka, A. Chiral sulfur-containing structures: selected synthetic and structural aspects. Heteroatom Chem. 2007; **18**:(5):527-536.
3078. Duda, A. and Kowalski, A. Zdolność do polimeryzacji cyklicznych estrów alifatycznych. Polimery. 2007; **52**:487-495.
3079. Florczak, M.; Kowalski, A.; Libiszowski, J.; Majerska, K., and Duda, A. Application of the Al-27 NMR spectroscopy to studies of mechanisms of cyclic esters polymerization. Polimery. 2007; **52**:(10):722-729.
3080. Florczak, M.; Libiszowski, J.; Mosnáček, J.; Duda, A., and Penczek, S. L,L-Lactide and ϵ -caprolactone block copolymers by a 'poly(L,L-lactide) block first' route. Macromol Rapid Comm. 2007; **28**:(13):1385-1391.
3081. Gajda, J.; Jeziorna, A.; Ciesielski, W.; Potrzebowski, W. M.; Prezdo, W., and Potrzebowski, M. J. High-resolution solid-state NMR spectroscopy as a tool for investigation of enantioselective inclusion complexation. Solid State Nucl Magn Res. 2007; **31**:(3):153-161.
3082. Gałęski, A. Special issue dedicated to Marian Kryszewski. J Appl Polym Sci. 2007; **105**:(1):1-2.
3083. Gałęski, A. and Piórkowska, E. Polymer nanocomposites with layered silicates. Polimery. 2007; **52**:(5):323-328.
3084. Gołębiewski, J. and Gałęski, A. Thermal stability of nanoclay polypropylene composites by simultaneous

DSC and TGA. Composites Science and Technology. 2007; **67**:(15-16):3442-3447.

3085. Guga, P. P-chiral oligonucleotides in biological recognition processes. Current Topics in Medicinal Chemistry. 2007; **7**:(7):695-713.
3086. Guga, P.; Boczkowska, M.; Janicka, M.; Maciaszek, A.; Kuberski, S., and Stec, W. J. Unusual thermal stability of RNA/[R-P-PS]-DNA/RNA triplexes containing a homopurine DNA strand. Biophysical Journal. 2007; **92**:(7):2507-2515.
3087. Guga, P.; Janicka, M.; Maciaszek, A.; Rębowska, B., and Nowak, G. Hoogsteen-paired homopurine [RP-PS]-DNA and homopyrimidine RNA strands form a thermally stable parallel duplex. Biophysical Journal. 2007; **93**:(10):3567-3574.
3088. Janikowska, G.; Mizerska, U.; Fortuniak, W., and Chojnowski, J. Comparison of the influence of selected polysiloxane derivatives on the growth of *Chlorella vulgaris* algal cultures. Acta Biochimica Polonica. 2007; **54**:(4):200.
3089. Kaczmarek, R.; Kulik, K., and Baraniak, J. Chemiczno-enzymatyczna strategia konstrukcji proleków nukleozydowych. Wiadomości Chemiczne. 2007; **61**:417-443.
3090. Kałużynski, K.; Pretula, J., and Penczek, S. Poly(ethylene glycol)-b-phosphorylated polyglycidols as CaCO₃ crystal growth modifiers. II. Macromolecular architecture versus the crystal size and shape and crystallization inhibition. J Polym Sci A: Polym Chem. 2007; **45** : (1):90-98.
3091. Khokhlov, A.; Penczek, S.; Percec, V., and Vairon, J.-P. Professor Nikolai Plate (1934-2007) - Obituary. J Polym Sci A: Polym Chem. 2007; **45**:(16):3503-3504.
3092. Kielbasiński, P. and Mikołajczyk, M. Chiral heteroatom-containing compounds. Matsuda, T., Ed. Future directions in biocatalysis. Amsterdam: Elsevier; 2007; pp. 159-203.
3093. Kielbasiński, P.; Rachwalski, M.; Kwiatkowska, M.; Mikołajczyk, M.; Wieczorek, M. W.; Szyrej, M.; Sieroń, L., and Rutjes, F. P. J. T. Enzyme-promoted desymmetrisation of prochiral bis(cyanomethyl)phenylphosphine oxide. Tetrahedron: Asymmetry. 2007; **18**:(17):2108-2112.
3094. Kielbasiński, P.; Rachwalski, M.; Mikołajczyk, M.; Szyrej, M.; Wieczorek, M. W.; Wijnmans, R., and Rutjes, F. P. J. T. Enzyme-promoted desymmetrisation of prochiral bis (cyanomethyl) sulfoxide. Advanced Synthesis & Catalysis. 2007; **349**:(8-9):1387-1392.
3095. Knobloch, B.; Sigel, H.; Okruszek, A., and Sigel, R. K. O. Metal-ion-coordinating properties of the dinucleotide 2'-deoxyguanylyl(5'→3')-2'-deoxy-5'-guanylate (d(pGpG)³⁻): isomeric equilibria including macrochelated complexes relevant for nucleic acids. Chem-Eur J. 2007; **13**:(6):1804-1814.
3096. Koprowski, M.; Skowrońska, A.; Głowska, M. L., and Fruziński, A. Fully regio- and *endo*-stereoselective synthesis of new polycyclic allylic sulfides *via* a Diels-Alder reaction. Synthetically useful transformations of these sulfides. Tetrahedron. 2007; **63**:(5):1211-1228.
3097. Kowalski, A.; Libiszowski, J.; Majerska, K.; Duda, A., and Penczek, S. Kinetics and mechanism of epsilon-caprolactone and L,L-lactide polymerization coinited with zinc octoate or aluminum acetylacetonate: the next proofs for the general alkoxide mechanism and synthetic applications. Polymer. 2007; **48**:(14):3952-3960.
3098. Kozłowski, M.; Masirek, R.; Piórkowska, E., and Gazicki-Lipman, M. Biodegradable blends of poly(L-lactide) and starch. J Appl Polym Sci. 2007; **105**:(1):269-277.

3099. Krakowiak, A.; Kaczmarek, R.; Baraniak, J.; Wieczorek, M., and Stec, W. J. Stereochemistry of rHint1 hydrolase assisted cleavage of P-N bond in nucleoside 5'-O-phosphoramidothioates. *Chem Commun.* 2007(21):2163-2165.
3100. Krawczyk, E.; Koprowski, M., and Łuczak, J. A stereoselective approach to optically active butenolides by Horner-Wadsworth-Emmons olefination reaction of alpha-hydroxy ketones. *Tetrahedron: Asymmetry.* 2007; **18**:(15):1780-1787.
3101. Kudzin, Z. H.; Depczyński, R.; Kudzin, M. H.; Łuczak, J., and Drabowicz, J. 1-N-Trifluoroacetyl amino)alkylphosphonic acids: synthesis and properties. *Amino Acids.* 2007; **33**:(4):663-667.
3102. Kudzin, Z. H.; Kotyński, A.; Kudzin, M. H., and Drabowicz, J. Trifluoroacetic anhydride - sodium iodide reagent. Nature and application. *Arkivoc.* 2007:112-171.
3103. Marciniak, B.; Szubert, K.; Potrzebowski, M. J.; Kownacki, I., and Łęszczak, K. Synthesis, characterization and catalytic activity of a well-defined complex immobilized on silica. *Angew Chem Int Ed Engl.* 2007; **46**:(1):1-5.
3104. Maria, S.; Biedroń, T.; Poli, R., and Kubisa, P. Atom transfer radical polymerization of methyl acrylate with molybdenum halides as catalysts in an ionic liquids. *J Appl Polym Sci.* 2007; **105**:(1):278-281.
3105. Masirek, R.; Kuliński, Z.; Chiona, D.; Piórkowska, E., and Pracella, M. Composites of poly(L-lactide) with hemp fibers: morphology and thermal and mechanical properties. *J Appl Polym Sci.* 2007; **105**:(1):255-268.
3106. Masirek, R.; Piórkowska, E.; Gałęski, A., and Mucha, M. Influence of thermal history on the nonisothermal crystallization of poly(L-lactide). *J Appl Polym Sci.* 2007; **105**:(1):282-290.
3107. Midura, W. H. Highly stereoselective aziridination of imines with (S)-dimethylsulfonium-(p-tolylsulfanyl)methylide. *Tetrahedron Lett.* 2007; **48**:(22):3907-3910.
3108. Midura, W. H.; Krysiak, J. A.; Wieczorek, M. W., and Filipczak, A. D. Synthesis and selected transformations of optically active cyclopentenyl sulfoxides: new approach to optically active cyclopentenones. *Polish J Chem.* 2007; **81**:(2):211-223.
3109. Mierczyńska, A.; Mayne-L'Hermite, M.; Boiteux, G., and Jeszka, J. K. Electrical and mechanical properties of carbon nanotube/ultrahigh-molecular-weight polyethylene composites prepared by a filler prelocalization method. *J Appl Polym Sci.* 2007; **105**:(1):158-168.
3110. Mikołajczyk, M. and Perlikowska, W. Synthesis of 3-(phosphorylmethyl)cycloalkenones by forced conjugate addition of α -phosphonate carbanions to cyclic enones. *Synthesis.* 2007(8):1225-1229.
3111. Miśkiewicz, P.; Rybak, A.; Jung, J.; Głowacki, I.; Maniukiewicz, W.; Tracz, A.; Pfleger, J.; Ulański, J., and Mullen, K. One-step method of producing uniaxially oriented layers of organic discotic molecules for field-effect transistors. *Nonlinear Optics, Quantum Optics.* 2007; **37**:207-218.
3112. Nawrot, B. and Gaggelli, E. Understanding the chemical mechanisms of life. *Nature Chemical Biology.* 2007; **3**:(12):745-749.
3113. Nawrot, B.; Widera, K.; Wójcik, M.; Rębowska, B.; Nowak, G., and Stec, W. J. Mapping of the functional phosphate groups in the catalytic core of deoxyribozyme 10-23. *FEBS Journal.* 2007; **274**:(4):1062-1072.

3114. Nowacki, R. and Piórkowska, E. Influence of solid particles on cavitation in poly(methylene oxide) during crystallization. *J Appl Polym Sci.* 2007; **105**:(3):1053-1062.
3115. Okruszek, A. and Deka, M. Bioconjugates of nucleosides and oligonucleotides with 1-alpha-methy-D-mannopyranoside as a new type of potential pro-drugs. *Drugs of the Future.* 2007; **32**:(Suppl. A):106-106.
3116. Olejniczak, S.; Kaźmierski, S.; Pallathadka, P. K., and Potrzebowski, M. J. A review on advances of high-resolution solid state NMR spectroscopy in structural studies of polymer/clay nanocomposites. *Polimery.* 2007; **52**:(10):713-721.
3117. Pacholczyk, J.; Kalisiak, J.; Jurczak, J., and Potrzebowski, M. J. Search of nature of planar chirality for pendent benzodiazacoronands in the solid state: NMR, X-ray, and DFT studies. *J Phys Chem B.* 2007; **111**:(11):2790-2799.
3118. Pawlak, A. Cavitation during tensile deformation of high-density polyethylene. *Polymer.* 2007; **48**:(5):1397-1409.
3119. Penczek, S.; Cypryk, M.; Duda, A.; Kubisa, P., and Słomkowski, S. Living ring-opening polymerizations of heterocyclic monomers. *Progr Polym Sci.* 2007; **32**:(2):247-282.
3120. Penczek, S.; Duda, A.; Kubisa, P., and Słomkowski, S. Ionic and coordination ring-opening polymerization. Matyjaszewski, K.; Gnanou, Y., and Leibler, L., Eds. *Macromolecular engineering. Precise synthesis, materials properties, applications.* Weinheim: Wiley-VCH ; 2007; pp. 103-159.
Notes: ISBN: 978-3-527-31446-1
3121. Penczek, S.; Kałużyński, K., and Pretula, J. Addition of H₃PO₄ to diglycidyl ethers of bisphenol A: kinetics and product structure. *J Appl Polym Sci.* 2007; **105** (1):246-254.
3122. Penczek, S.; Pretula, J., and Kałużyński, K. Macromolecules mimicking the backbones of nucleic and teichoic acids. Synthesis, some properties and applications. *J Fudan University (Natural Science).* 2007; **46**:557-558.
3123. Pietrzak, Ł. and Jeszka, J. K. Macyk, W. and Szaciłowski, K., Eds. *Supramolecular chemistry and advanced materials* Kraków: Jagiellonian University; 2007; str. 76-77.
3124. Pluta, J.; Murariu, M.; Da Silva Ferreira, A.; Alexandre, M.; Gałęski, A., and Dubois, Ph. Polylactide compositions. II. Correlation between morphology and main properties of PLA/calcium sulfate composites. *J Polym Sci B: Polym Phys.* 2007; **45**:(19):2770-2780.
3125. Pluta, M. and Gałęski, A. Plastic deformation of amorphous Poly(L/DL-lactide): structure evolution and physical properties. *Biomacromolecules.* 2007; **8**:(6):1836-1843.
3126. Pluta, M.; Jeszka, J. K., and Boiteux, G. Polylactide/montmorillonite nanocomposites: structure, dielectric, viscoelastic and thermal properties. *Europ Polym J.* 2007; **43**:(7):2819-2835.
3127. Polanowski, P. and Jeszka, J. K. Microphase separation in two dimensional athermal polymer solutions on a triangular lattice. *Langmuir.* 2007; **23**:8678-8680.
3128. Różga-Wijas, K.; Mizerska, U.; Fortuniak, W.; Chojnowski, J.; Halasa, R., and Werel, W. Quaternary ammonium salts (QAS) modified polysiloxane biocide supported on silica materials. *J Inorg Organometal Polym Mat.* 2007; **17**:(4):605-613.
3129. Schirmacher, E.; Wangler, B.; Cypryk, M.; Bradtmoller, G.; Schafer, M.; Eisenhut, M. ; Jurkschat, K., and

Schirmacher, R. Synthesis of p-(Di-tert-butyl[(18)f]fluorosilyl) benzaldehyde ([F-18]SiFA-A) with high specific activity by isotopic exchange: a convenient Labeling synthon for the F-18-labeling of n-amino-oxy derivatized peptides. *Bioconjugate Chemistry*. 2007; **18**(6):2085-2089.

3130. Shcharbin, D.; Janicka, M.; Wasiak, M.; Palecz, B.; Przybyszewska, M.; Zaborski, M., and Bryszewska, M. Serum albumins have five sites for binding of cationic dendrimers. *Biochim Biophys Acta - Proteins and Proteomics*. 2007; **1774**(7):946-951.
3131. Shustak, G.; Gadzinowski, M.; Słomkowski, S.; Domb, A. J., and Mandler, D. A novel electrochemically synthesized biodegradable thin film of polypyrrole-polyethyleneglycol-poly(lactic acid) nanoparticles. *New J Chem*. 2007; **31**(1):163-168.
3132. Sipa, K.; Sochacka, E.; Kaźmierczak-Barańska, J.; Maszewska, M.; Janicka, M.; Nowak, G., and Nawrot, B. Effect of base modifications on structure, thermodynamic stability, and gene silencing activity of short interfering RNA. *RNA-A Publication of the RNA Society*. 2007; **13**(8):1301-1316.
3133. Skowrońska, A. and Owsianik, K. Quinquevalent phosphorus acids. Allen, D. W. and Tebby, J. C., Eds. *Organophosphorus chemistry*. Cambridge: Royal Society of Chemistry; 2007; pp. 135-183. Notes: ISBN: 0 85404 354 3
3134. Stańczyk, W. A.; Szeląg, A., and Wróbel, A. M. Mesogenic monolayers on silicon surface. *UJ Kraków: Macyk, W. //Szaciłowski, K.*; 2007: 58-61.
3135. Stec-Michalska, K.; Pęczek, Ł.; Krakowiak, A.; Michalski, B.; Chojnacki, J.; Knopik-Dąbrowicz, A.; Klupińska, G., and Nawrot, B. Expression of somatostatin receptor subtype 3 in the gastric mucosa of dyspeptic patients in relation to *Helicobacter pylori* infection and a family history of gastric cancer. *J Gastroenterol Hepatol*. 2007(August 7).
3136. Stec-Michalska, K.; Pęczek, Ł.; Michalski, B.; Krakowiak, A.; Chojnacki, J.; Knopik-Dąbrowicz, A.; Jarosińska-Wisniewska, M., and Nawrot, B. Somatostatin receptor subtype 3 (SSTR3) mRNA level in gastric mucosa of patients with dyspepsia. *Pol Merk Lek*. 2007; **22**:341-345.
3137. Stevens, C. V.; Ellen, V. M.; Kurt, G. R. M.; Moonen, K.; De Blieck, A., and Drabowicz, J. One-pot tandem 1,4- and 1,2-addition of phosphites to alpha, beta-unsaturated hydrazones. *Synlett*. 2007(16):2549-2552.
3138. Szawkało, J.; Czarnocki, Z.; Zawadzka, A.; Wojtasiewicz, K.; Leniewski, A.; Maurin, J. K.; Czarnocki, Z., and Drabowicz, J. Enantioselective synthesis of some tetrahydroisoquinoline and tetrahydro-p-carboline alkaloids. *Tetrahedron: Asymmetry*. 2007; **18**(3):406-413.
3139. Słomkowski, S. Biodegradable polyesters for tissue engineering. *Macromol Symp*. 2007; **253**:47-58.
3140. Tasdelen, M. A.; Yagci, Y.; Demirel, A. L.; Biedroń, T., and Kubisa, P. Synthesis and characterization of block-graft copolymers [poly(epichlorohydrin-b-styrene)-g-poly(methyl methacrylate)] by combination of activated monomer polymerization, NMP and ATRP. *Polym Bull*. 2007; **58**(4):653-663.
3141. Tracz, A.; Makowski, T.; Masirek, R.; Pisula, W., and Geerts, Y. Macroscopically aligned films of discotic phthalocyanine by zone casting. *Nanotechnology*. 2007; **18**(48):Art. No. 485303 DEC 5 2007.
3142. Tracz, A.; Masirek, S., and Kłos, M. Fabrication of thin oriented organic layers and micropatterns by zone casting. *Israel Journal of Chemistry*. 2007; **47**(3-4):401-408.
3143. Woźniak, L. A.; Góra, M., and Stec, W. J. Chemoselective activation of nucleoside

3'-O-methylphosphonothioates with 1,3,5-triazyl morpholinium salts. *J Org Chem.* 2007; **72**:(22):8584-8587.

3144. Wróbel, A. M. and Błaszczuk-Łęzak, I. Remote hydrogen microwave plasma CVD of silicon carbonitride films from a tetramethyldisilazane source. Part 1: Characterization of the process and structure of the films. *Chem Vap Deposition.* 2007; **13**:(11):595-600.
3145. ---. Remote hydrogen microwave plasma CVD of silicon carbonitride films from a tetramethyldisilazane source. Part 2: Compositional and structural dependencies of film properties. *Chem Vap Deposition.* 2007; **13**:(11):601-608.
3146. Wróbel, A. M.; Błaszczuk-Łęzak, I., and Walkiewicz-Pietrzykowska, A. Silicon carbonitride thin-film coatings fabricated by remote hydrogen-nitrogen microwave plasma chemical vapor deposition from a single-source precursor: growth process, structure, and properties of the coatings. *J Appl Polym Sci.* 2007; **105**:(1):122-129.
3147. Wójcik, M.; Cieślak, M.; Goding, J. W. ; Stec, W. J., and Koziolkiewicz, M. Nucleotide pyrophosphatase/phosphodiesterase 1 is responsible for degradation of antisense phosphorothioate oligonucleotides. *Oligonucleotides.* 2007; **17**:(1):134-145.
3148. Wójcik, P. and Wójcik, M. Response of mature phosphorus-deficient apple trees to phosphorus fertilization and liming . *J Plant Nutr.* 2007; **30**:1623-1637.
3149. Yanguas-Gil, A.; Cotrino, J.; Walkiewicz-Pietrzykowska, A., and Gonzalez-Eliphe, A. R. Scaling behavior and mechanism of formation of SiO₂ thin films grown by plasma-enhanced chemical vapor deposition. *Phys Rev B.* 2007; **76**:art. no 075314.
3150. Zabłocka, M. and Majoral, J.-P. Synthesis of phosphorus ligands from zirconium reagents. A useful approach. *Current Organic Chemistry .* 2007; **11**:(1):49-60.
3151. Łapienis, G. The influence of precursor's length and [Diepoxide]/[MPEG](o) ratio on poly (ethylene glycol) star formation: the quantitative conversion of both precursors. *J Polym Sci A: Polym Chem.* 2007; **45**:(21):5017-5021.
3152. Łyżwa, P.; Jankowiak, A.; Kwiatkowska, M.; Mikołajczyk, M.; Kielbasiński, P.; Betz, A.; Jaffres, A.; Gaumont, A.-C., and Gulea, M. Diastereoselective Michael addition to α,β -unsaturated α -sulfinyl phosphonates in the thiolane series. *Tetrahedron Lett.* 2007; **48**:(3):351-355.
3153. Łęzak, E. and Bartczak, Z. High-strain deformation of polyethylenes in plane-strain compression at elevated temperature. *J Appl Polym Sci.* 2007; **105**:(1):14-24.
3154. ---. Plastic deformation of the gamma phase isotactic polypropylene in plane-strain compression at elevated temperatures. *Macromolecules.* 2007; **40**:(14):4933-4941.
3155. Anokhin, D. V.; Rosenthal, M.; Makowski, T.; Tracz, A.; Bras, W.; Kvashnina, K., and Ivanov, D. A. Comparative structural study of thin films of a columnar liquid crystal aligned by mechanical shearing and zone casting. *Thin Solid Films.* 2008; **517**:(2):982-985.
3156. Bartczak, Z. Stan obecny, przyszłość, zagadnienia pokrewne: polimerowe materiały orientowane i "materiały superwytrzymałe" Gałęski, A., Red. Stan i perspektywy rozwoju materiałów polimerowych. Łódź: CBMiM PAN; 2008: 261-295 ZFP.
Notes: Foresight technologiczny w zakresie materiałów polimerowych. Poddziałanie 1.4.5 pt.: "Projekty badawcze i celowe w obszarze monitorowania i prognozowania rozwoju technologii"
3157. Basińska, T. and Słomkowski, S. Antigen-antibody interactions detected by quasi-elastic light scattering and

electrophoretic mobility measurements: a new concept for latex immunodiagnostic test. Elaissari, A., Ed. Colloidal particles in biotechnology. Wiley-Interscience; 2008; pp. 95-115.
Notes: ISBN-10: 0470230525

3158. Basińska, T.; Słomkowski, S.; Kaźmierski, Sł., and Chehimi, M. M. Properties of poly(styrene/alpha-*tert*-butoxy-omega-vinylbenzyl-polyglycidol) microspheres suspended in water. Effect of sodium chloride and temperature on particle diameters and electrophoretic mobility. *Langmuir*. 2008; **24**:(16):8465-8472.
3159. Baško, M. and Kubisa, P. Mechanism of propagation in the cationic polymerization of L,L-lactide. *J Polym Sci A: Polym Chem*. 2008; **46**:(23):7919-7923.
3160. Baško, M.; Li, X.; Vankelecom, I., and Du Prez, F. Multifunctional membranes for solvent resistant nanofiltration and pervaporation applications based on segmented polymer networks. *J Phys Chem B*. 2008; **112**:16539-16545.
3161. Bałczewski, P.; Kudelska, W., and Bodzioch, A. 1,3-Dithioles. Katritzky, A. R.; Ramsden, C. A.; Scriven, E. F. V., and Taylor, R. J. K., Eds. *Comprehensive Heterocyclic Chemistry III*. Oxford: Elsevier; 2008; pp. 955-1090.
Notes: ISBN: 978-0-08-044992-0
3162. Bednarek, M. Cationic oligomerization of hydroxybutyrolactone. *Polimery*. 2008; **53**:(5):377-383.
3163. ---. Structures and potential applications of multihydroxyl branched polyethers obtained by cationic ring-opening polymerization involving activated monomer mechanism. *E-Polymers*. 2008:070.
3164. Biedroń, T. and Kubisa, P. Facile synthesis of new imidazolium ionic liquids containing hydroxymethyl substituent at 2-position of imidazolium ring. *Polish J Chem*. 2008; **82**:(5):1023-1035.
3165. ---. Imidazolium ionic liquids with short polyoxyethylene chains. *J Polym Sci A: Polym Chem*. 2008; **46**:(20):6961-6968.
3166. Błaziak, D.; Jagiełło, A.; Pietkiewicz, A.; Guga, P., and Stec, W. J. Oxathiaphospholane ring-opening condensation: from oligo(nucleoside phosphorothioate)s to P-chiral analogues of nucleoside polyphosphates. *Coll Symp Series Chemistry of Nucleic Acid Components*. 2008; **10**:124-132.
3167. Błaziak, D.; Jagiełło, A., and Stec, W. J. Oxathiaphospholane approach to the synthesis of nucleoside 5'-O-[α -phosphorathio- β -alkenophosphonate] anhydrides. *Coll Symp Series Chemistry of Nucleic Acid Components*. 2008; **10**:320-321.
3168. Chojnowski, J. *Polimery krzemoorganiczne: stan obecny, przyszłość, zagadnienia pokrewne* Gałęski, A., Red. Stan i perspektywy rozwoju materiałów polimerowych. Łódź: CBMiM PAN; 2008: 13-88 ZIMP.
Notes: Foresight technologiczny w zakresie materiałów polimerowych. Poddziałanie 1.4.5 pt.: "Projekty badawcze i celowe w obszarze monitorowania i prognozowania rozwoju technologii"
3169. Chojnowski, J.; Rubinsztajn, S.; Fortuniak, W., and Kurjata, J. Synthesis of highly branched alkoxysilane-dimethylsiloxane copolymers by nonhydrolytic dehydrocarbon polycondensation catalyzed by tris(pentafluorophenyl)borane. *Macromolecules*. 2008; **41**:(20):7352-7358.
3170. Chruściel, J.; Fejdys, M.; Michalska, Z., and Fortuniak, W. Synthesis and characterization of new liquid, branched and random poly(methylhydrosiloxanes). *E-Polymers*. 2008:055.
3171. Cypryk, M. and Jóźwiak, A. P. Four-membered rings with two heteroatoms including silicon to lead. Katritzky, A. R.; Ramsden, C. A.; Scriven, E. F. V., and Taylor, R. J. K., Eds. *Comprehensive*

heterocyclic chemistry III. Oxford: Elsevier; 2008; pp. 907-938.
Notes: ISBN: 978-0-08-044992-0

3172. Czarnocki, S. J.; Wojtasiewicz, K.; Józwiak, A. P.; Maurin, J. K.; Czarnocki, Z., and Drabowicz, J. Enantioselective synthesis of (+)-tryptargine and (+)-crispine E. *Tetrahedron*. 2008; **64**:(14):3176-3182.
3173. Diaz-Alvarez, A. E.; Crochet, P.; Zabłocka, M.; Duhayon, C.; Cadierno, V., and Majoral, J.-P. Developing the Kharash reaction in aqueous media: Dinuclear group 8 and 9 catalysts containing the bridging cage ligand tris(1,2-dimethylhydrazino)diphosphane. *Eur J Inorg Chem*. 2008(5):786-794.
3174. Drabowicz, J.; Girek, T., and Makles, M. Reakcje arylowania przy użyciu układów ołowiobismutoorganicznych. *Prace Naukowe Akademii Im. Jana Długosza w Częstochowie. Technika, Informatyka, Inżynieria Bezpieczeństwa*. 2008; **XII**:(3):9-34.
3175. Drabowicz, J.; Kielbasiński, P.; Krasowska, D., and Mikołajczyk, M. Asymmetric synthesis of optically active sulfinic acid esters. Toru, T. and Bolm, C., Eds. *Organosulfur Chemistry in Asymmetric Synthesis*. Weinheim: Wiley-VCH; 2008; pp. 31-54.
Notes: ISBN 978-3-527-31854-4
3176. Drabowicz, J.; Kielbasiński, P.; Łyżwa, P., and Mikołajczyk, M. Alkaneselenonic acids and derivatives. Kambe, N., vol. ed. *Science of synthesis. Compounds with one saturated carbon-heteroatom bond. Sulfur, selenium and tellurium*. Stuttgart/New York: G. Thieme Verlag; 2008; pp. 903-907.
Notes: ISBN: 9783131189219
3177. ---. Alkanetelluronic acids and derivatives. Kambe, N., vol. ed. *Stuttgart/New York: G. Thieme Verlag*; 2008; p. 1109.
Notes: ISBN: 9783131189219
3178. ---. Product class 9: alkanesulfenic acids and derivatives. Kambe, N., vol. ed. *Science of synthesis. Compounds with one saturated carbon-heteroatom bond. Sulfur, selenium and tellurium*. Stuttgart/New York: G. Thieme Verlag; 2008; pp. 543-572.
Notes: ISBN: 9783131189219
3179. Drabowicz, J.; Kielbasiński, P.; Łyżwa, P.; Zając, A., and Mikołajczyk, M. Product class 1: Alkenosulfonic acids and derivatives. Kambe, N., vol. ed. *Science of synthesis. Compounds with one saturated carbon-heteroatom bond. Sulfur, selenium and tellurium*. Stuttgart/New York: G. Thieme Verlag; 2008; pp. 17-122.
Notes: ISBN: 9783131189219
3180. Drabowicz, J.; Kwiatkowska, M., and Kielbasiński, P. The first effective procedure for the direct esterification and thiolysis of sulfinic acids. *Synthesis*. 2008(22):3563-3564.
3181. Drabowicz, J. and Lewkowski, J. 1,2-Oxathietanes and derivatives. Kambe, N., vol. ed. *Science of synthesis. Compounds with one saturated carbon-heteroatom bond. Sulfur, selenium and tellurium*. Stuttgart/New York: G. Thieme Verlag; 2008; pp. 711-725.
Notes: ISBN: 9783131189219
3182. Drabowicz, J.; Lewkowski, J.; Kudelska, W., and Girek, T. Acyclic dialkyl selenones and derivatives. Kambe, N., vol. ed. *Science of synthesis. Compounds with one saturated carbon-heteroatom bond. Sulfur, selenium and tellurium*. Stuttgart/New York: G. Thieme Verlag; 2008; pp. 909-914.
Notes: ISBN: 9783131189219
3183. ---. Acyclic dialkyl sulfones and derivatives. Kambe, N. *Science of synthesis. Compounds with one saturated carbon-heteroatom bond. Sulfur, selenium and tellurium*. Stuttgart/New York: G.

Thieme Verlag; 2008; pp. 123-185.
Notes: ISBN: 9783131189219

3184. ---. Acyclic dialkyl tellurones and derivatives . Kambe, N., vol. ed. Science of synthesis. Compounds with one saturated carbon-heteroatom bond. Sulfur, selenium and tellurium. Stuttgart/New York: G. Thieme Verlag; 2008; pp. 1111-1116.
Notes: ISBN: 9783131189219
3185. Drabowicz, J.; Lewkowski, J.; Kudelska, W., and Zając, A. Four-membered rings with two sulfur atom. Stevens, Ch., vol. ed. Comprehensive Heterocyclic Chemistry III. Amsterdam //Tokyo: Elsevier; 2008; pp. 811-852.
Notes: ISBN: 978-0-08-044992-0
3186. Drabowicz, J.; Zając, A.; Łyżwa, P.; Pan, J. J.; Stephens, P. J., and Devlin, F. J. Determination of the absolute configuration s of isotopically chiral molecules using vibrational circular dichroism (VCD) spectroscopy: the isotopically chiral sulfoxide, perdeuteriophenyl-phenyl-sulfoxide. Tetrahedron: Asymmetry. 2008; **19**(3):288-294.
3187. Florczak, M. and Duda, A. Effect of the configuration of the active center on comonomer reactivities: the case of epsilon-caprolactone/L,L-lactide copolymerization. Angew Chem Int Ed Engl. 2008; **47**:(47):9088-9091.
3188. Gajda, J.; Olejniczak, S., and Potrzebowski, M. J. Elucidation of structural restraints for phosphate residues with different hydrogen bonding and ionization states. J Phys Chem B. 2008; **112**:(44):14036-14044.
3189. Gajda, J.; Potrzebowski, M. J.; Bujacz, A., and Bujacz, G. D. Application of the Se-77 solid state NMR for investigation of bioorganic compounds - the case of selenomethionine. Phosphorus, Sulfur and Silicon and the Related Elements. 2008; **183**:(4):1061-1066.
3190. Gałęski, A., Red. Stan i perspektywy rozwoju materiałów polimerowych. Łódź: CBMiM PAN; 2008 ZFP.
Notes: Foresight technologiczny w zakresie materiałów polimerowych. Poddziałanie 1.4.5 pt.: "Projekty badawcze i celowe w obszarze monitorowania i prognozowania rozwoju technologii"
3191. Gałęski, A.; Pawlak, A., and Różański, A. PMSE 215-Search for a source of cavitation in plasticity of crystalline polymers. 2008; **235**: 215-PMSE.
Notes: 235th American-Chemical-Society national Meeting
New Orleans, LA, APR 06-10, 2008
3192. Glass, R. S.; Berry, M. J.; Block, E.; Boakye, H. T.; Carlson, B. A.; Gailer, J.; George, G. N.; Gladyshev, V.; Hatfield, D. L.; Jacobsen, N. E.; Johnson, S.; Kahakachchi, C.; Kamiński, R.; Manley, S. A.; Mix, H.; Pickering, I. J.; Prenner, E. J.; Saira, K.; Skowrońska, A.; Tyson, J. F.; Uden, P. C.; Wu, Q.; Xu, X. M.; Yamdagni, R., and Zhang, Y. Insight into the chemical biology of selenium. Phosphorus, Sulfur and Silicon and the Related Elements. 2008; **183**:(4):924-930.
3193. Goetzendorf-Grabowska, B.; Królikowska, H.; Bąk, P.; Gadzinowski, M.; Brycki, B., and Szwajca, A. Triclosan encapsulated in poly(L,L-lactide) as a carrier of antibacterial properties of textile. Fibres & Textiles East Eur. 2008; **16**:(3):102-107.
3194. Gołębiowski, J.; Różański, A.; Dzwonkowski, J., and Gałęski, A. Low density polyethylene-montmorillonite nanocomposites for film blowing. Europ Polym J. 2008; **44**:(2):270-286.
3195. Guranowski, A.; Wojdyła, A. M.; Pietrowska-Borek, M.; Bieganski, P.; Khurs, E. N.; Cliff, M. J.;

Blackburn, G. M.; Blaziak, D., and Stec, W. J. Fhit proteins can also recognize substrates other than dinucleoside polyphosphates. *FEBS Letters*. 2008; **582**:(20):3152-3158.

3196. Handke, B.; Jastrzębski, W.; Mozgawa, W., and Kowalewska, A. Structural studies of crystalline octamethylsilsesquioxane (CH₃)₈Si₈O₁₂. *J Mol Struct*. 2008; **887**:(1-3 Sp. Iss. SI):159-164.
3197. Handke, M.; Kowalewska, A., and Mozgawa, W. Spectroscopic study of ceramic precursors obtained by hydrolytic condensation of ethoxycyclotetrasiloxane. *J Mol Struct*. 2008; **887**:(1-3 Sp. Iss. SI):152-158.
3198. Jasek, K.; Pasternak, M.; Ganicz, T., and Stańczyk, W. A. Liquid crystal coating for SAW sensors. *European Physical Journal-Special Topics*. 2008; **154**:103-106.
3199. Jeszka, J. K. Polimery przewodzące - stan wiedzy i perspektywy zastosowań Gałęski, A., Red. Stan i perspektywy rozwoju materiałów polimerowych. Łódź: CBMiM PAN; 2008: 236-260 ZFP. Notes: Foresight technologiczny w zakresie materiałów polimerowych. Poddziałanie 1.4.5 pt.: "Projekty badawcze i celowe w obszarze monitorowania i prognozowania rozwoju technologii"
3200. Kielbasiński, P.; Rachwalski, M.; Mikołajczyk, M., and Rutjes, F. P. J. T. Nitrilase-catalysed hydrolysis of cyanomethyl p-tolyl sulfoxide: stereochemistry and mechanism. *Tetrahedron: Asymmetry*. 2008; **19**:(5):562-567.
3201. Knobloch, B.; Nawrot, B.; Okruszek, A., and Sigel, R. K. O. Discrimination in metal-ion binding to RNA dinucleotides with a non-bridging oxygen or sulfur in the phosphate diester link. *Chem-Eur J*. 2008; **14**:(10):3100-3109.
3202. Knobloch, B.; Okruszek, A., and Sigel, H. Inosyl(3'→5')inosine (Ipl(-)). Acid-base and metal ion-binding properties of a dinucleoside monophosphate in aqueous solution. *Inorg Chem*. 2008; **47**:(7):2641-2648.
3203. Kowalewska, A. Dendronized polystyrene supports for new catalytic systems. *J Organomet Chem*. 2008; **693**:(12):2193-2199.
3204. Kowalewska, A. and Delczyk, B. Star-shape poly(methylvinyl-co-dimethyl)siloxanes with carbosilane core - synthesis and application. Ganachaud, F.; Boileau, S., and Boury, B., Eds. Silicon-based polymers. Advances in synthesis and supramolecular organization. London: Springer ; 2008; pp. 99-118. Notes: SBN: 978-1-4020-8527-7
3205. Kowalewska, A.; Kupcik, J.; Pola, J., and Stańczyk, W. A. Laser irradiation of oligosiloxane copolymer thin films functionalized with side chain bulky carbosilane moieties. *Polymer*. 2008; **49**:(4):857-866.
3206. Kowalewska, A.; Różga-Wijas, K., and Handke, M. Alkoxymethylcyclasiloxanes - new efficient precursors of crystalline (CH₃SiO_{3/2})₈ silsesquioxane and polymethyl silsesquioxanes. *E-Polymers*. 2008:150.
3207. Krakowiak, A.; Maszewska, M.; Kaźmierczak-Barańska, J.; Stec, W. J., and Nawrot, B. Transport and cellular localization of Ap(n)A nonhydrolyzable fluorescent analogs, potential therapeutic molecules. *FEBS Journal*. 2008; **275**:(Suppl. 1):336-336.
3208. Kręgiel, D.; Rygala, A.; Ambroziak, W.; Mizerska, U.; Fortuniak, W., and Chojnowski, J. Investigation of the adhesion capabilities of aeromonas hydrophila to different polysiloxane carriers. Proceedings of the International Symposium on New Researches in Biotechnology; Bucharest. 2008:458-502.

3209. Kubiak, K.; Kaźmierczak-Barańska, J.; Sochacka, E.; Kierzek, R.; Janicka, M.; Brzuska, K., and Nawrot, B. Modulation of silencing activity of siRNAs by chemical modifications. *Coll Symp Series Chemistry of Nucleic Acid Components*. 2008; **10**:264-267.
3210. Kubisa, P. Polimery biodegradowalne. Stan obecny i perspektywy Gałęski, A., Red. Stan i perspektywy rozwoju materiałów polimerowych. Łódź: CBMiM PAN; 2008: 133-171 ZCHP.
Notes: Foresight technologiczny w zakresie materiałów polimerowych. Poddziałanie 1.4.5 pt.: "Projekty badawcze i celowe w obszarze monitorowania i prognozowania rozwoju technologii"
3211. Kudzin, Z. H.; Depczyński, R.; Kudzin, M. H., and Drabowicz, J.
1-N-chloroacetyloamino)-alkylphosphonic acids-synthetic precursors of phosphonopeptides. *Amino Acids*. 2008; **34**(1):163-168.
3212. Kulik, K.; Kaczmarek, R.; Radzikowska, E.; Korczyński, D.; Stec, W. J., and Baraniak, J. Synthesis of N-acyl phosphoramidate pronucleotides. *Coll Symp Series Chemistry of Nucleic Acid Components*. 2008; **10**:386-388.
3213. Lacour, M. A.; Zabłocka, M.; Duhayon, C.; Majoral, J.-P., and Taillefer, M. Efficient phosphorus catalysts for the halogen-exchange (halex) reaction. *Advanced Synthesis & Catalysis*. 2008; **350**(17):2677-2682.
3214. Marciniak, B.; Szubert, K.; Potrzebowski, M. J.; Kownacki, I., and Leszczak, K. Synthesis, characterization and catalytic activity of a well-derived rhodium siloxide complex immobilized on silica. *Angew Chem Int Ed Engl*. 2008; **47**(3):541-544.
3215. Mas-Torrent, M.; Masirek, S.; Hadley, P.; Crivillers, N.; Oxtoby, N. S.; Reuter, P.; Veciana, J.; Rovira, C., and Tracz, A. Organic field-effect transistors (OFETs) of highly oriented films of dithiophenetetrathiafulvalene prepared by zone casting. *Organic Electronics*. 2008; **9**(1):143-148.
3216. Masirek, R.; Piórkowska, E.; Gałęski, A.; Hiltner, A., and Baer, E. High pressure crystallization of HDPE droplets. *Macromolecules*. 2008; **41**(21):8086-8094.
3217. Mielniczak, G. and Łopusiński, A. Oxidation of diethyl N-sulfinylphosphoramidates. *Heteroatom Chem*. 2008; **19**(5):530-536.
3218. Mikołajczyk, M.; Cypryk, M., and Krasiński, G. Quantum chemical study of thiosulfinic acids and their anions. *J Mol Struct-THEOCHEM*. 2008; **863**(1-3):105-110.
3219. Mikołajczyk, M.; Midura, W. H.; Ewas, A. M. M.; Perlikowska, W.; Mikina, M., and Jankowiak, A. Horner olefination reaction in organic sulfur chemistry and synthesis of natural and bioactive products. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2008; **183**(2-3):313-325.
3220. Młostoń, G.; Woźnicka, M.; Drabowicz, J.; Linden, A., and Heimgartner, H. Addition reactions of sulfinyl and sulfinyl chlorides with 3-phenyl-1-azabicyclo[1.1.0]butane. *Helv Chim Acta*. 2008; **91**(8):1419-1429.
3221. Mohanraj, J.; Morawiec, J.; Pawlak, A.; Barton, D. C.; Gałęski, A., and Ward, I. M. Orientation of polyoxymethylene by rolling with side constraints. *Polymer*. 2008; **49**(1):303-316.
3222. Murariu, M.; Ferreira, A. D.; Pluta, M.; Bonnaud, L.; Alexandre, M., and Dubois, Ph. Polylactide (PLA)-CaSO₄ composites toughened with low molecular weight and polymeric ester-like plasticizers and related performances. *Europ Polym J*. 2008; **44**(11):3842-3852.
3223. Nawrot, B.; Paul, N.; Rębowska, B., and Stec, W. J. Significance of stereochemistry of 3'-terminal phosphorothioate-modified primer in DNA polymerase-mediated chain extension. *Molecular*

Biotechnology. 2008; **40**:(2):119-126.

3224. Nawrot, B.; Rębowska, B.; Michalak, O.; Bulkowski, M.; Blaziak, D.; Guga, P., and Stec, W. J. 1,3,2-Oxathiaphospholane approach to the synthesis of P-chiral stereodefined analogs of oligonucleotides and biologically relevant nucleoside polyphosphates. *Pure & Appl Chem.* 2008; **80**:(8):1859-1871.
3225. Nawrot, B. and Sipa, K. Mechanizm interferencji RNA i wykorzystanie RNAi dla celów terapeutycznych. *Farmakologia w Psychiatrii i Neurologii.* 2008; **1**:7-18.
3226. Nawrot, B.; Widera, K.; Sobczak, M.; Wójcik, M., and Stec, W. J. Effect of R-P and S(P)phosphorothioate substitution at the scissile site on the cleavage activity of deoxyribozyme 10-23. *Current Organic Chemistry* . 2008; **12**:(12):1004-1009.
3227. Olejniczak, S.; Mikula-Pacholczyk, J.; Hughes, C. E., and Potrzebowski, M. J. N-15 and C-13 high-resolution solid-state NMR study of the polymorphism of the L-enantiomer of N-benzoylphenylalanine. *J Phys Chem B.* 2008; **112**:(6):1586-1593.
3228. Olejniczak, S.; Potrzebowski, M. J.; Nosal, A.; Szymanowski, H., and Gazicki-Lipman, M. POLY 23-solid state ¹³C NMR investigation of poly(p-xylylene) deposited at two different temperatures. 2008; **235**: (**Meeting abstracts**: 23-POLY).
Notes: 235th American-Chemical-Society national Meeting
New Orleans, LA, APR 06-10, 2008
3229. Oshovsky, G. V.; Ouali, A.; Xia, N.; Zabłocka, M.; Boere, R. T.; Duhayon, C.; Taillefer, M., and Majoral, J.-P. Thiazolyl phosphine ligands for copper-catalyzed arylation and vinylation of nucleophiles in organic and aqueous media. *Organometallics.* 2008; **27**:(21):5733-5736.
3230. Pawlak, A. and Gałęski, A. Cavitation during tensile deformation of polypropylene. *Macromolecules.* 2008; **41**:(8):2939-2851.
3231. Penczek, S.; Biela, T.; Łapienis, G., and Szymański, R. POLY-263-reaction of -OH ended oligomers with bicyclic core composing compounds: formation of highly branched star-like polymers. 2008; **235**: (**Meeting Abstracts**: 263-POLY).
Notes: 235th American-Chemical-Society national Meeting
New Orleans, LA, APR 06-10, 2008
3232. Penczek, S.; Biela, T.; Łapienis, G., and Szymański, R. Reaction of -OH ended oligomers with bicyclic core composing compounds: formation of highly branched star-like polymers. *Polymer Preprints.* 2008; **49**:(1):77-78.
3233. Penczek, S. and Moad, G. Glossary of terms related to kinetics, thermodynamics, and mechanisms of polymerization (IUPAC Recommendations 2008). *Pure & Appl Chem.* 2008; **80**:(10):2163-2193.
3234. Penczek, S.; Pretula, J., and Kałużyński, K. Polimery z odnawialnych surowców Gałęski, A., Red. Stan i perspektywy rozwoju materiałów polimerowych. Łódź: CBMiM PAN; 2008: 172-203 ZCHP.
Notes: Foresight technologiczny w zakresie materiałów polimerowych. Poddziałanie 1.4.5 pt.: "Projekty badawcze i celowe w obszarze monitorowania i prognozowania rozwoju technologii"
3235. Penczek, S. and Słomkowski, S. (Bio)degradable polymers from renewable resources. Weinheim: Wiley-VCH; 2008.
3236. Petrovic, A. G.; Polavarapu, P. L.; Drabowicz, J.; Łyżwa, P.; Mikołajczyk, M.; Wieczorek, W., and Balińska, A. Diastereomers of N-alpha-phenylethyl-t-butylsulfonamide: absolute configurations and predominant conformations. *J Org Chem.* 2008; **73**:(8):3120-3129.

3237. Piórkowska, E. and Gałęski, A. Nanokompozyty polimerowe Gałęski, A., Red. Stan i perspektywy rozwoju materiałów polimerowych. Łódź: CBMiM PAN; 2008: 208-235 ZFP.
Notes: Foresight technologiczny w zakresie materiałów polimerowych. Poddziałanie 1.4.5 pt.: "Projekty badawcze i celowe w obszarze monitorowania i prognozowania rozwoju technologii"
3238. Piórkowska, E.; Kowalczyk, M., and Marczyk, J. PMSE 216-Mechanisms of deformation of polylactide systems. 2008; **235**: 216-PMSE.
Notes: 235th American-Chemical-Society national Meeting
New Orleans, LA, APR 06-10, 2008
3239. Pluta, M.; Murariu, M.; Alexandre, M.; Gałęski, A., and Dubois, Ph. Polylactide compositions. The influence of aging on the structure, thermal and viscoelastic properties of PLA/calcium sulfate composites. Polym Degrad Stab. 2008; **93**(5):925-931.
3240. Potrzebowski, M. J.; Jeziorna, A., and Kaźmierski, Sł. NMR spectroscopy as a tool for searching of chiral organic compounds in the non-isotropic phases. Concepts in Magnetic Resonance Part A. 2008; **32A**(3):201-218.
3241. Potrzebowski, M. J.; Potrzebowski, W. M.; Jeziorna, A.; Ciesielski, W.; Gajda, J.; Bujacz, G. D.; Chruszcz, M., and Minor, W. Synthesis and solid-state study of supramolecular host-guest assemblies: bis [6-O,6-O'-(1,2 : 3,4-diisopropylidene-alpha-D-galactopyranosyl)thiophosphoryl] dichalcogenides. J Org Chem. 2008; **73**(12):4388-4397.
3242. Pretula, J.; Kałużński, K.; Wiśniewski, B.; Szymański, R.; Loontjens, T., and Penczek, S. Formation of poly(ethylene phosphates) in polycondensation of H₃PO₄ with ethylene glycol. Kinetic and mechanistic study. J Polym Sci A: Polym Chem. 2008; **46**(3):830-843.
3243. Przybyło, M.; Borowik, T.; Okruszek, A., and Langner, M. A method to evaluate a propidium iodide association with oligonucleotides and oligonucleotide-cationic lipid interactions. Curr Drug Discov Technol. 2008; **5**(2):162-167.
3244. Rachwalski, M.; Kwiatkowska, M.; Drabowicz, J.; Kłos, M.; Wieczorek, W. M.; Szyrej, M.; Sieroń, L., and Kiełbasiński, P. Enzyme-promoted desymmetrization of bis (2-hydroxymethylphenyl) sulfoxide as a route to tridentate chiral catalysts. Tetrahedron: Asymmetry . 2008; **19**(17):2096-2101.
3245. Robé, E.; Perlikowska, W.; Lemoine, C.; Diab, L.; Vincendeau, S.; Mikołajczyk, M.; Daran, J.-C., and Gouygou, M. Diphosphine sulfides derived from 2,2'-biphosphole: novel chiral S, S ligands for palladium. J Chem Soc Dalton Trans. 2008:2894-2898.
3246. Sano, M.; Sierant, M.; Miyagishi, M.; Nakanishi, M.; Takagi, Y., and Sutou, S. Effect of asymmetric terminal structures of short RNA duplexes on the RNA interference activity and strand selection. Nucleic Acids Res. 2008; **36**(18):5812-5821.
3247. Sierant, M.; Kubiak, K.; Kaźmierczak-Barańska, J.; Padaszyńska, A.; Kuwabara, T.; Warashina, M.; Nacmias, B.; Sorbi, S., and Nawrot, B. RNA interference in silencing of genes of Alzheimer's disease in cellular and rat brain models. Nucleic Acids Symposium Series. 2008; **52**(1):41-2.
3248. Sosnowski, S. Selective cleavage of acetal bonds in copolymers with polylactide block. J Polym Sci A: Polym Chem. 2008; **46**(20):6978-6982.
3249. Stańczyk, W. A. Polimery ciekłokrystaliczne Gałęski, A., Red. Stan i perspektywy rozwoju materiałów polimerowych. Łódź: CBMiM PAN; 2008: 57-88 ZIMP.
Notes: Foresight technologiczny w zakresie materiałów polimerowych. Poddziałanie 1.4.5 pt.: "Projekty badawcze i celowe w obszarze monitorowania i prognozowania rozwoju technologii"

3250. Stańczyk, W. A.; Czech, A.; Duczmal, W.; Ganicz, T.; Noskowska, M., and Szelać, A. High refraction index polysiloxanes *via* organometallic routes. Ganachaud, F.; Boileau, S., and Boury, B., Eds. Silicon-based polymers. Advances in synthesis and supramolecular organization. London: Springer; 2008; pp. 153-161.
Notes: ISBN: 978-1-4020-8527-7
3251. Stec-Michalska, K.; Pęczek, Ł.; Krakowiak, A.; Michalski, B.; Chojnacki, J.; Knopik-Dąbrowicz, A.; Klupińska, G., and Nawrot, B. Expression of somatostatin receptor subtype 3 in the gastric mucosa of dyspeptic patients in relation to *Helicobacter pylori* infection and a family history of gastric cancer. *J Gastroenterol Hepatol.* 2008; **23**:(3):424-429.
3252. Stec, W. J.; Maciaszek, A., and Guga, P. Selenium-derivatized oligonucleotides. *Phosphorus, Sulfur and Silicon and the Related Elements.* 2008; **183**:(4):897-907.
3253. Strzelec, K. and Pospiech, P. Improvement of mechanical properties and electrical conductivity of polythiourethane-modified epoxy coatings filled with aluminium powder. *Progress in Organic Coatings .* 2008; **63**:(1):133-138.
3254. Słomkowski, S. Zastosowanie polimerów w medycynie Gałęski, A., Red. Stan i perspektywy rozwoju materiałów polimerowych. Łódź: CBMiM PAN; 2008: 296-329 ZIMP.
Notes: Foresight technologiczny w zakresie materiałów polimerowych. Poddziałanie 1.4.5 pt.: "Projekty badawcze i celowe w obszarze monitorowania i prognozowania rozwoju technologii"
3255. Słomnicki, Ł. P.; Nawrot, B., and Leśniak, W. S100A6 binds p53 and affects its activity. *Int J Biochem Cell Biol.* 2008.
3256. Tadeusiak, E.; Ciesielski, W., and Olejniczak, S. Determination of enantiomeric excess of leucine by C-13 CP-MAS solid state NMR. *Applied Magnetic Resonance.* 2008; **35**:(1):155-161.
3257. Tomaszewski, W.; Duda, A.; Szadkowski, M.; Libiszowski, J., and Ciechańska, D. Poly(L-lactide) nano- and microfibers by electrospinning: influence of poly(L-lactide) molecular weight. *Macromol Symp.* 2008; **272**:70-74.
3258. Waciński, P. J.; Gadzinowski, M.; Marciniak, A.; Dąbrowski, W.; Szumiło, J.; Wysokiński, A.; Czuczwar, S., and Słomkowski, S. A direct local drug delivery. A nanotechnology-based local drug delivery using biodegradable nanoparticles. *American Journal of Cardiology.* 2008; **102**:(8A):1821-1821.
3259. Wójcik, P.; Wójcik, M., and Klamkowski, K. Response of apple trees to boron fertilization under condotions of low soil boron availability. *Scientia Horticulturae.* 2008; **116**:(1):58-64.
3260. Woźniak, L. A.; Góra, M.; Kamiński, Z. J., and Stec, W. J. Activation of methylphosphonates and their thio- and seleno congeners with 1, 3, 5-triazinyl morpholinium salts. Seleno-selenolo isomerization. *Phosphorus, Sulfur and Silicon and the Related Elements.* 2008; **183**:(4):1076-1081.
3261. Wróbel, A. M.; Błaszczak-Lęzak, I.; Walkiewicz-Pietrzykowska, A.; Aoki, T., and Kulpiński, J. Hard and high-temperature-resistant silicon carbonitride coatings based on N-silyl-substituted cyclodisilazane rings. *J Electrochem Soc.* 2008; **155**:(4):K66-K76.
3262. Wójtowicz, J.; Słomkowski, S.; Sosnowski, S.; Wojewódzka, M.; Mikulska, A., and Lewandowska-Szumiel, M. PLA/PGA-based polyesters filled with calcium carbonate may serve as cell scaffolds with controlled resorption in vitro. *Tissue Engineering Part A.* 2008; **14**:(5):896-896.
3263. Zając, A.; Girek, T., and Drabowicz, J. Heteroatomowe analogi cyklopropenu. *Prace Naukowe Akademii*

Im. Jana Długosza w Częstochowie. Technika, Informatyka, Inżynieria Bezpieczeństwa. 2008; **XII**:(3):83-90.

3264. ---. Syntetycznie użyteczne reakcje pochodnych cyklopropenu. Prace Naukowe Akademii Im. Jana Długosza w Częstochowie. Technika, Informatyka, Inżynieria Bezpieczeństwa. 2008; **XII**:(3):35-52.
3265. ---. Wybrane, użyteczne syntetycznie reakcje pochodnych cyklopropenu. Prace Naukowe Akademii Im. Jana Długosza w Częstochowie. Technika, Informatyka, Inżynieria Bezpieczeństwa. 2008; **XII**:(3):53-82.
3266. Łapienis, G. Influence of some reaction parameters on the synthesis of the first generation of stars with arms composed of poly(oxyethylene glycol). Polimery. 2008; **53**:(11-12):841-847.
3267. Łapienis, G. and Wiktorska, B. Polystyrene star-shaped polymers containing core built from diepoxides. J Polym Sci A: Polym Chem. 2008; **46**(11):3869-3875.
3268. Ławecka, J.; Bujnicki, B.; Drabowicz, J., and Rykowski, A. The first approach to optically active 2,2'-bipyridine alkyl sulfoxides. Tetrahedron Lett. 2008; **49**:(4):719-722.
3269. Łęzak, E. and Bartczak, Z. Plastic deformation behavior of beta phase isotactic polypropylene in plane-strain compression at elevated temperatures. J Polym Sci B: Polym Phys. 2008; **46**:(1):92-108.
3270. Łęzak, E.; Kuliński, Z.; Masirek, R.; Piórkowska, E.; Pracella, M., and Gadzinowska, K. Mechanical and thermal properties of green polylactide composites with natural fillers. Macromolecular Bioscience. 2008; **8**:(12):1190-1200.
3271. Abdalilah, M.; Żurawiński, R.; Can ac, Y.; Laleu, B.; Lacour, M. A.; Lepetit, C.; Magro, G.; Bernardinelli, G.; Donnadieu, B.; Duhayon, C.; Mikołajczyk, M., and Chauvin, R. Vicinal diphosphoniums: electrostatic repulsion under covalent constraint. Dalton Transactions. 2009(40):8493-8508.
3272. Basińska, T.; Królik, S., and Słomkowski, S. Hydrop-hilic microspheres containing alpha-tert-butoxy-omega-vinylbenzyl-polyglycidol for immunodiagnostics: synthesis, properties and biomedical applications. Macromol Symp. 2009; **281**:96-105.
3273. Baško, M.; Biedroń, T., and Kubisa, P. Cationic polymerization of styrene involving ionization of the C-Cl bond in ionic liquid/SO₂ mixture. J Polym Sci A: Polym Chem. 2009; **47**:(20):5251-5257.
3274. Bałczewski, P. and Bodzioch, A. Quinquevalent phosphorus compounds. Allen, D. W. and Tebby, J. C., Eds. Organophosphorus chemistry. RSC Publishing; 2009; pp. 279-317.
3275. ---. Recent progress in synthetic and mechanistic aspects of phosphonate C-radical chemistry. Phosphorus, Sulfur and Silicon and the Related Elements. 2009; **184**:(4):1076-1090.
3276. Bałczewski, P.; Żurawiński, R.; Mikina, M., and Dudziński, B. Synthesis of polyamino nitriles, en route to acylpolyamine neurotoxins, via the regioselective michael cyanoethylation of unprotected polyamines. Unusual behaviour of 1-(2-aminoethyl)piperazine. Tetrahedron. 2009; **65**:(42):8727-8732.
3277. Brzozowski, R.; Wasiak, M.; Piekarski, H.; Sovak, P.; Uznański, P., and Moneta, M. Properties of Mn-doped FINEMET. Journal of Alloys and Compounds. 2009; **470**:5-11.
3278. Cypryk, M. General review on polysiloxane synthesis. DeJaeger, R. and Gleria, M., Eds. Silicon-based

inorganic polymers. New York: Nova Science Publishers Inc; 2009; pp. 1-59.
Notes: ISBN: 9781604563429

3279. Cypryk, M.; Delczyk, B.; Juhari, A., and Koynov, K. Controlled synthesis of trifluoropropylmethylsiloxane-dimethylsiloxane gradient copolymers by anionic ROP of cyclotrisiloxanes. *J Polym Sci A: Polym Chem*. 2009; **47**:(4):1204-1216.
3280. Cypryk, M.; Pospiech, P.; Strzelec, K., and Sobczak, J. W. Soluble alkylthiopolysiloxane-supported palladium catalysts for the Heck reaction. *Phosphorus, Sulfur and Silicon and the Related Elements* . 2009; **184**:1586-1598.
3281. Czech, A.; Ganicz, T.; Noskowska, M.; Stańczyk, W. A., and Szeląg, A. Phenylethenyl-substituted silicones via Heck coupling reaction. *J Organomet Chem*. 2009; **694**:(21):3386-3389.
3282. Danko, M.; Libiszowski, J.; Wolszczak, M.; Racko, D., and Duda, A. Fluorescence study of the dynamics of a star-shaped poly(epsilon-caprolactone)s in THF: a comparison with a star-shaped poly(L-lactide)s. *Polymer*. 2009; **50**:(10):2209-2219.
3283. Drabowicz, J. and Kielbasiński, P. Professor Marian Mikołajczyk tribute. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2009; **184**:(4):808-814.
3284. Drabowicz, J.; Kielbasiński, P.; Łyżwa, P.; Mikołajczyk, M., and Zając, A. Product class 15: Alkylphosphonic acids and derivatives. Mathey, F., Ed. *Science of synthesis*. Thieme; 2009; pp. 679-778.
3285. Drabowicz, J.; Krasowska, D., and Wicha, J. Reduction of other hetero-functionalities. Hiemstra, H., Ed. *Science of synthesis*. Thieme; 2009; pp. 245-264.
3286. Drabowicz, J.; Lewkowski, J.; Stevens, C. V.; Krasowska, D., and Karpowicz, R. Product class 14: Dialkylphosphinic acids [R₂P(O)(OH)] and derivatives. Mathey, F., Ed. *Science of synthesis*. Thieme; 2009; pp. 633-678.
3287. Duda, A. and Kowalski, A. Thermodynamics and kinetics of ring-opening polymerization. Dubois, Ph.; Degée, Ph.; Coulembier, O., and Raquez, J. M., Eds. *Handbook of ring-opening polymerization*. Weinheim: Wiley-VCH; 2009; pp. 1-51.
Notes: ISBN-10: 3-527-31953-0
3288. Duda, A. and Szymański, R. Konformacja i konfiguracja makrocząsteczek. Galina, H., Red. *Podstawy chemii makrocząsteczek i polimerów*. Warszawa: WNT; 2009; pp. 75-114.
Notes: ISBN-13: 9788320431674
3289. Dąbkowski, W. and Kazimierczak, Ł. O-methyl-bis-O-(4-nitrophenyl)phosphite: a novel chemoselective O-phosphitylating reagent. *Tetrahedron Lett*. 2009; **50**:(35):5035-5039.
3290. Dąbkowski, W. and Michalski, J. Unconventional activators in the synthesis of oligonucleotides and their structural analogues. *Heterocycles*. 2009; **79**:265-276.
3291. Dąbkowski, W.; Ożarek, A.; Olejniczak, S.; Cypryk, M.; Chojnowski, J., and Michalski, J. Studies on the efficient generation of phosphorus-carbon bonds via a rearrangement of P-III esters catalysed by trimethylhalosilanes. *Chem-Eur J*. 2009; **15**:(7):1747-1756.
3292. Ganicz, T. and Stańczyk, W. A. Side chain liquid crystal polymers (SCLCP): methods and materials. An overview. *Materials*. 2009; **2**:95-128.
3293. Ganicz, T.; Stańczyk, W. A.; Chmielecka, J., and Kowalski, J. Liquid crystalline polycarbosilanes and

poly(di-n-butylsiloxane) as stationary phases in gas chromatography. *Polymer International*. 2009; **58**:(3 Sp Iss SI):248-254.

3294. Gałęski, A. and Regnier, G. Nano- and micromechanics of crystalline polymers . Karger-Kocsis, J. and Fakirov, S., Eds. Nano and micro-mechanics of polymer blends and composites. Monachium, Cincinatti: HANSER; 2009; pp. 3-58.
3295. Grande, D.; Ganicz, T.; Stańczyk, W. A.; Lacoudre, N., and Boileau, S. Novel oligocarbosilazanes bearing promesogenic and groups. *Express Polymer Letters*. 2009; **3**:(7):446-451.
3296. Gulea, M.; Kwiatkowska, M.; Łyżwa, P.; Legay, R.; Gaumont, A.-C., and Kielbasiński, P. Michael addition to a chiral non-racemic 2-phosphono-2,3-didehydrothiolane S-oxide. *Tetrahedron: Asymmetry*. 2009; **20**:(3):293-297.
3297. Handke, M.; Handke, B.; Kowalewska, A., and Jastrzębski, W. New polysilsesquioxane materials of ladder-like structure. *J Mol Struct*. 2009; **924-926**:(Sp. Iss. SI):254-263.
3298. Handke, M.; Jastrzębski, W.; Kowalewska, A., and Mozgawa, W. Spectroscopic study of preceramic polymers (xerogels) obtained by hydrolytic condensation of ethoxycyclosiloxanes. *J Mol Struct*. 2009; **924-926**:(Sp. Iss. SI):248-253.
3299. Hayashi, A.; Nakanishi, Y.; Furuta, A.; Drabowicz, J.; Sasamori, T., and Tokitoh, N. How does non-covalent Se •••Se=O interaction stabilize selenoxides at naphtalene 1,8-positions: structural and theoretical investigations. *New J Chem*. 2009; **33**:(1):196-206.
3300. Hess, M.; Jones, R. C.; Kahovec, J.; Kitayama, T.; Kratochvil, P.; Kubisa, P.; Mormann, W.; Stepto, R. F. T.; Tabak, D.; Vohlidal, J., and Wilks, E. S. Terminology of polymers containing ionizable or ionic groups and of polymers containing ions VII. 3. *J Chem Chem Eng*. 2009; **58**:453-459.
Notes: Publikacje z prac Komisji Terminologii IUPAC - tłumaczenie oryginalnych prac
3301. Horie, K.; Baron, M.; Fox, R. B.; He, J.; Hess, M.; Kahovec, J.; Kitayama, T.; Kubisa, P.; Marechal, E.; Mormann, W.; Stepto, R. F. T.; Tabak, D.; Vohlidal, J.; Wilks, E. S.; Work, W. J., and Jarm, V. Definition of terms relating to reactions of polymers and to functional polymeric materials. *J Chem Chem Eng*. 2009; **58**:441-452.
Notes: Publikacje z prac Komisji Terminologii IUPAC - tłumaczenie oryginalnych prac
3302. Janikowska, G.; Fortuniak, W.; Mizerska, U., and Chojnowski, J. Zastosowanie metod chemometrycznych do oceny właściwości algicydowych wybranych pochodnych siloksanowych. Zuba, D. and Parczewski, A. *Chemometria w nauce i praktyce*. Kraków: Wydawnictwo Instytutu Ekspertyz Sądowych; 2009.
3303. Kaczmarek, R.; Baraniak, J., and Stec, W. J. A novel approach to the preparation of peptide-oligonucleotide conjugates. *Synlett*. 2009(14):2269-2272.
3304. Koprowski, M.; Szymańska, D.; Bodzioch, A.; Marciniak, B.; Różycka-Sokołowska, E., and Bałczewski, P. Synthesis of beta-ketophosphonates with electron rich beta-aryl groups as useful organophosphorus reagents in lignans synthesis. *Tetrahedron*. 2009; **65**:(20):4017-4024.
3305. Kowalewska, A.; Delczyk, B., and Chruściel, J. Chain mobility in bulky carbosilane modified polymeric siloxane systems. *E-Polymers*. 2009:013.
3306. Kowalewska, A.; Fortuniak, W., and Handke, B. New hybrid silsesquioxane materials with sterically hindered carbosilane side groups. *J Organomet Chem*. 2009; **694**:(9-10):1345-1353.
3307. Kowalewska, A.; Fortuniak, W.; Różga-Wijas, K., and Handke, B. Thermolysis of new hybrid

silsesquioxane-carbosilane materials. *Thermochimica Acta*. 2009; **494**:(1-2):45-53.

3308. Kubiak, K. and Nawrot, B. RNAi w terapii. *Biotechnologia*. 2009; **84**:(1):132-151.
3309. Kubisa, P. Ionic liquids as solvents for polymerization processes-progress and challenges. *Progr Polym Sci*. 2009; **34**:(12):1333-1347.
3310. Kurjata, J.; Fortuniak, W.; Rubinsztajn, S., and Chojnowski, J. B(C₆F₅)(3) catalyzed dehydrocarbon polycondensation of PhSiH₃ with (MeO)(4)Si as model polyfunctional comonomers in new route to hydrophobic silicone TQ resins. *Europ Polym J*. 2009; **45**:(12):3372-3379.
3311. Lacour, M. A.; Zabłocka, M.; Caminade, A.-M., and Taillefer, M. Design of phosphonium ended dendrimers bearing functionalized amines. *Tetrahedron Lett*. 2009; **50**:(34):4870-4873.
3312. Leśniak, S.; Rachwalski, M.; Sznajder, E., and Kielbasiński, P. New highly efficient aziridine-functionalized tridentate sulfinyl catalysts for enantioselective diethylzinc addition to carbonyl compounds. *Tetrahedron: Asymmetry*. 2009; **20**:(20):2311-2314.
3313. Ma, C.-H.; Kachroo, A. H.; Maciaszek, A.; Chen, T.-Y.; Guga, P., and Jayaram, M. Reactions of Cre with methylphosphonate DNA: similarities and contrasts with Flp and vaccina topoisomerase. *PLoS ONE*. 2009; **4**:(9):e7248 1-12.
3314. Ma, C.-H.; Rowley, P. A.; Maciaszek, A.; Guga, P., and Jayaram, M. Active site electrostatics protect genome integrity by blocking abortive hydrolysis during DNA recombination. *EMBO J*. 2009; **28**:(12):1745-1756.
3315. Malinowska, E.; Krzyczkowski, W.; Herold, F.; Łapienis, G.; Ślusarczyk, J.; Suchocki, P.; Kuraś, M., and Turlo, J. Biosynthesis on selenium-containing polysaccharides with antioxidant activity in liquid culture of *Herichium erinaceum*. *Enzyme and Microbial Technology*. 2009; **44**:(5):334-343.
3316. Malinowska, E.; Krzyczkowski, W.; Łapienis, G., and Herold, F. Improved simultaneous production of mycelial biomass and polysaccharides by submerged culture of *Herichium erinaceum*: optimization using a central composite rotatable design (CCRD). *J Industrial Microbiology & Biotechnology*. 2009; **36**:(12):1513-1527.
3317. Marciniak, B.; Potrzebowski, M. J.; Kownacki, I., and Szubert, K. Well-defined surface rhodium siloxide complexes and their application to catalysis. Basset, J.-M.; Psaro, R.; Roberto, D., and Ugo, R., Eds. *Modern surface organometallic chemistry*. 2009: Wiley-VCH; 2009; pp. 293-312.
3318. Marciniak, B.; Szubert, K.; Fiedorow, R.; Kownacki, I.; Potrzebowski, M. J.; Dutkiewicz, M., and Franczyk, A. Catalysis of hydrosilylation by well-defined rhodium siloxide complexes immobilized on silica. *J Mol Catal A-Chem*. 2009; **310**:(1-2):9-16.
3319. Marciniak, B.; Szubert, K.; Potrzebowski, M. J.; Kownacki, I., and Maciejewski, H. Catalysis of hydrosilylation by well-defined surface rhodium-siloxide phosphine complexes. *Heterogenous & Homogeneous & Bio-Catalysis: ChemCatChem: A Catalyst for Communication*. 2009; **1**:304-310.
3320. Marciniak, B.; Szubert, K.; Potrzebowski, M. J.; Kownacki, I., and Maciejewski, H. Catalysis of hydrosilylation by well-defined surface rhodium siloxide phosphine complexes. *CHEMCATCHEM*. 2009; **1**:(2):304-310.
3321. Marzantowicz, M.; Dygas, J. R.; Krok, F.; Tomaszewska, A.; Florjańczyk, Z.; Zygadło-Monikowska, E., and Łapienis, G. Star-branched poly(ethylene oxide) LiN(CF₃SO₂)(2): a promising polymer electrolyte. *Journal of Power Sources*. 2009; **194**:(1):51-57.
- Notes: Sp Iss SI

3322. Matsuo, M.; Luo, Y. L., and Gałęski, A. Gauche-trans transitions in amorphous polymers under annealing: lattice model and polarized light scattering. *Physical Review E*. 2009; **79**:(4):041801.
Notes: Part 1
3323. Mikołajczyk, M.; Łuczak, J.; Kielbasiński, P., and Colonna, S. Biocatalytic oxidation of thiophosphoryl compounds: a new chemo-enzymatic approach to enantiomeric insecticidal thionophosphates and their oxons. *Tetrahedron: Asymmetry*. 2009; **20**:(16):1948-1951.
3324. Mizerska, U.; Fortuniak, W.; Chojnowski, J.; Halasa, R.; Konopacka, A., and Werel, W. Polysiloxane cationic biocides with imidazolium salt (ImS) groups, synthesis and antibacterial properties. *Europ Polym J*. 2009; **45**:(3):779-787.
3325. Mohanraj, J.; Barton, D. C.; Gałęski, A., and Ward, I. M. Orientation of polyoxymethylene by plane strain compression and rolling with side constraints. *Plastics Rubber and Composites*. 2009; **38**:(1):10-12.
3326. Moneta, M.; Brzozowski, R.; Wasiak, M., and Uznański, P. Properties of FINEMET with Fe partially replaced by MN. *Nuclear Instruments and Methods in Physics Research B*. 2009; **267**:411-414.
3327. Nawrot, B. and Rębowska, B. DNA oligonucleotides containing stereodefined phosphorothioate linkages in selected positions. *Curr Protoc Nucleic Acid Chem*. 2009; Chapter 4(Unit 4.34).
3328. Nawrot, B. and Sochacka, E. Preparation of short interfering RNA containing the modified nucleosides 2-thioridine, pseudouridine or dihydrouridine. *Curr Protoc Nucleic Acid Chem*. 2009; Chapter 16(Unit 16.2).
3329. Olejnik, K.; Płochocka, D.; Grynberg, M.; Goch, G.; Gruszecki, W.; Basińska, T., and Kraszewska, E. Mutational analysis of the AtNUDT7 Nudix hydrolase from *Arabidopsis thaliana* reveals residues required for protein quaternary structure formation and activity. *Acta Biochimica Polonica*. 2009; **56**:(2):291-300.
3330. Olesiak, M. and Okruszek, A. Studies of asymmetric induction in the synthesis of dinucleoside phosphorothioates from 2-oxo-1,3,2-dithiaphospholane nucleoside derivatives. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2009; **184**:1548-1560.
3331. Olesiak, M.; Stec, W. J., and Okruszek, A. The synthesis of di- and oligo-nucleotides containing a phosphorodithioate internucleotide linkage with one of the sulfur atoms in a 5'-bridging position. *Organic & Biomolecular Chemistry*. 2009; **7**:(10):2162-2169.
3332. Owsianik, K.; Chauvin, R.; Balińska, A.; Wieczorek, M.; Cypryk, M., and Mikołajczyk, M. Boronation of 1,8-bis(diphenylphosphino)naphthalene: formation of cyclic boronium salts. *Organometallics* . 2009; **28**:(17):4929-4937.
3333. Padie, C.; Maszewska, M.; Majchrzak, K.; Nawrot, B.; Caminade, A.-M., and Majoral, J.-P. Polycationic phosphorus dendrimers: synthesis, characterization, study of cytotoxicity, complexation of DNA, and transfection experiments. *New J Chem*. 2009; **33**:(2):318-326.
3334. Paluch, P. and Potrzebowski, M. J. Combined solid state NMR and ONIOM studies of reversible crystalline phase reaction for nickel coordination compounds. *Solid State Nucl Magn Res*. 2009; **36**:(2):103-109.
3335. Pawlak, A. and Gałęski, A. Powstawanie kawitacji podczas deformacji plastycznej polimerówSteller, R. and Żuchowska, D., Red. *Modyfikacja polimerów. Stan i perspektywy w roku 2009*. Wrocław: Wyd. Politechniki Wrocławskiej; 2009471-474ZFP.

3336. Penczek, S. Podstawy chemii makrocząsteczek i polimerów. Galina, H., Red. Fizyka materiałów polimerowych. Makrocząsteczki i ich układy. Warszawa: WNT; 2009; pp. 26-45.
Notes: ISBN-13: 9788320431674
3337. Penczek, S.; Cypryk, M.; Duda, A.; Kubisa, P., and Słomkowski, S. Living ring-opening polymerization of heterocyclic monomers. Matyjaszewski, K. and Mueller, A. H. E., Eds. Controlled and living polymerizations. From mechanisms to applications. Weinheim: Wiley-VCH Verlag GmbH & Co. KGaA; 2009; pp. 241-296.
3338. Penczek, S.; Kałużyński, K., and Pretula, J. Determination of copolymer localization in polymer-CaCO₃ hybrids formed in mediated crystallization. J Polym Sci A: Polym Chem. 2009; **47**:(17):4464-4467.
3339. Penczek, S.; Kałużyński, K., and Pretula, J. Hybrids of dihydrophilic ionic-nonionic block copolymers and CaCO₃. Determination of the number of CaCO₃ molecules attached to the ionic groups. Vysokomol Soedin. 2009; **51**:2021-2025.
Notes: Polym Sci Ser A, **51**, 1282-1286 (2009)
3340. ---. Phosphorylation of polyols with H₃PO₄: towards simple synthesis of poly(alkylene phosphate)s. Phosphorus, Sulfur and Silicon and the Related Elements . 2009; **184**:1935-1945.
3341. Penczek, S.; Kałużyński, K.; Wiśniewski, B.; Pretula, J.; Szymański, R., and Łapienis, G. The MPEG monophosphate ester: synthesis and characterization. J Biomater Sci Polym Ed. 2009; **20**:(14):2103-2116.
3342. Perlikowska, W. and Mikołajczyk, M. A short synthesis of enantiomeric phytoprostanes B-1 type I. Synthesis. 2009(16):2715-2718.
3343. Pietrzak, Ł. and Jeszka, J. K. Gold nanoparticles grown on multiwall carbon nanotubes. Materials Science-Poland. 2009; **27**:(3):693-698.
3344. Piórkowska, E.; Kuliński, Z., and Gadzinowska, K. Plastyfikacja polilaktydu. Polimery. 2009; **54**:83-90.
3345. Pluta, M.; Murariu, M.; Dubois, Ph., and Gałęski, A. Modyfikacja właściwości użytkowych polilaktyduSteller, R. and Żuchowska, D., Red. Modyfikacja polimerów. Stan i perspektywy w roku 2009. Wrocław: Wydawnictwo Politechniki Wrocławskiej; 2009231-236ZFP //SPSP.
3346. Podborska, A.; Gawęł, B.; Pietrzak, Ł.; Szymańska, I. B.; Jeszka, J. K.; Łasocha, W., and Szaciłowski, K. Anomalous photoconductivity in CdS in the Urbach Tail Region. J Phys Chem C. 2009; **113**:6774-6784.
3347. Potrzebowski, M. J. Organic & pharmaceutical chemistry. Harris, R. K.; Wasylishen, R., and Duer, M., Eds. NMR crystallography. Chichester: John Wiley & Sons Ltd; 2009; pp. 435-453.
3348. Potrzebowski, M. J. and Paluch, P. Combined solid state NMR and ONIOM studies of reversible crystalline phase reaction for nickel organometallic complexes. Solid State Nucl Magn Res. 2009; **36**:103-109.
3349. Pracella, M.; Haque, M.-Ul; Guerra, G. D.; Barbani, N., and Piórkowska, E. Compatibilization and property control of polyolefin and polyester composites containing natural fibresGuemes, A.; Kenny, J.; Urena, A.; Vasquez, A., and Mondragon, I. Proceedings of V International Conference on Science and Technology of Composite Materials COMATCOMP-09; Donostia - San Sebastian, Spain. 2009643-646.
Notes: ISBN 978-84-692-5483-7

3350. Przerwa, E.; Sosnowski, S., and Słomkowski, S. Assemblies of poly(styrene/ α -tert-butoxy- ω -vinyl-benzyl-polyglycidol) microspheres with different diameters deposited on mica plates. *Polymer Science Series A*. 2009; **51**:2026-2036.
Notes: The Journal of the Russian Academy of Science
3351. Puszkarz, A.; Wasiak, M.; Uznański, P.; Sovak, P., and Moneta, M. Structural properties and Mossbauer spectroscopy of Finemet (TM) doped with Ge. *Vacuum*. 2009; **83**:(Sp. Iss. SI Suppl. 1):S245-S248.
3352. Pęcherzewska, R. and Nawrot, B. FHIT-białko supresorowe zaangażowane w indukcję apoptozy i regulację cyklu komórkowego. *Postępy Biochemii*. 2009; **55**:(1):66-75.
3353. Rachwalski, M.; Leśniak, S.; Sznajder, E. , and Kielbasiński, P. Highly enantioselective Henry reaction catalyzed by chiral tridentate heteroorganic ligands. *Tetrahedron: Asymmetry*. 2009; **20**:(13):1547-1549.
3354. Raquez, J. M.; Coulembier, O.; Duda, A.; Narayan, R., and Dubois, Ph. Recent advances in the synthesis and applications of poly(1,4-dioxan-2-one) based copolymers. *Polimery*. 2009; **54**:(3):165-178.
3355. Rassukana, Y. V.; Onys'ko, P. P.; Lolotylo, M. V.; Sinita, A. D.; Łyżwa, P., and Mikołajczyk, M. A new strategy for asymmetric synthesis of aminophosphonic acid derivatives: the first enantioselective catalytic reduction of C-phosphorylated imines. *Tetrahedron Lett*. 2009; **50**:(3):288-290.
3356. Róžański, A.; Monasse, B.; Szkudlarek, E.; Pawlak, A.; Piórkowska, E.; Gałęski, A., and Haudin, J. M. Shear-induced crystallization of isotactic polypropylene based nanocomposites with montmorillonite. *Europ Polym J*. 2009; **45**:(1):88-101.
3357. Sierant, M.; Kubiak, K.; Kaźmierczak-Barańska, J.; Warashina, M.; Kuwabara, T., and Nawrot, B. Evaluation of BACE1 silencing in cellular models. *International Journal of Alzheimer's Disease*. 2009:Article ID 257403, 10 pages.
3358. Sobczyk-Guzenda, A.; Gazicki-Lipman, M.; Szymanowski, H.; Kowalski, J. PŁ; Wojciechowski, P.; Halamus, T., and Tracz, A. Characterization of thin TiO₂ films prepared by plasma enhanced chemical vapour deposition for optical and photocatalytic applications. *Thin Solid Films*. 2009; **517**:(18):5409-5414.
3359. Sroka-Bartnicka, A.; Olejniczak, S.; Ciesielski, W.; Nosal, A.; Szymanowski, H.; Gazicki-Lipman, M., and Potrzebowski, M. J. Solid state NMR study and density functional theory (DFT) calculations of structure and dynamics of poly(p-xylylenes). *J Phys Chem B*. 2009; **113**:(16):5464-5472.
3360. Sroka-Bartnicka, A.; Olejniczak, S.; Sochacki, M.; Biela, T., and Potrzebowski, M. J. Solid-state NMR spectroscopy as a tool supporting optimization of MALDI-TOF MS analysis of polylactides. *Journal of the American Society for Mass Spectrometry*. 2009; **20**:(1):67-72.
3361. Stec-Michalska, K.; Malicki, S.; Michalski, B.; Pęczek, Ł.; Wiśniewska-Jarosińska, M., and Nawrot, B. Gastric ghrelin level in relation to gender, stomach topography and Helicobacter pylori infection in patients with functional dyspepsia. *World Journal of Gastroenterology*. 2009; **15**:(43):5409-5417.
3362. Stec-Michalska, K.; Malicki, S.; Pęczek, Ł.; Michalski, B.; Wiśniewska-Jarosińska, M.; Krakowiak, A., and Nawrot, B. Helicobacter pylori infection and family history of gastric cancer decrease expression of FHIT tumor suppressor gene in gastric mucosa of dyspeptic patients. *Helicobacter*. 2009; **14**:(5):126-134.
3363. Stec-Michalska, K.; Pęczek, Ł.; Michalski, B.; Wiśniewska-Jarosińska, M., and Nawrot, B. Gastric ghrelin

level versus body mass index (BMI) in functional dyspeptic patients with H. pylori infection. Clin Exp Med Lett. 2009; **50**:(3):149-153.

3364. Sutou, S.; Kunishi, M.; Kudo, T.; Takagi, Y.; Sierant, M.; Sano, M., and Miyagishi, M. Knockdown of severe acute respiratory syndrome corona virus (SARS-CoV) gene by small interfering RNA (SiRNA) using siRNA-expression vectors and synthetic double-stranded RNA (dsRNA) as a model for siRNA design. Genes and Environment. 2009; **31**:(1):15-23.
3365. Szeląg, A.; Trybała, A., and Stańczyk, W. A. Liquid crystals monolayers on silicon surface. Polish Journal of Applied Chemistry. 2009; **LIII**:(1):93-99.
3366. Szymański, R. On the determination of the ratios of the propagation rate constants on the basis of the MWD of copolymer chains: a new Monte Carlo algorithm. E-Polymers. 2009:044.
3367. Słomkowski, S. Biopolimery i ich zastosowanie w medycynie. Acta Biochimica Polonica. 2009; **Supplement 3**:160.
Notes: XLIX Zjazd PTBioch, Łódź, 16-19 września, 2009
3368. Słomnicki, L. P.; Nawrot, B., and Legniak, W. S100A6 binds p53 and affects its activity. Int J Biochem Cell Biol. 2009; **41**:(4):784-790.
3369. Tranchida, D. D.; Bartczak, Z.; Bieliński, D. M.; Kiflie, Z.; Gałęski, A., and Piccarolo, S. Linking structure and nanomechanical properties via instrumented nanoindentations on well-defined and fine-tuned morphology poly(ethylene). Polymer. 2009; **50**:(8):1939-1947.
3370. Trzeciak-Karlikowska, K.; Bujacz, A.; Jeziorna, A.; Ciesielski, W.; Bujacz, G. D.; Gajda, J.; Pentak, D., and Potrzebowski, M. J. Solid-state NMR and X-ray diffraction study of structure and dynamics of dihydrate and anhydrous form of Tyr-Ala-Phe. Crystal Growth & Design. 2009; **9**:(9):4051-4059.
3371. Turlo, J.; Gutkowska, B.; Herold, F.; Cieślak, M., and Kaźmierczak-Barańska, J. Isolation, composition analysis, antioxidant activity and cytotoxicity of selenium-enriched polysaccharide fractions isolated from Lentinula edodes mycelial cultures. New Biotechnology . 2009; **25**:S12 Suppl. 1.
3372. Uznański, P.; Kurjata, J., and Bryszewska, E. Modification of gold nanoparticle surfaces with pyrenedisulfide in ligand-protected exchange reactions. Materials Science-Poland. 2009; **27**:(3):659-670.
3373. Walkiewicz-Pietrzykowska, A.; Wróbel, A. M., and Głębocki, B. Properties of amorphous hydrogenated silicon carbide (a-SiC:H) films formed by remote hydrogen microwave plasma CVD from a triethylsilane precursor. Part 2. Chem Vap Deposition . 2009; **15**:47-52.
3374. Wang, H. P.; Keum, J. K.; Hiltner, A.; Baer, E.; Freeman, B.; Różański, A., and Gałęski, A. Confined crystallization of polyethylene oxide in nanolayer assemblies. Science. 2009; **323**:(5915):757-760.
3375. Wang, P.; Chun, B.-K.; Rachakonda, S.; Du, J.; Khan, N.; Shi, J.; Stec, W. J.; Cleary, D.; Ross, B. S., and Sofia, M. J. An efficient and diastereoselective synthesis of PSI-6130: a clinically efficacious inhibitor of HCV NS5B polymerase. J Org Chem. 2009; **74**:(17):6819-6824.
3376. Wijdeven, M. A.; Kielbasiński, P., and Rutjes, F. P. J. T. Enzyme-promoted desymmetrization of prochiral dinitriles . Whittall, J. and Sutton, P. W., Eds. Practical methods in biocatalysis and biotransformations. J. Wiley; 2009; pp. 186-189.
Notes: ISBN 978-0-470-51927-1
3377. Woźniak, L. A.; Bukowiecka-Matusiak, M.; Burzyńska-Pędziwiatr, I., and Stec, W. J. Stereodefined

dinucleoside (3',5')-propionamidophosphonates and beta-cyanoethylphosphonates and their incorporation into modified oligonucleotides. *Tetrahedron Lett.* 2009; **50**:(22):2620-2623.

3378. Woźniak, P.; Sosnowski, S., and Słomkowski, S. Reinforced polymer for scaffolds for bone tissue regeneration. *Polish Journal of Applied Chemistry.* 2009; **53**:195-201.
3379. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Ahola, M.; Vayrynen, I. J.; Ferrer-Fernandez, F. J., and Gonzalez-Eliphe, A. R. Growth mechanism and chemical structure of amorphous hydrogenated silicon carbide (a-SiC:H) films formed by remote hydrogen microwave plasma CVD from a triethylsilane precursor: Part 1. *Chem Vap Deposition.* 2009; **15**:(1-3):39-46.
3380. Zenkiewicz, M.; Rytlewski, P.; Tracz, A.; Mróz, W., and Richert, J. Effects of laser radiation on some properties of the surface layer of polycarbonate. *Polimery.* 2009; **54**:(9):639-647.
3381. Łapienis, G. Functionalized star-shaped polymers having PEO and/or polyglycidyl arms and their properties. *Polymer.* 2009; **50**:77-84.
3382. Łapienis, G. Star-shaped polymers having PEO arms. *Progr Polym Sci.* 2009; **34**:(9):852-892.
3383. Ławecka, J.; Bujnicki, B.; Drabowicz, J.; Łuczak, J., and Rykowski, A. Synthesis of enantiomerically enriched mono and bis 2,2'-bipyridine alkyl sulfoxides and their first application as chiral auxiliaries 1. Phosphorus, Sulfur and Silicon and the Related Elements. 2009; **184**:(5):1247-1256.
3384. Żurawiński, R.; Lepetit, C.; Canac, Y.; Mikołajczyk, M., and Chauvin, R. From neutral to anionic eta(1)-carbon ligands: experimental synthesis and theoretical analysis of a rhodium-yldiide complex . *Inorg Chem.* 2009; **48**:(5):2147-2155.
3385. Bartczak, Z. Effect of chain entanglements on plastic deformation behavior of ultra-high molecular weight polyethylene. *J Polym Sci B: Polym Phys.* 2010; **48**:(3):276-285.
3386. Bartczak, Z. Polimerowe materiały orientowane i 'superwytrzymałe'. *Innowacje w Materiałach Przemysłowych i Technologiach.* 2010(3 (4)):25-29. ISSN: 2080-8259.
3387. Bartczak, Z. and Gałęski, A. Plasticity of semicrystalline polymers. *Macromol Symp.* 2010; 294-I:67-90. Notes: Layered nanostructures - polymers with improved properties Eds. Michler GH; Henning S. Symposium on Layered Nanostructures, Leucorea, Lutherstadt Wittenberg, Germany, MAY 12-13, 2009
3388. Basińska, T. and Słomkowski, S. Polymer nano- and microparticle based systems for medical diagnostics. *Macromol Symp.* 2010; **295**:13-22.
3389. Baško, M. and Kubisa, P. Cationic polymerization of L, L-lactide. *J Polym Sci A: Polym Chem.* 2010; **48**:(12):2650-2658.
3390. Bałczewski, P. and Bodzioch, A. Quinquevalent phosphorus acids. Allen, D. W.; Tebby, J. C., and Loakes, D., Eds. *Organophosphorus Chemistry.* Cambridge: RSC Publishing; 2010; pp. 238-289.
3391. Bałczewski, P. and Bodzioch, A. Synthesis of polycyclic, linearly fused heteroaromatic hydrocarbons containing nitrogen and sulfur atoms. *Chemistry, Environment and Biotechnology.* 2010; **1**:7-31.
3392. Bałczewski, P.; Bodzioch, A.; Różycka-Sokołowska, E.; Marciniak, B., and Uznański, P. First approach to nitrogen-containing fused aromatic hydrocarbons as targets for organoelectronics utilizing a new transformation of O-protected diaryl methanols. *Chem-Eur J.* 2010; **16**:(8):2392-2400.

3393. Bednarek, M.; Biedroń, T., and Kubisa, P. Aggregation of epsilon-caprolactone polymers containing at one chain end different number of carboxyl groups in the presence of calcium cations. *J Polym Sci A: Polym Chem.* 2010; **48**:(23):5630-5635.
3394. Bednarek, M. and Pluta, M. Oligomeric branched polyethers with multiple hydroxyl groups by cationic ring-opening polymerization for inorganic surface modification. *Macromol Symp.* 2010; **287**:119-126.
Notes: 4th International Symposium on Macro- and Supramolecular Architecture and Materials Dusseldorf, GERMANY, Sep 07-11, 2008
Int Union Pure & Appl Chem; German Res Fdn
3395. Biczak, R.; Bachowska, B., and Bałczewski, P. Badanie fitotoksyczności cieczy jonowej chlorek 1-(metylotiometylo)-3-butyimidazoliowy. *Proceedings of EC Opole.* 2010; **4**:105-114.
3396. Brzeziński, S.; Tracz, A.; Połowiński, S., and Kowalczyk, D. Effect of corona discharge on the morphology of polyester fiber top layer. *J Appl Polym Sci.* 2010; **116**:(6):3659-3667.
3397. Błaziak, D.; Guga, P.; Jagiełło, A.; Korczyński, D.; Maciaszek, A.; Nowicka, A.; Pietkiewicz, A., and Stec, W. J. Stereoselective formation of a P-P bond in the reaction of 2-alkoxy-2-thio-1,3,2-oxathiaphospholanes with O,O-dialkyl H-phosphonates and H-thiophosphonates. *Organic & Biomolecular Chemistry.* 2010; **8**:(24):5505-5510.
3398. Caminade, A.-M.; Laurent, R.; Turrin, C. O.; Rebout, C.; Delavaux-Nicot, B.; Ouali, A.; Zabłocka, M., and Majoral, J.-P. Phosphorus dendrimers as viewed by P-31 NMR spectroscopy; synthesis and characterization. *CR Chimie.* 2010; **13**:(8-9):1006-1027.
3399. Cavero, E.; Zabłocka, M.; Caminade, A.-M., and Majoral, J.-P. Design of bisphosphonate-terminated dendrimers. *Eur J Org Chem.* 2010(14):2759-2767.
3400. Cypryk, M. and Delczyk-Olejniczak, B. Copolymerization of functional cyclotrisiloxanes - a reactivity comparison. *Polimery.* 2010; **55**:(7-8):503-511.
3401. Cypryk, M. and Krasieński, G. DFT study of the silyl esters of thiophosphorus acids. *Silicon.* 2010; **2**:247-252.
3402. Cypryk, M. and Krasieński, G. Theoretical studies of polymerization reactions. Paneth, P. and Dybała-Defratyka, A., Eds. *Kinetics and dynamics from nano- to bio-scale.* Springer; 2010; pp. 157-186.
Notes: ISBN: 978-90-481-3033-7
3403. Cypryk, M.; Pospiech, P.; Strzelec, K.; Wąsikowska, K., and Sobczak, J. W. Soluble polysiloxane-supported palladium catalysts for the Mizoroki-Heck reaction. *J Mol Catal A-Chem.* 2010; **319**:(1-2):30-38.
3404. De Blieck, A.; Masschelein, K. G. R.; Dhaene, F.; Różycka-Sokołowska, E.; Marciniak, B.; Drabowicz, J., and Stevens, C. V. One-pot tandem 1,4-1,2-addition of phosphites to quinolines. *Chem Commun.* 2010; **46**:(2):258-260.
3405. Dembiński, R. and Krawczyk, E. Moore cyclization. Li, J. J. and Corey, E. J., Eds. *Name reactions for carbocyclic ring formations.* Hoboken: J Wiley & Sons; 2010; pp. 356-368.
3406. ---. Myers-Saito cyclization. Li, J. J. and Corey, E. J., Eds. *Name reactions for carbocyclic ring formations.* Hoboken: J Wiley & Sons; 2010; pp. 369-387.
3407. Drabik, E.; Błaszczak, R.; Gajda, J., and Sochacki, M. Stereochemical effects in fragmentation of

diastereoisomers of protected diethyl 1,2-diaminoalkylphosphonates. *Rapid Communications in Mass Spectrometry*. 2010; **24**:(16):2324-2328.

3408. Drabowicz, J.; Krasowska, D.; Łopusiński, A.; Heugebaert, T. S. A., and Stevens, C. V. Cyclic tri- and pentavalent amidoesters and diamides with a stereogenic phosphorus atom in asymmetric synthesis: Part I: Stoichiometric reagents. *Current Organic Chemistry* . 2010; **14**:(5):483-499.
3409. Drabowicz, J.; Krasowska, D.; Łopusiński, A., and Stevens, C. V. Selected five-membered phosphorus heterocycles containing a stereogenic phosphorus. Basnal, K. R., Ed. *Phosphorus Heterocycles* . Springer Verlag; 2010; pp. 103-147.
3410. Duda, A.; Penczek, S., and Słomkowski, S. Technologia otrzymywania biodegradowalnych poliestrów z wykorzystaniem surowców odnawialnych - BIOPOL, POIG.01.01.02-10-025/09. Materiały polimerowe. Szczecin: Wydawnictwo Uczelniane ZUT; 2010; pp. 45-50.
Notes: ISBN 978-83-7663-046-5
3411. Dąbkowski, W.; Heliński, J., and Kazmierczak, Ł. Model synthesis of 2,3:5,6-di-O-isopropylidene-S- α -D-mannofuranosyl- N,N-diisopropylphosphoramidofluoridothioate and 2,3:5,6-di-O-isopropylidene-Se- α -D-mannofuranosyl-N,N-di-isopropylphosphoramidofluorido oselenoate via P(III)-OAr intermediates and a thiono-thiolo (selenono-selenolo) rearrangement . *Arkivoc*. 2010:350-357.
Notes: Part 10
3412. Gałęski, A.; Bartczak, Z.; Kaźmierczak, T., and Slouf, M. Morphology of undeformed and deformed polyethylene lamellar crystals. *Polymer*. 2010; **51**:(24):5780-5787.
3413. Gałęski, A. and Różański, A. FLORY PRIZE Lecture: Cavitation during drawing of crystalline polymers. *Macromol Symp*. 2010; **298**:1-9.
3414. Griffete, N.; Dybkowska, M.; Głębocki, B.; Basińska, T.; Connan, C.; Maitre, A.; Chehimi, M. M.; Słomkowski, S., and Mangeney, C. Thermoresponsive colloidal crystals built from core-shell poly(styrene/ α -tert-butoxy- ω -vinylbenzylpolyglycidol) microspheres. *Langmuir*. 2010; **26**:(13):11550-11557.
3415. Guranowski, A.; Wojdyla, A. M.; Zimny, J.; Wypijewska, A.; Kowalska, J.; Łukaszewicz, M.; Jemielity, J.; Darzynkiewicz, E.; Jagiełło, A., and Bieganski, P. Recognition of different nucleotidyl-derivatives as substrates of reactions catalyzed by various HIT-proteins. *New J Chem*. 2010; **34**:(5):888-893.
3416. Jaworska, M.; Hrynczyszyn, P. B.; Welniak, M.; Wojtczak, A.; Nowicka, K.; Krasinski, G.; Kassassir, H.; Ciesielski, W., and Potrzebowski, M. J. Solid state NMR spectroscopy as a precise tool for assigning the tautomeric form and proton position in the intramolecular bridges of o-hydroxy Schiff bases. *J Phys Chem A*. 2010; **114**: (47):12522-12530.
3417. Jeszka, J. K.; Pietrzak, Ł.; Pluta, M. , and Boiteux, G. Dielectric properties of polylactides and their nanocomposites with montmorillonite. *J Non-Cryst Solids*. 2010; **356**: (11-17):818-821.
Notes: 5th International Conference on Dielectric Spectroscopy and Its Applications
Lyon, FRANCE, AUG 26-29, 2008
3418. Kachroo, A. H.; Ma, C.-H.; Rowley, P. A.; Maciaszek, A.; Guga, P., and Jayaram, M. Restoration of catalytic functions in Cre recombinase mutants by electrostatic compensation between active site and DNA substrate. *Nucleosides, Nucleotides & Nucleic Acids*. 2010; **38**:(19):6589-6601.
3419. Kaźmierczak-Barańska, J.; Pietkiewicz, A.; Janicka, M.; Wei, Y. Q.; Turrin, C. O.; Majoral, J.-P.; Nawrot, B., and Caminade, A.-M. Synthesis of a fluorescent cationic phosphorus dendrimer and

preliminary biological studies of its interaction with DNA. *Nucleosides, Nucleotides & Nucleic Acids*. 2010; **29**(3):155-167.

3420. Kielbasiński, P.; Ostaszewski, R., and Szymański, W. Enzymatic catalysis today and tomorrow. Cybulski, A.; Moulijn, J. A., and Stankiewicz, A., Eds. *Novel concepts in catalysis and chemical reactors: improving the efficiency for the future*. Weinheim: Wiley-VCH; 2010; pp. 95-120.
Notes: ISBN 9783527324699
3421. Kolesińska, B.; Kasperowicz, K.; Sochacki, M.; Jankowski, S., and Kamiński, Z. J. The design, synthesis, and application of a chiral coupling reagent derived from strychnine for the enantioselective activation of a carboxylic group. *Tetrahedron Lett*. 2010; **51**(1):20-22.
3422. Krawczyk, E. and Dembiński, R. Darzens synthesis of tetralin derivatives. Li, J. J. and Corey, E. J., Eds. *Name reactions for carbocyclic ring formations*. Hoboken: John Wiley & Sons; 2010; pp. 267-274.
3423. Krysiak, J. A.; Midura, W. H.; Wieczorek, W.; Sieroń, L., and Mikołajczyk, M. Constrained cycloalkyl analogues of glutamic acid: stereocontrolled synthesis of (+)-2-aminobicyclo[3.1.0]hexane-2,6-dicarboxylic acid (LY354740) and its 6-phosphonic acid analogue. *Tetrahedron: Asymmetry*. 2010; **21**(11-12 Sp. Iss. SI):1486-1493.
3424. Malinowska, E.; Krzyczkowski, W.; Łapienis, G., and Herold, F. Densitometric determination of carbohydrates: application to purification and molecular weight determination of polysaccharide from *Herichium erinaceum* mushroom. *Food Research International*. 2010; **43**(4):988-995.
3425. Masirek, R. and Piotrkowska, E. Nucleation of crystallization in isotactic polypropylene and polyoxymethylene with poly(tetrafluoroethylene) particles. *Europ Polym J*. 2010; **46**(7):1436-1445.
3426. Masirek, R.; Szkudlarek, E.; Piotrkowska, E.; Slouf, M.; Kratochvil, J., and Baldrian, J. Nucleation of isotactic polypropylene crystallization by gold nanoparticles . *J Polym Sci B: Polym Phys*. 2010; **48**(4):469-478.
3427. Midura, W. H. and Cypriak, M. Limitations, mechanism and understanding of the origins of stereocontrol in (S)-dimethylsulfonium-(p-tolylsulfinyl)methylide-mediated epoxidation reactions. *Tetrahedron: Asymmetry*. 2010; **21**(2):177-186.
3428. Mizerska, U.; Fortuniak, W.; Chojnowski, J.; Turecka, K.; Konopacka, A., and Werel, W. Antimicrobial siloxane statistical and graft copolymers substituted with t-butylamine and t-butylammonium biocidal functions. *J Inorg Organometal Polym Mat*. 2010; **20**(3):554-563.
3429. Monikowska, E.; Florjańczyk, Z.; Kubisa, P.; Biedroń, T.; Tomaszewska, A. obca; Ostrowska, J., and Langwald, N. Mixture of LiBF₄ and lithium difluoro(oxalato)borate for application as a new electrolyte for lithium-ion batteries. *J Power Sources*. 2010; **195**:6202-6206.
3430. Nawrot, B.; Sierant, M., and Padaszyńska, A. RNA Interference of genes related to Alzheimer's disease. Martinez, A., Ed. *Emerging Drugs and Targets for Alzheimer's Disease. Neuronal Plasticity, Neuronal Protection and Other Miscellaneous Strategies*. 2010; pp. 228-268.
Notes: ISBN: 978-1-84973-064-8
3431. Ozga, M. Hint1-nowy supresor nowotworowy w rodzinie białek HIT. *Postępy Biochemii*. 2010; **56**(1):55-60.
3432. Ozga, M.; Dolot, R.; Janicka, M.; Kaczmarek, R., and Krakowiak, A. Histidine triad nucleotide-binding protein 1 (hint-1) phosphoramidase transforms nucleoside 5'-O-phosphorothioates to nucleoside

5'-O-phosphates. *J Biol Chem.* 2010; **285**(52):40809-40818.

3433. Pavlova, E.; Slouf, M.; Sandoval, H.; Baldrian, J.; Sikora, A.; Lednický, F.; Masírek, R., and Piórkowska, E. Nucleation of polypropylene with gold nanoparticles. Part 1: Introduction of sandwich method for evaluation of very weak nucleation activity. *J Macromol Sci Phys.* 2010; **49**(2):392-404.
3434. Pawlak, A. and Gałęski, A. Cavitation and morphological changes in polypropylene deformed at elevated temperatures. *J Polym Sci B: Polym Phys.* 2010; **48**:(12):1271-1280.
3435. Pawlak, A. and Gałęski, A. Cavitation during tensile drawing of annealed high density polyethylene. *Polymer.* 2010; **51**(24):5771-5779.
3436. Pietrzak, Ł. and Jeszka, J. K. Nanokompozyty polilaktyd/wielościennie nanorurki węglowe - otrzymywanie i właściwości elektryczne. *Polimery.* 2010; **55**(7/8):524-528.
3437. Polanowski, P.; Jeszka, J. K., and Matyjaszewski, K. Modeling of branching and gelation in living copolymerization of monomer and divinyl cross-linker using dynamic lattice liquid model (DLL) and Flory-Stockmayer model. *Polymer.* 2010; **51**(25):6084-6092.
3438. Potrzebowski, M. J.; Kaźmierski, Sł.; Kassassir, H., and Miksa, B. Phosphorus-31 NMR spectroscopy of condensed matter. Elsevier; 2010; pp. 35-114.
Notes: ISBN: 978-0-12-381353-4
3439. Pruzan, R.; Zielińska, D.; Rębowska-Kocoń, B.; Nawrot, B., and Gryaznov, S. M. Stereopure oligonucleotide phosphorothioates as human telomerase substrates. *New J Chem.* 2010; **34**:(5):870-874.
3440. Puszczkarz, A.; Wasiak, M.; Różański, A.; Sovak, P., and Moneta, M. Structural and magnetic properties of Finemet™ doped with Ta. *Journal of Alloys and Compounds.* 2010; **491**:(1-2):495-498.
3441. Rachwalski, M.; Leśniak, S., and Kielbasiński, P. Highly enantioselective addition of phenylethynylzinc to aldehydes using aziridine-functionalized tridentate sulfinyl ligands. *Tetrahedron: Asymmetry.* 2010; **21**:2687-2689.
3442. Rachwalski, M.; Leśniak, S., and Kielbasiński, P. Highly enantioselective conjugate addition of diethylzinc to enones using aziridine-functionalized tridentate sulfinyl ligands. *Tetrahedron: Asymmetry.* 2010; **21**:(15):1890-92.
3443. Rodriguez, L. I.; Zabłocka, M.; Caminade, A.-M.; Seco, M.; Rossell, O., and Majoral, J.-P. Phosphorus dendrimers and dendrons functionalized with the cage ligand tris(1,2-dimethylhydrazino)diphosphane. *Heteroatom Chem.* 2010; **21**:(5):290-297.
3444. Rowley, P. A.; Kachroo, A. H.; Ma, C.-H.; Maciaszek, A.; Guga, P., and Jayaram, M. Electrostatic suppression allows tyrosine site-specific recombination in the absence of a conserved catalytic arginine. *J Biol Chem.* 2010; **285**(30):22974-22983.
3445. Różga-Wijas, K.; Fortuniak, W.; Kowalewska, A., and Chojnowski, J. Generation of 3-chloropropylsilanetriol: monomer for synthesis of 3-chloropropyl substituted oligosilsesquioxanes. *J Inorg Organometal Polym Mat.* 2010; **20**:(2):387-394.
3446. Sierant, M. Modyfikowane chemiczne duplekisy siRNA. *Biotechnologia.* 2010; **3**:146-172.
3447. Sierant, M.; Kaźmierczak-Barańska, J.; Padaszyńska, A.; Sobczak, M.; Pietkiewicz, A., and Nawrot, B. Longer 19-base pair short interfering RNA duplexes rather than shorter duplexes trigger RNA interference. *Oligonucleotides.* 2010; **20**:(4):199-206.

3448. Sierant, M.; Sobczak, M.; Janicka, M.; Paduszyńska, A., and Piotrkowska, D. Biological and physicochemical characterization of siRNAs modified with 2', 2'-difluoro-2'-deoxycytidine (gemcitabine). *New J Chem.* 2010; **34**:(5):918-924.
3449. Smuga, D.; Majchrzak, K.; Sochacka, E., and Nawrot, B. RNA-cleaving 10-23 deoxyribozyme with a single amino acid-like functionality operates without metal ion cofactors. *New J Chem.* 2010; **34**:(5):934-948.
3450. Sosnowski, S. Implementation of a modified Morton-Firth algorithm for simulation of polymerization processes . *Macromol Theory Simul.* 2010; **19**:483-487.
3451. Sroka-Bartnicka, A.; Ciesielski, W.; Libiszowski, J.; Duda, A.; Sochacki, M., and Potrzebowski, M. J. Complementarity of solvent-free MALDI TOF and solid-state NMR spectroscopy in spectral analysis of polyactides. *Anal Chem.* 2010; **82**:(1):323-328.
3452. Stańczyk, W. A.; Szeląg, A.; Kurjata, J.; Nowinowski-Kruszelnicki, E., and Walczak, A. Liquid crystal mono- and nano-layers covalently bonded to silicon and silica surface for alignment of LC layers. *Mol Cryst Liq Cryst.* 2010; **526**:18-27.
Notes: Conference Information: 13th International Topical Meeting on Optics of Liquid CrystalsEttore Majorana Fdn, Erice, ITALY, SEP 28-OCT 02, 2009
3453. Stec-Michalska, K.; Pęczek, Ł.; Michalski, B.; Adamczyk, M.; Chojnacki, J., and Nawrot, B. Influence of cigarette smoking on the level of mRNA of somatostatin receptor 3 (SSTR3) in the gastric mucosa of patients with functional dyspepsia. *Advances in Medical Sciences.* 2010; **55**:(1):53-58.
3454. Strzelec, K.; Wąsikowska, K.; Cypryk, M., and Pospiech, P. Kompozyty przewodzące z żywic epoksydowych utwardzanych poliuretanami. Spychaj, T., Red. *Materiały Polimerowe* 2010. Szczecin: Wydawnictwo Uczelniane Zachodniopomorskiego Uniwersytetu Technologicznego WUZUT; 2010.
Notes: ISBN 978-83-7663-046-5
3455. Słomkowski, S. Functionalized biodegradable nano- and microspheres for medical applications. *Macromol Symp.* 2010; **288**:121-129.
Notes: 2nd International Symposium on Advanced Particles/19th Iketani Conference Keio Univ, Yokohama, JAPAN, Apr 26-29, 2009
Japan & Int Polymer Colloids Grp; Iketani Fdn Sci & Technol
3456. Uznański, P. and Bryszewska, E. Synthesis of silver nanoparticles from carboxylate precursors under hydrogen pressure. *Journal of Materials Science.* 2010; **45**:(6):1547-1552.
3457. Walkiewicz-Pietrzykowska, A. and Wróbel, A. M. Otrzymywanie i właściwości cienkich warstw a-SiC:H nanoszonych w procesie RP-CVD tetrametylodisilaetylu. *Inżynieria Materiałowa.* 2010; **4**:1277-1279.
3458. Wang, P.; Chun, B.-K.; Rachakonda, S.; Du, J.; Khan, N.; Shi, J.; Stec, W. J.; Cleary, D.; Ross, B. S., and Sofia, M. J. HCV NS5B Inhibitor PSI-6130. *Synfacts.* 2010; **2**:141.
3459. Wiktorska, M.; Papiewska-Pajak, I.; Okruszek, A.; Sacewicz-Hofman, I., and Niewiarowska, J. DNAzyme as an efficient tool to modulate invasiveness of human carcinoma cells . *Acta Biochimica Polonica.* 2010; **57**:(3):269-275.
3460. Wirth. S. ; Rohbogner, C. J.; Cieślak, M.; Kaźmierczak-Barańska, J.; Donevski, S.; Nawrot, B., and Lorenz, I.-P. Rhodium(III) and iridium(III) complexes with 1,2-naphthoquinone-1-oximate as a bidentate ligand: synthesis, structure, and biological activity. *J Biol Inorg Chem.* 2010; **15**:(3):429-440.

3461. Wójcik, M. and Stec, W. J. The effect of divalent cations on the catalytic activity of the human plasma 3'-exonuclease. *BIOMETALS*. 2010; **23**:(6):1113-1121.
3462. Wrzesiński, J.; Wichłacz, A.; Nijakowska, A.; Rębowska, B.; Nawrot, B., and Ciesiołka, J. Phosphate residues of antigenomic HDV ribozyme important for catalysis that are revealed by phosphorothioate modification. *New J Chem*. 2010; **34**:(5):1018-1026.
3463. Wróbel, A. M.; Błaszczyk-Lęzak, I.; Uznański, P., and Głębocki, B. Silicon carbonitride (SiCN) films by remote hydrogen microwave plasma CVD from tris(dimethylamino)silane as novel single-source precursor. *Chem Vap Deposition*. 2010; **16**:(7-9):211-+.
3464. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A., and Błaszczyk-Lęzak, I. Reactivity of organosilicon precursors in remote hydrogen microwave plasma chemical vapor deposition of silicon carbide and silicon carbonitride thin-films coating. *Applied Organometallic Chemistry*. 2010; **24**:(3 Sp. Iss. SI):201-207.
3465. Wódzki, R.; Świątkowski, M., and Łapienis, G. Pertraction properties of poly(oxyethylene) dophosphoric and dicarboxylic acids as macroionophores in liquid membrane systems. *Reactive & Functional Polymers*. 2010; **70**:(7):463-470.
3466. Zabłocka, M.; Hameau, A.; Caminade, A.-M., and Majoral, J.-P. "Cage-like"phosphines: design and catalytic properties. *Advanced Synthesis & Catalysis*. 2010; **352**:(14-15):2341-2358.
3467. Zienkiewicz, M.; Richert, J., and Różański, A. Effects of blow molding ratio on mechanical properties of polylactide nanocomposite films. *Polimery*. 2010; **55**:(11-12):869-876.
3468. Zygadło-Monikowska, E.; Florjańczyk, Z.; Kubisa, P.; Biedroń, T.; Tomaszewska, A. obca; Ostrowska, J., and Langwald, N. Mixture of LiBF₄ and lithium difluoro(oxalato)borate for application as a new electrolyte for lithium-ion batteries; Jeju Isi, SOUTH KOREA. 2010: 6202-6206.
Notes: 4th International Conference on Polymer Batteries and Fuel Cells
3469. Łyżwa, P. and Mikołajczyk, M. Asymmetric synthesis of aminophosphonic acids mediated by chiral sulfinyl auxiliary: recent advances. *Pure & Appl Chem*. 2010; **82**:(3):577-582.
3470. Żenkiewicz, M.; Richert, J., and Różański, A. Effect of blow moulding ratio on barrier properties of polylactide nanocomposite films. *Polymer Testing*. 2010; **29**:(2):251-257.
3471. Żurawiński, R.; Lepetit, C.; Canac, Y.; Vendier, L.; Mikołajczyk, M., and Chauvin, R. Phosphino-(alpha-sulfinylalkyl)phosphonium ylide complexes (Rh, Pd) with a configurationally stable asymmetric ylidic carbon. *Tetrahedron: Asymmetry*. 2010; **21**:(13-14):1777-1787.
3472. Żurawiński, R.; Mikina, M., and Mikołajczyk, M. Stereocontrolled synthesis of enantiopure anticancer cyclopentenone prostaglandin analogues (-) and (+)-TEI 9826. *Tetrahedron: Asymmetry*. 2010; **21**:2794-2799.
3473. Żurawska, A.; Urbański, J.; Matulienė, J.; Baraniak, J.; Klejman, M. P.; Filipek, S.; Matulis, D., and Bieganski, P. Mutations that increase both Hsp90 ATPase activity in vitro and Hsp90 drug resistance in vivo. *Biochim Biophys Acta - Molecular Cell Research*. 2010; **1803**:(5):575-583.
3474. Baško, M.; Bednarek, M.; Billiet, L.; Kubisa, P.; Goethals, E. J., and Du Prez, F. Combining cationic ring-opening polymerization and click chemistry for the design of functionalized polyurethanes. *J Polym Sci A: Polym Chem*. 2011; **49**:(7):1597-1604.
3475. Bałczewski, P. and Skalik, J. Quinquevalent organophosphorus acids. Allen, D. W.; Tebby, J. C., and Loakes, D., Eds. *Organophosphorus Chemistry*. Cambridge: RSC Publishing; 2011; pp. 217-296.

3476. Biedroń, T.; Pietrzak, Ł., and Kubisa, P. Ionic liquid functionalized polylactide by cationic polymerization: synthesis and stabilization of carbon nanotube suspensions. *J Polym Sci A: Polym Chem*. 2011; **49**:(24):5239-5244.
3477. Borkowski, T.; Zawartka, W.; Pospiech, P.; Mizerska, U.; Trzeciak, A. M.; Cypryk, M., and Tylus, W. Reusable functionalized polysiloxane-supported palladium catalyst for Suzuki-Miyaura cross-coupling. *J Catalysis*. 2011; **282**:(2):270-277.
3478. Brulc, B.; Zagar, E.; Gadzinowski, M.; Słomkowski, S., and Zigon, M. Homo and block copolymers of poly(beta-benzyl-L-aspartate)s and poly(gamma-benzyl-L-glutamate)s of different architectures. *Macromol Chem Phys*. 2011; **212**:(6):550-562.
3479. Brzeziński, S.; Kowalczyk, D.; Borak, B.; Jasierski, M., and Tracz, A. Nanocoat finishing of polyester/cotton fabrics by the sol-gel method to improve their wear resistance. *Fibres & Textiles East Eur*. 2011; **19**:(6):83-88.
3480. Bury, K.; Neugebauer, D., and Biela, T. Methacrylate copolymers with hydroxyl terminated caprolactone chains *via* ATRP. A route to grafted copolymers . *Reactive & Functional Polymers*. 2011; **71**:(6):616-624.
3481. Ciesielski, W.; Kassassir, H., and Potrzebowski, M. J. A practical guide for the setup of a (1)H-(31)P-(13)C double cross-polarization (DCP) experiment. *Solid State Nucl Magn Res*. 2011; **39**:(3-4 SI):151-157.
3482. Di Stasio, F.; Korniychuk, P.; Brovelli, S.; Uznański, P.; Mc Donnell, S. O. ; Winroth, G.; Anderson, H. L.; Tracz, A., and Cacialli, F. Highly polarized emission from oriented films incorporating water-soluble conjugated polymers in a polyvinylalcohol matrix. *Adv Materials*. 2011; **23**:(16):1855-1859.
3483. Dolot, R.; Ozga, M.; Krakowiak, A., and Nawrot, B. High-resolution X-ray structure of the rabbit histidine triad nucleotide-binding protein 1 (rHINT1)-adenosine complex at 1.10 angstrom resolution. *Acta Crystallographica Section D-Biological Crystallography*. 2011; **67**:601-607.
3484. Drabik, E. Spektrometria mas w rozróżnianiu związków chiralnych. *Wiadomości Chemiczne*. 2011; **65**:609-649.
3485. Drabowicz, J.; Krasowska, D.; Aftyka, A.; Marciniak, B., and Różycka-Sokołowska, E. Synthesis of chiral aminosulfite and sulfite from optically active 2-naphthol derivatives. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2011; **186**:(4):1263-1267.
3486. Drabowicz, J.; Krasowska, D.; Marciniak, B., and Różycka-Sokołowska, E. Racemic and optically active 1,1'-binaphthyl-2,2'-diyl sulfite: synthesis, crystal structure and ring-opening reactions with selected nucleophiles. *Heteroatom Chem*. 2011; **22**:(SI 3-4):562-570.
3487. Drabowicz, J.; Lewkowski, J., and Ścianowski, J. Selenium compounds with valency higher than two. Wirth, T., Ed. *Organoselenium Chemistry: Synthesis and Reactions*. Weinheim: Wiley-VCH; 2011; pp. 191-256.
3488. Ebenryter, K.; Karolak-Wojciechowska, J.; Fruziński, A.; Kaźmierczak-Barańska, J.; Nawrot, B., and Sochacka, E. 2-Thiozebularine synthesis, analysis of its solid state and solution conformation and cytotoxicity towards HeLa and K562 cancer cells. *Collect Czech Chem Commun*. 2011; **76**:1103-1119.

3489. Fortuniak, W.; Mizerska, U.; Chojnowski, J.; Basińska, T.; Słomkowski, S.; Chehimi, M. M.; Konopacka, A.; Turecka, K., and Werel, W. Polysiloxanes with quaternary ammonium salt biocidal functions and their behavior when incorporated into a silicone elastomer network. *J Inorg Organomet Polym Mat.* 2011; **21**:(3):576-589.
3490. Gam-Derouich, S.; Gosecka, M.; Lepinay, S.; Turmine, M.; Carbonnier, B.; Basińska, T.; Słomkowski, S.; Millot, M. C.; Othmane, A.; Ben Hassen-Chehimi, D., and Chehimi, M. M. Highly hydrophilic surface from polyglycidol grafts with dual antifouling and specific protein recognition properties. *Langmuir.* 2011; **27** :(15):9285-9294.
3491. Gosecka, M.; Griffete, N.; Mangeney, C.; Chehimi, M. M.; Słomkowski, S., and Basińska, T. Preparation and optical properties of novel bioactive photonic crystals obtained from core-shell poly(styrene/alpha-tert-butoxy-omega-vinylbenzyl-polyglycidol) microspheres. *Colloid Polym Sci.* 2011; **289**:(13):1511-1518.
3492. Guga, P. and Koziolkiewicz, M. Phosphorothioate nucleotides and oligonucleotides - recent progress in synthesis and application. *Chemistry & Biodiversity.* 2011; **8**:(9):1642-1681.
3493. Głowacka, I. E.; Cieślak, M., and Piotrowska, D. G. Synthesis of novel 1-hydroxy-2-(1,2,3-triazol-1-yl)ethylphosphonates and 2-hydroxy-3-(1,2,3-triazol-1-yl)propylphosphonates. *Phosphorus, Sulfur and Silicon and the Related Elements.* 2011; **186**:(3):431-449.
3494. Handke, M. and Kowalewska, A. Siloxane and silsesquioxane molecules-precursors for silicate materials. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy.* 2011; **79**:(4 SI):749-757.
3495. Haneda, T.; Tracz, A.; Saito, G., and Yamochi, H. Continuous and discontinuous water release/intake of (BEDO-TTF)(2)Br(H₂O)(3) micro-crystals embedded in polymer film. *J Mater Chem.* 2011; **21**:(5):1621-1626.
3496. Jurczuk, K.; Piórkowska, E., and Gałęski A. Nanokompozyty polimerowe z wtrąceniami nanowłóknistymi generowanymi podczas mieszania. Steller, R., Red. Modyfikacja polimerów. Stan i perspektywy w roku 2011. Wrocław: Tempo s.c.; 2011; pp. 229-232.
3497. Kaczmarczyk, S.; Kwiatkowska, M.; Madalińska, L.; Barbachowska, A.; Rachwalski, M.; Błaszczuk, J.; Sieroń, L., and Kielbasiński, P. Enzymatic synthesis of enantiopure precursors of chiral bidentate and tridentate phosphorus catalysts. *Advanced Synthesis & Catalysis.* 2011; **353**: (13):2446-2454.
3498. Kielbasiński, P. Biocatalysis in organosulfur chemistry. *Phosphorus, Sulfur and Silicon and the Related Elements.* 2011; **186**:(4):1104-1118.
3499. Konkolewicz, D.; Sosnowski, S.; D'hooge, D. R.; Szymański, R.; Reyniers, M. F.; Marin, G. B., and Matyjaszewski, K. Origin of the difference between branching in acrylates polymerization under controlled and free radical conditions: a computational study of competitive processes. *Macromolecules.* 2011; **44**:(21):8361-8373.
3500. Kowalczyk, M.; Piórkowska, E.; Kulpiński, J., and Pracella, M. Mechanical and thermal properties of PLA composites with cellulose nanofibers and standard size fibers. *Composites Part A - Applied Science and Manufacturing.* 2011; **42**:1509-1514.
3501. Kowalewska, A. Preparation of microporous hybrid materials by thermal removal of sterically hindered carbosilane side groups. *J Inorg Organomet Polym Mat.* 2011; **21**:(2):244-253.
3502. Kowalewska, A.; Kaźmierski, Sł, and Delczyk-Olejniczak, B. Polymer chain relaxation mechanisms in siloxane-carbosilane systems. *Silicon.* 2011; **3**:37-44.

3503. Krakowiak, A.; Pęcherzewska, R.; Kaczmarek, R.; Tomaszewska, A.; Nawrot, B., and Stec, W. J. Evaluation of influence of Ap(4)A analogues on Fhit-positive HEK293T cells; cytotoxicity and ability to induce apoptosis. *Bioorg Med Chem* . 2011; **19**:(16):5053-5060.
3504. Krakowiak, A.; Rębowska, B.; Sobczak, M.; Mikołajczyk, B., and Stec, W. J. HINT-1 hydrolase-assisted cleavage of internucleotide bonds in dinucleoside phosphorothioates suggests its possible participation in metabolism of oligonucleotide drugs and prodrugs. *Nucleic Acid Therapeutics*. 2011; **21**:(5):A17-A18.
Notes: 7th Annual Meeting of the Oligonucleotide-Therapeutics-Society Copenhagen, DENMARK SEP 08-10,2011 Oligonucleotide Therapeutics Society
3505. Krawczyk, E. and Owsianik, K. An unusual regiochemistry of reactions of a cycloheksenylphosphonate bearing a beta-ethoxycarbonyl groupn with aldehydes. *Tetrahedron*. 2011; **67**:(10):1938-1947.
3506. Kruszyński, R.; Czubacka, E.; Trzęsowska-Kruszyńska, A.; Bartczak, T. J.; Bruzik, K. B.; Knopik, P.; Kudzin, Z. H.; Stec, W. J., and Wolf, W. M. Conformation of sterically hindered 4-methyl-2-oxo-2-dioxaphosphorinane in the solid state and the solution. *J Chem Cryst*. 2011; **41**:(6):908-918.
3507. Kubisa, P. and Czaja, K. Nowe metody polimeryzacji. Marciniec, B., Red. Misja nauk chemicznych. Poznań: Wydawnictwo Nauka i Innowacje sp. z o.o.; 2011; pp. 197-212.
3508. Kudzin, M. H.; Kudzin, Z. H., and Drabowicz, J. Aminophosphonic acids - phosphorus analogues of natural amino acids. Part 1: Syntheses of alpha-aminophosphonic acids. *Current Organic Chemistry* . 2011; **15**:(12):2015-2071.
3509. ---. Thioureidoalkylphosphonates in the synthesis of 1-aminoalkylphosphonic acids. The Ptc-aminophosphonate method. *Arkivoc*. 2011(6):227-269.
3510. Kulik, K.; Radzikowska, E.; Kaczmarek, R.; Baraniak, J.; Stec, W. J.; De Clercq, E.; Balzarini, J., and Pannecouque, C. Synthesis and an antiviral activity evaluation of nucleoside 5'-O-(N-acyl) phosphoramidates. *Antiviral Chemistry and Chemotherapy*. 2011; **21**: 143-150.
3511. Kwiatkowska, M.; Krasinski, G.; Cypryk, M.; Cierpień, T., and Kielbasiński, P. Lipase-mediated stereoselective transformations of chiral organophosphorus P-boranes revisited: new determination of the absolute configuration of alkoxy(hydroxymethyl)phenylphosphine P-boranes. *Tetrahedron: Asymmetry*. 2011; **22**:(14-15):1581-1590.
3512. Leszczyńska, J.; Wójtowicz, J.; Słomkowski, S.; Sosnowski, S., and Lewandowska-Szumiel, M. Cytocompatibility of silica-modified PLGA/PLLA biomaterials for bone tissue regeneration. *Engineering of Biomaterials*. 2011; **103**:17-22.
3513. Makowski, T.; Berger, R.; Aboulfadl, H.; Hulliger, J., and Tracz, A. Alignment of PHTP-DNAA inclusion crystals by zone casting. *Optical Materials*. 2011; **3**:(9):1464-1468.
3514. Marciniec, B.; Rogalski, S.; Potrzebowski, M. J., and Pietraszuk, C. Ruthenium carbene siloxide complexes immobilized on silica: synthesis and catalytic activity in olefin metathesis. *CHEMCATCHEM*. 2011; **3**:(5):904-910.
3515. Markiewicz, W. T.; Koroniak, H.; Chworoś, A.; Mucha, P., and Barciszewski, J. Od chemii bioorganicznej do biologii chemicznej. Marciniec, B., Red. Misja nauk chemicznych. Poznań: Wydawnictwo Nauka i Innowacje sp. z o.o.; 2011; pp. 109-124.
3516. Marzantowicz, M.; Dygas, J. R.; Krok, F.; Florjańczyk, Z.; Zygadło-Monikowska, E., and Łapienis, G. Ionic conductivity of electrolytes based on star-branched poly(ethylene oxide) with high

concentration of lithium salts. *Solid State Ionics*. 2011; **192**:(1 SI):137-142.

3517. Midura, W. H. Synthesis of conformationally constrained analogues of bioactive aminoacids based on asymmetric cyclopropanation. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2011; **186**:(4):1189-1192.
3518. Mikołajczyk, M. and Kielbasiński, P. Biotransformacje - ekologiczny kierunek syntezy i chirotechnologii. Marciniec, B., Red. Misja nauk chemicznych. Poznań : Wydawnictwo Nauka i Innowacje sp. z o.o.; 2011; pp. 125-140.
3519. Missirlis, D.; Chworoś, A.; Fu, C. J.; Khant, H. A.; Krogstad, D. V., and Tirrell, M. Effect of the peptide secondary structure on the peptide amphiphile supramolecular structure and interactions. *Langmuir*. 2011; **27**:(10):6163-6170.
3520. Nawrot, B.; Sochacka, E., and Duchler, M. tRNA structural and functional changes induced by oxidative stress. *Cellular and Molecular Life Sciences*. 2011; **68**:(24):4023-4032.
3521. Nowicka, K.; Bujacz, A.; Paluch, P.; Sobczuk, A.; Jeziorna, A.; Ciesielski, W.; Bujacz, G. D.; Jurczak, J., and Potrzebowski, M. J. Study of host-guest interactions in benzodiazacoronands by means of solid state NMR spectroscopy, X-ray diffraction and quantum mechanical computations. *Physical Chemistry Chemical Physics*. 2011; **13**:(14):6423-6433.
3522. Nycz, A.; Klimek, A.; Wójcik, M.; Hasik, M.; Pospiech, P., and Cypryk, M. Ceramic precursors prepared from linear polysiloxanes. *Polish Journal of Applied Chemistry*. 2011; **LV**:(2):57-63.
3523. Ostrowski, T.; Januszczyk, P.; Cieślak, M.; Kaźmierczak-Barańska, J.; Nawrot, B.; Bartoszak-Adamska, E., and Zeidler, J. 5-Ethynyl-1-beta-D-ribofuranosyl-1H-[1,2,3]triazole-4-carboxylic acid amide (ETCAR) and its analogues: synthesis and cytotoxic properties. *Bioorg Med Chem* . 2011; **19**:(14):4386-4398.
3524. Pawlak, A. Badania procesu deformacji polimerów częściowokrystalicznych metodami rentgenowskimi i termowizyjną Steller, R., Red. Modyfikacja polimerów. Stan i perspektywy w roku 2011. Wrocław: Wydawnictwo Tempo s.c., 2011; . 671-674: ZFP.
Notes: ISBN 978 83 86520 09 1
3525. Pawlak, A. and Gałęski, A. Cavitation during tensile drawing of semicrystalline polymers. *Polimery*. 2011; **56** :(9):627-636.
3526. Pawlak, T.; Munzarova, M. L.; Pazderski, L., and Marek, R. Validation of relativistic DFT approaches to the calculation of NMR chemical shifts in square-planar Pt²⁺ and Au³⁺ complexes. *J Chem Theory Comput*. 2011; **7**:3909-3923.
3527. Penczek, S. and Duda, A., editors. *Macromol Symp*. Vol. **308**: 2011.
Notes: October 2011
3528. Penczek, S. and Florjańczyk, Z. Makrocząsteczki i polimery - u podstaw molekularnej biologii, medycyny i nowoczesnych materiałów. Marciniec, B., Red. Misja nauk chemicznych. Poznań: Wydawnictwo Nauka i Innowacje sp. z o.o.; 2011; pp. 193-196.
3529. Penczek, S.; Kałużyński, K., and Pretula, J. Polyethylene-CaCO(3) hybrid via CaCO(3)-controlled crystallization in emulsion. *J Polym Sci A: Polym Chem*. 2011; **49**:(5):1289-1292.
3530. Perlikowska, W. and Mikołajczyk, M. A new and concise approach to enantiomers of phytostane B1 type II. *Tetrahedron: Asymmetry*. 2011; **22**:1767-1771.

3531. Piotrowska, D. G.; Cieślak, M.; Królewska, K., and Wróblewski, A. E. Design, synthesis and cytotoxicity of a new series of isoxazolidines derived from substituted chalcones. *European Journal of Medicinal Chemistry*. 2011; **46**:(4):1382-1389.
3532. Piotrowska, D. G.; Cieślak, M.; Królewska, K., and Wróblewski, A. E. Design, synthesis and cytotoxicity of a new series of isoxazolidine based nucleoside analogues. *ARCHIV DER PHARMAZIE*. 2011; **344**:(5):301-310.
3533. Rachwalski, M.; Leśniak, S., and Kielbasiński, P. Highly enantioselective asymmetric direct aldol reaction catalyzed by amine-functionalized tridentate sulfinyl ligands. *Tetrahedron: Asymmetry*. 2011; **22**:(12):1325-1327.
3534. ---. Highly enantioselective aza-Henry reaction promoted by amine-functionalized tridentate sulfinyl ligands. *Tetrahedron: Asymmetry*. 2011; **22**:(10):1087-1089.
3535. Radzikowska, E. Wykorzystanie reakcji 1,3-dipolarnej cykloaddycji Huisgena do modyfikacji nukleozydów i oligonukleotydów. *Wiadomości Chemiczne*. 2011; **65**:1-28.
3536. Rytlewski, P.; Zenkiewicz, M.; Tracz, A.; Moraczewski, K., and Mróz, W. Surface morphology studies of laser irradiated and chemically metalized polyamide composites. *Surf Coat Technol*. 2011; **205**:(23-24):5248-5253.
3537. Różga-Wijas, K.; Fortuniak, W., and Chojnowski, J. Quaternary ammonium salt substituted polyhedral oligosilsesquioxanes (POSSes) as structure directing agents in the generation of porous silica materials. *E-Polymers*. 2011:Article no.: 029.
3538. Różański, A. and Gałęski, A. Controlling cavitation of semicrystalline polymers during tensile drawing. *Macromolecules*. 2011; **44**:(18):7273-7287.
3539. Różański, A.; Gałęski, A., and Dębowska, M. Initiation of cavitation of polypropylene during tensile drawing. *Macromolecules*. 2011; **44**:(1):20-28.
3540. Salamatina, O. B.; Rudnev, S. N.; Bartczak, Z.; Gałęski, A., and Oleinik, E. F. Thermodynamics of inelastic deformation of amorphous and crystalline phases in linear polyethylene. *Polymer Science Series A*. 2011; **53**:(9):775-786.
3541. Salamończyk, G. Synthesis of new dendrimers-trimesic acid derivatives. *Tetrahedron Lett*. 2011; **52**:(1):155-158.
3542. Sierant, M.; Janicka, M.; Yang, Xian-bin; Li, N., and Nawrot, B. Improved stability and gene silencing activity of siRNA analogs containing phosphorodithioate linkages. *Nucleic Acid Therapeutics*. 2011; **21**:(5):A27-A27.
Notes: 7th Annual Meeting of the Oligonucleotide-Therapeutics-Society Copenhagen, DENMARK SEP 08-10,2011 Oligonucleotide Therapeutics Society
3543. Sierant, M.; Padaszyńska, A.; Kaźmierczak-Barańska, J.; Nacmias, B.; Sorbi, S.; Bagnoli, S.; Sochacka, E., and Nawrot, B. Specific silencing of L392V *PSEN1* mutant allele by RNA interference. *International Journal of Alzheimer's Disease*. 2011; **2011**:Article ID 809218, 14 stron.
3544. Sierant, M.; Piotrkowska, D., and Nawrot, B. Silencing the CDK4 and CDK6 genes through RNA interference. *Nucleic Acid Therapeutics*. 2011; **21**:(5):A26-A27.
Notes: 7th Annual Meeting of the Oligonucleotide-Therapeutics-Society Copenhagen, DENMARK SEP 08-10,2011 Oligonucleotide Therapeutics Society
3545. Sierant, M.; Yang, Xian-bin; Janicka, M.; Li, N.; Martinez, C.; Hassell, T., and Nawrot, B. siRNAs with

phosphorodithioate modification. Collection Symposium Series. 2011; **12**:135-139.
Notes: Conference Book of SNAC 2011

3546. Smarzewska, S.; Skrzypek, S.; Bachowska, B.; Bałczewski, P., and Ciesielski, Wit. Electrochemical oxidation of methylthiomethyleneisoquinolinium chloride - the first water soluble alkylthiomethylene substituted ammonium salt. *Central European Journal of Chemistry*. 2011; **9**(5):840-845.
3547. Sobczak, M.; Kubiak, K.; Janicka, M.; Sierant, M.; Mikołajczyk, B., and Nawrot, B. Synthesis, physico-chemical and biological properties of DNA and RNA oligonucleotides containing short alkylamino internucleotide bond. *Collect Czech Chem Commun*. 2011; **76**:1471-1486.
3548. Sochacka, E.; Kraszewska, K.; Sochacki, M.; Sobczak, M.; Janicka, M., and Nawrot, B. The 2-thiouridine unit in the RNA strand is desulfured predominantly to 4-pyrimidinone nucleoside under in vitro oxidative stress conditions. *Chem Commun*. 2011; **47**(17):4914-4916.
3549. Sosnowski, S. Simple and exact Monte Carlo algorithm for modelling of complex polymerization processes. *Polimery*. 2011; **56**(7-8):549-557.
3550. Strzelec, K.; Wasikowska, K.; Cypriak, M., and Pospiech, P. Terpolymers of N-vinylpyrrolidinone and 1-vinylimidazole as new supports for palladium nanocluster catalysts. *E-Polymers*. 2011; Article No.: 024.
3551. Szymański, R. On the incorrectness of the Factor 2 in the radical termination equation. *Macromol Theory Simul*. 2011; **20**(1):8-12.
3552. Słomkowski, S.; Aleman, J. V.; Gilbert, R. G.; Hess, M.; Horie, K.; Jones, R. G.; Kubisa, P.; Meisel, I.; Mormann, W.; Penczek, S., and Stepto, R. F. T. Terminology of polymers and polymerization processes in dispersed systems (IUPAC Recommendations 2011). *Pure & Appl Chem*. 2011; **83**:2229-2259.
3553. Słomkowski, S. and Duda, A. *Polimery z surowców odnawialnych*. Marciniec, B., Red. Misja nauk chemicznych. Poznań: Wydawnictwo Nauka i Innowacje sp. z o.o.; 2011; pp. 225-235.
3554. Słomkowski, S. and Gosecki, M. Progress in nanoparticulate systems for peptide, proteins and nucleic acid drug delivery. *Current Pharmaceutical Biotechnology*. 2011; **11**:1823-1839.
3555. Teyssedre, H.; Roux, S.; Regnier, G., and Tracz, A. Filtering out slow-scan drifts in AMF images. *J Strain Analysis for Eng Design*. 2011; **46**:361-367.
3556. Tomaszewska, A.; Guga, P., and Stec, W. J. Diastereomerically pure nucleoside-5'-O-(2-thio-4,4-pentamethylene-2,3,2-oxathiaphospholane)s- substrates for synthesis of P-chiral derivatives of nucleoside-5'-O-phosphorothioates. *Chirality*. 2011; **23**(3):237-244.
3557. Trzeciak-Karlikowska, K.; Bujacz, A.; Ciesielski, W.; Bujacz, G. D., and Potrzebowski, M. J. The influence of the stereochemistry of alanine residue on the solid state conformation and crystal packing of opioid peptides containing D-Ala or L-Ala in message domain - XRD and NMR study. *J Phys Chem B*. 2011; **115**(32):9910-9919.
3558. Waciński, P. J.; Gadzinowski, M.; Marciniak, A.; Dąbrowski, W.; Szumiłło, J., and Słomkowski, S. Poly(L,L-lactide) PLA microparticles for a direct drug delivery to vascular endothelium. The original microparticles system for a different drugs transportation. *Canad J Cardiol*. 2011; **27**(5):Supplement:1, S91-S91.

3559. Wilczyński, J.; Duchler, M., and Czyż, M. Targeting NF-kappa B and HIF-1 pathway for the treatment of cancer: Part I. *Archivum Immunologiae Et Therapiae Experimentalis*. 2011; **59**:(4):289-299.
3560. Wilczyński, J.; Duchler, M., and Czyż, M. Targeting NF-kappa B and HIF-1 pathway for the treatment of cancer: Part II. *Archivum Immunologiae Et Therapiae Experimentalis*. 2011; **59**:(4):301-307.
3561. Wróbel, A. M.; Błaszczuk-Łęzak, I.; Uznański, P., and Głębocki, B. Remote hydrogen microwave plasma chemical vapor deposition of amorphous silicon carbonitride (a-SiCN) coatings derived from tris(dimethylamino)silane . *Plasma Processes and Polymers*. 2011; **8**:(6):542-556.
3562. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Uznański, P., and Głębocki, B. Amorphous hydrogenated silicon carbide (a-SiC:H) coatings produced by remote hydrogen microwave plasma CVD from bis(dimethylsilyl)ethane - a novel single-source precursor. *Chem Vap Deposition*. 2011; **17**:(7-9):186-190.
3563. Wódzki, R.; Świątkowski, M., and Łapienis, G. The application of core functionalized -star-shaped polymers for cations separation by pertraction in liquid membrane systems. *Reactive & Functional Polymers*. 2011; **71**:(1):42-48.
3564. Zaród, M. and Gałęski, A. Lokalizacja kompatybilizatora w układach glinka/polipropylenSteller, R., Red. Modyfikacja polimerów. Stan i perspektywy w roku 2011. Wrocław: Wydawnictwo Tempo s.c.; 2011: 339-341: ZFP.
Notes: ISBN 978 83 86520 09 1
3565. Łyżwa, P. Alkanesulfonic acids and acyclic derivatives: application of alkanesulfonic halides in organic synthesis. *Science of Synthesis, Knowledge Updates* 2011/2. 2011; pp. 469-499.
3566. Łyżwa, P. and Mikołajczyk, M. A general approach to enantiomeric gamma-aminophosphonic acids using chiral sulfinimine methodology. *Heteroatom Chem*. 2011; **22**:(SI 3-4):594-598.
3567. Bachowska, B.; Kaźmierczak-Barańska, J.; Cieślak, M.; Nawrot, B.; Szczęsna, D.; Skalik, J., and Bałczewski, P. High cytotoxic activity of phosphonium salts and their complementary selectivity towards HeLa and K562 cancer cells: identification of tri-n-butyl-n-hexadecylphosphonium bromide as a highly potent anti-HeLa phosphonium salt. *ChemOpen*. 2012; **1**:(33-38).
3568. Bartczak, Z. Effect of the molecular network on high-strain compression of cross-linked polyethylene. *Europ Polym J*. 2012; **48**:(12):2019-2030.
3569. Bartczak, Z.; Beris, P. F. M.; Wasilewski, K.; Gałęski, A., and Lemstra, P. J. Deformation of the ultra-high molecular weight polyethylene melt in the plane-strain compression. *J Appl Polym Sci*. 2012; **125**:(6 SP):4155-4168.
3570. Basińska, T. and Słomkowski, S. Design of polyglycidol-containing microspheres for biomedical applications. *Chemical Papers*. 2012; **66**:(5):352-368.
3571. Baško, M. Activated monomer mechanism in the cationic polymerization of L,L-lactide. *Pure & Appl Chem*. 2012; **84**:(10):2081-2088.
3572. Baško, M. and Bednarek, M. Synthesis of functionalized polylactide by activated monomer polymerization. *Reactive & Functional Polymers*. 2012; **72**:(4):213-220.
3573. Bałczewski, P.; Bodzioch, A., and Skalik, J. A new tool for synthesis of organic optoelectronic materials. *Chemik*. 2012; **66**:11-20.
3574. Bałczewski, P. and Skalik, J. Quinquevalent phosphorus acids. Allen, D. W.; Loakes, D., and Tebby, J. C.,

Eds. Organophosphorus Chemistry. Cambridge: RSC Publishing; 2012; pp. 251-321.
Notes: ISBN 978-1-84973-487-5

3575. Bednarek, M. Zastosowanie kationowej polimeryzacji według mechanizmu aktywowanego monomeru oraz typu "click" do syntezy funkcjonalizowanego polilaktydu. *Polimery*. 2012; **57**:501-509.
3576. Biczak, R.; Bałczewski, P.; Pawłowska, B.; Herman, B., and Rychter, P. Phytotoxicity of ionic liquid, a derivative of imidazole. Fitotoksyczność cieczy jonowej, pochodnej imidazolu. *Proceedings of EC Opole*. 2012; **6**(1):183-191.
3577. Biedroń, T.; Brzeziński, M.; Biela, T., and Kubisa, P. Microspheres from stereocomplexes of polylactides containing ionic liquid end-groups. *J Polym Sci A: Polym Chem*. 2012; **50**(21):4538-4547.
3578. Bodzioch, A.; Marciniak, B.; Różycka-Sokołowska, E.; Jeszka, J. K.; Uznański, P.; Kania, S.; Kuliński, J., and Bałczewski, P. Milder bradsher conditions for blue light emitting anthracenes. *Synfacts -Highlights in Current Synthetic Organic Chemistry*. 2012; **8**:619.
3579. Bodzioch, A.; Marciniak, B.; Różycka-Sokołowska, E.; Jeszka, J. K.; Uznański, P.; Kania, S.; Kuliński, J., and Bałczewski, P. Synthesis and optoelectronic properties of hexahydroxylated 10-O-R-substituted anthracenes *via* a new modification of the Friedel-Crafts reaction using O-protected ortho-acetal diarylmethanols. *Chem-Eur J*. 2012; **18**(16):4866-4876.
3580. Brzeziński, M.; Bogusławska, M.; Ilcikova, M.; Mosnáček, J., and Biela, T. Unusual thermal properties of polylactides and polylactide stereocomplexes containing polylactide - functionalized multi-walled carbon nanotubes. *Macromolecules*. 2012; **45**(21):8714-8721.
3581. Brzeziński, S.; Kowalczyk, D.; Borak, B.; Jasierski, M., and Tracz, A. Applying the sol-gel method to the deposition of nanocoats on textiles to improve their abrasion resistance. *J Appl Polym Sci*. 2012; **125**(4):3058-3067.
3582. Brzeziński, S.; Malinowska, G.; Kowalczyk, D.; Kaleta, A.; Jasierski, M.; Dąbek, K.; Baszczuk, A., and Tracz, A. Antibacterial and fungicidal coating of textile-polymeric materials filled with bioactive nano- and submicro-particles. *Fibres & Textiles East Eur*. 2012; **20**(1):70-77.
3583. Caminade, A.-M.; Laurent, R.; Zabłocka, M., and Majoral, J.-P. Organophosphorus chemistry for the synthesis of dendrimers. *Molecules*. 2012; **17**(11):13605-13621.
3584. Chojnowski, J.; Kurjata, J.; Fortuniak, W.; Rubinsztajn, S., and Trzebicka, B. Hydride transfer ring-opening polymerization of a cyclic oligomethylhydrosiloxane. Route to a polymer of closed multicyclic structure. *Macromolecules*. 2012; **45**(6):2654-2661.
3585. Cybo, J.; Maszybrocka, J.; Duda, P.; Bartczak, Z.; Barylski, A., and Kaptacz, S. Properties of ultra-high-molecular-weight polyethylene with a structure modified by plastic deformation and electron-beam irradiation. *J Appl Polym Sci*. 2012; **125**(6 SI):4197-4208.
3586. Cypryk, M. Polymerization of cyclic siloxanes, silanes and related monomers. Matyjaszewski, K. and Möller, M., Eds. Amsterdam: Elsevier BV; 2012; pp. 451-476.
3587. Cypryk, M.; Krasiński, G., and Mikołajczyk, M. Structure and reactivity of thiosulfonic acids and their anions: a theoretical study. *Heteroatom Chem*. 2012; **23**(4):329-339.
3588. Czernek, J.; Pawlak, T., and Potrzebowski, M. J. Benchmarks for the C-13 NMR chemical shielding tensors in peptides in the solid state. *Chem Phys Lett*. 2012; **521**:31-35.
3589. Dolot, R.; Ozga, M.; Włodarczyk, A.; Krakowiak, A., and Nawrot, B. A new crystal form of human

histidine triad nucleotide-binding protein 1 (hHINT 1) in complex with adenosine 5'-monophosphate at 1,38 Å resolution. *Acta Crystallographica Section F-Structural Biology and Crystallization Communications*. 2012; **68**:883-888.

3590. Drabowicz, J.; Kielbasiński, P., and Zając, A. Hypervalent derivatives of selenium and tellurium. Rappoport, Z., Ed. *The chemistry of organic selenium and tellurium compounds*. Chichester: A John Wiley & Sons; 2012; pp. 891-941.
Notes: ISBN 978-0-470-68326-2
3591. Drabowicz, J.; Midura, W. H., and Krasowska, D. Selenium and tellurium (1,2,3)-oxygen-containing acids and derivatives. Rappoport, Z., Ed. *The chemistry of organic selenium and tellurium compounds*. Chichester: John Wiley & Sons; 2012; pp. 1027-1082.
Notes: ISBN 978-0-470-68326-2
3592. Duchler, M. G-quadruplexes: targets and tools in anticancer drug design. *Journal of Drug Targeting*. 2012; **20**(5):389-400.
3593. Duda, A. ROP of cyclic esters. Mechanisms of ionic and coordination processes. Matyjaszewski, K. and Möller, M., Eds. *Polymer Science: A Comprehensive Reference*. Amsterdam: Elsevier BV; 2012; pp. 213-246.
3594. El Kazzouli, S.; El Brahmi, N.; Mignani, S.; Zabłocka, M., and Majoral, J.-P. From metallodrugs to metallodendrimers for nanotherapy in oncology: a concise overview. *Current Medicinal Chemistry*. 2012; **19**(29):4995-5010.
3595. Ganicz, T.; Makowski, T.; Stańczyk, W. A., and Tracz, A. Side chain polysiloxanes with phthalocyanine. *Express Polymer Letters*. 2012; **6**(5):373-382.
3596. Gałęski, A. Preface. *J Appl Polym Sci*. 2012; **125**(6 SI):4149-4149.
3597. Handge, U. A.; Gałęski, A.; Kim, S. C.; Dijkstra, D. J.; Gotz, C.; Fischer, F.; Lim, G. T.; Altstadt, V.; Gabriel, C.; Weber, M., and Steininger, H. Melt processing, mechanical, and fatigue crack propagation properties of reactively compatibilized blends of polyamide 6 and acrylonitrile-butadiene-styrene copolymer. *J Appl Polym Sci*. 2012; **124**(1):740-754.
3598. Jamroz, M. K.; Davey, M. H.; Kaźmierski, Sł.; Danikiewicz, W.; Spolnik, G., and Gliński, J. A. New A-type trimeric and tetrameric procyanidins from peanuts skins. *Planta Medica*. 2012; **78**(11):PI277.
Notes: International Congress of Natural Products Research on Global Change, Natural products and Human Health/8t Joint Meeting of APERP, ASP, GA, PSE and SIF, JUL 28-Aug 01, 2012, New York, NY
3599. Jasińska-Walc, L.; Dudenko, D.; Róžański, A.; Thiyagarajan, S.; Sowiński, P.; van Es, D.; Shu, J.; Hansen, M. R., and Koning, C. E. Structure and molecular dynamics in renewable polyamides from dideoxy-diamino isohexide. *Macromolecules*. 2012; **45**(14):5653-5666.
3600. Jaworska, M.; Jeziorna, A.; Drabik, E., and Potrzebowski, M. J. Solid state NMR study of thermal processes in nanoassemblies formed by dipeptides. *J Phys Chem C*. 2012; **116**(22):12330-12338.
3601. Jaworska, M.; Pawlak, T.; Kruszyński, R.; Ćwiklińska, M., and Krzemiński, M. NMR crystallography comparative studies of chiral (1R, 2S, 3R, 5R) -3-amino-6,6-dimethylbicyclo[3.1.1]heptan-2-ol and its p-toluenesulfonamide derivative. *Crystal Growth & Design*. 2012; **12**(12):5956-5965.
3602. Jeziorna, A.; Pawlak, T.; Trzeciak-Karlikowska, K.; Paluch, P., and Potrzebowski, M. J. Magic angle spinning NMR study of interaction of N-terminal sequence of dermorphin (Tyr-D-Ala-Phe-Gly)

with phospholipids. *Biochim Biophys Acta - Biomembranes*. 2012; **1818**:(11):2579-2587.

3603. Konkolewicz, D.; D'hooge, D. R.; Sosnowski, S.; Szymański, R.; Reyniers, M. F.; Marin, G. B., and Matyjaszewski, K. Tuning polymer properties through competitive processes. *ACS Symp Ser*. 2012; **1100**:145-169.
3604. Kowalczyk, M. and Piórkowska, E. Mechanisms of plastic deformation in biodegradable polylactide/poly(1,4-cis-isoprene) blends. *J Appl Polym Sci*. 2012; **124**:(6):4579-4589.
3605. Kowalczyk, M.; Pluta, M.; Piórkowska, E., and Krasnikova, N. P. Plasticization of polylactide with block copolymers of ethylene glycol and propylene glycol. *J Appl Polym Sci*. 2012; **125**:(6 SI):4297-4301.
3606. Kowalewska, A.; Fortuniak, W.; Chojnowski, J.; Pawlak, A.; Gadzinowska, K., and Zaród, M. Polymer nano-materials through self-assembly of polymeric POSS systems. *Silicon*. 2012; **4**:(2):95-107.
3607. Krakowiak, A. and Fryc, I. Rodzina białek triady histydynowej (HIT) - aktywność enzymatyczna a funkcja biologiczna. *Postępy Biochemii*. 2012; **58**:(3):302-313.
3608. Krakowiak, A. and Rębowska-Kocoń, B. Hint 1 and Fhit enzymes form complexes with nucleoside 5'-O-phosphorothioates *in vitro*. *FEBS Journal*. 2012; **279**:(SI Suppl 1):453-453.
Notes: 22nd IUBMB Congress/37th FEBS Congress, SEP 04-09, 2012, Seville, SPAIN
3609. Krakowiak, A.; Sobczak, M., and Stec, W. J. FHIT and HINT 1 proteins - catalytically promiscuous enzymes. *FEBS Journal*. 2012; **279**:(SI Suppl 1):452-452.
Notes: 22nd IUBMB Congress/37th FEBS Congress, SEP 04-09, 2012, Seville, SPAIN
3610. Krasieński, G.; Cypryk, M.; Kwiatkowska, M.; Mikołajczyk, M., and Kielbasiński, P. Molecular modeling of the lipase-catalyzed hydrolysis of acetoxymethyl-(i-propoxy)phenylphosphine oxide and its P-borane analogue. *J Mol Graph Model*. 2012; **38**:290-297.
3611. Krasowska, D. 2,2'-Dihydroxy-1,1'-binaftyl (BINOL) i jego pochodne. Wybrane syntezy i zastosowanie. Część I. *Wiadomości Chemiczne*. 2012; **66**:485-528.
3612. Krawczyk, E.; Mielniczak, G.; Owsianik, K., and Łuczak, J. Asymmetric oxidation of enol phosphates to alpha-hydroxy ketones using Sharpless reagents and a fructose derived dioxirane. *Tetrahedron: Asymmetry*. 2012; **23**:(20-21):1480-1489.
3613. Kubisa, P. Cationic ring-opening polymerization of cyclic ethers. Matyjaszewski, K. and Möller, M., Eds. *Polymer Science: A Comprehensive Reference*. Amsterdam: Elsevier BV; 2012; pp. 141-164.
3614. Kubisa, P. and Vairon, J.-P. Ring-opening polymerization of cyclic acetals. Matyjaszewski, K. and Möller, M., Eds. *Polymer Science: A Comprehensive Reference*. Amsterdam: Elsevier BV; 2012; pp. 183-211.
3615. Kuran, B.; Krawiecka, M.; Kossakowski, J.; Pindel, L.; Młynarczyk, G.; Cieślak, M.; Kaźmierczak-Barańska, J., and Królewska, K. Synthesis and biological activity of a novel series of 6,7-dimethoxyquinazoline-2,4(1H,3H)-dione derivatives. *Acta Poloniae Pharmaceutica*. 2012; **69**:(1):145-148.
3616. Leszczyńska, G.; Pieta, J.; Leonczak, P.; Tomaszewska, A., and Malkiewicz, A. Site-specific incorporation of 5-methylaminomethyl-2-thiouridine and 2-thiouridine(s) into RNA sequences. *Tetrahedron Lett*. 2012; **53**:(10):1214-1217.
3617. Ma, P.; Cierniewska, A.; Signarvic, R.; Cieślak, M.; Kong, H.; Sinnamon, A. J.; Neubig, R. R.; Newman,

D. K.; Stalker, T. J., and Brass, L. F. A newly identified complex of spinophilin and the tyrosine phosphatase, SHP-1, modulates platelet activation by regulating G protein-dependent signaling. *Blood*. 2012; **119**(8):1935-1945.

3618. Madalińska, L.; Kwiatkowska, M.; Cierpień, T., and Kielbasiński, P. Investigations on enzyme catalytic promiscuity: the first attempts at a hydrolytic enzyme-promoted conjugate addition of nucleophiles to alpha, beta-unsaturated sulfinyl acceptors. *J Mol Catal B-Enzymatic*. 2012; **81**:25-30.
3619. Masirek, S.; Tracz, A.; Talebi, S., and Rastogi, S. A study on the appearance of extended chain fibrils of ultrahigh molecular weight polyethylene at melt/solid interface. *J Appl Polym Sci*. 2012; **125**(6 SI):4209-4218.
3620. Michelini, M. D.; Russo, N.; Alcaro, S., and Woźniak, L. A. Theoretical and structural studies on mechanism of the Stec reaction. *Tetrahedron*. 2012; **68**(27-28):5554-5563.
3621. Midura, W. H.; Kielbasiński, P., and Drabowicz, J. Functional groups containing selenium and tellurium in oxidation states from 3 to 6. Rappoport, Z., Ed. *The chemistry of organic selenium and tellurium compounds*. Chichester: John Wiley & Sons; 2012; pp. 949-1025.
Notes: ISBN 978-0-470-68326-2
3622. Mikołajczyk, M.; Łuczak, J., and Kielbasiński, P. Kinetic resolution of an insecticidal dithiophosphate by chloroperoxidase catalyzed oxidation of the thiophosphoryl group. Whittall, J. and Sutton, P. W., Eds. *Practical methods in biocatalysis and biotransformations 2*. Chichester: A John Wiley & Sons; 2012; pp. 310-312.
Notes: ISBN 978-1-119-99139-7
3623. Mikołajczyk, M.; Łuczak, J.; Sieroń, L., and Wieczorek, M. W. Stereoselective synthesis of both enantiomers of P-chirogenic 2-oxo-2thio-1,3,2-oxazaphosphorinane tetramethylammonium salt as key precursor to structurally diverse chiral derivatives. *Tetrahedron*. 2012; **68**(1):126-132.
3624. Miksa, B.; Sochacki, M.; Libiszowski, J.; Duda, A.; Ciesielski, W. , and Potrzebowski, M. J. Application of ionic liquid matrices in spectral analysis of poly(lactide) - solid state NMR spectroscopy versus matrix-assisted laser desorption/ionization time-of-flight (MALDI-TOF) mass spectrometry. *Analytical Methods*. 2012; **4**(2):377-383.
3625. Neugebauer, D.; Bury, K., and Biela, T. Novel hydroxyl-functionalized caprolactone poly(meth)acrylates decored with tert-butyl groups. *Macromolecules*. 2012; **45**(12):4989-4996.
3626. Nowacka, M. Biomateriały stosowane w inżynierii komórkowej i medycynie regeneracyjnej. *Wiadomości Chemiczne*. 2012; **66**:909-934.
3627. Nyczyk, A.; Paluszkiewicz, C.; Hasik, M.; Cypryk, M., and Pospiech, P. Cross-linking of linear vinylpolysiloxanes by hydrosilylation - FTIR spectroscopic studies. *Vibrational Spectroscopy*. 2012; **59**:1-8.
3628. Oleinik, E. F.; Salamatina, O. B.; Rudnev, S. N.; Bartczak, Z., and Gałęski, A. Plasticity of semicrystalline polyethylenes viewed through the prism of thermodynamics. *J Appl Polym Sci*. 2012; **125**(6 SI):4169-4176.
3629. Pawlak, A. Cavitation during deformation of polymers on the example of polypropylene. *J Appl Polym Sci*. 2012; **125**(6 SI):4177-4187.
3630. Pawlak, A. and Gałęski, A. Cavitation during deformation of plastics, Ohl, C.-D. //Klaseboer, E. //Ohl, S. W. //Gong, S. W. //Khoo, B. Ch. *Proceedings of the Eight International Conference on Cavitation*

(CAV 2012); Singapore. Research Publishing Services; 2012: 816-821.
Notes: ISBN 978-981-07-2826-7

3631. Pawlak, T.; Trzeciak-Karlikowska, K.; Czernek, J.; Ciesielski, W., and Potrzebowski, M. J. Computed and Experimental Chemical Shift Parameters for Rigid and Flexible YAF Peptides in the Solid State. *J Phys Chem B*. 2012; **116**(6):1974-1983.
3632. Penczek, S. and Grubbs, R. Introduction to volume 4. Matyjaszewski, K. and Möller, M., Eds. Amsterdam: Elsevier BV; 2012; pp. 1-3.
3633. Penczek, S. and Grubbs, R., Eds. *Polymer Science: A Comprehensive Reference*. Amsterdam: Elsevier BV; 2012.
3634. Penczek, S. and Kałużyński, K. Thermodynamic and kinetic polymerizability. Matyjaszewski, K. and Möller, M., Eds. *Polymer Science: A Comprehensive Reference*. Amsterdam: Elsevier BV; 2012; pp. 5-20.
3635. Penczek, S.; Kałużyński, K., and Pretula, J. Bisphosphonate units in the main polymer chain: the first synthesis. *J Polym Sci A: Polym Chem*. 2012; **50**(15):3030-3038.
3636. Penczek, S. and Pretula, J. Fundamental aspects of chain polymerization. Matyjaszewski, K. and Möller, M., Eds. *Polymer Science: A Comprehensive Reference*. Amsterdam: Elsevier BV; 2012; pp. 3-38.
3637. Penczek, S.; Pretula, J.; Kałużyński, K., and Łapienis, G. Polymers with esters of phosphoric acid units: from synthesis, models of biopolymers to polymer-inorganic hybrids. *Israel Journal of Chemistry*. 2012; **52**(3-4 Special Issue):306-319.
3638. Piórkowska, E.; Pluta, M.; Gałęski, A., and Morawiec, J. Modyfikacja polilaktydu poprzez mieszanie z biodegradowalnymi kopolimerami glikolu etylenowego i glikolu propylenowego. Kowalczyk, M. and Żakowska, H., Red. *Materiały opakowaniowe z kompostowalnych tworzyw polimerowych*. Warszawa: Wyd. Centralny Ośrodek Badawczo-Rozwojowy Opakowań; 2012; pp. 78-90.
Notes: ISBN 978-83-60281-11-6
3639. Pluta, M.; Murariu, M.; Dechief, A. L.; Bonnaud, L.; Gałęski, A., and Dubois, Ph. Impact-modified polylactide-calcium sulfate composites: structure and properties. *J Appl Polym Sci*. 2012; **125**(6 SI):4302-4315.
3640. Różga-Wijas, K. and Chojnowski, J. Synthesis of new polyfunctional cage oligosilsesquioxanes and cyclic siloxanes by thiol-ene addition. *J Inorg Organometal Polym Mat*. 2012; **22**(3 Special Issue):588-594.
3641. Różański, A. and Gałęski, A. Modification of amorphous phase of semicrystalline polymers. *Polimery*. 2012; **57**(6):433-440.
3642. Salamończyk, G. New water-soluble polyanionic dendrimers-phosphoric and 1,3,5-benzenetricarboxylic acid derivatives. *Tetrahedron*. 2012; **68**(49):10209-10217.
3643. Slouf, M.; Sikora, A.; Pavlova, E.; Vlkova, H.; Baldrian, J.; Base, T., and Piórkowska, E. Nucleated crystallization of isotactic polypropylene in multilayered sandwich nanocomposites with gold particles. *J Appl Polym Sci*. 2012; **125**(6 SI):4338-4346.
3644. Sobczak, M.; Johansson, T.; Bulkowski, M.; Sochacki, M.; Laven, G.; Mikołajczyk, B.; Stawiński, J., and Nawrot, B. DNA oligonucleotides with stereodefined phenylphosphonate and phosphonothioate internucleotide bonds: synthesis and physico-chemical properties. *Arkivoc*. 2012(Part 4):63-79.

3645. Strzelec, K.; Wasikowska, K.; Cypryk, M., and Pospiech, P. Rhodium (I) complex catalyst immobilized on terpolymers of N-vinylpyrrolidinone and 1-vinylimidazole. *J Appl Polym Sci.* 2012; **124**:(5):3538-3546.
3646. Sztiller-Sikorska, M.; Koprowska, K.; Jakubowska, J.; Zaleśna, I.; Stasiak, M.; Duchler, M., and Czyż, M. E. Sphere formation and self-renewal capacity of melanoma cells is affected by the microenvironment. *Melanoma Research.* 2012; **22**:(3):215-224.
3647. Szymański, R. Equilibrium copolymerization in ring-opening polymerization. Matyjaszewski, K. and Möller, M., Eds. *Polymer Science: A Comprehensive Reference.* 2012: Elsevier BV; 2012; pp. 51-66.
3648. Szymański, R. On the Statistical Nonliving Nature of the Cationic Ring-Opening Copolymerization of Oxetane with Tetrahydropyran . *Macromol Theory Simul.* 2012; **21**:(2):78-82.
3649. Szymański, R. Ring-chain equilibria in ring-opening polymerization. Matyjaszewski, K. and Möller, M., Eds. *Polymer Science: A Comprehensive Reference.* 2012: Elsevier BV; 2012; pp. 31-49.
3650. Szymański, R. and Sosnowski, S. Kinetic Monte Carlo studies on the importance of the reaction scheme in segmental exchange of copolymer chains. *Macromol Theory Simul.* 2012; **21**:(6):411-427.
3651. Szymański, R. and Sosnowski, S. Modeling of low concentrations of reactive species in kinetic Monte Carlo simulation. *Macromol Theory Simul.* 2012; **21**:(8):510-515.
3652. Słomkowski, S. Ring-opening dispersion polymerization. Matyjaszewski, K. and Möller, M., Eds. *Polymer Science: A Comprehensive Reference.* Amsterdam: Elsevier BV; 2012; pp. 645-660.
3653. Tomaszewska, A.; Mourgues, S.; Guga, P.; Nawrot, B., and Pratviel, G. A single nuclease-resistant linkage in DNA as a versatile method for the characterization of DNA lesions: application to the guanine oxidative lesion "G+34" generated by metalloporphyrin/KHSO₅ reagent. *Chem Res Toxicol.* 2012; **25**:2505-2512.
3654. Trzeciak-Karlikowska, K. Studies on the structure and dynamics of N-terminal sequences of dermorphin and their analogs by means of Solid State NMR spectroscopy and XRD. *Wiadomości Chemiczne.* 2012; **66**:867-891.
3655. van Waes, F. E. A.; Drabowicz, J.; Cukalovic, A., and Stevens, C. V. Efficient and catalyst-free condensation of acid chlorides and alcohols using continuous flow. *Green Chemistry.* 2012; **14**:(10):2776-2779.
3656. Vert, M.; Doi, Y.; Hellwich, K. H.; Hess, M.; Hodge, P.; Kubisa, P.; Rinaudo, M., and Schue, F. Terminology for biorelated polymers and applications (IUPAC Recommendations 2012). *Pure & Appl Chem.* 2012; **84**:377-408.
3657. Walczak, M.; Ciesielski, W.; Gałęski, A.; Potrzebowski, M. J.; Regnier, G.; Hiltner, A., and Baer, E. Structure and molecular dynamics of multilayered polycarbonate/polystyrene films. *J Appl Polym Sci.* 2012; **125**:(6 SI):4267-4274.
3658. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Uznański, P., and Głębocki, B. Hard a-SiC:H films formed by remote hydrogen microwave plasma chemical vapor deposition using a novel single-source precursor. *Thin Solid Films.* 2012; **520**:(24):7100-7108.
3659. Wu, J.; Eduard, P.; Thiyagarajan, S.; Jasińska-Walc, L.; Rózański, A.; Guerra, C. F.; Noordover, B. A. J.; van Haveren, J.; van Es, D. S., and Koning, C. E. Semicrystalline polyester based on a novel renewable building block. *Macromolecules.* 2012; **45**:(12):5069-5080.

3660. Wu, J.; Jasińska-Walc, L.; Dudenko, D.; Różański, A.; Hansen, M. R.; van Es, D., and Koning, C. E. An investigation of polyamides based on isoidide-2,5,-dimethyleneamine as a green rigid building block with enhanced reactivity. *Macromolecules*. 2012; **45**:(23):9333-9346.
3661. Yamochi, H.; Haneda, T.; Tracz, A., and Saito, G. Humidity dependent properties of a transparent conducting film doped with BEDO-TTF complex. *Phys Stat Sol B-Basic Solid State Physics*. 2012; **249**:(5):1012-1016.
3662. Yang, Xian-bin; Sierant, M.; Janicka, M.; Pęczek, Ł.; Martinez, C.; Hassell, T.; Li, N.; Li, X.; Wang, T. Z., and Nawrot, B. Gene silencing activity of siRNA molecules containing phosphorodithioate substitutions. *ACS Chemical Biology*. 2012; **7**:(7):1214-1220.
3663. Zając, A. Hiperwalentne związki siarki, selenu i telluru. Część I - Charakterystyka ogólna. *Wiadomości Chemiczne*. 2012; **66**:529-541.
3664. ---. Hiperwalentne związki siarki, selenu i telluru. Część II - Sulfurany 10-S-3 i 10-S-4. *Wiadomości Chemiczne*. 2012; **66**:593-622.
3665. ---. Hiperwalentne związki siarki, selenu i telluru. Część III - Sulfuran Martina, sulfurany 10-S-5 i 12-S-4. *Wiadomości Chemiczne*. 2012; **66**:893-907.
3666. Zając, A. Hiperwalentne związki siarki, selenu i telluru. Część IV - Selenurany i tellurany. *Wiadomości Chemiczne*. 2012; **66**:1119-1144.
3667. Zapała, K.; Piórkowska, E.; Hiltner, A., and Baer, E. High-pressure crystallization of isotactic polypropylene droplets. *Colloid Polym Sci*. 2012; **290**:(16):1599-1607.
3668. Łapienis, G. Ring-opening polymerization of cyclic phosphorus monomers. Matyjaszewski, K. and Möller, M., Eds. *Polymer Science: A Comprehensive Reference*. Amsterdam: Elsevier BV; 2012; pp. 477-505.
3669. Żuk, K.; Pęczek, Ł.; Stec-Michalska, K.; Mędrek, M., and Nawrot, B. Family history of gastric cancer correlates with decreased expression of HINT1 tumor suppressor gene in gastric mucosa of dyspeptic patients. *Oncology Letters*. 2012; **3**:(1):219-223.
3670. ---. SATB1 expression in gastric mucosa in relation to *Helicobacter pylori* infection and family history of gastric cancer. *Advances in Medical Sciences*. 2012; **57**:(2):237-243.
3671. Adamczyk, M.; Pęczek, Ł.; Rudnicki, B.; Nawrot, B., and Stec-Michalska, K. Kliniczne znaczenie GastroPanelu w diagnostyce skuteczności terapii eradycznej *H. pylori* u pacjentów obciążonych rodzinnym występowaniem raka żołądka. *Pol Merk Lek*. 2013; **XXXV**:(207):141-147.
3672. Barszcz, B.; Masternak, J.; Hodorowicz, M.; Matczak-Jon, E.; Jabłońska-Wawrzycka, A.; Stadnicka, K.; Zienkiewicz, M.; Królewska, K., and Kaźmierczak-Barańska, J. Synthesis, crystal structure and NMR investigation of novel Ca(II) complexes with heterocyclic alcohol, aldehyde and carboxylate ligands. Evaluation of Ca(II) and Cd(II) analogues for anticancer activity. *Inorg Chim Acta*. 2013; **399**:85-94.
3673. Bartczak, Z.; Gałęski, A.; Kowalczyk, M.; Sobota, M., and Malinowski, R. Tough blends of poly(lactide) and amorphous poly([R,S]-3-hydroxy butyrate) - morphology and properties. *Europ Polym J*. 2013; **49**:(11):3630-3641.
3674. Bartczak, Z.; Gałęski, A., and Kowalczyk, M. Morfologia i właściwości mieszanin polilaktydu z amorficznym poli(hydroksymaślanem). *Przetwórstwo Tworzyw*. 2013; **19**:68-69.

3675. Bartczak, Z. and Grala, M. Mechanical performance of polypropylene-POSS hybrid nanocomposites obtained by reactive blending. SPE Plastic Research Online. 2013:3 strony.
Notes: Czasopismo wyłącznie w wersji elektronicznej
3676. Bartusik, J and Bartczak, Z. Krystalizacja folii HDPE/CaCO₃ indukowana ścinaniem. Przetwórstwo Tworzyw. 2013; **19**:70-71.
3677. Baško, M.; Bednarek, M.; Nguyen, L. T. T.; Kubisa, P., and Du Prez, F. Functionalization of polyurethanes by incorporation of alkyne side-groups to oligodiols and subsequent thiol-yne post-modification. Europ Polym J. 2013; **49**:(11):3573-3581.
3678. Baško, M.; Duda, A.; Kaźmierski, Sł., and Kubisa, P. Cationic copolymerization of *racemic*-β-butyrolactone with L,L-lactide: one-pot synthesis of block copolymers. J Polym Sci A: Polym Chem. 2013; **51**:(22):4873-4884.
3679. Bałczewski, P. A new modification of the Friedel-Crafts type reaction in synthesis of planar, functional molecules for optoelectronic applications. Annual Reports of the Polish Academy of Science. 2013:58-59.
3680. Bałczewski, P. and Skalik, J. Quinquevalent phosphorus acids. Allen, D. W.; Tebby, J. C., and Loakes, D., Eds. Organophosphorus Chemistry. Cambridge: The Royal Society of Chemistry Publishing; 2013; pp. 81-196.
Notes: SBN 978-1-84973-584-1
3681. Bednarek, M. Coupling reaction with thiols as the efficient method of functionalization of "clickable" polylactide. Reactive & Functional Polymers. 2013; **73**:(8):1130-1136.
3682. Biczak, R.; Bałczewski, P.; Bachowska, B.; Pawłowska, B.; Kaźmierczak-Barańska, J.; Cieślak, M., and Nawrot, B. Phytotoxicity and cytotoxicity of imidazolium ionic liquids containing sulfur atom. Phosphorus, Sulfur and Silicon and the Related Elements. 2013; **188**:(4):459-461.
3683. Biczak, R.; Pawłowska, B.; Bałczewski, P.; Bachowska, B., and Herman, B. Phytotoxicity of ionic liquid containing phosphorus atom. Ecological Chemistry and Engineering A. 2013; **20**:(6):621-630.
3684. Boncel, S.; Brzeziński, M.; Mrowiec-Białon, J.; Janas, D.; Kozioł, K. K. K., and Walczak, K. Z. Oxidised multi-wall carbon nanotubes-(R)-polylactide composite with a covalent beta-D-uridine filler-matrix linker. Materials Letters. 2013; **91**:50-54.
3685. Bretes, E.; Wojdyła-Mamoń, A. K.; Kowalska, J.; Jemielity, J.; Kaczmarek, R.; Baraniak, J., and Guranowski, A. Hint2, the mitochondrial nucleoside 5'-phosphoramidate hydrolase; properties of the homogenous protein from sheep (*Ovis aries*)liver. Acta Biochimica Polonica. 2013; **60**:(2):249-254.
3686. Chojnowski, J. Ring-opening polymerization of cyclosiloxanes. Arkles, B. and Larson, G. L., Eds. Silicon Compounds: Silanes and Silicones. A Survey of Properties and Chemistry. 3rd. ed. Morrisville; 2013; pp. 443-452.
Notes: ISBN 978-0-578-12235-9, Copyright© 2013, ukazała się w 2014r.
3687. Chollakup, R.; Smitthipong, W., and Chworoś, A. Supramolecular cooperative-assembly of polyelectrolyte films. RSC Advances. 2013; **3**:(14):4745-4749.
3688. Chruściel, J.; Fejdys, M., and Fortuniak, W. Synthesis and characterization of new, liquid, branched poly(methylvinylborosiloxanes). E-Polymers. 2013:Article Number: **034**.
3689. Cypryk, M. and Pospiech, P. Polysiloxanes as supports for catalysis. Chemik. 2013; **67**:(12):1173-1180.

3690. Czernek, J.; Pawlak, T.; Potrzebowski, M. J., and Brus, J. The comparison of approaches to the solid-state NMR-based structural refinement of vitamin B-1 hydrochloride and of its monohydrate. *Chem Phys Lett.* 2013; **555**:135-140.
3691. De Blicq, A.; Catak, S.; Debrouwer, W.; Drabowicz, J.; Hemelsoet, K.; Verstraelen, T.; Waroquier, M.; van Speybroeck, V., and Stevens, C. V. Diphosphonylation of aromatic diazaheterocycles and theoretical rationalization of product yields. *Eur J Org Chem.* 2013(6):1058-1067.
3692. Deredas, D.; Albrecht, Ł.; Maniukiewicz, W.; Wojciechowski, J.; Wolf, W. M.; Paluch, P.; Janecki, T.; Różalski, M.; Krajewska, U.; Janecka, A., and Krawczyk, H. Three-component reaction of 3-(diethoxyphosphoryl)coumarin, enolizable ketones and primary amines: Simple, stereoselective synthesis of benzo[1,3]oxazocine skeletons. *RSC Advances.* 2013; **3**(19):6821-6832.
3693. Dolot, R.; Włodarczyk, A.; Bujacz, A., and Nawrot, B. Expression, purification, crystallization and preliminary X-ray crystallographic analysis of human histidine triad nucleotide-binding protein 2 (hHINT2). *Acta Crystallographica Section F-Structural Biology and Crystallization Communications.* 2013; **69**:783-787.
3694. Dominguez-Martin, A.; Johannsen, S.; Sigel, A.; Operschall, B. P.; Song, B.; Sigel, H.; Okruszek, A.; Gonzalez-Perez, J. M.; Niclos-Gutierrez, J., and Sigel, R. K. O. Intrinsic acid-base properties of a hexa-2-deoxynucleoside pentaphosphate, d(ApGpGpCpCpT): neighboring effects and isomeric equilibria. *Chem-Eur J.* 2013; **19**(25):8163-8181.
3695. Drabik, E.; Jeziorna, A.; Bienias, U.; Trzeciak-Karlikowska, K.; Pawlak, T.; Paluch, P., and Potrzebowski, M. J. Study of the mechanism of thermal chemical processes in the crystals of YAF tripeptides by means of mass spectrometry and solid state NMR. *J Phys Chem B.* 2013; **117**(43):13481-13489.
3696. Drabik, E.; Kasiński, G.; Cypriak, M.; Błaszczak, R.; Gajda, T., and Sochacki, M. Differentiation of diastereoisomers of protected 1,2-diaminoalkylphosphonic acids by EI mass spectrometry and density functional theory. *Journal of the American Society for Mass Spectrometry.* 2013; **24**(3):388-398.
3697. Drabowicz, J. and Zając, A. Attempts at functionalization of fullerene C₆₀ moiety with substituents containing sulfur atom. *Phosphorus, Sulfur and Silicon and the Related Elements.* 2013; **188**(4):512-514.
3698. Duchler, M. Vehicles for small interfering RNA transfection: exosomes versus synthetic nanocarriers. *RNA Nanotechnology.* 2013:16-26.
3699. Dworak, A.; Słomkowski, S.; Basińska, T.; Gosecka, M.; Walach, W., and Trzebicka, B. Polyglycidol - how is it synthesized and what is it used for? *Polimery.* 2013; **58**(9):641-649.
3700. Farge, L.; Andre, S.; Pawlak, A.; Baravian, C.; Irvine, S. C., and Philippe, A. M. A study of the deformation-induced whitening phenomenon for cavitating and non-cavitating semicrystalline polymers. *J Polym Sci B: Polym Phys.* 2013; **51**(10):826-841.
3701. Fenyk, A.; Krasowska, D.; Urbaniak, P., and Drabowicz, J. The chemo- and electropolymerization of thiophene derivatives containing at the 3 position a substituent with a sterogenic phosphorus atom. *Phosphorus, Sulfur and Silicon and the Related Elements.* 2013; **188**(4):473-482.
3702. Fortuniak, W.; Chojnowski, J.; Słomkowski, S.; Pospiech, P., and Kurjata, J. Route to hydrophilic, hydrophobic and functionalized cross-linked polysiloxane microspheres. *Polymer.* 2013; **54**(13):3156-3165.
3703. Fortuniak, W.; Słomkowski, S.; Chojnowski, J.; Kurjata, J.; Tracz, A., and Mizerska, U. Synthesis of a

paraffin phase change material microencapsulated in a siloxane polymer. *Colloid Polym Sci.* 2013; **291**:(3):725-733.

3704. Garcia-Alvarez, R.; Zabłocka, M.; Crochet, P.; Duhayon, C.; Majoral, J.-P., and Cadierno, V. Thiazolyl-phosphine hydrochloride salts: effective auxiliary ligands for ruthenium-catalyzed nitrile hydration reactions and related amide bond forming processes in water. *Green Chemistry.* 2013; **15**:(9):2447-2456.
3705. Ghorbanloo, M.; Jaworska, M.; Paluch, P.; Li, G. D., and Zhou, L. J. Synthesis, characterization, and catalytic activity for thioanisole oxidation of homogeneous and heterogeneous binuclear manganese(II) complexes with amino acid-based ligands. *Transition Metal Chemistry.* 2013; **38**:(5):511-521.
3706. Gliński, J. A.; Wong, A.; Kinkade, P.; Gliński, V. B.; Kaźmierski, Sł., and Jamroz, M. K. Four A-Type procyanidin trimers are main flavanol components of *cinnamomum burmanii*. *Planta Medica.* 2013; **79**:(10):868-868.
3707. Grala, M.; Bartczak, Z., and Pracella, M. Morphology and mechanical properties of polypropylene-POSS hybrid nanocomposites obtained by reactive blending. *Polymer Composites.* 2013; **34**:(6):929-941.
3708. Iovescu, A.; Gosecka, M.; Basińska, T.; Baran, A.; Stinga, G.; Słomkowski, S., and Anghel, D. F. Spectroscopical properties of a DTAF-labeled hydrophilic-hydrophobic copolymer in water and surfactant micelles. *Dyes and Pigments.* 2013; **97**:(2):347-352.
3709. Janicka, M.; Sobczak, M.; Mikołajczyk, B.; Kapitovsky, A.; Shakked, Z., and Guga, P. Why some cells are radioresistant? The DBp53 interactions with double-strand DNA sequences in promoter regions of genes related to the cell cycle and apoptosis. *FEBS Journal.* 2013; **280**:(SI):162-162 Supplement: 1.
Notes: 38th Congress of the Federation-of-European-Biochemical-Societies (FEBS) JUL 06-11, 2013 Saint Petersburg, RUSSIA
3710. Jurczuk, K.; Gałęski, A., and Piórkowska, E. All-polymer nanocomposites with nanofibrillar inclusions generated in situ during compounding. *Polymer.* 2013; **54**:(17):4617-4628.
3711. Kaczmarczyk, S.; Madalińska, L., and Kielbasiński, P. Unexpected racemization of 2-hydroxymethylphenylphosphine oxides. *Phosphorus, Sulfur and Silicon and the Related Elements.* 2013; **188**:(1-3):249-253.
3712. Kielbasiński, P.; Rachwalski, M.; Kaczmarczyk, S., and Leśniak, S. Polydentate chiral heteroorganic ligands/catalysts-impact of particular functional groups on their activity in selected reactions of asymmetric synthesis. *Tetrahedron: Asymmetry.* 2013; **24**:(21-22):1417-1420.
3713. Kobayashi, S.; Mao, K.; Paluch, P.; Nowak-Król, A.; Śniechowska, J.; Nishiyama, Y.; Gryko, D. T.; Potrzebowski, M. J., and Pruski, M. Study of Intermolecular Interactions in the Corrole Matrix by Solid-State NMR under 100 kHz MAS and Theoretical Calculations. *Angew Chem Int Ed Engl.* 2013; **52**:(52):14108-14111.
3714. Koleżyński, A.; Jastrzębski, W.; Szczypka, W.; Kowalewska, A.; Nowacka, M., and Sitarz, M. The structure and bonding properties of chosen phenyl ladder-like silsesquioxane clusters. *J Mol Struct.* 2013; **1044**:314-322.
3715. Krajenta, A.; Różański, A., and Gałęski, A. Wpływ modyfikacji fazy amorficznej polietylenu na kawitację podczas jednoosiowego rozciągania. Steller, R. and Zuchowska, D., Eds. *Modyfikacja polimerów. Stan i perspektywy w roku 2013.* Wrocław: Wyd. Tempo, s.c.; 2013; pp. 349-352.

3716. Krakowiak, A.; Pawłowska, R.; Rębowska, B., and Stec, W. J. Conversion of 5'-O-monothiophosphate nucleosides to 5'-O-monophosphate nucleosides in cellular conditions interaction of NMPS with Hint1 enzyme. *Acta Biochimica Polonica*. 2013; **60**:(Suppl. 1):37.
3717. Krasowska, D. 2,2'-Dihydroxy-1,1'-binaftyl (BINOL) i jego pochodne. Wybrane syntezy i zastosowanie. Część II. *Wiadomości Chemiczne*. 2013; **67**:(1-2):55-92.
3718. Krawiecka, M.; Kuran, B.; Kossakowski, J.; Kierzkowska, M.; Młynarczyk, G.; Cieślak, M.; Kaźmierczak-Barańska, J.; Królewska, K., and Dobrowolski, M. A. Synthesis and biological activity of novel series of 1,3-benzoxazol-2(3H)-one derivatives. *Acta Pol Pharm Drug Res*. 2013; **70**(2):245-253.
3719. Krawiecka, M.; Kuran, B.; Kossakowski, J.; Kierzkowska, M.; Młynarczyk, G., and Kaźmierczak-Barańska, J. Synthesis and biological activity of 6-substituted 5-acetyl-4,7-dimethoxybenzofuran derivatives. *Heterocyclic Communications*. 2013; **19**:(4):281-286.
3720. Krysiak, J. A.; Rzewnicka, A., and Midura, W. H. Asymmetric synthesis of cyclopropane phosphonates as a route to 2-substituted cyclopropylglycine, antagonist of metabotropic receptors. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2013; **188**:(4):483-486.
3721. Kręgiel, D.; Berłowska, J.; Mizerska, U.; Fortuniak, W.; Chojnowski, J., and Ambroziak, W. Chemical modification of polyvinyl chloride and silicone elastomer in inhibiting adhesion of *Aeromonas hydrophila*. *World Journal of Microbiology & Biotechnology*. 2013; **29**:(7):1197-1206.
3722. Kulik, K. Bioaktywne N-acyloamidofosforanowe pochodne nukleozydów. *Wiadomości Chemiczne*. 2013; **67**:(9-10):877-897.
3723. Kuran, B.; Kossakowski, J.; Cieślak, M.; Kaźmierczak-Barańska, J.; Królewska, K.; Cyrański, M. K.; Stępień, D. K., and Krawiecka, M. Synthesis and biological activity of novel series of heterocyclic compounds containing succinimide moiety. *Heterocyclic Communications*. 2013; **19**:(4):287-296.
3724. Kurjata, J.; Różga-Wijas, K., and Stańczyk, W. A. Investigation of hydrolysis and condensation of methyltriethoxysilane in aqueous system. *European Journal of Chemistry*. 2013; **4**:(4):343-349.
3725. Kwaśny, M.; Kowalewska, A.; Wodnicka, K., and Handke, M. Mesoporous silica obtained by polycondensation of octahydrooctasilsesquioxane. *Journal of Materials Science*. 2013; **48**:(15):5188-5195.
3726. Kwiatkowska, A.; Sobczak, M.; Mikołajczyk, B.; Janczak, S.; Olejniczak, A. B.; Sochacki, M.; Leśnikowski, Z. J., and Nawrot, B. siRNAs modified with boron clusters and their physicochemical and biological characterization. *Bioconjugate Chemistry*. 2013; **24**:(6):1017-1026.
3727. Lankoff, A.; Arabski, M.; Węgierek-Ciuk, A.; Kruszewski, M.; Lisowska, H.; Banasik-Nowak, A.; Różga-Wijas, K.; Wojewódzka, M., and Słomkowski, S. Effect of surface modification of silica nanoparticles on toxicity and cellular uptake by human peripheral blood lymphocytes in vitro. *Nanotoxicology*. 2013; **7**:(3):235-250.
3728. Midura, W. H.; Krysiak, J. A.; Rzewnicka, A.; Łyżwa, P.; Supel, A., and Ewas, A. M. M. Asymmetric synthesis of conformationally constrained L-AP4 analogues using chiral sulfinyl auxiliary. *Tetrahedron*. 2013; **69**:(2):730-737.

3729. Midura, W. H. and Rzewnicka, A. Asymmetric synthesis of (R)-[2,2-H-2(2)]-1-aminocyclopropane-1-phosphonic acid (ACPP derivative) conformationally constrained ACC analogue using a chiral sulfinyl auxiliary. *Tetrahedron: Asymmetry*. 2013; **24**:(15-16):937-941.
3730. Midura, W. H.; Sobczak, A., and Paluch, P. Stereoselective cyclopropylphosphonate formation using (S)-dimethylsulfonium-p-tolylmethylide. Unusual phosphoryl group migration. *Tetrahedron Lett*. 2013; **54**(3):223-226.
3731. Mikina, M. The first observation of γ -sila-Pummerer rearrangement. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2013; **188**:(4):454-458.
3732. Miksa, B.; Sochacki, M.; Sroka-Bartnicka, A.; Uznański, P.; Nosal, A., and Potrzebowski, M. J. Application of parylene for surface (polymer) enhanced laser desorption/ionization of synthetic polymers. *Rapid Communications in Mass Spectrometry*. 2013; **27**:(7):767-772.
3733. Moraczewski, K.; Stepczyńska, M.; Malinowski, R.; Tracz, A., and Żenkiewicz, M. Wpływ wyładowań koronowych na strukturę powierzchni polilaktydu przeznaczonego do autokatalicznego metalizowania. *Przemysł Chem*. 2013; **92**:(11):2000-2005.
3734. Neugebauer, D.; Bury, K.; Maksym-Bębenek, P. , and Biela, T. AB, BAB and (AB)₃ poly(epsilon-caprolactone)-based block copolymers with functionalized poly(meth)acrylate segments. *Polymer International*. 2013; **62**:(4):693-702.
3735. Neugebauer, D.; Bury, K.; Paprotna, M., and Biela, T. Amphiphilic copolymers with poly (meth)acrylic acid chains "grafted from" caprolactone 2-(methacryloyloxy) ethyl ester-based backbone. *Polym Adv Technol*. 2013; **24**:(12):1094-1101.
3736. Neugebauer, D.; Maksym-Bębenek, P.; Mielańczyk, A., and Biela, T. Branched copolymers with biodegradable core and pendant oxirane groups. *Polym Eng Sci*. 2013; **53**:(6):1146-1153.
3737. Neugebauer, D.; Mielańczyk, A.; Waśkiewicz, S., and Biela, T. Epoxy functionalized polymethacrylates based on various multifunctional D-glucopyranoside acetals. *J Polym Sci A: Polym Chem*. 2013; **51**:(11):2483-2494.
3738. Niedzielska, D.; Pawlak, T.; Bozejewicz, M.; Wojtczak, A.; Pazderski, L., and Szlyk, E. Structural and spectroscopic studies of Au(III) and Pd(II) chloride complexes and organometallics with 2-benzylpyridine. *J Mol Struct*. 2013; **1032** :195-202.
3739. Niedzielska, D.; Pawlak, T.; Czubachowski, T., and Pazderski, L. H-1, C-13, and N-15 NMR studies of Au(III) and Pd(II) chloride complexes and organometallics with 2-acetylpyridine and 2-benzoylpyridine. *Journal of Spectroscopy*. 2013:Article Number: 982832 (8 stron).
3740. Owsianik, K.; Vendier, L.; Błaszczak, J., and Sieroń, L. Synthesis and structures of non-cyclic and cyclic mono- and bisphosphonium salts derived from 1,8-bis(diphenylphosphino) naphthalene. *Tetrahedron*. 2013; **69**:(5):1628-1633.
3741. Paluch, P.; Kaźmierski, Sł.; Jeziorna, A.; Śniechowska, J.; Dąbrowa, K.; Panek, J. J.; Jezierska-Mazzarello, A.; Jurczak, J., and Potrzebowski, M. J. Influence of environmental humidity on organization and molecular dynamics of heteromacrocyclic assemblies. *J Phys Chem B*. 2013; **117**:(46):14420-14431.
3742. Paluch, P.; Pawlak, T.; Amoureux, J.-P., and Potrzebowski, M. J. Simple and accurate determination of X-H distances under ultra-fast MAS NMR. *J Magn Reson* . 2013; **233**:56-63.

3743. Pawlak, A. Cavitation during tensile deformation of isothermally crystallized polypropylene and high-density polyethylene. *Colloid Polym Sci.* 2013; **291**:(4):773-787.
3744. Pawlak, A. Deformacja plastyczna poliolefin a zjawisko kawitacji. Steller, R. and Żuchowska, D., Eds. *Modyfikacja polimerów. Stan i perspektywy w roku 2013.* Wrocław: Wyd. Tempa s.c.; 2013; pp. 396-399.
Notes: ISBN 978-83-86520-19-0
3745. Pawlak, A.; Różański, A., and Gałęski, A. Thermovision studies of plastic deformation and cavitation in polypropylene. *Mechanics of Materials.* 2013; **67**:(6 Special Issue):651-660.
3746. Pawlak, T.; Jaworska, M., and Potrzebowski, M. J. NMR crystallography of alpha-poly(L-lactide). *Physical Chemistry Chemical Physics.* 2013; **15**:(9):3137-3145.
3747. Pawlak, T.; Paluch, P.; Trzeciak-Karlikowska, K.; Jeziorna, A., and Potrzebowski, M. J. Study of the thermal processes in molecular crystals of peptides by means of NMR crystallography. *CRYSTENGCOMM.* 2013; **15**:(43):8680-8692.
3748. Pawłowska, B.; Biczak, R., and Bałczewski, P. Fitotoksyczność kwasu 2,2'-tiodioctowego w stosunku do wybranych roślin wyższych. *Inżynieria i Ochrona Środowiska.* 2013; **16**:487-498.
3749. Pawłowska, R.; Gwoździńska, P., and Chworoś, A. RNA nanoparticles for gene expression regulation. Erdmann, V. A. and Barciszewski, J., Eds. *DNA and RNA nanobiotechnologies in medicine: diagnosis and treatment of diseases.* Berlin: Springer-Verlag; 2013; pp. 263-290.
Notes: ISBN: 978-3-642-36852-3 (Print)
3750. Pawłowska, R.; Gwoździńska, P.; Garner, L. E., and Chworoś, A. Distyrylbenzene oligoelectrolyte (DSBN+) for human cervical carcinoma cells imaging. *MRS Symposium Proceedings.* 2013; **1569**.
Notes: DOI: <http://dx.doi.org/10.1557/opl.2013.1100>
3751. Penczek, S.; Pretula, J., and Lewiński, P. Polimery z odnawialnych surowców, polimery biodegradowalne. *Polimery.* 2013; **LVIII**:(11-12):835-846.
3752. Pisano, C. and Figiel, Ł. Modelling of morphology evolution and macroscopic behaviour of intercalated PET-clay nanocomposites during semi-solid state processing. *Composites Science and Technology.* 2013; **75**:35-41.
3753. Piórkowska, E. Crystallization in polymer composites and nanocomposites. Piórkowska, E. and Rutledge, G. C., Eds. *Handbook of Polymer Crystallization.* Hoboken NJ: John Wiley & Sons; 2013; pp. 379-397.
Notes: ISBN:- 9780470380239
3754. Piórkowska, E. and Gałęski, A. Overall crystallization kinetics. Piórkowska, E. and Rutledge, G. C., Eds. *Handbook of Polymer Crystallization.* Hoboken NJ: John Wiley & Sons; 2013; pp. 215-235.
Notes: ISBN: 9780470380239
3755. Piórkowska, E. and Rutledge, G. C. *Handbook of Polymer Crystallization.* Hoboken NJ: John Wiley & Sons; 2013.
Notes: ISBN 9780470380239
3756. Rachwalski, M.; Leenders, T.; Kaczmarczyk, S.; Kielbasiński, P.; Leśniak, S., and Rutjes, F. P. J. T. Efficient catalysts for asymmetric Mannich reactions. *Organic & Biomolecular Chemistry.* 2013; **11**:(25):4207-4213.

3757. Róžański, A. and Gałęski, A. Plastic yielding of semicrystalline polymers affected by amorphous phase. *International Journal of Plasticity*. 2013; **41**:14-29.
3758. Róžański, A. and Gałęski, A. Wpływ modyfikacji fazy amorficznej na właściwości mechaniczne polimerów częściowo krystalicznych. Steller, R. and Żuchowska, D., Eds. *Modyfikacja polimerów. Stan i perspektywy w roku 2013*. Wrocław: Wyd. Tempa, s.c., 2013; pp. 437-440. Notes: ISBN 9788386520190
3759. Różycka-Sokołowska, E.; Marciniak, B.; Kowalczyk, G.; Deska, M.; Ciesielski, W.; Kulawik, D.; Drabowicz, J., and Gawroński, J. Triphenylmethanethiol as a precursor for the simultaneous formation of bis(triphenylmethyl) sulfide, bis(triphenylmethyl) trisulfide and bis(triphenylmethyl) peroxide: crystal structures and Hirshfeld surface analyses. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2013; **188**(4):462-468.
3760. Różycka-Sokołowska, E.; Marciniak, B.; Ławecka, J.; Bujnicki, B.; Drabowicz, J., and Rykowski, A. 6,6'-Dimethylsulfinyl-2,2'-bipyridine: crystal structure and Hirshfeld surface analysis. *Journal of Sulfur Chemistry*. 2013; **34**(6):651-660.
3761. Shamroukh, A. H.; El-Shahat, M.; Drabowicz, J.; Ali, M. M.; Rashad, A. E., and Ali, H. S. Anticancer evaluation of some newly synthesized N-nicotinonitrile derivatives. *European Journal of Medicinal Chemistry*. 2013; **69**:521-526.
3762. Sierant, M.; Paluch, P.; Florczak, M.; Róžański, A., and Miksa, B. Photosensitive nanocapsules for use in imaging from poly(styrene-co-divinylbenzene) cross-linked with coumarin derivatives. *Colloids and Surfaces B: Biointerfaces*. 2013; **111**:571-578.
3763. Sierant, M.; Yang, Xian-bin, and Nawrot, B. siRNA analogs containing phosphorodithioate substitutions. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2013; **188**(4):427-436.
3764. Sierant, M.; Yang, Xian-bin; Sobczak, M., and Nawrot, B. Stereochemistry of interaction between phosphorothioates at the guide strand of siRNA duplex and Ago2 protein. *FEBS Journal*. 2013; **280**(SI):53-53 Supplement: 1.
Notes: 38th Congress of the Federation-of-European-Biochemical-Societies (FEBS) JUL 06-11, 2013 Saint Petersburg, RUSSIA
3765. Sochacka, E.; Bartos, P.; Kraszevska, K., and Nawrot, B. Desulfuration of 2-thiouridine with hydrogen peroxide in the physiological pH range 6,6 - 7,6 is pH dependent and results in two distinct products. *Bioorg Med Chem Lett*. 2013; **23**(21):5803-5805.
3766. Sosnowski, S. Software for demonstration of features of chain polymerization processes. *Journal of Chemical Education*. 2013; **90**(6):793-795.
3767. Szkudlarek, E.; Piórkowska, E.; Boyer, S. A. E.; Haudin, J. M., and Gadzinowska, K. Nonisothermal shear-induced crystallization of polypropylene-based composite materials with montmorillonite. *Europ Polym J*. 2013; **49**(8 Special Issue):2109-2119.
3768. Szymański, R. The importance of statistical factors in description of kinetics of segmental exchange in polyester systems. Re-analysis of reshuffling in PET/PEN blends. *Macromol Theory Simul*. 2013; **22**(7):359-364.
3769. ---. The molar mass distribution of polymer in step-growth polymerization influenced by cyclization reactions. The simplified case of irreversible reactions with cyclizations independent of the ring size. *Macromol Theory Simul*. 2013; **22**(6):335-343.
3770. Szymański, R. On the importance of the principle of microscopic reversibility in copolymerization systems.

Macromol Theory Simul. 2013; 22:(4):221-224.

3771. Tracz, A. F.; Pęczek, Ł.; Żuk, K.; Stec-Michalska, K., and Nawrot, B. Wpływ eradykacji *Helicobacter pylori* na poziom ekspresji genów *SATB1* i *c-Myc* w błonie śluzowej żołądka u pacjentów z dyspepsją w zależności od rodzinnego obciążenia występowaniem raka żołądka. Pol Merk Lek. 2013; 34:(203):269-276.
3772. Vachaudes, M.; D'hooge, D. R.; Socka, M.; Libiszowski, J.; Coulembier, O.; Reyniers, M. F.; Duda, A.; Marin, G. B., and Dubois, Ph. Inverse dependencies on the polymerization rate in atom transfer radical polymerization of N-isopropylacrylamide in aqueous medium. Reactive & Functional Polymers. 2013; 73:(3):484-491.
3773. Weidt, D. and Figiel, Ł. Predictions of energy absorption characteristics of aligned CNT-epoxy nanocomposites . Njuguna, J., Ed. Structural Nanocomposites: Perspectives for future Applications. Berlin: Springer-Verlag; 2013; pp. 207-224.
Notes: ISBN 978-3-642-40321-7
3774. Wojtczak, M.; Gałęski, A.; Dutkiewicz, S., and Piórkowska, E. Krystalizacja kopoliestru aromatyczno-alifatycznego. Steller, R. and Żuchowska, D., Eds. Modyfikacja polimerów. Stan i perspektywy w roku 2013. 2013: Wyd. Tempo s.c.; 2013; pp. 495-500.
Notes: ISBN 978-83-86520-19-0
3775. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A.; Uznański, P., and Głębocki, B. a-SiC:H Films by remote hydrogen microwave plasma CVD from ethylsilane precursors. Chem Vap Deposition. 2013; 19:(7-9):242-250.
3776. Wu, J.; Eduard, P.; Jasińska-Walc, L.; Różański, A.; Noordover, B. A. J.; van Es, D. S., and Koning, C. E. Fully isohexide-based polyesters: synthesis, characterization and structure-properties relations. Macromolecules. 2013; 46:(2):384-394.
3777. Zając, A. and Drabowicz, J. One-step synthesis of unsymmetrical sulfides bearing hexafluorocumyl moiety. Synthetic Commun. 2013; 43:(24):3287-3293.
3778. Łaźniewska, J.; Miłowska, K.; Zabłocka, M.; Mignani, S.; Caminade, A.-M.; Majoral, J.-P.; Bryszewska, M., and Gabryelak, T. Mechanism of cationic phosphorus dendrimer toxicity against murine neural cell lines. Molecular Pharmaceutics. 2013; 10:(9):3484-3496.
3779. Łodyga-Chruścińska, E.; Pawlak, J.; Sierant, M., and Sochacka, E. Impact of histidine residues on coordinating ability of nucleosides. Melnik, M.; Segla, P., and Tatarko, M., Eds. Recent Developments in Coordination, Bioinorganic, and Applied Inorganic Chemistry. Bratislava: Press of Slovak University of Technology; 2013; pp. 268-275.
Notes: ISBN 978-80-227-3918-4
3780. Łodyga-Chruścińska, E.; Sierant, M.; Pawlak, J., and Sochacka, E. Physicochemical and biological properties of nucleosides modified with an imidazole ring and their copper complexes. QScience Connect. 2013;38 (11 stron).
Notes: Tylko online <http://dx.doi.org/10.5339/connect.2013.38>
3781. Łubkowska, M.; Stańczyk, W. A., and Rózga-Wijas, K. Condensation of alpha, omega-siloxane diols with aminoalkyl-(alkoxy)silanes. E-Polymers. 2013:Article Number: 023.
3782. Łyżwa, P.; Błaszczyk, J.; Sieroń, L., and Mikołajczyk, M. Asymmetric synthesis of structurally diverse aminophosphonic acids by using enantiopure N-(p-tolylsulfinyl)cinnamaldimines as reagents. Eur J Org Chem. 2013(11):2106-2115.

3783. Baraniak, J.; Pietkiewicz, A.; Kaczmarek, R.; Radzikowska, E.; Kulik, K.; Królewska, K.; Cieślak, M.; Krakowiak, A., and Nawrot, B. N-Acyl-phosphoramidates as potential novel form of gemcitabine prodrugs. *Bioorg Med Chem* . 2014; **22**(7):2133-2140.
3784. Bartczak, Z. and Gałęski, A. Mechanical Properties of Polymer Blends. Utracki, L. A. and Wilkie C. A., Eds. *Polymer Blends Handbook*. 2nd. ed. New York: Springer; 2014; pp. 1203-1297.
Notes: ISBN 978-94-007-6063-9
3785. Bartczak, Z.; Różański, A., and Richert, J. Characterization of clay platelet orientation in polylactide-montmorillonite nanocomposite films by X-ray pole figures. *Europ Polym J*. 2014; **61**:274-284.
3786. Bartos, P.; Maciaszek, A.; Rosińska, A.; Sochacka, E., and Nawrot, B. Transformation of a wobble 2-thiouridine to 2-selenouridine through S-geranyl-2-thiouridine as a likely pathway in the cell . *Bioorg Chem*. 2014; **56**:49-53.
3787. Bartos, P.; Piotrowski, L.; Nawrot, B.; Pratviel, G., and Sochacka, E. The possible pathway of oxonemediated desulfuration of 2-thiouridineHocek, M. XVIth Symposium on Chemistry of Nucleic Acid Components; Cesky Krumlov. Prague: Academy of Sciences of the Czech Republic; 2014: 163-166. Collection Symposium Series. v. **14** :).
3788. Bałczewski, P. and Bodzioch, A. Quinquevalent phosphorus acids. Allen, D. W.; Tebby, J. C., and Loakes, D., Eds. *Organophosphorus Chemistry*. Cambridge: The Royal Society of Chemistry Publishing; 2014; pp. 246-347.
Notes: ISBN: 978-1-84973-942-9
3789. Bednarek, M.; Baško, M.; Biedroń, T.; Kubisa, P., and Pluta, M. Aggregation of polylactide with carboxyl groups at one chain end in the presence of metal cations. *Polym Bull*. 2014; **71**:(8):1891-1907.
3790. Bednarek, M. and Cichorek, M. Modification of hydrolytic stability of high molecular weight poly(epsilon-caprolactone) by addition of medium molecular weight poly(epsilon-caprolactone) aggregated in the presence of CaO. *Polimery*. 2014; **59**:(7-8):598-601.
3791. Biczak, R.; Bałczewski, P.; Pawłowska, B.; Bachowska, B., and Rychter, P. Comparison of phytotoxicity of selected phosphonium ionic liquid. *Ecological Chemistry and Engineering S - Chemia i Inżynieria Ekologiczna S*. 2014; **21**:(2):281-295.
3792. Biczak, R.; Pawłowska, B.; Bałczewski, P., and Rychter, P. The role of the anion in the toxicity of imidazolium ionic liquids. *Journal of Hazardous Materials*. 2014; **274**:181-190.
3793. Biela, T.; Puchalski, M., and Krucińska, I. Zmiany strukturalne polilaktydu pod wpływem przetwórstwa. Krucińska, I. z zespołem, Ed. *Biodegradowalne Wyroby Włókniste*. 1. ed. Łódź: Monografia Politechniki Łódzkiej; 2014; pp. 417-431.
Notes: ISBN 978-83-7283-639-7
3794. Brzeziński, M.; Biedroń, T.; Tracz, A.; Kubisa, P., and Biela, T. Spontaneous formation of colloidal crystals of PLA stereocomplex microspheres and their hierarchical structure. *Macromol Chem Phys*. 2014; **215**:27-31.
3795. Brzeziński, M. and Biela, T. Polylactide nanocomposites with functionalized carbon nanotubes and their stereocomplexes: A focused review. *Materials Letters*. 2014; **121**:244-250.
3796. Błaszczak, J. Handling of selenomethionines in macromolecular refinement. *Biochem & Anal Biochem*. 2014; **3**:(2):155.

3797. Chollakup, R.; Smitthipong, W., and Chworoś, A. DNA-functionalized polystyrene particles and their controlled self-assembly. *RSC Advances*. 2014; **4**:(58):30648-30653.
3798. Chworoś, A. Rational design of RNA nanoparticles and nanoarrays. Wang, Bin., Ed. *RNA Nanotechnology*. Boca Raton: Pan Stanford Publishing; 2014; pp. 213-234.
Notes: ISBN-13: 978-9814411646
3799. Drabowicz, J.; Kielbasiński, P.; Zając, A., and Pokora-Sobczak, P. Hypervalent Selenium Derivatives. Santi, C., Ed. *Organoselenium Chemistry: Between Synthesis and Biochemistry*. Bentham Science Publishers; 2014; pp. 120-145.
Notes: ISBN: 978-1-60805-839-6
3800. Drabowicz, J.; Kielbasiński, P.; Zając, A., and Wach-Panfilow, P. Synthesis of sulfides, sulfoxides and sulfones. Knochel, P. and Molander, G. A., Eds. *Comprehensive Organic Synthesis*. 2nd. ed. Oxford: Elsevier; 2014; pp. 131-174.
Notes: ISBN: 978-0-08-097742-3
3801. Drabowicz, J.; Pokora-Sobczak, P.; Krasowska, D., and Czarnocki, Z. Optically active *t*-butylphenylphosphinothioic acid: synthesis, selected structural studies and applications as a chiral solvating agent. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2014; **189**:(7-8):977-991.
3802. Drabowicz, J.; Pokora-Sobczak, P.; Zając, A., and Wach-Panfilow, P. A new procedure for the synthesis of optically active *t*-butylphenylphosphinothioic acid. *Heteroatom Chem*. 2014; **25**:(6 SI):674-677.
3803. Duchler, M.; Pęczek, Ł.; Szubert, M., and Suzin, J. Influence of hypoxia Inducible factors on the immune microenvironment in ovarian cancer. *Anticancer Research*. 2014; **34**:(6):2811-2819.
3804. Duchler, M.; Pęczek, Ł.; Żuk, K.; Zaleśna, I.; Jeziorski, A., and Czyż, M. The heterogeneous immune microenvironment in breast cancer is affected by hypoxia-related genes. *Immunobiology*. 2014; **219**: (2):158-165.
3805. Duda, A.; Dworak, A.; Kubisa, P.; Penczek, S., and Słomkowski, S. Słownik terminów dotyczących kinetyki, termodynamiki i mechanizmów polimeryzacji. *Polimery*. 2014; **59**: (7-8):606-621.
3806. Duda, A.; Kubisa, P.; Matyjaszewski, K., and Słomkowski, S. Professor Stanislaw Penczek - the polymers world and not only. *Polimery*. 2014; **59**:(1):3-8.
3807. Duda, A.; Kubisa, P.; Łapienis, G., and Słomkowski, S. Milestones in development of a ring-opening polymerization of the heterocyclic monomers-view from a personal perspective. *Polimery*. 2014; **59**:(1):4-19.
3808. Dudek, M. K. Jamroz; Kaźmierski, Sł.; Stefaniak, K.; Gliński, V. B., and Gliński, J. A. Conformational equilibria in selected A-type trimeric procyanidins. *Organic & Biomolecular Chemistry*. 2014; **12**:(48):9837-9844.
3809. Figiel, Ł. Effect of the interphase on large deformation behaviour of polymerclay nanocomposites near the glass transition: 2D RVE computational modelling. *Computational Materials Science*. 2014; **84**:244-254.
3810. Gajos-Michniewicz, A.; Duchler, M., and Czyż, M. MiRNA in melanoma-derived exosomes. *Cancer Letters*. 2014; **347**:(1):29-37.
3811. Gosecka, M.; Basińska, T.; Słomkowski, S.; Tracz, A., and Chehimi, M. M. Mechanism of particle formation in radical emulsion copolymerization of styrene with

α -tert-butoxy- ω -vinylbenzyl-polyglycidol macromonomer. *Polymer*. 2014; **55**(3):788-797.

3812. Gosecka, M.; Słomkowski, S., and Basińska, T. Interactions of serum proteins and alkaline phosphatase with poly(styrene/ α -tert-butoxy- ω -vinylbenzyl-polyglycidol) microspheres with various surface concentrations of polyglycidol. *Polym Adv Technol*. 2014; **25**(11 **SI**):1264-1272.
3813. Graczyk, A.; Jędrzejczyk, D.; Pawłowska, R., and Chworoś, A. The complex of tRNA with cytochrome C in gel studies. Hocek, M. XVIth Symposium on Chemistry of Nucleic Acid Components; Cesky Krumlov. Prague: Academy of Sciences of the Czech Republic; 2014: 283-284. Collection Symposium Series. v. **14**:).
3814. Gwoździńska, P.; Pawłowska, R.; Milczarek, J.; Garner, L. E.; Thomas, A. W. ; Bazan, G. C., and Chworoś, A. Phenylenevinylene conjugated oligoelectrolytes as fluorescent dyes for mammalian cell imaging. *Chem Commun*. 2014; **50**(94):14859-14861.
3815. Huben, K.; Jewgiński, M.; Pabis, A.; Paluch, P.; Luy, B., and Jankowski, S. The structure of cyclolinopeptide A in chloroform refined by RDC measurements. *Journal of Peptide Science*. 2014; **20**(11):901-907.
3816. Jamroz, M. K.; Paradowska, K.; Zawada, K.; Makarova, K.; Kaźmierski, Sł., and Wawer, I. H-1 and C-13 NMR-based sugar profiling with chemometric analysis and antioxidant activity of herb honeys and honeys. *Journal of the Science of Food and Agriculture*. 2014; **94**(2):246-255.
3817. Jasińska-Walc, L.; Hansen, M. R.; Dudenko, D.; Róžański, A.; Bouyahyi, M.; Wagner, M.; Graf, R., and Duchateau, R. Topological behavior mimicking ethylene-hexene copolymers using branched lactones and macrolactones. *Polymer Chemistry*. 2014; **5**(10):3306-3310.
3818. Jaskiewicz, A.; Błędzki, A. K.; Duda, A.; Gałęski, A., and Franciszczak, P. Investigation of processability of chain-extended polylactides during melt processing – compounding conditions and polymer molecular structure. *Macromol Mat Eng*. 2014; **299**(3):307-318.
3819. Jeziorna, A.; Kaźmierski, Sł.; Paluch, P.; Skorupska, E., and Potrzebowski, M. J. Recent progress in the solid-state NMR studies of short peptides: techniques, structure and dynamics. Webb, G. A., Ed. *Annual Reports on NMR Spectroscopy*. 1. ed. London: Academic Press; 2014; pp. 67-143. Notes: ISBN: 978-0-12-800183-7
3820. Jurczuk, K.; Gałęski, A., and Piórkowska, E. Strain hardening of molten thermoplastic polymers reinforced with poly(tetrafluoroethylene) nanofibers. *Journal of Rheology*. 2014; **58**(3):589-605.
3821. Kaczmarek, R.; Radzikowska, E., and Baraniak, J. Efficient synthesis of gemcitabine 5'-O-triphosphate using gemcitabine 5'-O-phosphoramidate as an intermediate . *Synlett*. 2014; **25**(13):1851-1854.
3822. Kielbasiński, P.; Łuczak, J.; Cierpień, T.; Błaszczak, J.; Sieroń, L.; Wiktorska, K.; Lubelska, K.; Milczarek, M., and Chilmończyk, Z. New enantiomeric fluorine-containing derivatives of sulforaphane: Synthesis, absolute configurations and biological activity. *European Journal of Medicinal Chemistry*. 2014; **76**:332-342.
3823. Kowalczyk, M.; Piórkowska, E.; Dutkiewicz, S., and Sowiński, P. Toughening of polylactide by blending with a novel random aliphatic-aromatic copolyester. *Europ Polym J*. 2014; **59**:59-68.
3824. Kowalewska, A. Hybrid polymeric systems bearing bulky derivatives of tris(trimethylsilyl)methane. *RSC Advances*. 2014; **4**(19):9622-9631.
3825. Kowalewska, A. and Nowacka, M. Silicones for Microfluidic Systems. Tiwari, A. and Soucek, M. D., Eds. *Concise Encyclopedia of High Performance Silicones*. 1. ed. Hoboken and Salem: Co-published

by John Wiley & Sons, Inc. Hoboken, New Jersey, and Scrivener Publishing LLC, Salem, Massachusetts.; 2014; pp. 371-379.
Notes: ISBN 978-1-118-46965-1

3826. Krakowiak, A.; Pawłowska, R.; Kocoń-Rębowska, B.; Dolot, R., and Stec, W. J. Interactions of cellular histidine triad nucleotide binding protein 1 with nucleosides 5'-O-monophosphorothioate and their derivatives - Implication for desulfuration process in the cell. *Biochim Biophys Acta - General Subjects*. 2014; **1840**:(12):3357-3366.
3827. Krucińska, I.; Biela, T.; Kowalczyk, M., and Puchalski, M. Charakterystyka surowców biodegradowalnych stosowanych w projekcie . Krucińska, I. z zespołem, Ed. Biodegradowalne Wyroby Włókniste. 1. ed. Łódź: Monografia Politechniki Łódzkiej; 2014; pp. 16-27.
Notes: ISBN 978-83-7283-639-7
3828. Królewska, K.; Cieślak, M.; Kuran, B.; Krawiecka, M.; Kossakowski, J.; Wybrańska, I., and Nawrot, B. New benzo[b]furane and dicarboximide derivatives with anticancer activity - studies on the mechanism of action in human cells. *FEBS Journal*. 2014; 281(Supplement: 1 Special Issue: SI):489-489.
3829. Kulik, K. and Baraniak, J. Phosphoramidate pronucleotides and their intracellular activation mechanism. *Wiadomości Chemiczne*. 2014; **68**:(9-10):811-831.
3830. Kur-Kowalska, K.; Przybyt, M.; Ziółczyk, P.; Sowiński, P., and Miller, E. Fluorescence properties of 3-amino phenylboronic acid and its interaction with glucose and ZnS:Cu quantum dots. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*. 2014; **129**:320-325.
3831. Li, X.; McKenna, G. B.; Miquelard-Garnier, G.; Guinault, A.; Regnier, G., and Róžański, A. ANTEC 2014 - Proceedings of the Technical Conference & Exhibition; Las Vegas, Nevada, USA . Society of Plastics Engineers; 2014: 609-613. ISBN: ISBN 978-0-9850112-4-6.
3832. Li, X.; McKenna, G. B.; Miquelard-Garnier, G.; Guinault, A.; Sollogoub, C.; Regnier, G., and Róžański, A. Forced assembly by multilayer coextrusion to create oriented graphene reinforced polymer nanocomposites. *Polymer*. 2014; **55**:(1):248-257.
3833. Maciaszek, A.; Tomaszewska, A., and Guga, P. Selenium and tellurium derivatives of carbohydrates and nucleotid. Rappoport, Z., Ed. *The Chemistry of Organic Selenium and Tellurium Compounds*. John Wiley; 2014; pp. 1237-1278.
Notes: ISBN 978-1-118-33693-9
3834. Makowski, T.; Kowalczyk, D.; Fortuniak, W.; Jeziorska, D.; Brzeziński, S., and Tracz, A. Superhydrophobic properties of cotton woven fabrics with conducting 3D networks of multiwall carbon nanotubes, MWCNTs. *Cellulose*. 2014; **21**:(6):4659-4670.
3835. Makowski, T.; Moustafa, R. M.; Uznański, P.; Zajęczkowski, W.; Pisula, W.; Tracz, A., and Kaafarani, B. R. Structural, thermo-optical, and photophysical properties of highly oriented thinfilms of quinoxalinophenanthrophenazine derivative. *J Phys Chem C*. 2014; **118**:(32):18736-18745.
3836. Maksym-Bębenek, P.; Biela, T., and Neugebauer, D. Synthesis and investigation of monomodal hydroxy-functionalized PEG methacrylate based copolymers with high polymerization degrees. Modification by "grafting from". *Reactive & Functional Polymers*. 2014; **82**:33-40.
3837. Marzantowicz, M.; Pożyczka, K.; Brzozowski, M.; Dygas, J. R.; Krok, F.; Florjańczyk, Z., and Łapienis, G. From polymer to polyelectrolyte: studies of star-branched poly(ethylene oxide) with lithium functional groups. *Electrochimica Acta*. 2014; **115**: 612-620.

3838. Midura, W. H. and Midura, M. Selenium: inorganic chemistry. Scott, R. A., Ed. Encyclopedia of Inorganic and Bioinorganic Chemistry. Chichester: John Wiley; 2014; pp. 1-27.
Notes: Online ISBN: 9781119951438
3839. Midura, W. H. and Rzewnicka, A. Asymmetric synthesis of (1S,2R)-1-amino-2-methylcyclopropanephosphonic acid: a phosphonic analogue of (-)-norcoronamic acid - influence of stereochemistry on regioselectivity in sulfoxide-metal exchange . Synlett. 2014; **25**:(15):2213-2216.
3840. Midura, W. H.; Ścianowski, J.; Banach, M., and Zając, A. Asymmetric synthesis of cyclopropyl phosphonates using chiral terpenyl sulfonium and selenonium ylides. Tetrahedron: Asymmetry. 2014; **25**:(22):1488-1493.
3841. Mieczyska, E.; Borkowski, T.; Cypryk, M.; Pospiech, P., and Trzeciak, A. M. Palladium supported on triazolyl-functionalized polysiloxane as recyclable catalyst for Suzuki-Miyaura cross-coupling . Applied Catalysis A: General. 2014; **470**:24-30.
3842. Mielančzyk, A.; Biela, T., and Neugebauer, D. Synthesis and self-assembly behavior of amphiphilic methyl alpha-D-glucopyranoside-centered copolymers. Journal of Polymer Research. 2014; **21**:(5):Article Number 413.
3843. Mikina, M. and Mikołajczyk, M. The sila-Pummerer reaction of gamma-silyl substituted cycloalkanoyl sulfoxides: the first examples and a new approach to 3-substituted cycloalk-2-enones. Tetrahedron Lett. 2014; **55**(29):3954-3956.
3844. Miksa, B. and Potrzebowski, M. J. Analiza syntetycznych polimerów biodegradowalnych metodą spektrometrii mas z udziałem matrycy (MALDI-TPF) *kontra* pomiary za pomocą wzmocnienia laserowej desorpcji/ionizacji (ELDI-TOF) z wykorzystaniem parylenu. Przetwórstwo Tworzyw. 2014; **(157/20)**:(1):50-55.
3845. Milowska, K.; Szwed, A.; Zabłocka, M.; Caminade, A.-M.; Majoral, J.-P.; Mignani, S.; Gabryelak, T., and Bryszewska, M. In vitro PAMAM, phosphorus and viologen-phosphorus dendrimers prevent rotenone-induced cell damage. International Journal of Pharmaceutics. 2014; **474**:(1-2):42-49.
3846. Nyczyk, A.; Wójcik-Bania, M.; Gumuła, T.; Hasik, M.; Cypryk, M., and Olejniczak, Z. New precursors to SiCO ceramics derived from linear poly(vinylsiloxanes) of regular chain composition. J Eur Ceram Soc. 2014; **34**:889-902.
3847. Owsianik, K.; Wieczorek, W.; Balińska, A., and Mikołajczyk, M. Synthesis of new sulfonium ylides bearing the chiral diazaphospholidine group as reagents for asymmetric cyclopropanation. Heteroatom Chem. 2014; **25**:(6 SI):690-697.
3848. Pallan, P. S.; Yang, Xian-bin; Sierant, M.; Abeydeera, N. D.; Hassell, T.; Martinez, C.; Janicka, M.; Nawrot, B., and Egli, M. Crystal structure, stability and Ago2 affinity of phosphorodithioate-modified RNAs. RSC Advances. 2014; **4**:(110):64901-64904.
3849. Pawlak, A. Plastic deformation and cavitation in semi-crystalline polymers D'Amore, A.; Acierno, D., and Grassia, L., eds. Times of polymers (TOP) and composites 2014; Ischia, Italy. AIP Publishing; 2014: 1174-1192. AIP Conference Proceedings.
Notes: 7th International Conference on Times of Polymers and Composites (TOP)
3850. ---. Plastic deformation and cavitation in semicrystalline polymers studied by X-ray methods. Polimery. 2014; **59**:(7-8):533-541.

3851. Pawlak, A.; Gałęski, A., and Różański, A. Cavitation during deformation of semicrystalline polymers. *Progr Polym Sci.* 2014; **39**(5):921-958.
3852. Pawlak, T.; Niedzielska, D.; Vicha, J.; Marek, R., and Pazderski, L. Dimeric Pd(II) and Pt(II) chloride organometallics with 2-phenylpyridine and their solvolysis in dimethylsulfoxide. *J Organomet Chem.* 2014; **759**:58-66.
3853. Pawlak, T.; Paluch, P.; Jeziorna, A.; Bujacz, G. D., and Potrzebowski, M. J. Slow and very fast MAS solid state NMR study of biopolymers. *Macromol Symp.* 2014; **339**:60-69.
3854. Pawlak, T. and Potrzebowski, M. J. Fine refinement of solid-state molecular structures of Leu- and Met-Enkephalins by NMR crystallography. *J Phys Chem B.* 2014; **118**(12):3298-3309.
3855. Pawłowska, B.; Bachowska, B.; Bałczewski, P., and Biczak, R. Badania fitotoksyczności fosfoniowych cieczy jonowych . *Prace Naukowe Akademii Im. Jana Długosza w Częstochowie. Technika, Informatyka, Inżynieria Bezpieczeństwa.* 2014; **2**:239-251.
3856. Pawłowska, R.; Jędrzejczyk, D.; Janicka, M., and Chworoś, A. Structural analogs of tRNA form a complex with Cytochrome C . *FEBS Journal.* 2014; **281**:(Supplement: 1 Special Issue: SI Meeting Abstract: MON-434):398-398.
3857. Penczek, S.; Pretula, J., and Kałużyński, K. Polimery z odnawialnych surowców, polimery biodegradowalne. Krucińska, I. z zespołem, Ed. *Biodegradowalne Wyroby Włókniste.* 1. ed. Łódź: Monografia Politechniki Łódzkiej; 2014; pp. 4-15.
Notes: ISBN 978-83-7283-639-7
3858. Piekarska, K.; Piórkowska, E.; Krasnikova, N. P., and Kulpiński, J. Polylactide composites with waste cotton fibers: thermal and mechanical properties. *Polymer Composites.* 2014; **35**:(4):747-751.
3859. Pretula, J.; Kałużyński, K., and Penczek, S. Copolymerizations of tetraethyl vinylidene phosphonate. Bisphosphonate units in the main polymer chain. II. *J Polym Sci A: Polym Chem.* 2014; **52**(11):1614-1621.
3860. Pretula, J.; Kałużyński, K.; Szymański, R., and Penczek, S. Polycondensation of H₃PO₄ with glycerol: from branched structures to hydrolytically reversible gels. *J Polym Sci A: Polym Chem.* 2014; **52**:(24):3533-3542.
3861. Rachwalski, M.; Kaczmarczyk, S.; Leśniak, S., and Kielbasiński, P. Highly efficient asymmetric Simmons–Smith cyclopropanation promoted by chiral heteroorganic aziridinyl ligands. *CHEMCATCHEM.* 2014; **6**:(3):873-875.
3862. Rosińska, A.; Maciaszek, A.; Bartos, P.; Sochacka, E., and Nawrot, B. Chemical transformation of 2-thiouridine into 2-seleno-uridine *via* newly discovered S-geranyl-2-thiouridine. Hock, M. XVIIth Symposium on Chemistry of Nucleic Acid Components; Cesky Krumlov. Prague : Academy of Sciences of the Czech Republic; 2014: 358-360. Collection Symposium Series. v. **14**).
3863. Samanta, S.; Bakas, I.; Yilmaz, G.; Cabet, E.; Lilienbaum, A.; Sun, X.; Gosecka, M.; Basińska, T.; Słomkowski, S.; Singh, A.; Yagci, Y.; Yagci, Y., and Chehimi, M. M. Antibacterial flexible biaxially oriented polyethylene terephthalate sheets through sequential diazonium and hydrophilic polymer surface chemistries. *J Colloid Sci and Biotechnol.* 2014; **3**:(1):58-67.
3864. Sierant, M. and Miksa, B. Nanolipopolymerosomes with a fluorescent wall as imaging agents in a medical diagnostic. *Przetwórstwo Tworzyw.* 2014; **(157)/20**:(1):88-91.
3865. Simkovic, I.; Tracz, A.; Kelnar, I.; Uhliarikova, I., and Mendichida, R. Quaternized and sulfated xylan

derivative films. Carbohydrate Polymers. 2014; **99**:356-364.

3866. Skorupska, E.; Jeziorna, A.; Kaźmierski, Sł., and Potrzebowski, M. J. Recent progress in solid-state NMR studies of drugs confined within drug delivery systems. Solid State Nucl Magn Res. 2014; **57-58**:2-16.
3867. Skorupska, E.; Jeziorna, A.; Paluch, P., and Potrzebowski, M. J. Ibuprofen in mesopores of mobil crystalline material 41 (MCM-41): a deeper understanding. Molecular Pharmaceutics. 2014; **11**:(5):1512-1519.
3868. Szubert, K.; Marciniec, B.; Dutkiewicz, M.; Potrzebowski, M. J., and Maciejewski, H. Functionalization of sphaerosilicates *via* hydrosilylation catalyzed by well-defined rhodium siloxide complexes immobilized on silica. J Mol Catal A-Chem. 2014; **391**:150-157.
3869. Szubert, M.; Suzin, J.; Duchler, M.; Szulawska, A.; Czyż, M., and Kowalczyk-Amico, K. Evaluation of selected angiogenic and inflammatory markers in endometriosis before and after danazol treatment. Reprod Fertil Dev. 2014; **26**:(3):414-420.
3870. Szulc, A.; Zabłocka, M.; Coppel, Y.; Bijani, C.; Dąbkowski, W.; Bryszewska, M.; Klajnert-Maculewicz, B., and Majoral, J.-P. A viologen phosphorus dendritic molecule as a carrier of ATP and Mant-ATP: spectrofluorimetric and NMR studies. New J Chem. 2014; **38**:(12):6212-6222.
3871. Szymański, R. and Sosnowski, S. On narrowing chain-length distributions in ideally dispersed polymerization systems. Macromol Theory Simul. 2014; **23**:(9):550-554.
3872. Szymański, Sł.; Paluch, P.; Gryko, D. T.; Nowak-Król, A.; Bocian, W.; Sitkowski, J.; Koszarna, B.; Śniechowska, J.; Potrzebowski, M. J., and Kozerski, L. Insights into the tautomerism in meso-substituted corroles: a variable-temperature H-1, C-13, N-15, and F-19 NMR spectroscopy study. Chem-Eur J. 2014; **20**:(6):1720-1730.
3873. Słomkowski, S.; Penczek, S., and Duda, A. Polylactides-an overview. Polym Adv Technol. 2014; **25**:(5 SI):436-447.
3874. Weidt, D. and Figiel, Ł. Finite strain compressive behaviour of CNT/epoxy nanocomposites: 2D versus 3D RVE-based modelling. Computational Materials Science. 2014; **82**:298-309.
3875. Wojtczak, M.; Dutkiewicz, S.; Gałęski, A., and Piórkowska, E. Structure and characterization of random aliphatic-aromatic copolyester. Europ Polym J. 2014; **55**:86-97.
3876. Wojtczak, M.; Gałęski, A.; Dutkiewicz, S., and Piórkowska, E. The influence of chemical composition of aliphatic-aromatic copolyesters on their properties. D'Amore, A.; Acierno, D., and Grassia, L., Eds. Times of polymers (TOP) and composites 2014; Ischia, ITALY. AIP Publishing; 2014: 214-217. AIP Conference Proceedings. Notes: 7th International Conference on Times of Polymers and Composites (TOP)
3877. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A., and Uznański, P. Remote hydrogen microwave plasma chemical vapor deposition from methylsilane precursors. 1. Growth mechanism and chemical structure of deposited a-SiC:H films. Thin Solid Films. 2014; **564**:222-231.
3878. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A., and Uznański, P. Remote hydrogen microwave plasma chemical vapor deposition from methylsilane precursors. 2. Surface morphology and properties of deposited a-SiC:H films. Thin Solid Films. 2014; **564**: 232-240.
3879. Wróbel, A. M.; Walkiewicz-Pietrzykowska, A., and Uznański, P. Thin a-SiC:H films formed by remote hydrogen microwave plasma CVD using dimethylsilane and trimethylsilane precursors. Chem

Vap Deposition. 2014; **20**:(4-6):112-117.

3880. Wu, S. Y.; Yang, X. B.; Gharpure, K. M.; Hatakeyama, H.; Egli, M.; McGuire, M. H.; Nagaraja, A. S.; Miyake, T. M.; Rupaimoole, R.; Pecot, C. V.; Taylor, M. ; Pradeep, S.; Sierant, M.; Rodriguez-Aguayo, C.; Choi, H. J.; Previs, R. A.; Armaiz-Pena, G. N.; Huang, L.; Martinez, C.; Hassell, T.; Ivan, C.; Sehgal, V.; Singhanian, R.; Han, H. D.; Su, C.; Kim, J. H.; Dalton, H. J.; Kovvali, C.; Keyomarsi, K.; McMillan, N. A. J.; Overwijk, W. W.; Liu, J. S.; Lee, J. S.; Baggerly, K. A; Lopez-Berestein, G.; Ram, P. T.; Nawrot, B., and Sood, A. K. 2'-OMe-phosphorodithioate-modified siRNAs show increased loading into the RISC complex and enhanced anti-tumour activity. *Nature Communications*. 2014; **5**:Article Number: 3459.
3881. Wzorek, A.; Klika, K. D.; Drabowicz, J.; Sato, A.; Aceña, J. L., and Soloshonok, V. A. The self-disproportionation of the enantiomers (SDE) of methyl n-pentyl sulfoxide via achiral, gravity-driven column chromatography: a case study. *Organic & Biomolecular Chemistry*. 2014; **12**:(12):4738-4746.
3882. Zygadło-Monikowska, E.; Florjańczyk, Z.; Kubisa, P.; Biedroń, T.; Sadurski, W. ; Puczyłowska, A.; Langwald, N., and Ostrowska, J. Lithium electrolytes based on modified imidazolium ionic liquids. *International Journal of Hydrogen Energy*. 2014; **39**:(6):2943-2952.
3883. Łubkowska, M. and Stańczyk, W. A. Aminoalkyl functionalized siloxanes . *Polimery*. 2014; **59**:(11-12):763-768.
3884. Łyżwa, P. Double asymmetric induction in the synthesis of alpha-aminophosphonic acids mediated by sulfinimines. *Heteroatom Chem*. 2014; **25**:(1):15-19.
3885. Łyżwa, P. and Mikołajczyk, M. Chiral sulfinimines in asymmetric synthesis of enantiomeric aminophosphonic acids. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2014; **189**:(7-8):1174-1192.
3886. Bartos, P.; Ebenryter-Olbińska, K.; Sochacka, E., and Nawrot, B. The influence of the C5 substituent on the 2-thiouridine desulfuration pathway and the conformational analysis of the resulting 4-pyrimidinone products. *Bioorg Med Chem* . 2015; **23**:(17):5587-5594.
3887. Baško, M.; Bednarek, M., and Kubisa, P. Cationic copolymerization of L,L-lactide with hydroxyl substituted cyclic ethers. *Polym Adv Technol*. 2015; **26**:(7 **SI**):804-813.
3888. Bałczewski, P. and Skalik, J. Quinquevalent phosphorus acids. Allen, D. W.; Loakes, D., and Tebby, J. C., Eds. *Organophosphorus Chemistry*. Cambridge: The Royal Society of Chemistry Publishing; 2015; pp. 289-377.
Notes: ISBN: 978-1-78262-111-9
3889. Bałczewski, P.; Skalik, J.; Uznański, P.; Guziejewski, D., and Ciesielski, W. Use of isomeric, aromatic dialdehydes in the synthesis of photoactive, positional isomers of higher analogs of o-bromo(hetero)acetaldehydes. *RSC Advances*. 2015; **5**:(31):24700-24704.
3890. Bednarek, M.; Baško, M.; Biedroń, T.; Wojtczak, E., and Michalski, A. Polymerization of lactide initiated by primary amines and catalyzed by a protic acid. *Europ Polym J*. 2015; **71**:380-388.
3891. Beloshenko, V. A.; Beygelzimer, Y. E., and Voznyak, Y. V. *Solid-State Extrusion*. 4th ed. John Wiley and Sons, Inc. 2015; pp. 1-16.
Notes: Online ISBN: 9780471440260; DOI: 10.1002/0471440264.pst343.pub2
3892. Beloshenko, V. A.; Voznyak, A. V., and Voznyak, Y. V. Effects of equal-channel, multiple-angular extrusion on the physical and mechanical properties of glassy polymers. *J Appl Polym Sci*. 2015;

132:(27):Article Number: 42180 (7 stron).

Notes: Voznyak, Y. V. - ZFP

3893. Bocian, W.; Paluch, P.; Nowak-Król, A.; Gryko, D. T.; Potrzebowski, M. J.; Śniechowska, J.; Sitkowski, J.; Bednarek, E., and Kozerski, L. The H-1, C-13, N-15, and F-19 NMR chemical shifts assignments in 5,10,15-tris (pentafluorophenyl) tetra-N-15 corrole at 191 K. *Magn Reson Chem.* 2015; **53**:(2):167-171.
3894. Borowska, J.; Sierant, M.; Sochacka, E.; Sanna, D., and Łodyga-Chruścińska, E. DNA binding and cleavage studies of copper(II) complexes with 2'-deoxyadenosine modified histidine moiety. *J Biol Inorg Chem.* 2015; **20**:(6):989-1004.
3895. Brzeziński, M. and Biela, T. Micro- and nanostructures of polylactide stereocomplexes and their biomedical applications. *Polymer International.* 2015; **64**:(12):1667-1675.
3896. Brzeziński, M. and Biela, T. Stereocomplexed polylactides. Kobayashi, S. and Müllen, K., Eds. *Encyclopedia of Polymeric Nanomaterials.* Berlin: Springer; 2015; pp. 2275-2281.
Notes: ISBN-13: 978-3642296499
3897. Brzeziński, M. and Biela, T. Supramolecular polylactides by the cooperative interaction of the end groups and stereocomplexation. *Macromolecules.* 2015; **48**:(9):2994-3004.
3898. Brzeziński, M. and Seiffert, S. Monodisperse microspheres from supramolecular complexing polylactides. *Materials Letters.* 2015; **161**:471-475.
3899. Bujnicki, B.; Drabowicz, J., and Mikołajczyk, M. Acid catalyzed cleavage of sulfinamides: unusual stereochemistry, kinetics and a question of mechanism involving sulfurane intermediates and their pseudorotation. *Molecules.* 2015; **20**:(2):2949-2972.
3900. Cembrowska-Lech, D.; Koprowski, M., and Kępczyński, J. Germination induction of dormant *Avena fatua* caryopses by KAR(1) and GA(3) involving the control of reactive oxygen species (H₂O₂ and O₂(center dot-)) and enzymatic antioxidants (superoxide dismutase and catalase) both in the embryo and the aleurone layers. *Journal of Plant Physiology.* 2015; **176**:169-179.
3901. Chwiałkowska, A.; Wielgus, E.; Leszczyńska, G.; Sobczak, M.; Mikołajczyk, B.; Sochacka, E., and Nawrot, B. An efficient approach for conversion of 5-substituted 2-thiouridines built in RNA oligomers into corresponding desulfured 4-pyrimidinone products. *Bioorg Med Chem Lett.* 2015; **25**:(16):3100-3104.
3902. Chworoś, A. and Smitthipong, W. Bio-inspired materials. Smitthipong, W.; Chollakup, R., and Nardin, M., Eds. *Bio-based composites for high-performance materials: from strategy to industrial application.* Boca Raton: CRC Press Taylor & Francis Group; 2015; pp. 43-58.
Notes: ISBN 978-1-4822-1448-2 (© 2015)
3903. Ciepluch, K.; Nystrom, B.; Appelhans, D.; Zabłocka, M.; Bryszewska, M., and Majoral, J.-P. Effect of dendritic polymers on a simple model biological membrane. *Journal of Polymer Research.* 2015; **22**:(9):Article Number: 184.
3904. Czernek, L.; Chworoś, A., and Duchler, M. The uptake of extracellular vesicles is affected by the differentiation status of myeloid cells. *Scandinavian Journal of Immunology.* 2015; **82**:(6):506-514.
3905. Dabkowska, A. P.; Michanek, A.; Jaeger, L.; Rabe, M.; Chworoś, A.; Hook, F.; Nylander, T., and Sparr, E. Assembly of RNA nanostructures on supported lipid bilayers. *Nanoscale.* 2015; **7**:583-596.

3906. Dabrzalska, M.; Zabłocka, M.; Mignani, S.; Majoral, J.-P., and Klajnert-Maculewicz, B. Phosphorus dendrimers and photodynamic therapy. Spectroscopic studies on two dendrimer-photosensitizer complexes: Cationic phosphorus dendrimer with rose bengal and anionic phosphorus dendrimer with methylene blue. *International Journal of Pharmaceutics*. 2015; **492** :(1-2):266-274.
3907. Dimitriev, O. P.; Kopylov, O. N., and Tracz, A. Mechanisms of polyaniline film formation via solution casting: Intra-chain contraction versus inter-chain association. *Europ Polym J*. 2015; **66**:119-128.
3908. Drabowicz, J.; Jakubowski, H.; Kudzin, M. H., and Kudzin, Z. H. The nomenclature of 1-aminoalkylphosphonic acids and derivatives: evolution of the code system. *Acta Biochimica Polonica*. 2015; **62**:(1):139-150.
3909. Drabowicz, J.; Krasowska, D.; Łopusiński, A.; Pokora-Sobczak, P.; Urbaniak, M.; Szyrej, M., and Wieczorek, W. Phenol - derived chiral auxiliaries as substrates in the synthesis of optically active phosphonic acid derivatives: synthetic and structural aspects. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2015; **190**:(5-6):681-690.
3910. Dyubankova, N.; Sochacka, E.; Kraszewska, K.; Nawrot, B.; Herdewijn, P., and Lescrinier, E. Contribution of dihydrouridine in folding of the D-arm in tRNA. *Organic & Biomolecular Chemistry*. 2015; **13**:(17):4960-4966.
3911. Fortuniak, W.; Chojnowski, J.; Słomkowski, S.; Nyczyk-Malinowska, A.; Pospiech, P., and Mizerska, U. Solid ceramic SiCO microspheres and porous rigid siloxane microspheres from swellable polysiloxane particles. *Materials Chemistry and Physics*. 2015; **155**:83-91.
3912. Frątczak, E. Z.; Uznański, P., and Moneta, M. E. Characterization of molecular organization in pentacene thin films on SiO₂ surface using infrared spectroscopy, spectroscopic ellipsometry, and atomic force microscopy. *Chemical Physics*. 2015; **456**:49-56.
3913. Ganicz, T.; Kurjata, J.; Perry, R., and Stańczyk, W. A. Organosilicon fragrance carriers. *Silicon*. 2015; **7**:(4):333-341.
3914. Gelineau, P.; Stępień, M.; Weigand, S.; Cauvin, L., and Bedoui, F. Elastic properties prediction of nano-clay reinforced polymer using multi-scale modeling based on a multi-scale characterization. *Mechanics of Materials*. 2015; **89**:12-22.
3915. Gliński, J. A.; Dudek, M.; Kinkade, P.; Gliński, V. B.; Kaźmierski, Sł., and Calixto, J. Honey, bees, and a hepatotoxic alkaloid echimidine. *Planta Medica*. 2015; **81**:(11):935-936.
Notes: **Meeting Abstract: PX28**
3916. Gosecka, M. and Basińska, T. Hydrophilic polymers grafted surfaces: preparation, characterization, and biomedical applications. Achievements and challenges. *Polym Adv Technol*. 2015; **26**:(7 **SI**):696-706.
3917. Gosecka, M. and Gosecki, M. Characterization methods of polymer core-shell particles. *Colloid Polym Sci*. 2015; **293**:(10):2719-2740.
3918. Gosecka, M.; Pietrasik, J.; Decorse, P.; Głębocki, B.; Chehimi, M. M.; Słomkowski, S., and Basińska, T. Gradient poly(styrene-co-polyglycidol) grafts *via* silicon surface-initiated AGET ATRP. *Langmuir*. 2015; **31**:(17):4853-4861.
3919. Grala, M. and Bartczak, Z. Morphology and mechanical properties of high density polyethylene-POSS hybrid nanocomposites obtained by reactive blending. *Polym Eng Sci*. 2015; **55**:(9):2058–2072.
3920. Guga, P. and Tomaszewska, A. Unexpected loss of stereoselectivity in ring-opening reaction of

2-alkoxy-2-thio-1,3,2-oxathiaphospholanes with a pyrophosphate anion. *Chirality*. 2015; **27**:(2):115-122.

3921. Guseva, M. A.; Gerasin, V. A.; Garishin, O. K.; Shadrin, V. V.; Plekhov, O. A., and Pawlak, A. Thermal effects under elastic and plastic deformation of polyethylene. *Polymer*. 2015; **56**:416-427.
3922. Janaszewska, A.; Gradzińska, K.; Marcinkowska, M.; Klajnert-Maculewicz, B., and Stańczyk, W. A. In vitro studies of polyhedral oligo silsesquioxanes: evidence for their low cytotoxicity. *Materials*. 2015; **8**:(9):6062-6070.
3923. Jasińska-Walc, L.; Bouyahyi, M.; Różański, A.; Graf, R.; Hansen, M. R., and Duchateau, R. Synthetic principles determining local organization of copolyesters prepared from lactones and macrolactones. *Macromolecules*. 2015; **48**:(3):502-510.
3924. Jastrzębska, K.; Maciaszek, A.; Dolot, R.; Bujacz, G. D., and Guga, P. Thermal stability and conformation of antiparallel duplexes formed by P-stereodefined phosphorothioate DNA/LNA chimeric oligomers with DNA and RNA matrices. *Organic & Biomolecular Chemistry*. 2015; **13**:(39):10032-10040.
3925. Jayaram, M.; Ma, C.-H.; Kachroo, A. H.; Rowley, P. A.; Guga, P.; Fan, H. F., and Voziyanov, Y. An overview of tyrosine site-specific recombination: from an F1p Perspective. Craig, N. L.; Chandler, M.; Lambowitz, A. M.; Gellert, M.; Rice, P. A., and Sandmeyer, S., Eds. *Mobile DNA III*. CRC Press Taylor & Francis Group; 2015; pp. 43-71.
Notes: ISBN 9781555819200
3926. Jeziorna, A.; Stopczyk, K.; Skorupska, E.; Lubierda-Durnas, K.; Oszejca, M.; Łasocha, W.; Górecki, M.; Frelek, J., and Potrzebowski, M. J. Cyclic dipeptides as building units of nano- and microdevices: synthesis, properties, and structural studies. *Crystal Growth & Design*. 2015; **15**:(10):5138-5148.
3927. Jones, R. G.; Kitayama, T.; Wilks, E. S.; Fox, R. B.; Fradet, A.; Hellwich, K. H.; Hess, M.; Hodge, P.; Horie, K.; Kahovec, J.; Kratochvil, P.; Kubisa, P.; Marechal, E.; Mormann, W.; Ober, C. K.; Stepto, R. F. T.; Vert, M., and Vohlidal, J. Nomenclature and graphic representations for chemically modified polymers (IUPAC Recommendations 2014). *Pure & Appl Chem*. 2015; **87**:307-319.
3928. Jurczuk, K.; Gałęski, A.; Mackey, M.; Hiltner, A., and Baer, E. Orientation of PVDF alpha and gamma crystals in nanolayered films. *Colloid Polym Sci*. 2015; **293**:(4):1289-1297.
3929. Jędrzejczyk, D. and Chworoś, A. Structural identification of the novel 3 way-junction motif. *DNA and RNA Nanotechnology*. 2015; **2**:36-41.
3930. Kaźmierczak-Barańska, J.; Pęczek, L.; Przygodzka, P., and Cieślak, M. Downregulation of striatin leads to hyperphosphorylation of MAP2, induces depolymerization of microtubules and inhibits proliferation of HEK293T cells. *FEBS Letters*. 2015; **589**:(2):222-230.
3931. Kotali, A.; Dimoulaki, F.; Kotali, E.; Maniadaki, A.; Harris, Ph. A.; Różycka-Sokołowska, E.; Bałczewski, P., and Joule, J. A. Synthesis of novel dehydroacetic acid N-arylhydrazones-derived boron heterocycles. *Tetrahedron*. 2015; **71**:(39 SI):7245-7249.
3932. Kowalczyk, D.; Brzeziński, S.; Makowski, T., and Fortuniak, W. Conductive hydrophobic hybrid textiles modified with carbon nanotubes. *Appl Surf Sci*. 2015; **357**:1007-1014.
3933. Kowalewska, A. and Nowacka, M. Synthesis of ladder silsesquioxanes by *in situ* polycondensation of cyclic tetravinylsiloxanetetraols. *Silicon*. 2015; **7**:(2):133-146.

3934. Kowalewska, A.; Nowacka, M., and Makowski, T. Macroporous materials by self-assembly of linear oligo(phenylsilsequioxanes). *Express Polymer Letters*. 2015; **9**:(11):984-1000.
3935. Kowalewska, A.; Nowacka, M.; Tracz, A., and Makowski, T. Supramolecular self-assembly of linear oligosilsequioxanes on mica - AFM surface imaging and hydrophilicity studies. *Soft Matter*. 2015; **11**:(24):4818-4829.
3936. Krajenta, A. and Różański, A. Physical state of the amorphous phase of polypropylene-influence on thermo-mechanical properties. *Polymer*. 2015; **70**:127-138.
3937. Krajenta, J.; Pawlak, A., and Gałęski, A. Formation of polypropylene nanofibers by solid state deformation during blending with molten polyethylene. *Polimery*. 2015; **LX**:(10):664-666.
3938. Krakowiak, A.; Piotrkowska, D., and Pęczek, Ł. Comparison of the expression and functionality of P2X7 receptors sensitive to ATP and Bz-ATP activation at different cell lines. *FEBS Journal*. 2015; **282**: Meeting Abstract: P33-027(SI):321-321 Supplement 1.
Notes: 40th Congress of the Federation-of-European-Biochemical-Societies (FEBS) - The Biochemical Basis of Life;
JUL 04-09, 2015 Berlin, GERMANY
3939. Krasowska, D.; Chrzanowski, J., and Drabowicz, J. Chapter four-Heterocycles with a stereogenic phosphorus or sulfur atom derived from aminoalcohols or aminonaphthols. *Advances in Heterocyclic Chemistry*. 2015; **117**:179-259.
3940. Krawczyk, E.; Koprowski, M.; Mielniczak, G., and Owsianik, K. Asymmetric synthesis of 5,7-O-dimethyleucomols via enantioselective oxidation of enol phosphates. *Tetrahedron: Asymmetry*. 2015; **26**:(15-16):876-883.
3941. Krawczyk, E.; Mielniczak, G.; Koprowski, M., and Owsianik, K. Asymmetric synthesis of eucomol *via* enantioselective oxidation of enol phosphate. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2015; **190**:(5-6):691-693.
3942. Krawiecka, M.; Kuran, B.; Kossakowski, J.; Cieślak, M.; Kaźmierczak-Barańska, J.; Królewska, K., and Nawrot, B. Synthesis and cytotoxic properties of halogen and aryl-/heteroarylpiperazinyl derivatives of benzofurans. *Anti-Cancer Agents in Medicinal Chemistry*. 2015; **15**:(1):115-121.
3943. Kuliński, J. Z.; Kania, S.; Bałczewski, P., and Skalik, J. Charge life time in the time of flight measurements for aromatic hydrocarbons. Topical issues of fundamental and applied studies. International internet conference for young researchers and students; Lutsk, Ukraina. 2015: 30-32.
3944. Kupczyńska, K.; Michalski, B. W.; Krzemińska-Pakuła, M.; Szymczyk, E.; Pęczek, Ł.; Lipiec, P., and Kasprzak, J. D. The role of myeloperoxidase and monocyte chemoattractant protein-1 in the improvement of left ventricular function after ST-segment elevation myocardial infarction. *European Heart Journal*. 2015; **36**:(Meeting Abstract: P4448):757-757.
Notes: Congress of the European-Society-of-Cardiology, AUG 29-SEP 02, 2015, London, ENGLAND
3945. Kwiatkowska, M.; Janicki, I., and Kielbasiński, P. Enzyme-promoted kinetic resolution of acetoxymethyl aryl sulfoxides. *J Mol Catal B-Enzymatic*. 2015; **118** :23-28.
3946. Lewiński, P.; Sosnowski, S.; Kaźmierski, Sł., and Penczek, S. L-Lactide polymerization studied by H-1 NMR with diffusion-ordered spectroscopy (DOSY): a "One NMR Tube Experiment" providing data on monomer conversion, polymer structure, M-n and M-w. *Polymer Chemistry*. 2015; **6**:(24):4353-4357.

3947. Maciaszek, A.; Krakowiak, A.; Janicka, M.; Tomaszewska, A.; Sobczak, M.; Mikołajczyk, B., and Guga, P. LNA units present in the (2'-OMe)-RNA strand stabilize parallel duplexes (2'-OMe)-RNA/[All-RP-PS]-DNA and parallel triplexes (2'-OMe)-RNA/[All-RP-PS]-DNA/RNA. An improved tool for the inhibition of reverse transcription . *Organic & Biomolecular Chemistry*. 2015; **13**:(8):2375-2384.
3948. Makowiecki, J.; Piosik, E.; Neunert, G.; Stolarski, R.; Piecek, W., and Martyński, T. Molecular organization of perylene derivatives in Langmuir-Blodgett multilayers. *Optical Materials*. 2015; **46**:555-560.
3949. Makowski, T.; Ganicz, T.; Zajączkowski, W.; Pisula, W.; Stańczyk, W. A., and Tracz, A. Synthesis and thermotropic behavior of side chain polysiloxane bearing triphenylene moiety. *Express Polymer Letters*. 2015; **9**:(7):636-646.
3950. Makowski, T.; Kowalczyk, D.; Fortuniak, W.; Brzeziński, S., and Kręgiel, D. Electrochemical deposition of silver nanoparticle and polymerization of pyrrole on fabrics via conducting multiwall carbon nanotube. *Cellulose*. 2015; **22**:(5):3063-3075.
3951. Maksym-Bębenek, P.; Biela, T., and Neugebauer, D. Water soluble well-defined acidic graft copolymers based on a poly(propylene glycol) macromonomer. *RSC Advances*. 2015; **5**:(5):3627-3635.
3952. Masalski, J.; Wawrzaszek, U.; Potrzebowski, M. J.; Kucharczyk, B.; Chęćmanowski, J. ; Tylus, W., and Szczygieł, B. Solid state NMR and EIS examination of SiO₂-epoxy hybrid coatings on stainless steel . *Solid State Phenomena*. 2015; **227**:131-134.
3953. Midura, W. H. and Krysiak, J. A. Highly asymmetric cyclopropanation with two sulfinyl auxiliaries as a way to a useful synthetic intermediate. *Chirality*. 2015; **27**:(11):816-819.
3954. Mignani, S.; Bryszewska, M.; Klajnert-Maculewicz, B.; Zabłocka, M., and Majoral, J.-P. Advances in combination therapies based on nanoparticles for efficacious cancer treatment: an analytical report. *Biomacromolecules*. 2015; **16**:(1):1-27.
3955. Miksa, B. Recent progress in designing shell cross-linked polymer capsules for drug delivery. *RSC Advances*. 2015; **5**:(107):87781-87805.
3956. Mizerska, U.; Fortuniak, W.; Pospiech, P.; Chojnowski, J., and Słomkowski, S. Gamma globulins adsorption on carbofunctional polysiloxane microspheres. *J Inorg Organometal Polym Mat*. 2015; **25** :(3):507-514.
3957. Mizerska, U.; Fortuniak, W.; Pospiech, P.; Sobczak, A.; Chojnowski, J., and Słomkowski, S. Hydrophilic-hydrophobic properties of SiOH-loaded and modified polysiloxane microspheres and their interaction with gamma-globulin. *Polym Adv Technol*. 2015; **26**:(7 SI):855-864.
3958. Młostoń, G.; Grzelak, P.; Mikina, M.; Linden, A., and Heimgartner, H. Hetero-Diels-Alder reactions of hetaryl and aryl thioketones with acetylenic dienophiles. *Beilstein Journal of Organic Chemistry*. 2015; **11**:576-582.
3959. Mohammadi, Y.; Khonakdar, H. A.; Jafari, S. H.; Saeb, M. R.; Golriz, M.; Wagenknecht, U.; Heinrich, G.; Sosnowski, S., and Szymański, R. Simulation of microstructural evolution during reactive blending of PET and PEN: numerical integration of kinetic differential equations and Monte Carlo method. *Macromol Theory Simul*. 2015; **24**:(2):152-167.
3960. Moraczewski, K.; Rytlewski, P.; Malinowski, R.; Tracz, A., and Zenkiewicz, M. Influence of DC plasma modification on the selected properties and the geometrical surface structure of polylactide prior to autocatalytic metallization. *Materials Chemistry and Physics*. 2015; **153**:135-144.

3961. Napiórkowska, M.; Cieślak, M.; Kaźmierczak-Barańska, J.; Królewska, K.; Czapla, A., and Kuran, B. Synthesis and preliminary studies of biological activity of amino derivatives of 4-azatricyclo-[5.2.1.0(2,6)]dec-8-ene-3,5-dione with silicon in the structure. *Heterocyclic Communications*. 2015; **21**:(1):19-24.
3962. Naumczuk, B.; Hyz, K.; Bocian, W.; Bednarek, E. ; Sitkowski, J.; Wielgus, E., and Kozerski, L. DOSY NMR and MALDI-TOF evidence of covalent binding the DNA duplex by trimethylammonium salts of topotecan upon near UV irradiation. *Magn Reson Chem* . 2015; **53**:(8):565-571.
3963. Nawrot, B.; Michalak, O.; Mikołajczyk, B., and Stec, W. J. Acyclic analogs of nucleosides based on tris(hydroxymethyl)phosphine oxide: synthesis and incorporation into short DNA oligomers. *Heterocyclic Communications*. 2015; **21**:(5):303-314.
3964. Niedzielska, D.; Pawlak, T.; Wojtczak, A.; Pazderski, L., and Szlyk, E. Structural and H-1, C-13, N-15 NMR spectroscopic studies of Pd(II) chloride organometallics with 2-phenylpyridine and ammonia, pyridine or its methyl derivatives. *Polyhedron*. 2015; **92**:45-51.
3965. Nowacka, M.; Kowalewska, A., and Gadzinowska, K. Alkali-metal-directed hydrolytic condensation of 3-mercaptopropyltrimethoxysilane. *Silicon*. 2015; **7**:(2):147-153.
3966. Nowacka, M.; Kowalewska, A., and Makowski, T. Nanostructured surfaces by supramolecular self-assembly of linear oligosilsesquioxanes with biocompatible side groups. *Beilstein Journal of Nanotechnology*. 2015; **6**:2377-2387.
3967. Paluch, P.; Pawlak, T.; Jeziorna, A.; Trebosc, J.; Hou, G. J.; Vega, A. J.; Amoureux, J.-P.; Dracinsky, M.; Polenova, T., and Potrzebowski, M. J. Analysis of local molecular motions of aromatic sidechains in proteins by 2D and 3D fast MAS NMR spectroscopy and quantum mechanical calculations. *Physical Chemistry Chemical Physics*. 2015; **17**:(43):28789-28801.
3968. Paluch, P.; Pawlak, T.; Osajca, M.; Lasocha, W., and Potrzebowski, M. J. Fine refinement of solid state structure of racemic form of phospho-tyrosine employing NMR Crystallography approach. *Solid State Nucl Magn Res*. 2015; **65**:(**Special Issue**: SI):2-11.
3969. Paluch, P.; Trebosc, J.; Nishiyama, Y.; Potrzebowski, M. J.; Malon, M., and Amoureux, J.-P. Theoretical study of CP-VC: A simple, robust and accurate MAS NMR method for analysis of dipolar C-H interactions under rotation speeds faster than ca. 60 kHz. *J Magn Reson* . 2015; **252**:67-77.
3970. Pawlak, A. Termowizja i metody rentgenowskie w badaniach polimerów krystalizujących. *Tworzywa Sztuczne w Przemysle*. 2015(2):49-52.
3971. Pawlak, T.; Kowalewska, A.; Zgardzińska, B., and Potrzebowski, M. J. Structure, dynamics, and host-guest interactions in POSS functionalized cross-linked nanoporous hybrid organic-inorganic polymers. *J Phys Chem C*. 2015; **119**:(47):26575-26587.
3972. Pecyna, J.; Jankowiak, A.; Pocięcha, D., and Kaszyński, P. o-Carborane derivatives for probing molecular polarity effects on liquid crystal phase stability and dielectric behavior. *J Mater Chem C*. 2015; **3**:(43):11412-11422.
3973. Penczek, S.; Pretula, J.; Kubisa, P.; Kałużyński, K., and Szymański, R. Reactions of H₃PO₄ forming polymers. Apparently simple reactions leading to sophisticated structures and applications. *Progr Polym Sci*. 2015; **45**:44-70.
3974. Pluta, M. and Piórkowska, E. Modyfikacja polilaktydu kopolimerami blokowymi na bazie glikolu propylenowego. *Przetwórstwo Tworzyw*. 2015(5):36-46.

3975. Pluta, M. and Piórkowska, E. Tough and transparent blends of polylactide with block copolymers of ethylene glycol and propylene glycol. *Polymer Testing*. 2015; **41**:209-218.
3976. Pluta, M. and Piórkowska, E. Tough crystalline blends of polylactide with block copolymers of ethylene glycol and propylene glycol. *Polymer Testing*. 2015; **46**:79-87.
3977. Pokora-Sobczak, P.; Mielniczak, G.; Krasowska, D.; Zając, A., and Drabowicz, J. t-Butylphenyl-(1-naphthyl)phosphinothioic acids and their selenium analogs: synthesis of the racemic mixtures and attempts to isolate the enantiomers of t-butyl-1-naphthylphosphinothioic acid. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2015; **190**:(5-6):694-699.
3978. Pyzalska, M.; Zdanowska, S.; Kulawik, D.; Pavlyuk, V.; Drabowicz, J., and Ciesielski, W. Właściwości fizykochemiczne bromowanych wielościennych nanorurek węglowych funkcyjizowanych tiofosforanem O-metylo-O-2-naftylo-L-N-metylofedryniowym. *Przemysł Chem.* 2015; **94**:2189-2194.
3979. Pęczek, Ł.; Żuk, K.; Stec-Michalska, K.; Mędrek, M., and Nawrot, B. The influence of *Helicobacter pylori* eradication on the expression and methylation status of the FHIT gene in non-cancerous gastric mucosa of dyspeptic patients. *Journal of Digestive Diseases*. 2015; **16**:(7):385-394.
3980. Rachwalski, M.; Wujkowska, Z.; Leśniak, S., and Kielbasiński, P. Highly efficient asymmetric aziridination of unsaturated aldehydes promoted by chiral hetero-organic catalysts. *CHEMCATCHEM*. 2015; **7**:(21):3589-3592.
3981. Radzikowska, E. and Baraniak, J. Synthesis of PS/PO-chimeric oligonucleotides using mixed oxathiaphospholane and phosphoramidite chemistry. *Organic & Biomolecular Chemistry*. 2015; **13**:(1):269-276.
3982. Radzikowska, E.; Kaczmarek, R., and Baraniak, J. Synteza modyfikowanych oligonukleotydów zawierających stereozdefiniowane internukleotydowe wiązania tiofosforanowe. *Wiadomości Chemiczne*. 2015; **69**:957-981.
3983. Rowley, P. A.; Kachroo, A. H.; Ma, C.-H.; Maciaszek, A.; Guga, P., and Jayaram, M. Stereospecific suppression of active site mutants by methylphosphonate substituted substrates reveals the stereochemical course of site-specific DNA recombination. *Nucleic Acids Res.* 2015; **43**:(12):6023-6037.
3984. Różga-Wijas, K.; Stańczyk, W. A.; Kurjata, J., and Kaźmierski, Sł. Star-shaped and linear POSS-poly lactide hybrid copolymers. *Materials*. 2015; **8**:(7):4400-4420.
3985. Różański, A. and Gałęski, A. Crystalline lamellae fragmentation during drawing of polypropylene. *Macromolecules*. 2015; **48**:(15):5310-5322.
3986. Różański, A. and Idczak, R. Influence of non-polymeric substances localized in the amorphous phase on selected properties of semicrystalline polymers. *Europ Polym J.* 2015; **69**:186-200.
3987. Różański, A. and Krajenta, A. Modyfikacja fazy amorficznej polipropylenu-wpływ na wybrane właściwości termo-mechaniczne. Steller, R. and Żuchowska, D., Eds. *Modyfikacja Polimerów. Stan i perspektywy w roku 2015*. Wrocław: Wydawnictwo Tempo ; 2015; pp. 408-412. Notes: ISBN 978-83-86520-22-0
3988. Salamończyk, G. Efficient synthesis of water-soluble, phosphonate-terminated polyester dendrimers. *Tetrahedron Lett.* 2015; **56**:(52):7161-7164.
3989. Sierant, M.; Kaźmierski, Sł.; Różański, A.; Paluch, P.; Bienias, U., and Miksa, B. Nanocapsules for

5-fluorouracil delivery decorated with a poly(2-ethylhexyl methacrylate-co-7-(4-trifluoromethyl)coumarin acrylamide) cross-linked wall . New J Chem. 2015; **39**:1506-1516.

3990. Sierant, M.; Piotrkowska, D., and Nawrot, B. RNAi mediated silencing of cyclin-dependent kinases of G1 phase slows down the cell-cycle progression and reduces apoptosis . Acta Neurobiologiae Experimentalis. 2015; **75**:(1):36-47.
3991. Skorupska, E.; Paluch, P.; Jeziorna, A., and Potrzebowski, M. J. NMR study of BA/FBA cocrystal confined within mesoporous silica nanoparticlesemploying thermal solid phase transformation. J Phys Chem C. 2015; **119**:(16):8652-8661.
3992. Skořucka-Szary, K.; Ramięga, A.; Piaskowska, W.; Janicki, B.; Grala, M.; Rieske, P.; Stoczyńska-Fidelus, E., and Piaskowski, S. Chitin dipentanoate as the new technologically usable biomaterial. Materials Science & Engineering C - Materials for Biological Applications. 2015; **55**:50-60.
3993. Sochacka, E.; Szczepanowski, R. H.; Cypryk, M.; Sobczak, M.; Janicka, M.; Kraszewska, K.; Bartos, P.; Chwiałkowska, A., and Nawrot, B. 2-Thiouracil deprived of thiocarbonyl function preferentially base pairs with guanine rather than adenine in RNA and DNA duplexes. Nucleic Acids Res. 2015; **43**:(5):2499-2512.
3994. Sosnowski, S. and Lewiński, P. L-Lactide polymerization catalysed by tin(II) 2-ethyl-hexanoate. A deeper look at chain transfer reactions. Polymer Chemistry. 2015; **6**:(35):6292-6296.
3995. Sowiński, P.; Piórkowska, E.; Boyer, S. A. E.; Haudin, J. M., and Zapala, K. The role of nucleating agents in high-pressure-induced gamma crystallization in isotactic polypropylene. Colloid Polym Sci. 2015; **293**:(3):665-675.
3996. Stepczyńska, M.; Zienkiewicz, M., and Tracz, A. Changes in surface roughness of the polylactide film over time after modifying by corona discharge method. Przemysł Chem. 2015; **94**:62-65.
3997. Stępień, M. and Figiel, Ł. Morphology evolution and macroscopic behaviour of PLA-organoclay nanocomposites during extensional rheology: Experimental study. Polymer Testing. 2015; **42**:79-88.
3998. Szubert, M.; Suzin, J.; Stawski, P.; Kowalczyk-Amico, K., and Duchler, M. **Endometriosis and carcinosarcoma - hypothetical correlation or proven pathological way? Colon carcinosarcoma with origin in endometriotic foci.** Ginekologia Polska. 2015; **86**:(7):547-550.
3999. Szymański, R. Azeotropic equilibrium copolymerization. Macromol Theory Simul. 2015; **24**:(5):413-418.
4000. Słomkowski, S. and Domb, A. J. Special Issue: Special issue honoring Professor Stanisław Penczek on his 80th birthday Preface. Polym Adv Technol. 2015; **26**:(7 SI):675-676.
4001. Tokarz, P.; Kaszyński, P.; Domagała, Sł., and Woźniak, K. The [closo-B12H11-1-IAr](-) zwitterion as a precursor to monosubstituted derivatives of [closo-B12H12](2-). J Organomet Chem. 2015; **798**:70-79.
4002. Tomaszewska-Antczak, A.; Guga, P.; Nawrot, B., and Pratviel, G. Guanosine in a single stranded region of anticodon stem-loop tRNA models is prone to oxidatively generated damage resulting in dehydroguanosine and spiroiminodihydroxy lesions. Chem-Eur J. 2015; **21**:(17):6381-6385.
4003. Wasiak, T.; Marcinkowska, M.; Pieszyński, I.; Zabłocka, M.; Caminade, A.-M.; Majoral, J.-P., and Klajnert-Maculewicz, B. Cationic phosphorus dendrimers and therapy for Alzheimer's disease.

4004. Weidt, D. and Figiel, Ł. Effect of CNT waviness and van der Waals interaction on the nonlinear compressive behaviour of epoxy/CNT nanocomposites. *Composites Science and Technology*. 2015; **115**:52-59.
4005. Wielgus, E.; Paluch, P.; Frelek, J.; Szczepek, W. J., and Potrzebowski, M. J. Full characterization of linezolid and its synthetic precursors by solid-state Nuclear Magnetic Resonance Spectroscopy and Mass Spectrometry. *Journal of Pharmaceutical Sciences*. 2015; **104**:(11):3883-3892.
4006. Wojtczak, M.; Dutkiewicz, S.; Pietrzak, Ł.; Gałęski, A., and Piórkowska, E. Nucleation and crystallization of random aliphatic-butylene terephthalate copolyester. *Europ Polym J*. 2015; **71**:289-303.
4007. Wróbel, A. M.; Uznański, P., and Walkiewicz-Pietrzykowska, A. Silicon oxycarbide films produced by remote microwave hydrogen plasma CVD using a tetramethyldisiloxane precursor: Growth kinetics, structure, surface morphology, and properties. *Chem Vap Deposition*. 2015; **21**:(10-12):307-318.
4008. Wróbel, A. M.; Uznański, P.; Walkiewicz-Pietrzykowska, A.; Głębocki, B., and Bryszewska, E. Silicon oxycarbide thinfilms by remote microwave hydrogen plasma CVD using a tetramethyldisiloxane precursor. *Chem Vap Deposition*. 2015; **21**:(4-6):88-93.
4009. Wzorek, A.; Sato, A.; Drabowicz, J.; Soloshonok, V. A., and Klika, K. D. Enantiomeric enrichments *via* the self-disproportionation of enantiomers (SDE) by achiral, gravity-driven column chromatography: a case study using N-(1-Phenylethyl)acetamide for optimizing the enantiomerically pure yield and magnitude of the SDE. *Helv Chim Acta*. 2015; **98**:(8):1147-1159.
4010. Zawartka, W.; Pospiech, P.; Cypriak, M., and Trzeciak, A. M. Palladium supported on aminopropyl-functionalized polymethylsiloxane microspheres: Simple and effective catalyst for the Suzuki-Miyaura C-C coupling. *J Mol Catal A-Chem*. 2015; **407** :230-235.
4011. Łapienis, G.; Szymański, R., and Penczek, S. Star polymers formed by MPEG reaction with diepoxides. The course of reaction. *Polymer*. 2015; **72**:142-153.
4012. Łodyga-Chruścińska, E.; Symonowicz, M. ; Sykula, A.; Bujacz, A.; Garribba, E.; Rowińska-Zyrek, M.; Klewicka, E.; Oldziej, S.; Janicka, M.; Królewska, K.; Cieślak, M.; Brodowska, K., and Chruściński, L. Chelating ability and biological activity of hesperetin Schiff base. *J Inorg Biochem*. 2015; **143**:34-47.
4013. Łukasik, B.; Mikołajczyk, M.; Bujacz, G. D., and Żurawiński, R. Synthesis and the absolute configuration of both enantiomers of 4,5-dihydroxy-3-(formyl)-cyclopent-2-enone acetonide as a new chiral building block for prostanoid synthesis. *Organic & Biomolecular Chemistry*. 2015; **13**:(3):807-816.
4014. Łukasik, B.; Perlikowska, W.; Żurawiński, R., and Mikołajczyk, M. Synthesis of enantiomerically pure stereomers of rosaprostol. *J Org Chem*. 2015; **80**:(19):9798-9802.
4015. Żubrowska, A.; Masirek, R.; Piórkowska, E., and Pietrzak, Ł. Struktura oraz termiczne i mechaniczne właściwości kompozytów polipropylenu z nano- i mikro-diamentami. *Polimery*. 2015; **60**:(5):331-336.
4016. Żubrowska, A.; Piórkowska, E.; Kowalewska, A., and Cichorek, M. Novel blends of polylactide with ethylene glycol derivatives of POSS. *Colloid Polym Sci*. 2015; **293**:(1):23-33.
4017. Żurawiński, R.; Mikołajczyk, M.; Cieślak, M.; Królewska, K., and Kaźmierczak-Barańska, J. Synthesis and

in vitro cytotoxicity of cross-conjugated prostaglandin A and J series and their hydroxy derivatives. *Organic & Biomolecular Chemistry*. 2015; **13**:(25):7000-7012.

4018. Abeydeera, D. N.; Egli, M.; Cox, N.; Mercier, K.; Conde, J. N.; Pallan, P. S.; Mizurini, D. M.; Sierant, M.; Hibti, F.-E.; Hassell, T.; Wang, T.; Liu, F.-W.; Liu, H.-M.; Martinez, C.; Sood, A. K.; Lybrand, T. P.; Frydman, Ch.; Monteiro, R. Q.; Gomer, R. H.; Nawrot, B., and Yang, X. Evoking picomolar binding in RNA by a single phosphorodithioate linkage. *Nucleic Acids Res.* 2016; **44**:(17):8052-8064.
4019. Bartczak, Z. and Grala, M. Degradacja mechaniczna sieci molekularnej w fazie amorficznej polietylenu pod wpływem dużych odkształceń. *Przetwórstwo Tworzyw.* 2016; **22**:(1):4-10.
4020. Bartczak, Z.; Grala, M.; Richaud, E., and Gadzinowska, K. Erosion of the molecular network in the amorphous layers of polyethylene upon high- strain deformation. *Polymer.* 2016; **99**:552-565.
4021. Bałczewski, P. and Bodzioch, A. Quinquevalent phosphorus acids. Allen, D. W.; Loakes, D., and Tebby, J. C., Eds. *Organophosphorus Chemistry*. Cambridge: Royal Society of Chemistry; 2016; pp. 196-353.
Notes: Print ISBN: 978-1-78262-433-2
4022. Bednarek, M. Branched aliphatic polyesters by ring-opening (co)polymerization. *Progr Polym Sci.* 2016; **58**:27-58.
4023. Beloshenko, V. A.; Voznyak, A. V.; Voznyak, Y. V., and Kupreev, A. V. Tribological properties of an antifriction polymer modified by severe plastic deformation. *Doklady Chemistry.* 2016; **466**: Part 2:25-28 .
4024. Beloshenko, V. A.; Voznyak, A. V.; Voznyak, Y. V.; Novokshonova, L. A.; Grinyov, V. G., and Krashenninnikov, V. G. Processing of polypropylene-organic montmorillonite nanocomposite by equal channel multiangular extrusion. *International Journal of Polymer Science.* 2016; **2016**:Article number 8564245.
4025. Biela, T. and Brzeziński, M. Supramolekularne polilaktydy – metody otrzymywania i wybrane właściwości. *Polimery.* 2016; **61**(6):397-406.
4026. Bodzioch, A.; Owsianik, K.; Skalik, J.; Kowalska, E.; Stasiak, A.; Różycka-Sokołowska, E.; Marciniak, B., and Bałczewski, P. Efficient synthesis of bis(dibromomethyl)arenes as important precursors of synthetically useful dialdehydes. *Synthesis.* 2016; **48**:(20):3509-3514.
4027. Bojda, J. and Piórkowska, E. Shear-induced nonisothermal crystallization of two grades of PLA. *Polymer Testing.* 2016; **50**:172-181.
4028. Chrzanowski, J.; Rachwalski, M.; Pieczonka, A. M.; Leśniak, S.; Drabowicz, J., and Kielbasiński, P. Highly efficient chiral polydentate sulfinyl ligands/catalysts containing prolinol moiety. *Tetrahedron.* 2016; **72**:(21):2649-2655.
4029. Ciastek, S.; Kaszyński, P.; Pocięcha, D., and Jasiński, M. Induction of smectic polymorphism in bent-core derivatives of the 6-oxoverdazyl by partial fluorination of alkyl chains. *RSC Advances.* 2016; **6**:(104):102343-102347.
4030. Cierpiął, T.; Łuczak, J.; Kwiatkowska, M.; Kielbasiński, P.; Mielczarek, L.; Wiktorska, K.; Chilmończyk, Z.; Milczarek, M., and Karwowska, K. Organofluorine isoselenocyanate analogues of sulforaphane: synthesis and anticancer activity. *ChemMedChem.* 2016; **11**:(21):2398-2409.
4031. Constantinides, C. P.; Obijalska, E., and Kaszyński, P. Access to 1,4-dihydrobenzo[e][1,2,4]triazin-4-yl

derivatives. *Organic Lett.* 2016; **18**(5):916-919.

4032. Cypryk, M. Polymerization of cyclic siloxanes, silanes, and related monomers. Hashmi, S., Ed. *Reference Module in Materials Science and Materials Engineering* 2016. Elsevier; 2016; pp. 1-35. Notes: ISBN: 978-0-12-803581-8
4033. Cypryk, M. and Gostyński, B. Computational benchmark for calculation of silane and siloxane thermochemistry. *Journal of Molecular Modeling.* 2016; **22**(1):Article Number: 35.
4034. Cypryk, M. and Pospiech, P. Polysiloxanes as supports for transition metal catalysts. *Polimery.* 2016; **61**(6):407-412.
4035. Dabrzalska, M.; Benseny-Cases, N.; Barnadas-Rodriguez, R.; Mignani, S.; Zabłocka, M.; Majoral, J.-P.; Bryszewska, M.; Klajnert-Maculewicz, B., and Cladera, J. Fourier transform infrared spectroscopy (FTIR) characterization of the interaction of anti-cancer photosensitizers with dendrimers. *Analytical and Bioanalytical Chemistry.* 2016; **408**(2):535-544.
4036. Dolot, R.; Kaczmarek, R.; Sęda, A.; Krakowiak, A.; Baraniak, J., and Nawrot, B. Crystallographic studies of the complex of human HINT1 protein with a non-hydrolyzable analog of Ap(4)A. *International Journal of Biological Macromolecules.* 2016; **87**:62-69.
4037. Drabowicz, J.; Chrzanowski, J.; Krasowska, D., and Zając, A. Chirality of hypervalent chalcogenuranes. *Current Organic Chemistry.* 2016; **20**(2):146-154.
4038. Drabowicz, J.; Jordan, F.; Kudzin, M. H.; Kudzin, Z. H.; Stevens, C. V., and Urbaniak, P. Reactivity of aminophosphonic acids. Oxidative dephosphonylation of 1-aminoalkylphosphonic acids by aqueous halogens. *Dalton Transactions.* 2016; **45**(5):2308-2317.
4039. Drabowicz, J.; Krasowska, D.; Ciesielski, W.; Kulawik, D.; Pyzalska, M.; Zdanowska, S.; Dudziński, B.; Pokora-Sobczak, P.; Chrzanowski, J., and Makowski, T. Carbon nanotubes functionalized with sulfur, selenium, or phosphorus or substituents containing these elements. *Phosphorus, Sulfur and Silicon and the Related Elements.* 2016; **191**(3 SI):541-547.
4040. Duchler, M.; Leszczyńska, G.; Sochacka, E., and Nawrot, B. Nucleoside modifications in the regulation of gene expression: focus on tRNA. *Cellular and Molecular Life Sciences.* 2016; **73**(16):3075-3095.
4041. Dudek, M. K. Jamroz; Dudkowski, Ł.; Bazyłko, A.; Kaźmierski, Sł., and Kiss, A. K. Caffeic acid derivatives isolated from the aerial parts of *Galinsoga parviflora* and their effect on inhibiting oxidative burst in human neutrophils. *Phytochemistry Letters.* 2016; **16**:303-310.
4042. Dudek, M. K. Jamroz; Jeziorna, A., and Potrzebowski, M. J. Computational and experimental study of reversible hydration/dehydration processes in molecular crystals of natural products – a case of catechin. *CRYSTENGCOMM.* 2016; **18**:5267-5277.
4043. Dudek, M. K. Jamroz; Pawlak, T.; Paluch, P.; Jeziorna, A., and Potrzebowski, M. J. A multi-technique experimental and computational approach to study the dehydration processes in the crystals of endomorphin opioid peptide derivative. *Crystal Growth & Design.* 2016; **16**(9):5312-5322.
4044. Florczak, M.; Michalski, A.; Kacprzak, A. Lewandowska; Brzeziński, M.; Biedroń, T.; Pająk, A.; Kubisa, P., and Biela, T. MALDI-TOF analysis of lactide oligomers with functional end groups. *Reactive & Functional Polymers.* 2016; **104**:71-77.
4045. Fortuniak, W.; Pospiech, P.; Mizerska, U.; Chojnowski, J.; Słomkowski, S.; Nyczyk-Malinowska, A.; Lach, R., and Hasik, M. SiCO ceramic microspheres produced by emulsion processing and

pyrolysis of polysiloxanes of various structures. *Ceramics International*. 2016; **42**:(10):11654-11665.

4046. Frączek, T.; Paneth, A.; Kamiński, R.; Krakowiak, A., and Paneth, P. Searching for novel scaffold of triazole non-nucleoside inhibitors of HIV-1 reverse transcriptase. *Journal of Enzyme Inhibition and Medicinal Chemistry*. 2016; **31**:(3):481-489.
4047. Gałęski, S.; Piórkowska, E.; Różański, A.; Regnier, G.; Gałęski, A., and Jurczuk, K. Crystallization kinetics of polymer fibrous nanocomposites . *Europ Polym J*. 2016; **83**:181-201.
4048. Glensk, M.; Gliński, J. A.; Jamroz, M. K.; Stefanowicz, P., and Kaźmierski, Sł. Phenolic constituents from alchornea castaneifolia. *Records of Natural Products*. 2016; **10**:(1):32-39.
4049. Gosecka, M.; Gosecki, M., and Kaźmierski, Sł. DOSY NMR as a tool for predicting optimal conditions for hydrogel formation: The case of a hyperbranched polyglycidol cross-linked with boronic acids. *J Polym Sci B: Polym Phys*. 2016; **54**(21):2171-2178.
4050. Gosecka, M.; Raczkowska, J.; Haberko, J.; Awsiuk, K.; Rysz, J.; Budkowski, A.; Marzec, M. M.; Bernasik, A., and Basińska, T. Multilayers of poly(styrene/a.-tert-butoxy-w-vinylbenzyl-polyglycidol) microspheres with core-shell morphology: Characterization by AFM, SIMS and XPS. *Colloids and Surfaces A: Physocochem and Eng Aspects*. 2016; **507**:200-209.
4051. Gosecka, M.; Słomkowski, S.; Basińska, T., and Chehimi, M. M. Size-controlled 3D colloidal crystals formed in an aqueous suspension of polystyrene/polyglycidol microspheres with covalently bound l-DOPA. *Langmuir*. 2016; **32**:(48):12848–12855.
4052. Gosecki, M.; Gadzinowski, M.; Gosecka, M.; Basińska, T., and Słomkowski, S. Polyglycidol, its derivatives, and polyglycidol-containing copolymers - synthesis and medical applications. *Polymers*. 2016; **8**:(6).
Notes: DOI: 10.3390/polym8060227
4053. Gosecki, M.; Zgardzińska, B., and Gosecka, M. Temperature-induced changes in the nanostructure of hydrogels based on reversibly cross-linked hyperbranched polyglycidol with B(OH)(4)(circle minus) ions. *J Phys Chem C*. 2016; **120**:(32):18323-18332.
4054. Gradzińska, K.; Łabęcka, K.; Kowalewska, A., and Stańczyk, W. A. Silseskwioxsanowe nanonośniki w diagnostyce i biomedycynie. *Polimery*. 2016; **LXI** :(4):231-238.
4055. Grala, M.; Bartczak, Z., and Różański, A. Morphology, thermal and mechanical properties of polypropylene/SiO₂ nanocomposites obtained by reactive blending. *Journal of Polymer Research*. 2016; **23**:(2):art. no. 25, 1-19.
4056. Granica, S.; Klebowska, A.; Kosiński, M.; Piwowarski, J. P.; Dudek, M. K. Jamroz; Kaźmierski, Sł., and Kiss, A. K. Effects of Geum urbanum L. root extracts and its constituents on polymorphonuclear leucocytes functions. Significance in periodontal diseases. *Journal of Ethnopharmacology*. 2016; **188**:1-12.
4057. Grzybkowska, A.; Jędrzejczyk, D.; Rostkowski, M.; Chworoś, A., and Dybała-Defratyka, A. RNA model evaluation based on MD simulation of four tRNA analogs . *RSC Advances*. 2016; **6**:(104):101778-101789 .
4058. Guga, P. and Maciaszek, A. Nucleotides and nucleic acids: mononucleotides. Allen, D. W.; Loakes, D., and Tebby, J. C., Eds. *Organophosphorus Chemistry*. Cambridge: Royal Society of Chemistry; 2016; pp. 170-195.
Notes: Print ISBN: 978-1-78262-433-2

4059. Gładka, D.; Omiotek, A.; Gosiewska, P.; Langwald, N.; Florjańczyk, Z.; Kubisa, P.; Biedroń, T., and Zygałło-Monikowska, E. Lithium polymer electrolytes containing oligomeric imidazolium ionic liquids. *Polymer International*. 2016; **65**:(8 SI):963-969.
4060. Jasiński, M.; Szczytko, J.; Pocięcha, D.; Monobe, H., and Kaszyński, P. Substituent-dependent magnetic behavior of discotic benzo[e][1,2,4]triazinyls. *J Am Chem Soc*. 2016; **138**:(30):9421-9424.
4061. Jastrzębska, I.; Pawlak, T.; Arcos-Ramos, R.; Florez-Lopez, E.; Farfan, N.; Czajkowska-Szczykowska, D.; Maj, J.; Santillan, R.; Morzycki, J. W., and Potrzebowski, M. J. Synthesis, structure, and local molecular dynamics for crystalline rotors based on hecogenin/botogenin steroidal frameworks. *Crystal Growth & Design*. 2016; **16**:(10):5698-5709.
4062. Jones, P. G.; Kitayama, T.; Hellwich, K. H.; Hess, M.; Jenkins, A. D.; Kahovec, J.; Kratochvil, P.; Mita, I.; Mormann, W.; Ober, C. K.; Penczek, S.; Stepto, R. F. T.; Thurlow, K.; Vohlidal, J., and Wilks, E. S. Source-based nomenclature for single-strand homopolymers and copolymers (IUPAC Recommendations 2016). *Pure & Appl Chem*. 2016; **88**:(10-11):1073-1100.
4063. Jońca, J.; Tukaj, C.; Werel, W.; Mizerska, U.; Fortuniak, W., and Chojnowski, J. Bacterial membranes are the target for antimicrobial polysiloxane-methacrylate copolymer. *Journal of Materials Science-Materials in Medicine*. 2016; **27**:(3):Article Number 55.
4064. Jurczuk, K. and Gałęski, A. Thermoplastic elastomers reinforced with poly (tetrafluoroethylene) nanofibers. *Europ Polym J*. 2016; **80**:58-69.
4065. Kaczmarek, R.; Kaźmierski, Sł.; Pawlak, T.; Radzikowska, E., and Baraniak, J. Assignment of the absolute configuration at stereogenic phosphorus atoms in P-diastereomers of dithymidyl-(N3' -> P5')-phosphoramidothioate. *Tetrahedron* . 2016; **72**:(6):803-809.
4066. Kaczmarek, R.; Krakowiak, A.; Korczyński, D.; Baraniak, J., and Nawrot, B. Phosphorothioate analogs of P1,P3-di(nucleosid-5'-yl) triphosphates: synthesis, assignment of the absolute configuration at P-atoms and P-stereodependent recognition by Fhit hydrolase. *Bioorg Med Chem* . 2016; **24**:(21):5068-5075.
4067. Kaszyński, P.; Constantinides, C. P., and Young, V. G. Jr. The planar blatter radical: structural chemistry of 1,4-dihydrobenzo[e][1,2,4]triazin-4-yls. *Angew Chem Int Ed Engl*. 2016; **55**:(37 SI):11149-11152.
4068. Kaźmierski, Sł.; Pawlak, T.; Jeziorna, A., and Potrzebowski, M. J. Modern solid state NMR techniques and concepts in structural studies of synthetic polymers. *Polym Adv Technol*. 2016; **27**:(9):1143-1155.
4069. Koprowski, M.; Bałczewski, P.; Owsianik, K.; Różycka-Sokołowska, E., and Marciniak, B. Total synthesis of (+/-)-epithuriferic acid methyl ester via Diels-Alder reaction. *Organic & Biomolecular Chemistry*. 2016; **14**:(5):1822-1830.
4070. Kotali, A.; Maniadaki, A.; Kotali, E.; Harris, Ph. A.; Różycka-Sokołowska, E.; Bałczewski, P., and Joule, J. A. Synthesis of bicyclic boron heterocycles containing [1,3,4,2]oxadiazaborole and [1,3,2]oxazaborin. *Synthesis*. 2016; **48**:(23):4117-4125.
4071. Kowalewska, A.; Nowacka, M.; Makowski, T., and Michalski, A. Thermal stability of self-assembled surfaces and micropatterns made of ladder polysilsesquioxanes. *Polymer*. 2016; **90**:147-155.
4072. Kowalewska, A.; Nowacka, M., and Maniukiewicz, W. Octa(3-mercaptopropyl)octasilsesquioxane - A reactive nanocube of unique self-assembled packing morphology. *J Organomet Chem*. 2016; **810**:15-24.

4073. Krajenta, A. and Róžański, A. The influence of cavitation phenomenon on selected properties and mechanisms activated during tensile deformation of polypropylene . J Polym Sci B: Polym Phys. 2016; **54**:(18):1853-1868.
4074. Krajenta, A.; Róžański, A., and Idczak, R. Morphology and properties alterations in cavitating and non-cavitating high density polyethylene . Polymer. 2016; **103**:353-364.
4075. Krajenta, J.; Pawlak, A., and Gałęski, A. Deformation of disentangled polypropylene crystalline grains into nanofibers . J Polym Sci B: Polym Phys. 2016; **54**:(19):1983-1994.
4076. Krasowska, D.; Chrzanowski, J.; Kielbasiński, P., and Drabowicz, J. Chiral hypervalent, pentacoordinated phosphoranes. Molecules. 2016; **21**:(11):Article number 1573.
4077. Krasowska, D.; Zając, A.; Wach, P.; Ciesielski, W.; Michalski O. ; Kulawik, D.; Pyzalska, M.; Dudziński, B. ; Pokora-Sobczak, P.; Makowski, T., and Janicka, M. A stereogenic heteroatom-containing substituent as an inducer of chirality in the derivatives of thiophenes (mono, oligo, and poly), fullerenes C-60, and multiwalled nanotubes. Phosphorus, Sulfur and Silicon and the Related Elements. 2016; **191**:(2 SI):211-219.
4078. Królewska-Golińska, K. Mechanizmy regulacji apoptozy. Koroniak, H. and Barciszewski, J., Eds. Na pograniczu chemii i biologii, tom XXXVI. Poznań: Wydawnictwo Naukowe UAM; 2016; pp. 31-62.
Notes: ISBN: 978-83-232-3155-4
4079. Kubisa, P.; Penczek, S., and Słomkowski, S. With the work of the IUPAC commission on macromolecular nomenclature (Sub-committee on Macromolecular Terminology and the Sub-committee on Polymer Terminology) Abbreviations of polymers and guidelines for creating them (IUPAC recommendations from 2014). Polimery. 2016; **61**:(7-8):551-561.
4080. Kulik, K. and Baraniak, J. Adenozyno-5'-O-(N-acylosulfamouilowe) pochodne jako potencjalne leki przeciwwgruźlicze. Wiadomości Chemiczne. 2016; **70**:(7-8):455-472.
4081. Kuran, B.; Napiórkowska, M.; Kossakowski, J.; Cieślak, M.; Kaźmierczak-Barańska, J.; Królewska, K., and Nawrot, B. New, substituted derivatives of dicarboximides and their cytotoxic properties. Anti-Cancer Agents in Medicinal Chemistry. 2016; **16**(7):852-864.
4082. Leszczyńska, G.; Sadowska, K.; Bartos, P.; Nawrot, B., and Sochacka, E. S-geranylated 2-thiouridines of bacterial tRNAs: chemical synthesis and physicochemical properties. Eur J Org Chem. 2016(21):3482-3485.
4083. Levchenko, K.; Datsenko, O. P.; Serhiichuk, O.; Tolmachev, A.; Iaroshenko, V. O. , and Mykhailiuk, P. K. Copper-catalyzed O-difluoromethylation of functionalized aliphatic alcohols: access to complex organic molecules with an OCF₂H group. J Org Chem. 2016; **81**:(14):5803-5813.
4084. Makowski, T.; Grala, M.; Fortuniak, W.; Kowalczyk, D., and Brzeziński, S. Electrical properties of hydrophobic polyester and woven fabrics with conducting 3D network of multiwall carbon nanotubes. Materials & Design. 2016; **90**:1026-1033.
4085. Michalski, A.; Makowski, T.; Biedroń, T.; Brzeziński, M., and Biela, T. Controlling polylactide stereocomplex (sc-PLA) self-assembly: From microspheres to nanoparticles. Polymer. 2016; **90**:242-248.
4086. Midura, W. H.; Cypryk, M.; Rzewnicka, A.; Krysiak, J. A., and Sieroń, L. Stereoselective cyclopropanation as a way to 1-aminocyclopropane-1-phosphonic acids: rationale for phosphoryl group migration. Eur J Org Chem. 2016(11):20164-2074.

4087. Midura, W. H.; Ewas, A. M. M., and Mikołajczyk, M. (Diphenoxyphosphoryl)methyl p-tolyl sulfoxide: A new reagent for Z-selective synthesis of racemic and optically active vinyl sulfoxides. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2016; **191**:(3 SI):535-540.
4088. Milczarek, J. and Chworoś, A. Limitations of the fluorescent probes. Koroniak, H. and Barciszewski, J., Eds. *Na pograniczu chemii i biologii*, tom XXXVI. Poznań: Wydawnictwo Naukowe UAM; 2016; pp. 231-240.
Notes: ISBN: 978-83-232-3155-4
4089. Nishiyama, Y.; Malon, M.; Potrzebowski, M. J.; Paluch, P., and Amoureux, J.-P. Accurate NMR determination of C-H or N-H distances for unlabeled molecules. *Solid State Nucl Magn Res*. 2016; **73**:15-21.
4090. Nowacka, M.; Kowalewska, A., and Makowski, T. Structural studies on ladder phenylsilsesquioxane oligomers formed by polycondensation of cyclotetrasiloxanetetraols. *Polymer*. 2016; **87**:81-89.
4091. Paluszkiewicz, J.; Stolarski, R.; Stańczyk, W. A.; Martyński, T., and Rutowicz, J. New perylene dyes, derivatives of 1,6,7,12-tetrachloroperylene-3,4,9,10-tetracarboxylic acid: synthesis and application. *Coloration Technology*. 2016; **132**:(6):449-459.
4092. Pawłowska, R.; Janicka, M.; Jędrzejczyk, D., and Chworoś, A. RNA fragments mimicking tRNA analogs interact with cytochrome c. *Molecular Biology Reports*. 2016; **43**:(4):295-304.
4093. Pawłowska, R.; Korczyński, D.; Nawrot, B.; Stec, W. J., and Chworoś, A. The alpha-thio and/or beta-gamma-hypophosphate analogs of ATP as cofactors of T4 DNA ligase. *Bioorg Chem*. 2016; **67**:110-115.
4094. Pecyna, J.; Kaszyński, P.; Ringstrand, B.; Pociecha, D.; Pakhomov, S.; Douglass, A. G., and Young, V. G. Synthesis and characterization of quinuclidinium derivatives of the [closo-1-CB11H12](-) anion as potential polar components of liquid crystal materials. *Inorg Chem*. 2016; **55**:(8):4016-4025.
4095. Pecyna, J.; Żurawiński, R.; Kaszyński, P.; Pociecha, D.; Zagórski, P., and Pakhomov, S. Polar liquid crystals derived from sulfonium zwitterions of the [closo-1-CB11H12]- anion. *Eur J Inorg Chem*. 2016; **18**:2923-2931.
4096. Penczek, S. and Pretula, J. Ring-opening polymerization. Reedijk, J., Ed. *Reference Module in Chemistry, Molecular Sciences and Chemical Engineering* 2016. Elsevier; 2016; pp. 1-46.
Notes: ISBN: 978-0-12-409547-2
4097. Perlikowska, W.; Żurawiński, R., and Mikołajczyk, M. A new and expeditious synthesis of all enantiomerically pure stereoisomers of rosaprostol, an antiulcer drug. *Beilstein Journal of Organic Chemistry*. 2016; **12**:2234-2239.
4098. Piekarska, K.; Sowiński, P.; Piórkowska, E.; Ul Haque, M. M., and Pracella, M. Structure and properties of hybrid PLA nanocomposites with inorganic nanofillers and cellulose fibers. *Composites Part A - Applied Science and Manufacturing*. 2016; **82**:34-41.
4099. Pietrzak, Ł.; Sowiński, P.; Bojda, J.; Piórkowska, E., and Gałęski, A. Toughening of syndiotactic polypropylene with chalk. *J Appl Polym Sci*. 2016; **133**:(28):Article Number: 43651.
4100. Piórecka, K.; Radzikowska, E.; Kurjata, J.; Różga-Wijas, K.; Stańczyk, W. A., and Wielgus, E. Synthesis of the first POSS cage-anthracycline conjugates: *via* amide bonds. *New J Chem*. 2016; **40**:(7):5997-6000.
4101. Pospiech, P.; Chojnowski, J.; Mizerska, U., and Cempura, G. Platinum catalyst on polysiloxane

microspheres with N-chelating groups. *J Mol Catal A-Chem.* 2016; **424**:402-411.

4102. Pospiech, P.; Chojnowski, J.; Mizerska, U.; Makowski, T.; Strzelec, K., and Sienkiewicz, N. Polysiloxane microspheres functionalized with imidazole groups as a palladium catalyst support. *Applied Organometallic Chemistry.* 2016; **30**(6):399-407.
4103. Pretula, J.; Kałużński, K., and Penczek, S. Polycondensation of diglycerol with H_3PO_4 . Reversibly degradable gels giving multireactive, highly branched macromolecules. *J Polym Sci A: Polym Chem.* 2016; **54**(20):3303-3317.
4104. Pretula, J.; Słomkowski, S., and Penczek, S. Polylactides—Methods of synthesis and characterization. *Advanced Drug Delivery Reviews.* 2016; **107**:3-16.
4105. Rode, J. E.; Narbutt, J.; Dudek, M. K. Jamroz; Kaźmierski, Sł., and Dobrowolski, J. Cz. On the conformation of the actinide-selective hydrophilic SO_3 -Ph-BTP ligand in aqueous solution. A computational study. *J Mol Liq.* 2016; **219**:224-231.
4106. Różga-Wijas, K. and Michalski, A. An efficient synthetic route for a soluble silsesquioxane-daunorubicin conjugate. *Europ Polym J.* 2016; **84**:490-501.
4107. Różański, A.; Krajenta, A.; Idczak, R., and Gałęski, A. Physical state of the amorphous phase of polypropylene-influence on free volume and cavitation phenomenon. *J Polym Sci B: Polym Phys.* 2016; **54**(5):531-543.
4108. Sienkiewicz, N.; Strzelec, K.; Pospiech, P.; Cypryk, M., and Szmeczyk, T. New palladium catalyst immobilized on epoxy resin: synthesis, characterization and catalytic activity. *Applied Organometallic Chemistry.* 2016; **30**(1):4-11.
4109. Sierant, M.; Leszczyńska, G.; Sadowska, K.; Dziergowska, A.; Różański, M.; Sochacka, E., and Nawrot, B. S-Geranyl-2-thiouridine wobble nucleosides of bacterial tRNAs; chemical and enzymatic synthesis of S-geranylated-RNAs and their physicochemical characterization. *Nucleic Acids Res.* 2016; **44**(22):10986-10998.
4110. Sigel, A.; Operschall, B. P.; Griesser, R.; Song, B.; Okruszek, A.; Odani, A.; Katsuta, T.; Lippert, B., and Sigel, H. (N7)-Platination and its effect on (N1)H-acidification in nucleoside phosphate derivatives. *Inorg Chim Acta.* 2016; **452**.
4111. Skorupska, E.; Jeziorna, A., and Potrzebowski, M. J. Thermal solvent-free method of loading of pharmaceutical cocrystals into the pores of silica particles: A case of naproxen/picolinamide cocrystal. *J Phys Chem C.* 2016; **120**(24):13169-13180.
4112. Skołucka-Szary, K.; Ramięga, A.; Piaskowska, W.; Janicki, B.; Grala, M.; Rieske, P.; Bartczak, Z., and Piaskowski, S. Synthesis and physicochemical characterization of chitin dihexanoate - A new biocompatible chitin derivative - In comparison to chitin dibutyrate. *Materials Science & Engineering C - Materials for Biological Applications.* 2016; **60**:489-502.
4113. Slouf, M.; Vackova, T.; Zhigunov, A.; Sikora, A., and Piórkowska, E. Nucleation of polypropylene crystallization with gold nanoparticles. Part 2: Relation between particle morphology and nucleation activity. *J Macromol Sci Phys.* 2016; **55**(4):393-410.
4114. Sobiesiak, M.; Cieślak, M.; Królewska, K.; Kaźmierczak-Barańska, J.; Pasternak, B., and Budzisz, E. Thiosemicarbazone-derived copper(II), cobalt(II) and nickel(II) complexes as potential anticancer agents: nuclease activity, cytotoxicity and apoptosis studies. *New J Chem.* 2016; **40**:9761-9767.
4115. Socka, M.; Duda, A.; Adamus, A.; Wach, R. A., and Ulański, P. Lactide/trimethylene carbonate triblock

copolymers: Controlled sequential polymerization and properties. *Polymer*. 2016; **87**:50-63.

4116. Sowiński, P.; Piórkowska, E.; Boyer, S. A. E., and Haudin, J. M. Nucleation of crystallization of isotactic polypropylene in the gamma form under high pressure in nonisothermal conditions . *Europ Polym J*. 2016; **85**:564-574.
4117. Stec, W. J.; Rosiak, K.; Siejka, P.; Peciak, J.; Popeda, M.; Banaszczyk, M.; Pawłowska, R.; Treda, C.; Hulas-Bigoszewska, K.; Piaskowski, S.; Stoczyńska-Fidelus, E., and Rieske, P. Cell line with endogenous EGFR(vIII) expression is a suitable model for research and drug development purposes. *Oncotarget*. 2016; **7**:(22):31907-31925.
4118. Stoczyńska-Fidelus, E.; Piaskowski, S.; Pawłowska, R.; Szybka, M.; Peciak, J.; Hulas-Bigoszewska, K.; Winiecka-Klimek, M., and Rieske, P. Genetic heterogeneity of RPMI-8402, a T-acute lymphoblastic leukemia cell line. *Oncology Letters*. 2016; **11**:(1):593-599.
4119. Strzelczyk, P.; Bujacz, G. D.; Kielbasiński, P., and Błaszczak, J. Crystal and molecular structure of hexagonal form of lipase B from *Candida antarctica*. *Acta Biochimica Polonica*. 2016; **63**:(1):103-109.
4120. Szymański, R. Equilibrium copolymerization in ring-opening polymerization. Hashmi, S., Ed. Reference Module in Materials Science and Materials Engineering 2016. Elsevier; 2016; pp. 1-22. Notes: ISBN: 978-0-12-803581-8
4121. Szymański, R. and Sosnowski, S. Modelowanie kinetyki polimeryzacji jako narzędzie badania jej mechanizmu i przewidywania przebiegu. *Polimery*. 2016; **61**(6):387-396.
4122. Szymański, R.; Sosnowski, S., and Cypryk, M. Evolution of chain microstructure and kinetics of reaching equilibrium in living reversible copolymerization. *Macromol Theory Simul*. 2016; **25**:(2):196-214.
4123. Szymański, R.; Sosnowski, S., and Maślanka, L. Statistical effects related to low numbers of reacting molecules analyzed for a reversible association reaction $A + B = C$ in ideally dispersed systems: An apparent violation of the law of mass action. *J Chem Phys*. 2016; **144**:(12):Article Number: 124112.
4124. Słomkowski, S. Overview of synthesis of functional polyesters. Kumar, Ravi M. N. V. , Ed. Handbook of Polyester Drug Delivery Systems. Singapore: Pan Stanford Publishing Pte. Ltd.; 2016; pp. 1-32. Notes: ISBN 978-981-4669-65-8 (Hardcover)
4125. Tregnago, G.; Serri, M.; Brovelli, S.; McDonnell, S. O.; Korniyuchuk, P.; Wang, L.; Wykes, M.; Beljonne, D.; Tracz, A.; Anderson, H. L., and Cacialli, F. Increased luminescence efficiency by synergistic exploitation of lipo/hydrophilic co-solvency and supramolecular design. *J Mater Chem C*. 2016; **4**:(46):10893-10902.
4126. Turek, M.; Krzyczmonik, M., and Balczewski, P. New hopes in cancer battle - A review of new molecules and treatment strategies. *Medicinal Chemistry*. 2016; **12**:(8):700-719.
4127. Twarowska-Schmidt, K.; Gałęski, A.; Piórkowska, E.; Wojtczak, M., and Dutkiewicz, S. Investigation on the melt processing of biodegradable aliphatic-aromatic polyester into fibrous products. *Fibres & Textiles East Eur*. 2016; **120**:(6):58-64.
4128. Voznyak, Y. V.; Morawiec, J., and Gałęski, A. Ductility of polylactide composites reinforced with poly(butylene succinate) nanofibers. *Composites Part A - Applied Science and Manufacturing*. 2016; **90**:218-224.
4129. Wasilewska, M.; Adamczyk, Z.; Basińska, T.; Gosecka, M., and Lupa, D. Monolayers of

poly(styrene/ α -tert-butoxy- ω -vinylbenzyl-polyglycidol) microparticles formed by controlled self-assembly with potential application as protein-repelling substrates. *Langmuir*. 2016; **32**:(37):9566-9574.

4130. Wzorek, A.; Sato, A.; Drabowicz, J., and Soloshonok, V. A. Self-disproportionation of enantiomers (SDE) of chiral nonracemic amides *via* achiral chromatography. *Israel Journal of Chemistry*. 2016; **56**:(11-12):977-989.
4131. ---. Self-disproportionation of enantiomers *via* achiral gravity-driven column chromatography: a case study of N-acyl- α -phenylethylamines. *J Chromatogr A*. 2016; **1467**:270-278.
4132. Wzorek, A.; Sato, A.; Drabowicz, J.; Soloshonok, V. A., and Klika, K. D. Remarkable magnitude of the self-disproportionation of enantiomers (SDE) *via* achiral chromatography: application to the practical-scale enantiopurification of beta-amino acid esters. *Amino Acids*. 2016; **48**:(2):605-613.
4133. Young, J.; Schafer, Ch.; Solan, A.; Baldrice, A.; Belcher, M.; Nisanci, B.; Wheeler, K. A.; Trivedi, E. R.; Torok, B., and Dembiński, R. Regioselective “hydroamination” of alk-3-ynones with non-symmetrical o-phenylenediamines. Synthesis of diversely substituted 3 *H*-1,5-benzodiazepines *via* (Z)-3-amino-2-alkenones . *RSC Advances*. 2016; **6**:(108):107081-107093 .
4134. Zabłocka, M.; Oshovsky, G. V.; Duhayon, C.; Ladeira, S.; Caminade, A.-M.; Mignani, S., and Majoral, J.-P. Thiazoyl phosphines. Design, reactivity, and complexation. *Dalton Transactions*. 2016; **45**:(23):9695-9703.
4135. Zawartka, W.; Pospiech, P.; Cypriak, M., and Trzeciak, A. M. Carbonylative Suzuki-Miyaura coupling catalyzed by palladium supported on aminopropyl polymethylsiloxane microspheres under atmospheric pressure of CO. *J Mol Catal A-Chem*. 2016; **417**:76-80.
4136. Zgardzińska, B.; Filipek, M.; Fortuniak, W., and Mroczek, P. Properties of n-eicosane-filled microcapsules with different morphology. Phase Change Materials studied by positron spectroscopy and complementary methods. *Materials Chemistry and Physics*. 2016; **177**:79-91.
4137. Śliwiak, J.; Dolot, R.; Michalska, K.; Szpotkowski, K.; Bujacz, G. D.; Sikorski, M., and Jaskólski, M. Crystallographic and CD probing of ligand-induced conformational changes in a plant PR-10 protein. *Journal of Structural Biology*. 2016; **193**: (1):55-66.
4138. Śliwka, L.; Wiktorska, K.; Suchocki, P.; Milczarek, M.; Mielczarek, Sz.; Lubelska, K.; Cierpień, T.; Łyżwa, P.; Kielbasiński, P.; Jaromin, A.; Flis, A., and Chilmończyk, Z. The comparison of MTT and CVS assays for the assessment of anticancer agent interactions. *PLoS ONE*. 2016; **11**:(5):Article Number: e0155772.
4139. Śniechowska, J.; Paluch, P.; Bujacz, G. D.; Górecki, M.; Frelek, J.; Gryko, D. T., and Potrzebowski, M. J. Chiral crystals from porphyrinoids possessing a very low racemization barrier. *CRYSTENGCOMM*. 2016; **18**:(20):3561-3565.
4140. Łapienis, G. Ring-opening polymerization of cyclic phosphorus monomers. Hashmi, S., Ed. Reference Module in Materials Science and Materials Engineering 2016. Elsevier; 2016; pp. 1-48. Notes: ISBN: 978-0-12-803581-8
4141. Łapienis, G. and Szymański, R. Peculiarities of complexation of sodium cations by star-shaped polymers with core formed from diepoxides and poly(ethylene oxide) arms. *Polymer*. 2016; **97**:104-112.
4142. Łapienis, G.; Szymański, R., and Cypriak, M. Unexpected formation of a significant amount of polymer primary hydroxyl groups in synthesis of star-shaped polymer from linear alcoholate chains and

diepoxides. *Polymer*. 2016; **99**:713-720.

4143. Żaczek, Sz.; Pająk, A.; Anyszka, R., and Janowska, G. Influence of phthalocyanine pigments on the properties of flame-retardant elastomeric composites based on styrene-butadiene or acrylonitrile-butadiene rubbers. *E-Polymers*. 2016; **16**:(4):287-294.
4144. Baran, A.; Iovescu, A.; Gosecka, M.; Stinga, G.; Peretz, S.; Basińska, T.; Słomkowski, S.; Maxim, M. E., and Anghel, D. F. Peculiarities of linear and hyperbranched polyglycidols in water and aqueous surfactant solutions. *Europ Polym J*. 2017; **94**:162-182.
4145. Bartczak, Z. Deformation of semicrystalline polymers – the contribution of crystalline and amorphous phases. *Polimery*. 2017; **LXII**:(11-12):787-799.
4146. Bartczak, Z. and Grala, M. Toughening of semicrystalline and amorphous polylactide with atactic polyhydroxybutyrate. *Polymer-Plastics Technology and Engineering*. 2017; **56**:(1):29-43.
4147. Basińska, T. Reactions leading to controlled hydrophilicity/hydrophobicity of surfaces. *Current Organic Chemistry* . 2017; **21**:(24):2479-2501.
4148. Baško, M.; Bednarek, M.; Vlaminc, L.; Kubisa, P., and Du Prez, F. Biodegradable polymer networks via triazolidione-crosslinking of oleyl-functionalized poly(ϵ -caprolactone) . *Europ Polym J*. 2017; **89**:230-240.
4149. Baško, M. and Duda, A. Telechelic Poly(Lactic Acid)s and Poly lactides. Guillaume, S. M., Ed. *Handbook of Telechelic Polyesters, Polycarbonates, and Polyethers* . New York: Pan Stanford Publishing Pte. Ltd. 2017; pp. 185-233.
Notes: ISBN: 9789814745628
4150. Bałczewski, P. and Skalik, J. Quinquevalent phosphorus acids. Allen, D. W.; Loakes, D., and Tebby, J. C., Eds. *Organophosphorus Chemistry*. Cambridge: Royal Society of Chemistry; 2017; pp. 213-322.
Notes: ISBN 978-1-78262-901-6
4151. Bednarek, M.; Baško, M., and Kubisa, P. Functional polylactide by cationic ring-opening copolymerization of lactide with epoxides. *Reactive & Functional Polymers*. 2017; **119**:9-19.
4152. Bednarek, M.; Wojtczak, E., and Pluta, M. Spontaneous formation of polylactide stereocomplex microspheres containing metal ions. *Polymer International*. 2017; **66**:(1):108-118.
4153. Beloshenko, V. A.; Voznyak, A. V.; Voznyak, Y. V.; Novokshonova, L. A., and Grinyov, V. G. Effect of simple shear induced orientation process on the morphology and properties of polyolefin/graphite nanoplates composites. *Composites Science and Technology*. 2017; **139**:47-56.
4154. Beloshenko, V. A.; Voznyak, Y. V.; Voznyak, A. V., and Savchenko, B. M. New approach to production of fiber reinforced polymer hybrid composites. *Composites Part B - Engineering*. 2017; **112**:22-30.
4155. Biedroń, T.; Michalski, A.; Biela, T., and Kubisa, P. Stereocomplexation of polylactides containing ionic liquid end-groups. *Polimery*. 2017; **LXII**:(4):254-261.
Notes: Dedicated to the memory of Professor Andrzej Duda
4156. Bodzioch, A.; Kowalska, E.; Skalik, J., and Bałczewski, P. Synthesis of polycyclic (hetero)aromatic hydrocarbons *via* the Friedel–Crafts/Bradsher cyclization. *Chemistry of Heterocyclic Compounds*. 2017; **53**:(1):11-20.
4157. Brzeziński, M. Hollow microcapsules with enhanced stability *via* stereocomplex assemblies. *Macromol*

Chem Phys. 2017; **218**:(13):1700018 (5 stron).

4158. Brzeziński, M. and Biela, T. Supramolecular interactions, a route to control properties and interfaces in PLA based materials. *Current Organic Chemistry* . 2017; **21**:(24):2466-2478.
4159. Brzeziński, M.; Kacprzak, A. Lewandowska; Calderon, M., and Seiffert, S. Metallo-polymer chain extension controls the morphology and release kinetics of microparticles composed of terpyridine-capped polylactides and their stereocomplexes. *Macromol Rapid Comm.* 2017; **38**:(7):Article number: 1600790.
4160. Chrzanowski, J.; Krasowska, D.; Jasiak, A., and Drabowicz, J. Selected heterocycles with a stereogenic sulfur or phosphorus atom based on a phenol residue containing a chiral auxiliary. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2017; **192**:(6 SI):585-588.
4161. Cichorek, M.; Piórkowska, E., and Krasnikova, N. P. Stiff biodegradable polylactide composites with ultrafine cellulose filler. *Journal of Polymers and the Environment*. 2017; **25**:(1):74-80.
4162. Cypryk, M.; Drabowicz, J.; Gostyński, B; Kudzin, M. H.; Kudzin, Z. H., and Urbaniak, P. 1-(N-Acylamino)alkylphosphonic acids-Deacylation in aqueous solutions. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2017; **192**:(6 SI):651-658.
4163. Czernek, L. and Duchler, M. Functions of cancer-derived extracellular vesicles in immunosuppression. *Archivum Immunologiae Et Therapiae Experimentalis*. 2017; **65**:(4):311-323.
4164. Dabkowska, A. P.; Michanek, A.; Jaeger, L.; Chworoś, A.; Nylander, T., and Sparr, E. Supported fluid lipid bilayer as a scaffold to direct assembly of RNA nanostructures. Bindewald, E. and Shapiro, B. A., Eds. *RNA Nanostructures : Methods and Protocols*. New York: Humana Press Inc.; 2017; pp. 107-122.
Notes: ISBN: 978-1-4939-7137-4
4165. Dabrzalska, M.; Janaszewska, A.; Zabłocka, M.; Mignani, S.; Majoral, J.-P., and Klajnert-Maculewicz, B. Cationic phosphorus dendrimer enhances photodynamic activity of rose bengal against basal cell carcinoma cell lines. *Molecular Pharmaceutics*. 2017; **14**:(5):1821-1830.
4166. ---. Complexing methylene blue with phosphorus dendrimers to increase photodynamic activity. *Molecules*. 2017; **22**:(3):345 (13 str.).
Notes: Open Access
4167. Dolot, R.; Sobczak, M.; Mikołajczyk, B., and Nawrot, B. Synthesis, crystallization and preliminary crystallographic analysis of a 52-nucleotide DNA/2'-OMe-RNA oligomer mimicking 10–23 DNAzyme in the complex with a substrate. *Nucleosides, Nucleotides & Nucleic Acids*. 2017; **36**:(4):292-301.
4168. Drabowicz, J. Stereochemistry of organic sulfur compounds: more than 100 years of history, current state and further challenges. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2017; **192**:(2):145-148.
4169. Drabowicz, J.; Jasiak, A.; Wzorek, A.; Sato, A., and Soloshonok, V. A. Self-disproportionation of enantiomers (SDE) of chiral sulfoxides, amides and thioamides via achiral chromatography. *Arkivoc*. 2017; **2017**:(2):557-578.
4170. Dudek, M. K. Jamroz; Bujacz, G. D., and Potrzebowski, M. J. Experimental tests for quality validation of computationally predicted crystal structures - a case of a conformationally flexible procyanidin A-2 dihydrate. *CRYSTENGCOMM*. 2017; **19**:(21):2903-2913.

4171. Dudek, M. K. Jamroz; Gliński, V. B.; Davey, M. H.; Silva, D.; Kaźmierski, Sł., and Gliński, J. A. Trimeric and tetrameric A-type procyanidins from peanut skins. *Journal of Natural Products*. 2017; **80**:(2):415-426.
4172. Dudek, M. K. Jamroz; Michalak, B.; Woźniak, M.; Czerwińska, M. E.; Filipek, A.; Granica, S., and Kiss, A. K. Hydroxycinnamoyl derivatives and secoiridoid glycoside derivatives from *Syringa vulgaris* flowers and their effects on the pro-inflammatory responses of human neutrophils. *Fitoterapia*. 2017; **121**:194-205.
4173. Dudek, M. K. Jamroz; Wielgus, E.; Paluch, P., and Potrzebowski, M. J. Spontaneous keto-enol tautomerization in the crystal lattice visualized with the help of water encapsulated in hydrophilic reservoirs. *CHEMPHYSCHEM*. 2017; **18**:(20):2850-2854.
4174. Ebenryter-Olbińska, K.; Kaniowski, D.; Sobczak, M.; Wojtczak, B.; Janczak, S.; Wielgus, E.; Nawrot, B., and Leśnikowski, Z. J. Versatile method for the site-specific modification of DNA with boron clusters: anti-epidermal Growth Factor Receptor (EGFR) antisense oligonucleotide case. *Chem-Eur J*. 2017; **23**:(65):16535-16546.
4175. Geary, C.; Chworoś, A.; Verzemnieks, E.; Voss, N. R., and Jaeger, L. Composing RNA nanostructures from a syntax of RNA structural modules. *Nano Letters*. 2017; **17**:(11):7095-7101.
4176. Gevorgyan, A.; Mkrtchyan, S.; Grigoryan, T., and Iaroshenko, V. O. Disilanes as oxygen scavengers and surrogates of hydrosilanes suitable for selective reduction of nitroarenes, phosphine oxides and other valuable substrates. *Organic Chemistry Frontiers*. 2017; **4**:(12):2437-2444.
4177. Gosecka, M.; Chehimi, M. M.; Basińska, T.; Słomkowski, S., and Makowski, T. Adsorption and covalent binding of fibrinogen as a method for probing the chemical composition of poly(styrene-*tert*-butoxy-*vinylbenzyl*-polyglycidol) microsphere surfaces. *Colloids and Surfaces B: Biointerfaces*. 2017; **160**:438-445.
4178. Gosecki, M.; Kaźmierski, Sł., and Gosecka, M. Diffusion-controllable biomineralization conducted in situ in hydrogels based on reversibly cross-linked hyperbranched polyglycidol. *Biomacromolecules*. 2017; **18**:(10):3418-3431.
4179. Guga, P. and Maciaszek, A. Nucleotides and nucleic acids: mononucleotides. Allen, D. W.; Loakes, D., and Tebb, J. C., Eds. *Organophosphorus Chemistry*. Cambridge : Royal Society of Chemistry; 2017; pp. 183-212.
Notes: ISBN 978-1-78262-901-6
4180. Hibner-Kulicka, P.; Joule, J. A.; Skalik, J., and Bałczewski, P. Recent studies of the synthesis, functionalization, optoelectronic properties and applications of dibenzophospholes. *RSC Advances*. 2017; **7**:(15):9147-9236.
4181. Jakubowski, R.; Pomorska, D. K.; Długosz, A.; Janecka, A.; Krajewska, U.; Różalski, M.; Mirowski, M.; Bartosik, T., and Janecki, T. Synthesis of 4,4-disubstituted 3-methylidenechroman-2-ones as potent anticancer agents. *ChemMedChem*. 2017; **12**:(8):599–605.
4182. Janicki, I.; Kielbasiński, P.; Turrini, N.; Faber, K., and Hall, M. Asymmetric bioreduction of β -activated vinylphosphonate derivatives using ene-reductases. *Advanced Synthesis & Catalysis*. 2017; **359**:(23):4190-4196.
4183. Jurczuk, K.; Gałęski, A., and Morawiec, J. Effect of poly(tetrafluoroethylene) nanofibers on foaming behavior of linear and branched polypropylenes. *Europ Polym J*. 2017; **88**:171-182.
4184. Jędrzejczyk, D.; Gendaszewska-Darmach, E.; Pawłowska, R., and Chworoś, A. Designing synthetic RNA

for delivery by nanoparticles. *Journal of Physics: Condensed Matter*. 2017; **29**:(12):123001.

4185. Kaniowski, D.; Ebenryter-Olbińska, K.; Sobczak, M.; Wojtczak, B.; Janczak, S.; Leśnikowski, Z. J., and Nawrot, B. High boron-loaded DNA-oligomers as potential boron neutron capture therapy and antisense oligonucleotide dual-action anticancer agents. *Molecules*. 2017; **22**:(9):E1393.
4186. Kapuściński, Sz.; Wojciechowska, A.; Urbaniak, K.; Kaszyński, P., and Jasiński, M. Hockey-stick liquid crystalline 6-oxoverdazyl. *Liquid Crystals*. 2017; **44**:(7):1093-1103.
4187. Karaszewska, A.; Kamińska, I.; Kiwała, M.; Gadzinowski, M.; Gosecki, M., and Słomkowski, S. Preparation and properties of textile materials modified with triclosan-loaded polylactide microparticles. *Polym Adv Technol*. 2017; **28**:(9):1185-1193.
4188. Kargarzadeh, H.; Mariano, M.; Huang, J.; Lin, N.; Ahmad, I.; Dufresne, A., and Thomas, S. Recent developments on nanocellulose reinforced polymer nanocomposites: a review. *Polymer*. 2017; **132**:368-393.
4189. Kaszyński, P.; Jasiński, M.; Ciastek, S.; Kapuściński, Sz., and Gębicki, K. Molecular engineering of liquid crystalline derivatives of 6-oxoverdazyl. *Arkivoc*. 2017:345-368 Part: 2.
4190. Kaszyński, P.; Kłys, A.; Domagała, Sł., and Woźniak, K. Chirality of the trisubstituted nitrogen center – XRD, dynamic NMR, and DFT investigation of 1,2-dihydrobenzo[e][1,2,4]triazine derivatives. *Tetrahedron*. 2017; **73**:(27-28):3823-3830.
4191. Kielbasiński, P.; Kwiatkowska, M., and Mikołajczyk, M. Chiral Heteroatom-Containing Compounds. Matsuda, T., Ed. *Future Directions in Biocatalysis (Second Edition)*. Amsterdam: Elsevier; 2017; pp. 191-250.
Notes: ISBN: 9780444637437
4192. Kotali, A.; Maniadaki, A.; Kotali, E.; Harris, Ph. A.; Różycka-Sokołowska, E.; Bałczewski, P., and Joule, J. A. New tetrahedral boron heterobicycles: cyclocondensation of phenylboronic acid with β -keto butanoic acid N-acyl hydrazones. *Tetrahedron Lett*. 2017; **58**:(6):512-515.
4193. Kowalczyk, D.; Fortuniak, W.; Mizerska, U.; Kamińska, I.; Makowski, T.; Brzeziński, S., and Piórkowska, E. Modification of cotton fabric with graphene and reduced graphene oxide using sol-gel method. *Cellulose*. 2017; **24**:(9):4057-4068.
4194. Kowalewska, A. Self-assembling polyhedral silsesquioxanes - Structure and properties. *Current Organic Chemistry*. 2017; **21**:(14):1243-1264.
4195. Kowalewska, A.; Nowacka, M.; Włodarska, M.; Zgardzińska, P.; Zalewski, R. I.; Osajca, M.; Krajenta, J., and Kaźmierski, Sł. Solid-state dynamics and single-crystal to single-crystal structural transformations in octakis(3-chloropropyl)octasilsesquioxane and octavinyl octasilsesquioxane. *Physical Chemistry Chemical Physics*. 2017; **19**(40):27516--27529.
4196. Kowalska-Baron, A.; Żurawiński, R.; Łukasik, B.; Chworoś, A., and Wysocki, S. Solvent effects on the photophysical properties of distyrylnaphthalene-based conjugated oligoelectrolytes. *Journal of Luminescence*. 2017; **192**:359-370.
4197. Kowalska, E. and Bałczewski, P. Ultrasound assisted Bradsher reaction in aqueous and non-aqueous media: first use of ultrasounds in electrophilic aromatic cyclisation leading to polyacenes. *Ultrasonics Sonochemistry*. 2017; **34**:743-753.
4198. Krajenta, J. and Pawlak, A. Właściwości mechaniczne polipropylenu z ograniczoną gęstością splątania makrocząsteczek. Steller, R. and Żuchowska, D., Eds. *Modyfikacja Polimerów*. Stan i

perspektywy w roku 2017 . Wrocław: Tempo S. C.; 2017; pp. 267-270.
Notes: ISBN: 978-83-86520-23-7

4199. Krakowiak, A.; Kocoń-Rębowska, B.; Dolot, R., and Piotrkowska, D. New interactions between tumor suppressor Fhit protein and a nonhydrolyzable analog of its AP4A substrate. *FEBS Letters*. 2017; **591**:(3):548-559.
4200. Krawczyk, E.; Koprowski, M.; Cembrowska-Lech, D.; Wójcik, A., and Kępczyński, J. Synthesis of tricyclic butenolides and comparison their effects with known smoke—butenolide, KAR1. *Journal of Plant Physiology*. 2017; **215**:91-99.
4201. Kulawik, D.; Ciesielski, W.; Drabowicz, J., and Żarska, S. D. A review of procedures of purification and chemical modification of carbon nanotubes with bromine. *Fullerenes Nanotubes and Carbon Nanostructures*. 2017; **25**:563-569.
4202. Kulik, K.; Kaczmarek, R.; Baraniak, J.; Ślepokura, K., and Gryaznov, S. M. Novel method for the synthesis of dinucleoside-(N3' > P5')-phosphoramidothioates. *Tetrahedron Lett*. 2017; **58**:(23):2276-2279.
4203. Leszczyńska, G.; Sadowska, K.; Sierant, M.; Sobczak, M.; Nawrot, B., and Sochacka, E. Reaction of S-geranyl-2-thiouracil modified oligonucleotides with alkyl amines leads to the N2-alkyl isocytosine derivatives. *Organic & Biomolecular Chemistry*. 2017; **15**:(25):5332-5336.
4204. Lewiński, P.; Sosnowski, S., and Penczek, S. L-lactide polymerization – living and controlled – catalyzed by initiators: Hydroxyalkylated organic bases. *Polymer*. 2017; **108**:265-271.
4205. Merkel, K.; Lenża, J.; Rydarowski, H.; Pawlak, A., and Wrzalik, R. Characterization of structure and properties of polymer films made from blends of polyethylene with poly(4-methyl-1-pentene). *Journal of Materials Research*. 2017; **32**:(2):451-464.
4206. Michalski, B.; Szymczyk, E.; Pęczek, Ł.; Nawrot, B.; Kupczyńska, K.; Krzemińska-Pakuła, M.; Peruga, J. Z.; Lipiec, P., and Kasprzak, J. D. The role of selected adipokines & ghrelin in the prognosis after myocardial infarction in a 12-month follow-up in the presence of metabolic syndrome. *Archives of Medical Science*. 2017; **13**:(4):785-794.
4207. Michalski, B.; Trzciński, P.; Kupczyńska, K.; Miśkowiec, D.; Pęczek, Ł.; Nawrot, B.; Lipiec, P., and Kasprzak, J. D. The differences in the relationship between diastolic dysfunction, selected biomarkers and collagen turn-over in heart failure patients with preserved and reduced ejection fraction. *Cardiology Journal*. 2017; **24**:(1):35-42.
4208. Midura, W. H.; Rzewnicka, A., and Krysiak, J. A. Phenylsilane as an effective desulfinylation reagent. *Beilstein Journal of Organic Chemistry*. 2017; **13**:1513-1517.
4209. ---. Unusual behavior of phosphonocyclopropyl sulfoxides. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2017; **192**:(2):180-181.
4210. Mignani, S.; Bryszewska, M.; Zabłocka, M.; Klajnert-Maculewicz, B.; Cladera, J.; Shcharbin, D., and Majoral, J.-P. Can dendrimer based nanoparticles fight neurodegenerative diseases? Current situation versus other established approaches. *Progr Polym Sci*. 2017; **64**:23-51.
4211. Mikołajczyk, M. and Łyżwa, P. Recent progress in asymmetric synthesis of aminophosphonic acids mediated by chiral sulfinyl auxiliary. *Pure & Appl Chem*. 2017; **89**:(3):357-365.
4212. Miksa, B.; Sierant, M.; Skorupska, E.; Michalski, A.; Kaźmierski, Sł.; Steinke (Bienias), U.; Różański, A., and Uznański, P. Chlorambucil labelled with the phenosafranin scaffold as a new chemotherapeutic for imaging and cancer treatment. *Colloids and Surfaces B: Biointerfaces*. 2017;

4213. Milczarek, J.; Pawłowska, R.; Żurawiński, R.; Łukasik, B.; Garner, L. E., and Chworoś, A. Fluorescence and confocal imaging of mammalian cells using conjugated oligoelectrolytes with phenylenevinylene core. *J Photochem Photobiol B: Biology*. 2017; **170**:40-48.
4214. Moller, M. S.; Goh, Y. J.; Rasmussen, K. B.; Cypryk, W.; Celebioglu, H. U.; Klaenhammer, T. R.; Svensson, B., and Hachem, M. A. An extracellular cell-attached pullulanase confers branched α -glucan utilization in human gut *Lactobacillus acidophilus*. *Applied and Environmental Microbiology*. 2017; **83**(12):Article number e00402-17.
4215. Morga, M.; Adamczyk, Z.; Basińska, T.; Komar, P.; Gosecka, M.; Żeliszewska, P., and Wasilewska, M. Spheroidal microparticle monolayers characterized by streaming potential measurements. *Langmuir*. 2017; **33**(38):9916-9925.
4216. Nacca, F. G.; Merlino, O.; Mangiavacchi, F.; Krasowska, D.; Santi, C., and Sancineto, L. The Q-tube system, a nonconventional technology for Green Chemistry Practitioners. *Current Green Chemistry*. 2017; **4**(2):58-66.
4217. Nagashima, H.; Trebosc, J.; Lafon, O.; Pourpoint, F.; Paluch, P.; Potrzebowski, M. J., and Amoureux, J.-P. Imaging the spatial distribution of radiofrequency field, sample and temperature in MAS NMR rotor. *Solid State Nucl Magn Res*. 2017; **87**:137-142.
4218. Nowacka, M.; Fischer, C.; Kowalewska, A.; Hebda, M., and Hodor, K. Thermally induced phenomena leading to degradation of poly(silsesquioxane) materials. *Europ Polym J*. 2017; **86**:17-28.
4219. Nyman, T. A.; Lorey, M. B.; Cypryk, W., and Matikainen, S. Mass spectrometry-based proteomic exploration of the human immune system: focus on the inflammasome, global protein secretion, and T cells. *Expert Review of Proteomics*. 2017; **14**(5):395-407.
4220. Oshovsky, G. V.; Zabłocka, M.; Duhayon, C.; Majoral, J.-P., and Caminade, A.-M. Versatile reactivity of cyclic 1,2-dimethylhydrazinodiphosphines. *Z Für Anorg Allgem Chem*. 2017; **643**(14):903-908.
4221. Otocka, S. Kaczmarczyk; Kwiatkowska, M.; Madalińska, L., and Kiełbasiński, P. Chiral organosulfur ligands/catalysts with a stereogenic sulfur atom: applications in asymmetric synthesis. *Chem Rev*. 2017; **117**(5):4147-4181.
4222. Paluch, P.; Potrzebowska, N.; Ruppert, A. M., and Potrzebowski, M. J. Application of ^1H and ^{27}Al magic angle spinning solid state NMR at 60 kHz for studies of Au and Au-Ni catalysts supported on boehmite/alumina. *Solid State Nucl Magn Res*. 2017; **84**:111-117.
4223. Paluch, P.; Trebosc, J.; Amoureux, J.-P., and Potrzebowski, M. J. ^1H - ^{31}P CPVC NMR method under Very Fast Magic Angle Spinning for analysis of dipolar interactions and dynamics processes in the crystalline phosphonium tetrafluoroborate salts. *Solid State Nucl Magn Res*. 2017; **87**:96-103.
4224. Pawlak, A.; Krajenta, J., and Gałęski, A. The crystallization of polypropylene with reduced density of entanglements. *J Polym Sci B: Polym Phys*. 2017; **55**(9):748-756.
4225. Pawlak, A.; Krajenta, J., and Gałęski, A. Wpływ ograniczenia liczby splątń makrocząsteczek na przetwarzalność i właściwości polipropylenu. Steller, R. and Żuchowska, D., Eds. *Modyfikacja Polimerów. Stan i perspektywy w roku 2017*. Wrocław: Tempo S.C.; 2017; pp. 305-308.
Notes: ISBN: 978-83-86520-23-7
4226. Penczek, S.; Lewiński, P.; Pretula, J., and Socka, M. Professor Andrzej Duda In Memoriam . *Polimery*.

2017; **LXII**:(4):239-253.

4227. Penczek, S.; Pretula, J., and Lewiński, P. Dormant polymers and their role in living and controlled polymerizations; influence on polymer chemistry, particularly on the ring opening polymerization. *Polymers*. 2017; **9**(12):Article number 646 (18 str.).
4228. Piekarska, K.; Piórkowska, E., and Bojda, J. The influence of matrix crystallinity, filler grain size and modification on properties of PLA/calcium carbonate composites. *Polymer Testing*. 2017; **62**:203-209.
4229. Piórecka, K.; Stańczyk, W. A., and Florczak, M. NMR analysis of antitumor drugs: doxorubicin, daunorubicin and their functionalized derivatives . *Tetrahedron Lett*. 2017; **58**:(2):152-155.
4230. Pluta, M.; Bojda, J.; Piórkowska, E.; Murariu, M.; Bonnaud, L., and Dubois, Ph. The effect of halloysite nanotubes and N,N'- ethylenebis (stearamide) on the properties of polylactide nanocomposites with amorphous matrix. *Polymer Testing*. 2017; **61**:35-45.
4231. ---. The effect of halloysite nanotubes and N,N'-ethylenebis (stearamide) on morphology and properties of polylactide nanocomposites with crystalline matrix. *Polymer Testing*. 2017; **64**:83-91.
4232. Pomorska, D. K.; Gach-Janczak, K.; Jakubowski, R.; Janecki, T.; Szymański, J., and Janecka, A. Evaluation of anticancer properties of a new alpha-methylene-delta-lactone DL-249 on two cancer cell lines. *Open Life Sciences*. 2017; **12**:(1):178-189.
4233. Pospiech, P.; Chojnowski, J.; Mizerska, U.; Fortuniak, W.; Słomkowski, S., and Stolarski, J. Macroporous microspheres and microspheroidal particles from polyhydromethylsiloxane. *Colloid Polym Sci*. 2017; **295**:(5):939-944.
4234. Potrzebowski, M. Preface: Ultrafast magic-angle spinning NMR. *SOLID STATE NUCLEAR MAGNETIC RESONANCE*. 2017; **87**:65-66.
4235. Puchalski, M.; Siwek, P.; Biela, T.; Sztajnowski, S.; Chrzanowski, M.; Kowalska, S., and Krucińska, I. Influence of the household composting conditions on the structural changes of polylactide spun-bonded nonwovens during degradation. *Textile Research Journal*. 2017; **87**:(20):2541-2549.
4236. Rzeszutarska, E.; Novozhilova, I., and Kaszyński, P. Convenient synthesis of [closo-B10H9-1-I]2- and [closo-B10H8-1,10-I2]2- anions. *Inorg Chem*. 2017; **56**:(22):14351-14356.
4237. Santi, C. and Tomassini, C. Sancineto L. Organic diselenides: versatile reagents, precursors, and intriguing biologically active compounds. *Chimia*. 2017; **71**:(9):592-595.
4238. Skoczyńska, A.; Małecka, M.; Cieślak, M.; Kaźmierczak-Barańska, J.; Królewska-Golińska, K.; Leniart, A., and Budzisz, E. Synthesis, structural analysis, redox properties and in vitro antitumor evaluation of half-sandwich complexes of Ru(II) with aminocoumarins. *Polyhedron*. 2017; **127**:307-314.
4239. Skorupska, E.; Kaźmierski, Sł., and Potrzebowski, M. J. Solid state NMR characterization of ibuprofen: nicotinamide cocrystals and new idea for controlling release of drugs embedded into mesoporous silica p articles. *Molecular Pharmaceutics*. 2017; **14**:(5):1800-1810.
4240. Sobierajska, E.; Konopka, M.; Janaszewska, A.; Piórecka, K.; Błauż, A.; Klajnert-Maculewicz, B.; Stańczyk, M., and Stańczyk, W. A. Unusual enhancement of doxorubicin activity on co-delivery with polyhedral oligomeric silsesquioxane (POSS). *Materials*. 2017; **10**:(5):Article number 559.
4241. Sochacka, E.; Łodyga-Chruścińska, E.; Pawlak, J.; Cypryk, M.; Bartos, P.; Ebenryter-Olbińska, K.;

Leszczyńska, G., and Nawrot, B. C5-substituents of uridines and 2-thiouridines present at the wobble position of tRNA determine the formation of their keto-enol or zwitterionic forms - a factor important for accuracy of reading of guanosine at the 3'-end of the mRNA codons. *Nucleic Acids Res.* 2017; **45**(8):4825-4823.

4242. Szczęśna, D.; Koprowski, M.; Różycka-Sokołowska, E.; Marciniak, B., and Bałczewski, P. Selective Horner-Wittig/Nazarov vs Knoevenagel/Nazarov Reactions in the Synthesis of Biologically Active 3-Aryl-Substituted 1-Indanones. *Synlett.* 2017; **28**(1):113-116.
4243. Szymański, R. and Sosnowski, S. Chain length distributions in linear polyaddition proceeding in nano-scale small volumes without mass transfer . *J Chem Phys.* 2017; **146**(4):Article number 044113.
4244. Szymański, R.; Sosnowski, S., and Cypryk, M. Steady state and equilibrium in reversible copolymerization at constant comonomer concentrations. *Macromol Theory Simul.* 2017; **26**(4):1700039 (7 stron).
4245. Słomkowski, S. and Basińska, T. Special features of the polymerization of heterocyclic monomers. *Current Organic Chemistry .* 2017; **21**(19):1935-1948.
4246. Słomkowski, S.; Fortuniak, W.; Chojnowski, J.; Pospiech, P., and Mizerska, U. Polysiloxane microcapsules, microspheres and their derivatives . *Polimery.* 2017; **LXII**(7-8):499-508.
4247. Turek, M.; Szczęśna, D.; Koprowski, M., and Bałczewski, P. Synthesis of 1-indanones with a broad range of biological activity. *Beilstein Journal of Organic Chemistry.* 2017; **13**:451-494.
4248. Uznański, P.; Zakrzewska, J.; Favier, F.; Kaźmierski, Sł., and Bryszewska, E. Synthesis and characterization of silver nanoparticles from (bis)alkylamine silver carboxylate precursors . *Journal of Nanoparticle Research.* 2017; **19**(3):Article number 121, 20 str.
4249. Voznyak, Y. V. The effect of radiation treatment on mechanical and thermal properties of semicrystalline polymers processed by severe plastic deformation. *Macromolecular Research.* 2017; **25**(1):38-44.
4250. Walkiewicz-Pietrzykowska, A.; Uznański, P., and Wróbel, A. M. Silicon carbide, silicon carbonitride, and silicon oxycarbide thin films formed by remote hydrogen microwave plasma CVD. *Current Organic Chemistry .* 2017; **21**(22):2229-2239.
4251. Wojtczak, M.; Dutkiewicz, S.; Gałęski, A., and Gutowska, A. Classification of aliphatic-butylene terephthalate copolyesters in relation to aliphatic/aromatic ratio. *Polymer.* 2017; **113**:119-134.
4252. Woźniak, M.; Pęczek, Ł.; Czernek, L., and Duchler, M. Analysis of the miRNA profiles of melanoma exosomes derived under normoxic and hypoxic culture conditions. *Anticancer Research.* 2017; **37**(12):6779-6789.
4253. Wróbel, A. M.; Uznański, P.; Walkiewicz-Pietrzykowska, A., and Jankowski, K. Amorphous silicon carbonitride thin-film coatings produced by remote nitrogen microwave plasma chemical vapour deposition using organosilicon precursor. *Applied Organometallic Chemistry.* 2017; **31**(12):e3871.
4254. Wróblewska, A.; Paluch, P.; Wielgus, E.; Bujacz, G. D.; Dudek, M. K. Jamroz, and Potrzebowski, M. J. Approach toward the understanding of coupling mechanism for EDC reagent in solvent-free mechanosynthesis. *Organic Lett.* 2017; **19**(19):5360-5363.
4255. Śniechowska, J.; Paluch, P., and Potrzebowski, M. J. Structure and dynamics processes in free-base chlorins controlled by chemical modifications of macroring and aryl groups in meso-positions. *RSC Advances.* 2017; **7**(40):24795-24805.

4256. Łukasik, B.; Milczarek, J.; Pawłowska, R.; Żurawiński, R., and Chworoś, A. Facile synthesis of fluorescent distyrylnaphthalene derivatives for bioapplications. *New J Chem.* 2017; **41**:(15):6977-6980.
4257. Adamus-Włodarczyk, A.; Wach, R. A.; Ulański, P.; Rosiak, J.; Socka, M.; Tsinas, Z., and Al-Sheikhly, M. On the mechanisms of the effects of Ionizing radiation on diblock and random copolymers of Poly(Lactic Acid) and Poly(Trimethylene Carbonate). *Polymers.* 2018; **10** :(6):Article number 672.
4258. Adjiman, C. S.; Brandenburg, J. G.; Braun, D. E.; Cole, J.; Collins, Ch.; Cooper, A.; Cruz-Cabeza, A. J.; Day, G. M.; Dudek, M.; Hare, A.; Iuzzolino, L.; McKay, D.; Mitchell, J. B. O.; Mohamed, S.; Neelamraju, S.; Neumann, M.; Lill, S. N.; Nyman, J.; Oganov, A. R.; Price, S. L.; Pulido, A.; Reutzel-Edens, S.; Rietveld, I.; Ruggiero, M. T.; Schön, J. Ch.; Tsuzuki, S.; Van den Ende, J.; Woollam, G., and Zhu, Q. Applications of crystal structure prediction – organic molecular structures: general discussion. *Faraday Discussions.* 2018; **211**:493-539.
4259. Ali, M. O.; Pocięcha, D.; Wojciechowski, J.; Novozhilova, I.; Friedli, A. C., and Kaszyński, P. Highly quadrupolar derivatives of the [closo-B10H10]2- anion: Investigation of liquid crystalline polymorphism in an homologous series of 1,10-bis(4-alkoxypyridinium) zwitterions. *J Org Chem.* 2018; **865**:226-233.
4260. Antolak, H.; Mizerska, U.; Berłowska, J.; Otlewska, A., and Kręgiel, D. Quillaja saponaria Saponins with potential to enhance the effectiveness of disinfection processes in the beverage industry. *Applied Sciences.* 2018; **8**:(3):Article number 368.
4261. Bartczak, Z. Evaluation of effective density of the molecular network and concentration of the stress transmitters in amorphous layers of semicrystalline polyethylene. *Polymer Testing.* 2018; **68**:261-269.
4262. ---. Evaluation of the molecular network in amorphous layers of polyethylene. *AIP Conference Proceedings.* 2018; **1981**:Article number 020163.
4263. ---. Wyznaczanie efektywnej gęstości sieci molekularnej w fazie amorficznej polietylenu na podstawie pomiarów naprężenia resztkowego. *Przetwórstwo Tworzyw.* 2018; **24**:(1):5-16.
4264. Bałczewski, P.; Biczak, R.; Turek, M.; Pawłowska, B.; Różycka-Sokołowska, E.; Marciniak, B.; Deska, M., and Skalik, J. Ammonium 2,2'-thiodiacetates – Selective and environmentally safe herbicides. *Ecotoxicology and Environmental Safety.* 2018; **163**:408-416.
4265. Bałczewski, P. and Bodzioch, A. Quinquevalent phosphorus acids. Allen, D. W.; Loakes, D., and Tebby, J. C., Eds. *Organophosphorus Chemistry.* Cambridge: Royal Society of Chemistry; 2018; pp. 212-339.
Notes: ISBN: 978-1-78801-167-9, ISSN: 03060713
4266. Beloshenko, V. A.; Beygelzimer, Y. E.; Voznyak, Y. V.; Savchenko, B. M., and Dmitrenko, V. Y. Reinforcing effect caused by equal channel multiple angular extrusion of polymers manufactured by the FDM process: experimental investigation and mathematical modeling. *J Appl Polym Sci.* 2018; **135**:(4):Article number 45727.
4267. Biczak, R.; Turek, M.; Pawłowska, B.; Różycka-Sokołowska, E.; Marciniak, B.; Deska, M.; Krupa, P.; Jatulewicz, I.; Skalik, J., and Bałczewski, P. An influence of structural changes in ammonium cations on ecotoxicity of 2,2'-thiodiacetate mono and bis-salts. *Ecotoxicology and Environmental Safety.* 2018; **155**: 37-42.
4268. Bojda, J.; Piórkowska, E.; Łapienis, G., and Michalski, A. Crystallization of star-shaped and linear poly(L-lactide)s. *Europ Polym J.* 2018; **105**:126-134.

4269. Brzeziński, M.; Wedepohl, S.; Kost, B., and Calderón, M. Nanoparticles from supramolecular polylactides overcome drug resistance of cancer cells. *Europ Polym J.* 2018; **109**:117-123.
4270. Chruściel, J. J.; Fejdyś, M., and Fortuniak, W. Synthesis, characterization and microstructure of new liquid poly(methylhydrosiloxanes) containing branching units SiO₄/2. *Polymers.* 2018; **10**(5):Article number 484.
4271. Chrzanowski, J.; Krasowska, D.; Urbaniak, M.; Sieroń, L.; Pokora-Sobczak, P.; Demchuk, O. M., and Drabowicz, J. Synthesis of enantioenriched aryl-tert-Butylphenylphosphine oxides via Cross-Coupling reactions of tert-Butylphenylphosphine oxide with aryl halides. *Eur J Org Chem.* 2018; 2018(33):4614-4627.
4272. Ciastek-Iskrzycka, S.; Gerding, J.; Kaszyński, P., and Pociecha, D. Mesogenic behaviour of isomeric bent-core 6-oxoverdazyls: 1,3-vrs 1,5-substitution pattern. *Liquid Crystals.* 2018; **45**(9):1366-1367.
4273. Ciastek, S.; Szymańska, K.; Kaszyński, P.; Jasiński, M., and Pociecha, D. Smectic behaviour of methyl 4-alkoxybenzoates with a partially fluorinated alkyl chain. *Liquid Crystals.* 2018; **45**(1):11-21.
4274. Cypryk, M.; Drabowicz, J.; Gostyński, B.; Kudzin, M. H.; Kudzin, Z. H., and Urbaniak, P. 1-(Acylamino)alkylphosphonic acids—alkaline deacylation. *Molecules.* 2018; **23**(4):Article number 859.
4275. Cypryk, W.; Nyman, T. A., and Matikainen, S. From inflammasome to exosome-does extracellular vesicle secretion constitute an inflammasome-dependent immune response? *FRONTIERS IN IMMUNOLOGY.* 2018; 9:Article Number: 2188.
4276. Czarnecka, A.; Kowalska, E.; Bodzioch, A.; Skalik, J.; Koprowski, M.; Owsianik, K., and Bałczewski, P. A selective removal of the secondary hydroxy group from ortho-dithioacetal-substituted diarylmethanols. *Beilstein Journal of Organic Chemistry.* 2018; **14**: 1229-1237.
4277. Czerwińska, M. E.; Dudek, M. K.; Pawłowska, K. A.; Prus, A.; Ziaja, M., and Granica, S. The influence of procyanidins isolated from small-leaved lime flowers (*Tilia cordata* Mill.) on human neutrophils. *Fitoterapia.* 2018; **127**:115-122.
4278. Danko, M.; Baško, M.; Dyrkacova, S.; Duda, A., and Mosniček, J. Functional polyesters with pendant double bonds prepared by coordination-insertion and cationic ring-opening copolymerizations of ϵ -caprolactone with renewable Tulipalin A. *Macromolecules.* 2018; **51**(10):3582-3596.
4279. Danko, M.; Hrdlovič, P. ; Brzeziński, M.; Duda, A., and Biela, T. Real-time monitoring of stereocomplex formation of poly(L-lactide) and poly(D-lactide) decorated with a pyrene derivative as a fluorescence probe. *Polymer.* 2018; **156**:76-84.
4280. Demchuk, O. M.; Jasiński, R.; Strzelecka, D.; Dziuba, K.; Kula, K.; Chrzanowski, J., and Krasowska, D. A clean and simple method for deprotection of phosphines from borane complexes. *Pure & Appl Chem.* 2018; **90**(1):49-62.
4281. Dolot, R.; Lam, C. H.; Sierant, M.; Zhao, Q.; Liu, F. W.; Nawrot, B.; Egli, M., and Yang, X. B. Crystal structures of thrombin in complex with chemically modified thrombin DNA aptamers reveal the origins of enhanced affinity. *Nucleic Acids Res.* 2018; **46**(9): 4819-4830.
4282. Drabowicz, J.; Kudzin, M. H.; Kudzin, Z. H., and Pokora-Sobczak, P. High-performance liquid chromatographic enantioseparation of N-aryl-thioureidoalkylphosphonates and thiourylenedi(alkylphosphonates) on polysaccharide-based chiral stationary phases. *Chirality.* 2018; **30**(2):131-140.

4283. Dudek, M.; Kostrzewa, M.; Paluch, P., and Potrzebowski, M. π -philic molecular recognition in the solid state as a driving force for mechanochemical formation of apremilast solvates and cocrystals. *Crystal Growth & Design*. 2018; **18**:(7):3959-3970.
4284. Dudek, M. K.; Kaźmierski, S.; Kostrzewa, M., and Potrzebowski, M. J. Solid-State NMR Studies of Molecular Crystals. *Annual Reports on NMR Spectroscopy*. 2018; **95**:1-81.
Notes: ISBN: 978-008102668-7 (Book Series)
4285. Döchler, M. Intelligent control of T-cell pathology in GVHD. *Blood*. 2018; **132**:(20):2112-2114.
4286. Fortuniak, W.; Pospiech, P.; Mizerska, U.; Chojnowski, J.; Słomkowski, S.; Nyczyk-Malinowska, A.; Wojteczko, A.; Wisła-Walsh, E., and Hasik, M. Generation of meso- and microporous structures by pyrolysis of polysiloxane microspheres and by HF etching of SiOC microspheres. *Ceramics International*. 2018; **44**:(1):374-383.
4287. Frączek, T.; Kamiński, R.; Krakowiak, A.; Naessens, E.; Verhasselt, B., and Paneth, P. Diaryl ethers with carboxymethoxyphenacyl motif as potent HIV-1 reverse transcriptase inhibitors with improved solubility. *Journal of Enzyme Inhibition and Medicinal Chemistry*. 2018; **33**:(1):9-16.
4288. Frączak, E. Z.; Makowski, T.; Moustafa, R. M.; El-Assaad, T. H.; Moneta, M. E.; Uznański, P., and Kaafarani, B. R. Spectroscopic characterization of the structural properties of quinoxalinophenanthrophenazine thin films. *J Mater Chem C*. 2018; **6**:(4):781-789.
4289. Gardias, A.; Kaszyński, P.; Obijalska, E.; Trzybiński, D.; Domagała, Sł.; Woźniak, K., and Szczytko, J. Magnetostructural investigation of orthogonal 1-aryl-3-phenyl-1,4-dihydrobenzo[e][1,2,4]triazin-4-yl derivatives. *Chemistry-A European Journal*. 2018; **24**:(6):1317-1329.
4290. Gevorgyan, A.; Mkrtchyan, S.; Grigoryan, T., and Iaroshenko, V. O. Application of silicon-initiated water splitting for the reduction of organic substrates. *ChemPlusChem*. 2018; **83**:(5):375-382.
4291. Gosecka, M.; Urbaniak, M.; Mikina, M.; Gosecki, M., and Różański, A. Homodimerization driven self-assembly of glycoluril molecular clips with covalently immobilized poly(ϵ -caprolactone). *Soft Matter*. 2018; **14**:(39):7945-7949.
4292. Głodek, M.; Makal, A.; Paluch, P.; Kadziółka-Gawęł, M.; Kobayashi, Y.; Zakrzewski, J., and Plažuk, D. (Ar–CO–C[triple bond, length as m-dash]C)(PET₃)Au and (Ar–C[triple bond, length as m-dash]C)(PET₃)Au complexes bearing pyrenyl and ferrocenyl groups: synthesis, structure, and luminescence properties. *Dalton Transactions*. 2018; **47**:(19):6702-6712.
4293. Hajhussein, A. N.; Abuzahra, L. S.; Pietrzak, A.; Sadek, M. F.; Ali, M. O.; Wojciechowski, J.; Friedli, A. C., and Kaszyński, P. Synthesis of 4-alkoxypyridines as intermediates for zwitterionic liquid crystals. *Arkivoc*. 2018; **2018**:(7):225-235.
4294. Hajhussein, A. N.; Abuzahra, L. S.; Pietrzak, A.; Sadek, M. F.; Ali, M. O.; Wojciechowski, J.; Friedli, A. C., and Kaszyński, P. Synthesis of 4-alkoxypyridines as intermediates for zwitterionic liquid crystals. *Arkivoc*. 2018; **volume 2018**:(7):225-235.
4295. Han, J.; Soloshonok, V.; Klika, K. D.; Drabowicz, J., and Wzorek, A. Chiral sulfoxides: Advances in asymmetric synthesis and problems with the accurate determination of the stereochemical outcome. *Chem Soc Rev*. 2018; **47**:(4):1307-1350.
4296. Iraci, N.; Tabarrini, O.; Santi, C., and Sancineto, L. NCp7: targeting a multitask protein for next-generation anti-HIV drug development part 2. Noncovalent inhibitors and nucleic acid binders. *Drug Discovery Today*. 2018; **23**:(3):687-695.

4297. Janicki, I. and Kielbasiński, P. Application of the Z-Selective still-gennari olefination protocol for the synthesis of Z- α,β -Unsaturated phosphonates. *Synthesis*. 2018; **50**:(20):4140-4144.
4298. Jasińska-Walc, L.; Bouyahyi, M.; Lorenc, P.; Heeneman, A. L.; Duchateau, R.; Róžański, A., and Bernaerts, K. V. Synthesis of isotactic polypropylene-block-polystyrene block copolymers as compatibilizers for isotactic polypropylene/polyphenylene oxide blends. *Polymer*. 2018; **147**:121-132.
4299. Kaczmarek, R.; Korczyński, D.; Królewska-Golińska, K.; Wheeler, K. A.; Chavez, F. A.; Mikus, A., and Dembiński, R. Organometallic nucleosides: synthesis and biological evaluation of substituted dicobalt hexacarbonyl 2'-deoxy-5-oxopropynyluridines. *ChemOpen*. 2018; **7**:(3):237-247.
4300. Kapuściński, S.; Gardias, A.; Pocięcha, D.; Jasiński, M.; Szczytko, J., and Kaszyński, P. Magnetic behaviour of bent-core mesogens derived from the 1,4-dihydrobenzo[*E*] [1,2,4]triazin-4-yl. *J Mater Chem C*. 2018; **6**:(12):3079-3088.
4301. Kargarzadeh, H.; Gałęski, A., and Ahmad, I. Rubber toughened polyester cellulose nanocomposites. *AIP Conference Proceedings*. 2018; **1981**:Article number 020079.
4302. Kargarzadeh, H.; Huang, J. ; Lin, N.; Ahmad, I.; Mariano, M.; Dufresne, A.; Thomas, S., and Gałęski, A. Recent developments in nanocellulose-based biodegradable polymers, thermoplastic polymers, and porous nanocomposites. *Progress in Polymer Science*. 2018; **87**:197-227.
4303. Kargarzadeh, H.; Mariano, M.; Gopakumar, D.; Ahmad, I.; Thomas, S.; Dufresne, A.; Huang, J., and Lin, N. Advances in cellulose nanomaterials. *Cellulose*. 2018; **25**:(4):2151-2189.
4304. Kaszyński, P. closo-boranes as structural elements for liquid crystals. Hosmane, N. S. and Eagling, R., Eds. *Handbook of boron science: With applications in organometallics, catalysis, materials and medicine*. DeKalb: World Scientific Publishing Co. Pte. Ltd.; 2018; pp. 57-114.
Notes: ISBN: 978-178634442-7; 978-178634441-0
4305. Komar, P.; Gosecka, M.; Gadzinowski, M.; Gosecki, M.; Makowski, T. ; Słomkowski, S., and Basińska, T. Core-shell spheroidal microparticles with polystyrene cores and rich in polyglycidol shells. *Polymer*. 2018; **146**:6-11.
4306. Kowalewska, A. Self-assembly of POSS-Containing Materials. Kalia, S. and Pielichowski, K., Eds. *Polymer/POSS Nanocomposites and Hybrid Materials Preparation, Properties, Applications*. Cham: Springer; 2018; pp. 45-128.
Notes: ISBN 978-3-030-02326-3
4307. Kowalska-Baron, A.; Żurawiński, R.; Łukasik, B.; Chworoś, A., and Wysocki, S. Theoretical and experimental study on the electronic structure of distyrylnaphthalene-based conjugated oligoelectrolytes. *Journal of Luminescence*. 2018; **196**:81-89.
4308. Krajenta, J. and Pawlak, A. All-polymer nanocomposites: A new approach with use of partially disentangled polypropylene and polylactide. *AIP Conference Proceedings*. 2018; **1981**:Article number 020060.
4309. Krasowska, D.; Pokora-Sobczak, P.; Jasiak, A., and Drabowicz, J. Heterocycles Incorporating a Pentacoordinated, Hypervalent Phosphorus Atom. *Advances in Heterocyclic Chemistry*. 2018; **124**:175-231.
Notes: ISBN:978-0-12-813760-4
4310. Lalancette, R. A.; Arslan, E.; Bernal, I.; Willhelm, D.; Grebowicz, J., and Pluta, M. The thermochemistry and crystallography of the metal tris-acetylacetonates. *Journal of Thermal Analysis and*

Calorimetry. 2018; **131**:(3):2809-2819.

4311. Lenardao, E. J.; Sancineto, L., and Santi, C. New frontiers in organoselenium compounds. Cham: Springer International Publishing; 2018. ISBN: 978-331992405-2; 978-331992404-5.
4312. Lipiński, P. F. J.; Garnuszek, P.; Maurin, M.; Stoll, R.; Metzler-Nolte, N.; Wodyński, A.; Dobrowolski, J. C.; Dudek, M. K. Jamroz; Orzełowska, M., and Mikołajczak, R. Structural studies on radiopharmaceutical DOTA-minigastrin analogue (CP04) complexes and their interaction with CCK2 receptor. *EJNMMI Research*. 2018; **8**:Article number 33.
4313. Majoral, J.-P.; Zabłocka, M.; Caminade, A.-M.; Bałczewski, P.; Shi, X, and Mignani, S. Interactions gold/phosphorus dendrimers. Versatile ways to hybrid organic–metallic macromolecules. *Coordination Chem Rev*. 2018; **358**:80-91.
4314. Makowski, T; Syntkivska, M.; Piórkowska, E.; Mizerska, U.; Fortuniak, W.; Kowalczyk, D., and Brzeziński, S. Conductive and superhydrophobic cotton fabric through pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) assisted thermal reduction of graphene oxide and modification with methyltrichlorosilane. *Cellulose*. 2018; **25**:(9):5377-5388.
4315. Malinowska, E.; Klimaszewska, M.; Strączek, T.; Schneider, K.; Kapusta, C.; Podsadni, P.; Łapienis, G.; Dawidowski, M.; Kleps, J.; Górski, S.; Pisklak, D. M., and Turso, J. Selenized polysaccharides – Biosynthesis and structural analysis. *Carbohydrate Polymers*. 2018; **198**:407-417.
4316. Marcinkowska, M.; Sobierajska, E.; Stańczyk, M.; Janaszewska, A.; Chworoś, A., and Klajnert-Maculewicz, B. Conjugate of PAMAM dendrimer, doxorubicin and monoclonal antibody-trastuzumab: The new approach of a well-known strategy. *Polymers*. 2018; **10**:(2):Article number 187.
4317. Masnyk, M.; Butkiewicz, A.; Górecki, M.; Luboradzki, R.; Paluch, P.; Potrzebowski, M. J., and Frelek, J. In depth analysis of chiroptical properties of enones derived from abietic acid. *J Org Chem*. 2018; **83**:(7):3547-3561.
4318. Michalski, A.; Brzeziński, M.; Kubisa, P., and Biela, T. Supramolecular aggregates of linear and star-shaped polylactides with different number of hydroxyl or carboxyl end-groups. *Reactive & Functional Polymers*. 2018; **128**:67-73.
4319. Michalski, A.; Socka, M.; Brzeziński, M., and Biela, T. Reversible supramolecular polylactides gels obtained via stereocomplexation. *Macromol Chem Phys*. 2018; **219**:(9):Article number 1700607.
4320. Michalski, A. and Łapienis, G. Synthesis and characterization of high-molar-mass star-shaped poly(L-lactide)s. *Polimery*. 2018; **63**:(7-8):488-494.
4321. Mignani, S.; Rodrigues, J.; Tomas, H.; Zabłocka, M.; Shi, X; Caminade, A.-M., and Majoral, J.-P. Dendrimers in combination with natural products and analogues as anti-cancer agents. *Chem Soc Rev*. 2018; **47**:(2):514-532.
4322. Mizerska, U; Halasa, R.; Turecka, K.; Chojnowski, J.; Pospiech, P. ; Fortuniak, W.; Słomkowski, S.; Makowski, T.; Machnowski, W., and Sowiński, P. Bacterial cell killing properties of silver-loaded polysiloxane microspheres. *Journal of Materials Science*. 2018; **53**:(10):7125-7137.
4323. Mkrtchyan, S. and Iaroshenko, V. New entries to 3-Acylchromones: TM-Catalysed decarboxylative Cross-Coupling of β -Keto acids with ortho-Hydroxyarylenaminones, 2,3-Unsubstituted chromones and 3-Iodochromones. *Eur J Org Chem*. 2018; **2018**:(48):6867-6875.
4324. Nkizinkiko, Y.; Desantis, J.; Koivunen, J.; Haikarainen, T.; Murthy, S.; Sancineto, L.; Massari, S.; Ianni,

F.; Obaji, E.; Loza, M. I.; Pihlajaniemi, T.; Brea, J.; Tabarrini, O., and Lehtio, L.
2-Phenylquinazolinones as dual-activity tankyrase-kinase inhibitors. *SCIENTIFIC REPORTS*.
2018; **8**:Article Number: 1680.

4325. Nowacka, M.; Rygala, A.; Kręgiel, D., and Kowalewska, A. Poly(silsesquioxanes) and poly(siloxanes) grafted with N-acetylcysteine for eradicating mature bacterial biofilms in water environment. *Colloids and Surfaces B: Biointerfaces*. 2018; **172**:627-634.
4326. Olejniczak, A. B.; Nawrot, and Leśnikowski, Z. J. DNA modified with boron-metal cluster complexes [M(C₂B₉H₁₁)₂]-synthesis, properties, and applications. *International Journal of Molecular Sciences*. 2018; **19**:(11):No 3501 (13 str.).
4327. Otulakowski, Ł.; Gadzinowski, M.; Słomkowski, S.; Basińska, T.; Forys, A.; Dworak, A., and Trzebicka, B. Micellisation of polystyrene-*b*-polyglycidol copolymers in water solution. *Europ Polym J*. 2018; **99**:72-79.
4328. Owsianik, K.; Krawczyk, E.; Mielniczak, G.; Koprowski, M., and Sieroń, L. Three-step synthesis of chiral and sterically hindered amino alcohols based on cyclic enol phosphates. *Tetrahedron*. 2018; **74**:(51):7343-7350.
4329. Pakornpadungsit, P.; Smitthipong, W., and Chworoś, A. Self-assembly nucleic acid-based biopolymers: learn from the nature. *Journal of Polymer Research*. 2018; **25**:(2):Article Number: 45.
4330. Palomba, M.; Sancineto, L.; Marini, F.; Santi, C., and Bagnoli, L. A domino approach to pyrazinoindoles and pyrroles using vinyl selenones. *Tetrahedron*. 2018; **74**:(50):7156-7163.
4331. Paluch, P.; Pawlak, T.; Ławniczak, K.; Trebosc, J.; Lafon, O.; Amoureux, J. P., and Potrzebowski, M. Simple and robust study of backbone dynamics of crystalline proteins employing H-1-N-15 dipolar coupling dispersion. *J Phys Chem B*. 2018; **122**:(34):8146-8156.
4332. Pawlak, A.; Krajenta, J., and Gałęski, A. Cavitation phenomenon and mechanical properties of partially disentangled polypropylene. *Polymer*. 2018; **151**:15-26.
4333. Pejovic, A.; Drabowicz, J.; Cieślak, M.; Kaźmierczak-Barańska, J., and Królewska-Golińska, K. Synthesis, characterization and anticancer activity of novel ferrocene containing quinolinones: 1-Allyl-2-ferrocenyl-2,3-dihydroquinolin-4(1H)-ones and 1-allyl-2-ferrocenylquinolin-4(1H)-ones. *J Org Chem*. 2018; **83**:78-85.
4334. Penczek, S.; Kricheldorf, H. R.; Le Borgne, A.; Spassky, N.; Uryu, T., and Kłosiński, P., Eds. *Models of Biopolymers by Ring-Opening Polymerization*. 1st Edition ed. Boca Raton: CRC Press; 2018. ISBN: 9781351074711.
4335. Penczek, S. and Kłosiński, P. Synthetic polyphosphates related to nucleic and teichoic acids. Penczek, S.; Kricheldorf, H. R.; Le Borgne, A.; Spassky, N.; Uryu, T., and Kłosiński, P. *Models of Biopolymers by Ring-Opening Polymerization*. 1st Edition ed. Boca Raton: CRC Press; 2018; pp. 291-378.
4336. Penteado, F.; Monti, B.; Sancineto, L.; Perin, G.; Jacob, R. G.; Santi, C., and Lenardao, E. J. Ultrasound-assisted multicomponent reactions, organometallic and organochalcogen chemistry. *Asian Journal of Organic Chemistry*. 2018; **7**:(12):2368-2385.
4337. Piechocki, K.; Kozanecki, M.; Kadłubowski, S.; Pacholczyk-Sienicka, B.; Ulański, P., and Biela, T. Controlling the properties of radiation-synthesized thermoresponsive oligoether methacrylate hydrogels by varying the monomer side-chain length; self-composite network containing crystalline phase. *Polymer*. 2018; **150**:275-288.

4338. Pietrzak, L.; Piórkowska, E.; Gałęski, A.; Bojda, J., and Sowiński, P. Modification of Syndiotactic Polypropylene with Nano-Calcium Carbonate and Halloysite. *INTERNATIONAL POLYMER PROCESSING*. 2018; **33**:(3):314-321.
4339. Piórecka, K.; Kurjata, J.; Stańczyk, M., and Stańczyk, W. Synthetic routes to nanomaterials containing anthracynes: Noncovalent systems . *Biomaterials Science*. 2018; **6**:(10):2552-2565.
4340. Puchalski, M.; Szparaga, G.; Biela, T.; Gutowska, A.; Sztajnowski, S., and Krucińska, I. Molecular and supramolecular changes in polybutylene succinate (PBS) and polybutylene succinate adipate (PBSA) copolymer during degradation in various environmental conditions. *Polymers*. 2018; **10**:(3):Article number 251.
4341. Rubinsztajn, S.; Cypryk, M.; Chojnowski, J.; Fortuniak, W.; Mizerska, U., and Pospiech, P. Reaction of silyl hydrides with tetrabutoxygermanium in the presence of B(C₆F₅)₃: difference between silicon and germanium chemistries and easy route to GeH₄. *Organometallics*. 2018; **37**:(10):1585-1590.
4342. Różański, A. Miscible/Partially-Miscible Blends of Polypropylene-The Mechanisms Responsible for the Decrease of Yield Stress. *J Polym Sci B: Polym Phys*. 2018; **56**:(17):1203-1214.
4343. Różański, A.; Safandowska, M., and Krajenta, A. DSC/SAXS analysis of the thickness of lamellae of semicrystalline polymers-restrictions in the case of materials with swollen amorphous phase. *Polymer Testing*. 2018; **65**:189-196.
4344. Saatluo, B. E.; Baradarani, M. M.; Rózycka-Sokołowska, E.; Bałczewski, P., and Joule, J. A. Spiro[4H-2,3-dihydropyran-3,3-oxindoles] derived from 1,2,3,4-tetrahydroquinoline. *JOURNAL OF HETEROCYCLIC CHEMISTRY*. 2018; **55**:(1):226-239.
4345. Sancineto, L.; Iraci, N.; Tabarrini, O., and Santi, C. NCp7: targeting a multitasking protein for next-generation anti-HIV drug development part 1: covalent inhibitors. *Drug Discovery Today*. 2018; **23**:(2):260-271.
4346. Sancineto, L.; Monti, B.; Merlino, O.; Rosati, O., and Santi, C. Q-Tube (C) assisted MCRs for the synthesis of 2,3-dihydroquinazolin-4(1H)-ones. *Arkivoc*. 2018; **2018**:(3):270-278.
4347. Sierant, M.; Kulik, K.; Sochacka, E.; Szewczyk, R.; Sobczak, M., and Nawrot, B. Cytochrome c catalyzes the hydrogen peroxide-assisted oxidative desulfuration of 2-thiouridines in transfer RNAs. *ChemBioChem*. 2018; **19**:(7):687-695.
4348. Sierant, M.; Leszczyńska, G.; Sadowska, K.; Komar, P; Radzikowska-Cieciura, E.; Sochacka, E., and Nawrot, B. Escherichia coli tRNA 2-selenouridine synthase (SeIU) converts S₂U-RNA to Se₂U-RNA via S-geranylated-intermediate. *FEBS LETTERS*. 2018; **592**:(13):2248-2258.
4349. Slouf, M.; Pavlova, E.; Krejcikova, S.; Ostafinska, A.; Zhigunov, A.; Krzyzanek, V.; Sowiński, P., and Piórkowska, E. Relations between morphology and micromechanical properties of alpha, beta and gamma phases of iPP. *Polymer Testing*. 2018; **67**:522-532.
4350. Socka, M.; Brzezinski, M.; Michalski, A.; Kacprzak, A.; Makowski, T., and Duda, A. Self-assembly of triblock copolymers from cyclic esters as a tool for tuning their particle morphology. *Langmuir*. 2018; **34**:(12):3701-3710.
4351. Socka, M.; Szymański, R.; Sosnowski, S., and Duda, A. Effect of the configuration of a bulky aluminum initiator on the structure of copolymers of L, L-lactide with symmetric comonomer trimethylene carbonate. *Polymers*. 2018; **10**:(1):Article number 70.
4352. Sowinska, M.; Laskowska, A.; Guspiel, A.; Solecka, J.; Bochynska-Czyz, M.; Lipkowski, A. W.; Trzeciak,

K., and Urbanczyk-Lipkowska, Z. Bioinspired amphiphilic peptide dendrimers as specific and effective compounds against drug resistant clinical isolates of *E. coli*. *Bioconjugate Chemistry*. 2018; **29**:(11):3571-3585.

4353. Sowiński, P.; Piórkowska, E.; Boyer, S., and Haudin, J. M. On the structure and nucleation mechanism in nucleated isotactic polypropylene crystallized under high pressure. *Polymer*. 2018; **151**:179-186.
4354. Stolarczyk, M.; Bryndal, I.; Matera-Witkiewicz, A.; Lis, T.; Królewska-Golińska, K.; Cieślak, M.; Kaźmierczak-Barańska, J., and Cieplik, J. Synthesis, crystal structure and cytotoxic activity of novel 5-methyl-4-thiopyrimidine derivatives. *Acta Crystallographica Section C: Structural Chemistry*. 2018; **74**:(10):1138-1145.
4355. Szymański, R. and Sosnowski, S. Evolution of chain length distribution and microstructure of macromolecules in irreversible copolymerization proceeding with segmental exchange investigated with a New Monte Carlo Algorithm. *Macromol Theory Simul*. 2018; **27**:(5):Article Number: 1800015.
4356. Tomaszewska-Antczak, A.; Jastrzębska, K.; Maciaszek, A.; Mikołajczyk, B., and Guga, P. P-Stereodefined phosphorothioate analogs of glycol nucleic acid synthesis and structural properties. *RSC Advances*. 2018; **8**:(44):24942-24952.
4357. Turek, M.; Biczak, R.; Pawłowska, B.; Różycka-Sokołowska, E.; Marciniak, B.; Deska, M.; Skalik, J., and Bałczewski, P. Ammonium haloacetates – an alternative to glyphosate? *Chemosphere*. 2018; **194**:650-656.
4358. Uznański, P.; Głębocki, B.; Walkiewicz-Pietrzykowska, A.; Zakrzewska, J.; Wróbel, A. M.; Balcerzak, J., and Tyczkowski, J. Surface modification of silicon oxycarbide films produced by remote hydrogen microwave plasma chemical vapour deposition from tetramethyldisiloxane precursor. *Surf Coat Technol*. 2018; **350**:686-698.
4359. Voznyak, Y. V.; Morawiec, J., and Gałęski, A. Ductility of polylactide composites reinforced with polyhydroxyalkanoates nanofibers. *AIP Conference Proceedings*. 2018; **1981**:Article number 020078.
4360. Weidt, D. and Figiel, Ł. Nonlinear multiscale modeling of CNT/polymer nanocomposites. Rafiee, R., Ed. *Carbon nanotube-reinforced polymers: from nanoscale to macroscale*. Amsterdam: ELSEVIER SCIENCE BV; 2018; pp. 439-463.
Notes: ISBN: 978-0-323-48222-6
4361. Wojtczak, E.; Gadzinowski, M.; Makowski, T.; Maresz, K.; Kubisa, P.; Bednarek, M., and Pluta, M. Encapsulation of hydrophobic vitamins by polylactide stereocomplexation and their release study. *Polymer International*. 2018; **67**:(11):1523-1534.
4362. Wojtczak, E.; Kubisa, P., and Bednarek, M. Thermal stability of polylactide with different end-groups depending on the catalyst used for the polymerization. *Polym Degrad Stab*. 2018; **151**:100-104.
4363. Wojtczak, M.; Gałęski, A., and Pracella, M. Inhibited crystallization of polyhydroxybutyrate by blending with aliphatic-aromatic copolyester. *Europ Polym J*. 2018; **103**:133-144.
4364. Wozniak, M.; Michalak, B.; Wyszomierska, J.; Dudek, M. K. Jamroz, and Kiss, A. K. Effects of phytochemically characterized extracts from *Syringa vulgaris* and isolated secoiridoids on mediators of inflammation in a human neutrophil model. *Frontiers in Pharmacology*. 2018; **9**:(APR):Article number 349.
4365. Wujkowska, Z.; Leśniak, S.; Kielbasiński, P., and Rachwalski, M. Highly enantioselective asymmetric

reduction of aromatic ketimines promoted by chiral enantiomerically pure sulfoxides as organocatalysts. *Journal of Sulfur Chemistry*. 2018; **39**:(4):380-387.

4366. □ Simkovic, I.; Kelnar, I.; Mendichi, R.; Tracz, A.; Filip, J.; Bertók, T., and Kasak, P. Interfaces study of all-polysaccharide composite films. *Chemical Papers*. 2018; **72**:(3):711-718.
4367. □ Śniechowska, J.; Paluch, P.; Pawlak, T.; Bujacz, G.; Danikiewicz, W., and Potrzebowski, M. J. New synthetic pathway leading to oxospirochlorins. *RSC Advances*. 2018; **8**:(38):21354-21362.
4368. Łudzik, K.; Kustrzepa, K.; Kowalewicz-Kulbat, M.; Kontek, R.; Kontek, B.; Wróblewska, A.; Jóźwiak, M., and Lulo, D. Antimicrobial and cytotoxic properties of bisquaternary ammonium bromides of different spacer length. *Journal of Surfactants and Detergents*. 2018; **21**:(1):91-99.
4369. Żubrowska, A.; Piórkowska, E., and Bojda, J. Novel tough crystalline blends of polylactide with ethylene glycol derivative of POSS. *Journal of Polymers and the Environment*. 2018; **26**:(1):145-151.
4370. Żurawiński, R.; Jakubowski, R.; Domagała, S.; Kaszyński, P., and Woźniak, K. Regioselective functionalization of the [closo-1-CB9H10]- anion through iodonium zwitterions. *Inorg Chem*. 2018; **57**:(16):10442-10456.
4371. Ali, M.; Lasseter, J. C.; Żurawiński, R.; Pietrzak, A.; Pecyna, J.; Wojciechowski, J.; Friedli, A. C.; Pociecha, D., and Kaszyński, P. Thermal and photophysical properties of highly quadrupolar liquid-crystalline derivatives of the [closo-B₁₂H₁₂]²⁻ anion. *Chemistry-A European Journal*. 2019; **25**:(10):2616-2630.
4372. Bartczak, Z.; Grala, M., and Vozniak, A. Deformation mechanisms of isotactic poly-1-butene and its copolymers deformed by plane-strain compression and tension. *CRYSTALS*. 2019; **9**:(4):Article number: 194.
4373. Bartczak, Z. and Vozniak, A. Deformation instabilities and lamellae fragmentation during deformation of cross-linked polyethylene. *Polymers*. 2019; **11**:(12):Article Number: 1954.
4374. Bartczak, Z. and Vozniak, A. WAXS/SAXS study of plastic deformation instabilities and lamellae fragmentation in polyethylene. *Polymer*. 2019; **177**:160-177.
4375. Bałczewski, P.; Kowalska, E.; Różycka-Sokołowska, E.; Skalik, J.; Owsianik, K.; Koprowski, M.; Marciniak, B.; Guziejewski, D., and Ciesielski, W. Mono-aryl/alkylthio-substituted (hetero)acenes of exceptional thermal and photochemical stability by the thio-friedel–crafts/bradsher cyclization reaction. *Chemistry-A European Journal*. 2019; **62**:(25):14148-14161.
4376. Bałczewski, P.; Kowalska, E.; Skalik, J.; Koprowski, M.; Owsianik, K., and Różycka-Sokołowska, E. Ultrasound-assisted synthesis of RO- and RS-substituted (hetero)acenes via oxo- and thio-Friedel-Crafts/Bradsher reactions. *Ultrasonics Sonochemistry*. 2019; **58**:Article number 104640.
4377. Bałczewski, P and Skalik. Quinquevalent phosphorus acids. Allen, D. W.; Loakes, D., and Tebby, J. C., Eds. *Organophosphorus Chemistry: Volume 48*. Cambridge: Royal Society of Chemistry; 2019; pp. 234-379.
Notes: ISBN: 978-1-78801-499-1
4378. Bednarek, M. and Kubisa, P. Reversible networks of degradable polyesters containing weak covalent bonds. *Polymer Chemistry*. 2019; **10**:(15):1848-1872.
4379. Beloshenko, V.; Vozniak, I.; Beygelzimer, Y.; Estrin, Y., and Kulagin, R. Severe plastic deformation of polymers. *MATERIALS TRANSACTIONS*. 2019; **60**:(7):1192-1202.

4380. Beloshenko, V.; Voznyak, An.; Vozniak, I., and Savchenko, B. Effects of orientation ordering of low-density polyethylene—multi-walled carbon nanotubes composites determined by severe plastic deformation. *Polymer Engineering and Science*. 2019; **59**:(4):714-723.
4381. Beloshenko, V. A.; Plavan, V. P.; Rezanova, N. M.; Savchenko, B. M., and Vozniak, I. Production of high-performance multi-layer fine-fibrous filter material by application of material extrusion-based additive manufacturing. *International Journal of Advanced Manufacturing Technology*. 2019; **101**:(9-12):2681-2688.
4382. Bodzioch, A.; Pomikło, D.; Celeda, M.; Pietrzak, A., and Kaszyński, P. 3-Substituted benzo[e][1,2,4]triazines: synthesis and electronic effects of the C(3) substituent. *J Org Chem*. 2019; **84**:(10):6377-6394.
4383. Brzeziński, M.; Kost, B.; Wedepohl, S.; Socka, M.; Biela, T., and Calderón, M. Stereocomplexed PLA microspheres: Control over morphology, drug encapsulation and anticancer activity. *Colloids and Surfaces B: Biointerfaces*. 2019; **184**:Article number 110544.
4384. Brzeziński, M.; Socka, M., and Kost, B. Microfluidics for producing polylactide nanoparticles and microparticles and their drug delivery application. *Polymer International*. 2019; **68**:(6):997-1014.
4385. Bąk-Sypień, I.; Karmańska, A., and Karwowski, B. Zafałszowania na rynku żywności funkcjonalnej i suplementów diety oraz ich potencjalny wpływ na zdrowie. *Farmacja Polska*. 2019; **75**:(9):519-527.
4386. Chrzanowski, J.; Krasowska, D., and Drabowicz, J. Synthesis of optically active tertiary phosphine oxides: A historical overview and the latest advances. *Heteroatom Chem*. 2019; **29**:(5-6):Article number: e21476.
4387. Cieślak, M.; Kaźmierczak-Barańska, J.; Królewska-Golińska, K.; Napiórkowska, M.; Stukan, I.; Wojda, U., and Nawrot, B. New thalidomide-resembling dicarboximides target ABC50 protein and show antileukemic and immunomodulatory activities. *Biomolecules*. 2019; **9**:(9):Article number: 446 .
4388. Cypryk, M.; Gostyński, B., and Pokora, M. Hydrolysis of trialkoxysilanes catalysed by the fluoride anion. Nucleophilic: Vs. basic catalysis. *New J Chem*. 2019; **43**: (38):15222-15232.
4389. Dembiński, R.; Kaczmarek, R.; Korczyński, D., and Królewska-Golińska, K. Organometallic nucleosides: synthesis and biological evaluation of substituted dicobalt hexacarbonyl alkynyl modified 2'-deoxyuridines . *Proceedings*. 2019; **22**:(1).
4390. Di Leo, I.; Messina, F.; Nascimento, V.; Nacca, F. G.; Pietrella, D.; Lenardao, E. J.; Perin, G., and Sancineto, L. Synthetic approaches to organoselenium derivatives with antimicrobial and anti-biofilm activity. *MINI-REVIEWS IN ORGANIC CHEMISTRY*. 2019; **16**:(6):589-601.
4391. Duchler, M.; Czernek, L.; Pęczek, Ł.; Cypryk, W.; Sztiller-Sikorska, M., and Czyż, M. Melanoma-derived extracellular vesicles bear the potential for the induction of antigen-specific tolerance. *CELLS*. 2019; **8**:(7):Article Number: 665.
4392. Dudek, M.; Wielgus, E.; Paluch, P.; Śniechowska, J.; Kostrzewa, M.; Day, G. M.; Bujacz, G. D., and Potrzebowski, M. Understanding the formation of apremilast cocrystals. *ACTA CRYSTALLOGRAPHICA SECTION B-STRUCTURAL SCIENCE CRYSTAL ENGINEERING AND MATERIALS*. 2019; **75**:803-814.
4393. Dudek, M. K. and Day, G. M. Explaining crystallization preferences of two polyphenolic diastereoisomers by crystal structure prediction. *CRYSTENGCOMM*. 2019; **21**:(13):2067-2079.

4394. Dzienia, A.; Maksym, P.; Hachula, B.; Tarnacka, M.; Biela, T.; Golba, S.; Zięba, A.; Chorażewski, M.; Kamiński, K., and Paluch, M. Studying the catalytic activity of DBU and TBD upon water-initiated ROP of ϵ -caprolactone under different thermodynamic conditions. *Polymer Chemistry*. 2019; **10**:(44):6047-6061.
4395. Gliński, J. A.; Proudfoot, J.; Madura, I.; Zhang, H.; Gleńsk, M.; Day, V., and Dudek, M. K. Spontaneous stereoselective oxidation of crystalline avermectin B1a to its C-8a-(S)-hydroperoxide. *Journal of Natural Products*. 2019; **82**:(12):3477-3481.
4396. Gosecki, M.; Urbaniak, M., and Gosecka, M. Glycoluril clips for the construction of chemoresponsive supramolecular polymer networks through homodimer Cross-Links. *ChemPlusChem*. 2019; **84**:(7):981-988.
4397. Guga, P.; Maciaszek, A., and Radzikowska, E. Nucleotides and nucleic acids: Mononucleotides. Allen, D. W.; Loakes, D., and Tebb, J. C., Eds. *Organophosphorus Chemistry: Volume 48*. Cambridge: Royal Society of Chemistry; 2019; pp. 199-233.
Notes: ISBN: 978-1-78801-499-1
4398. Hayashi, S.; Nishide, T.; Nakanishi, W.; Sancineto, L., and Santi, C. The nature of GMIDLINE HORIZONTAL ELLIPSE-Y sigma(3c-4e) in o-Me(n)GCH(2)C(6)H(4)EY (Me(n)G = Me2N and MeE; E = O, S, Se and Te; Y = F, Cl, Br, EMe and Me) with contributions from CT and compliance constants in noncovalent GMIDLINE HORIZONTAL ELLIPSE interactions. *RSC Advances*. 2019; **9**:(67):39435-39446.
4399. Hosseinneshad, R.; Vozniak, I.; Morawiec, J.; Gałęski, A., and Dutkiewicz, S. In situ generation of sustainable PLA-based nanocomposites by shear induced crystallization of nanofibrillar inclusions. *RSC Advances*. 2019; **9**:(52):30370-30380.
4400. Iaroshenko, V. and Mkrtchyan, S. Phosphorus Heterocycles. Iaroshenko, V., Editor. *Organophosphorus Chemistry: From molecules to applications*. Weinheim: WILEY-VCH VERLAG GMBH; 2019; pp. 295-456.
4401. Jacek, P.; Kubiak, K.; Ryngajło, M.; Rytczak, P.; Paluch, P., and Bielecki, S. Modification of bacterial nanocellulose properties through mutation of motility related genes in *Komagataeibacter hansenii* ATCC 53582. *New Biotechnology* . 2019; **52**:60-68.
4402. Jakubczyk, M.; Mkrtchyan, S.; Madura, I.; Marek, P., and Iaroshenko, V. Copper-catalyzed direct C-H arylselenation of 4-nitro-pyrazoles and other heterocycles with selenium powder and aryl iodides. Access to unsymmetrical heteroaryl selenides. *RSC Advances*. 2019; **9**:(44):25368-25376.
4403. Janik, K.; Tręda, C.; Włodarczyk, A.; Pęciak, J.; Rosiak, K.; Zięba, J.; Grot, D.; Rutkowska, A.; Pawłowska, R.; Och, W.; Rieske, P., and Stoczyńska-Fidelus, E. A way to understand idiopathic senescence and apoptosis in primary glioblastoma cells - possible approaches to circumvent these phenomena. *BMC Cancer*. 2019; **19**:(1):Article number: 923.
4404. Jasiak, A.; Mielniczak, G. ; Owsianik, K.; Koprowski, M.; Krasowska, D., and Drabowicz, J. Solvent-free Michaelis-Arbuzov rearrangement under flow conditions. *J Org Chem*. 2019; **84**:(5):2619-2625.
4405. Jasiński, M.; Kapuściński, S., and Kaszyński, P. Stability of a columnar liquid crystalline phase in isomeric derivatives of the 1,4-dihydrobenzo[e][1,2,4]triazin-4-yl: Conformational effects in the core. *J Mol Liq*. 2019; **277**:1054-1059.
4406. Jasiński, M.; Szymańska, K.; Gardias, A.; Pocięcha, D.; Monobe, H.; Szczytko, J., and Kaszyński, P. Tuning the magnetic properties of columnar benzo[e][1,2,4]triazin-4-yls with the molecular shape. *CHEMPHYSCHEM*. 2019; **20**:(4):636-644.

4407. Jędrzejczyk, D. and Chworoś, A. Self-assembling RNA nanoparticle for gene expression regulation in a model system. *ACS SYNTHETIC BIOLOGY*. 2019; **8**:(3):491-497.
4408. Jędrzejczyk, M.; Makowski, T.; Svyntkivska, M.; Piórkowska, E.; Mizerska, U.; Fortuniak, W.; Brzeziński, S., and Kowalczyk, D. Conductive cotton fabric through thermal reduction of graphene oxide enhanced by commercial antioxidants used in the plastics industry. *Cellulose*. 2019; **26**:(4):2191-2199.
4409. Kaleta, B.; Górski, A.; Zagożdżon, R.; Cieceśak, M.; Kaźmierczak-Barańska, J.; Nawrot, B.; Klimaszewska, M.; Malinowska, E.; Górka, S., and Turło, J. Selenium-containing polysaccharides from *Lentinula edodes*—Biological activity. *Carbohydrate Polymers*. 2019; **223**:Article number 115078.
4410. Kaniowski, D.; Ebenryter-Olbińska, K.; Kulik, K.; Maciaszek, A.; Leśnikowski, Z., and Nawrot, B. Nanostructured conjugates of DNA oligonucleotides and boron clusters as potential dual-action anti-EGFR and BNCT therapeutics. *FEBS OPEN BIO*. 2019; **9**:209-209.
4411. Karaszewska, A.; Kamińska, I.; Nejman, A.; Gajdzicki, B.; Fortuniak, W.; Chojnowski, J.; Słomkowski, S., and Sowiński, P. Thermal-regulation of nonwoven fabrics by microcapsules of n-eicosane coated with a polysiloxane elastomer. *Materials Chemistry and Physics*. 2019; **226**:204-213.
4412. Kaszyński, P.; Kapuściński, S., and Ciastek-Iskrzycka, S. Liquid crystalline derivatives of heterocyclic radicals. Scriven, E. F. V. and Ramsden, Ch. A., Eds. *Advances in Heterocyclic Chemistry*. Cambridge: Elsevier; 2019; pp. 263-331. Notes: 978-0-12-817181-3
4413. Kałużyński, K.; Lewiński, P.; Pretula, J.; Szymański, R., and Penczek, S. ϵ -Caprolactone polymerization catalyzed by heteropolyacid. derivation of the kinetic equation for activated monomer propagation and determination of the rate constants of propagation. *Macromolecules*. 2019; **52**:(17):6405-6415.
4414. Kielbasiński, P.; Kwiatkowska, M.; Cierpień, T.; Rachwałski, M., and Leśniak, S. The sulfinyl group: Its importance for asymmetric synthesis and biological activity. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2019; **194**:(7):649-653.
4415. Kluszczyńska, K.; Czernek, L.; Cypryk, W.; Pęczek, Ł., and Duchler, M. Methods for the determination of the purity of exosomes. *CURRENT PHARMACEUTICAL DESIGN*. 2019; **25**:(42):4464-4485.
4416. Kost, B.; Brzeziński, M.; Cieślak, M.; Królewska-Golińska, K.; Makowski, T.; Socka, M., and Biela, T. Stereocomplexed micelles based on polylactides with β -cyclodextrin core as anti-cancer drug carriers. *European Polymer Journal*. 2019; **120**:Article number 109271.
4417. Kowalczyk, D.; Brzeziński, S.; Kaminska, I.; Wrobel, S.; Mizerska, U.; Fortuniak, W.; Piórkowska, E.; Svyntkivska, M., and Makowski, T. Electrically conductive composite textiles modified with graphene using sol-gel method. *Journal of Alloys and Compounds*. 2019; **784**:22-28.
4418. Kowalska-Baron, A.; Żurawiński, R.; Łukasik, B.; Chworoś, A., and Przybył, M. Theoretical and experimental study on the effects of pH and surfactant on the internal charge transfer process in distyrylnaphthalene-based conjugated oligoelectrolytes. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*. 2019; Volume 2016:221-229.
4419. Kołacińska, K.; DeVol, T. A.; Seliman, A. F.; Bliznyuk, V. N.; Dudek, J.; Dudek, M. K.; Piotrowski, P., and Trojanowicz, M. Application of new covalently-bound diglycolamide sorbent in sequential injection analysis flow system for sample pretreatment in ICP-MS determination of ²³⁹Pu at ppt level. *Talanta*. 2019; **205**:Article number 120099.

4420. Krajenta, J.; Safandowska, M., and Pawlak, A. The re-entangling of macromolecules in polypropylene. *Polymer*. 2019; **175**:215-226.
4421. Krakowiak, A. and Piotrkowska, D. The proof, that under cellular conditions Hint1 protein is involved in the release of H₂S from nucleoside 5'-phosphorothioates - potential hydrogen sulfide donors in cells. *FEBS OPEN BIO*. 2019; **9**:177-177.
4422. Krakowiak, A.; Piotrkowska, D.; Kocoń-Rębowska, B.; Kaczmarek, R., and Maciaszek, A. The role of the Hint1 protein in the metabolism of phosphorothioate oligonucleotides drugs and prodrugs, and the release of H₂S under cellular conditions. *Biochem Pharm*. 2019; **163**:250-259.
4423. Krasowska, D.; Begini, F.; Santi, C.; Mangiavacchi, F; Drabowicz, J., and Sancineto, L. Ultrasound-assisted synthesis of alkali metals diselenides (M₂Se₂) and their application for the gram-scale preparation of 2,2'-diselenobis(benzoic acid). *Arkivoc*. 2019; **Part 2**:24-37.
4424. Krasowska, D.; Iraci, N.; Santi, C.; Drabowicz, J.; Cieślak, M.; Kaźmierczak-Barańska, J.; Palomba, M.; Królewska-Golińska, K.; Magiera, J., and Sancineto, L. Diselenides and benzoselenazones as antiproliferative agents and glutathione-S-transferase inhibitors. *Molecules*. 2019; **24**:(16):Article number 2914.
4425. Krasowska, D.; Jasiak, A.; Kulawik, D.; Ciesielski, W., and Drabowicz, J. Can onium type derivatives with a stereogenic sulfur atom serve as chiral ionic liquids? A literature search. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2019; **194**:(7):712-719.
4426. Krishna, H.; Jastrzębska, K., and Caruthers, M. Exploring site-specific activation of bis-N,N'-dialkylaminophosphordiamidites and the synthesis of morpholinophosphoramidate oligonucleotides. *FEBS LETTERS*. 2019; **593**:(13):1459-1467.
4427. Krzemińska, S.; Greszta, A.; Różański, A.; Safandowska, M., and Okrasa, M. Effects of heat exposure on the properties and structure of aerogels for protective clothing applications. *Microporous and Mesoporous Materials*. 2019; **285**:43-55.
4428. Kręgiel, D.; Rygała, A.; Kolesińska, B.; Nowacka, M.; Herc, A., and Kowalewska, A. Antimicrobial and antibiofilm N-acetyl-L-cysteine grafted siloxane polymers with potential for use in water systems. *International Journal of Molecular Sciences*. 2019; **20**:(8).
4429. Królewska, K.; Cieślak, M.; Sobczak, M.; Dolot, R. ; Radzikowska, E.; Napiórkowska, M.; Wybrańska, I., and Nawrot, B. Novel benzo[b]furans with anti-microtubule activity upregulate expression apoptotic genes and arrest leukemia cells in G2/M phase. *ANTI-CANCER AGENTS IN MEDICINAL CHEMISTRY*. 2019; **19**:(3):375-388.
4430. Kucińska, M.; Frac, I.; Ulański, J.; Makowski, T.; Nosal, A., and Gazicki-Lipman, M. The role of surface morphology in a performance of top-gate OFETs prepared from a solution processable derivative of perylene bisimide. *Synth Met*. 2019; **250**:12-19.
4431. Kudzin, M.; Drabowicz, J.; Jordan, F.; Kudzin, Z., and Urbaniak, P. Reactivity of aminophosphonic acids. 3. Reaction with hydrogen peroxide. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2019; **194**:(4-6):297-299.
Notes: 22nd International Conference on Phosphorus Chemistry (ICPC)
4432. Kudzin, M.; Drabowicz, J.; Jordan, F. d Kudzin Z., and Urbaniak, P. Reactivity of aminophosphonic acids. 2. Stability in solutions of acids and bases. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2019; **194**:(4-6):326-328.
4433. Lewiński, P.; Pretula, J.; Kałużyński, K.; Kaźmierski, S., and Penczek, S. γ -Caprolactone: Activated

monomer polymerization; controversy over the mechanism of polymerization catalyzed by phosphorus acids (diarylhydrogen phosphates). Do acids also act as initiators? *J Catalysis*. 2019; **371**:305-312.

4434. Ma, C.-H.; Su, B.-Y.; Maciaszek, A.; Fan, H.-F.; Guga, P., and Jayaram, M. A Flp-SUMO hybrid recombinase reveals multi-layered copy number control of a selfish DNA element through post-translational modification. *PLoS Genetics*. 2019; **15**:(6):Page e1008193.
4435. Maciaszek, A.; Jastrzębska, K., and Guga, P. Homopurine: R P -stereodefined phosphorothioate analogs of DNA with hampered Watson-Crick base pairings form Hoogsteen paired parallel duplexes with (2'-OMe)-RNAs. *Organic & Biomolecular Chemistry*. 2019; **17**:(18):4611-4620.
4436. Majoral, J.-P.; Zabłocka, M.; Koprowski, M.; Hameau, A.; Shi, X.; Mignani, S., and Caminade, A.-M. Design, complexing and catalytic properties of phosphorus thiazoles and benzothiazoles: A concise overview. *New J Chem*. 2019; **43**:(43):16785-16795.
4437. Makowski, T.; Zhang, C.; Olah, A.; Piórkowska, E.; Baer, E., and Kregiel, D. Modification of dual-component fibrous materials with carbon nanotubes and methyltrichlorosilane. *Materials & Design*. 2019; **162**:219-228.
4438. Marcinkowska, M.; Stańczyk, M.; Janaszewska, A.; Sobierajska, E.; Chworoś, A., and Klajnert-Maculewicz, B. Multicomponent conjugates of anticancer drugs and monoclonal antibody with PAMAM dendrimers to increase efficacy of HER-2 positive breast cancer therapy. *PHARMACEUTICAL RESEARCH*. 2019; **36**:(11):Article Number: UNSP 154.
4439. Michalski, A.; Brzeziński, M.; Łapienis, G., and Biela, T. Star-shaped and branched polylactides: Synthesis, characterization, and properties. *Progress in Polymer Science*. 2019; **89**:159-212.
4440. Mickiewicz, D.; Basińska, T.; Gosecka, M.; Gadzinowski, M., and Słomkowski, S. Colloidal liquid crystal type assemblies of spheroidal polystyrene core/polyglycidol-rich shell particles (P[S/PGL]) formed at the liquid-silicon-air interface by a directed dewetting process. *POLYMERS FOR ADVANCED TECHNOLOGIES*. 2019; **30**:(7):1724-1731.
4441. Mignani, S.; Shi, X.; Zabłocka, M., and Majoral, J.-P. Dendrimer-enabled therapeutic antisense delivery systems as innovation in medicine. *Bioconjugate Chemistry*. 2019; **30**:(7):1938-1950.
4442. Mikołajczyk, M. Phosphonate reagents and building blocks in the synthesis of bioactive compounds, natural products and medicines. *Pure & Appl Chem*. 2019; **91**:(5):811-838.
4443. Miliutina, M.; Ivon, Y.; Slobodyanyuk, E. Y.; Ejaz, S. A.; Iqbal, J.; Villinger, A.; Iaroshenko, V., and Langer, P. Synthesis of chromeno[2,3-c]pyrrol-9(2H)-ones by domino reactions of amino acids with ynones. *Chemistry of Heterocyclic Compounds*. 2019; **55**:(4-5):465-468.
4444. Mishra, M.; Twardy, D.; Ellstrom, C.; Wheeler, K. A.; Dembiński, R., and Török, B. Catalyst-free ambient temperature synthesis of isoquinoline-fused benzimidazoles from 2-alkynylbenzaldehydes: Via alkyne hydroamination. *Green Chemistry*. 2019; **21**:(1):99-108.
4445. Mizerska, U.; Fortuniak, W.; Makowski, T.; Svyntkivska, M.; Piórkowska, E.; Kowalczyk, D., and Brzeziński, S. Electrically conductive and hydrophobic rGO-containing organosilicon coating of cotton fabric. *Progress in Organic Coatings* . 2019; **137**:Article number 105312.
4446. Namiecińska, E.; Sobiesiak, M.; Małecka, M.; Guga, P.; Różalska, B., and Budzisz, E. Antimicrobial and structural properties of metal ions complexes with thiosemicarbazide motif and related heterocyclic compounds. *Current Medicinal Chemistry*. 2019; **26**:(4):664-693.

4447. Napiórkowska, M.; Cieślak, M.; Kaźmierczak-Barańska, J.; Królewska-Golińska, K., and Nawrot, B. Synthesis of new derivatives of benzofuran as potential anticancer agents. *Molecules*. 2019; **24**:(8):Article number 1529.
4448. Nowacka, M.; Kowalewska, A.; Plażuk, D., and Makowski, T. Hybrid polysilsesquioxanes for fluorescence resonance energy transfer. *Dyes and Pigments*. 2019; **170**:Article number 107622.
4449. Palomba, M.; Scarcella, E. ; Sancineto, L.; Bagnoli, L.; Santi, C., and Marini, F. Synthesis of spirooxindole oxetanes through a domino reaction of 3-hydroxyoxindoles and phenyl vinyl selenone. *Eur J Org Chem*. 2019; **2019**:(31-32):5396-5401.
4450. Paluch, P.; Rankin, A. G. M.; Trébosc, J.; Lafon, O., and Amoureux, J.-P. Analysis of HMQC experiments applied to a spin 1 nucleus subject to very large CSA. *SOLID STATE NUCLEAR MAGNETIC RESONANCE*. 2019; **100**:11-25.
4451. Pawlak, A. The Entanglements of Macromolecules and Their Influence on the Properties of Polymers. *Macromol Chem Phys*. 2019; **220**:(10):Article number 1900043.
4452. Pawlak, A. and Gałęski, A. Crystallization of polypropylene. Karger-Kocsis, J. and Barany, T., Eds. *Polypropylene Handbook Morphology, Blends and Composites*. Cham: Springer Nature; 2019; pp. 185-242.
Notes: ISBN : 978-3-030-12902-6
4453. Pawlak, A. and Krajenta, J. Właściwości polimerów o ograniczonej gęstości splatań makrocząsteczek. *Modyfikacja Polimerów. Stan i perspektywy w roku 2019*. Wrocław: Wydawnictwo TEMPO S. C.; 2019; pp. 276-279.
Notes: ISBN: 978-83-86520-24-4
4454. Perchacz, M.; Matejka, L.; Konefał, R.; Seixas, L.; Livi, S.; Baudoux, J.; Beneś, H., and Donato, R. K. Self-catalyzed coupling between bronsted-acidic imidazolium salts and epoxy-based materials: A theoretical/experimental study. *ACS Sustainable Chemistry & Engineering*. 2019; **7**:(23):19050-19061.
4455. Piórkowska, E. Overview of Biobased Polymers. DiLorenzo, M. L. and Androsch, R., Eds. *Thermal Properties of Bio-Based Polymers*. CHAM: SPRINGER INTERNATIONAL PUBLISHING AG; 2019; pp. 1-35.
Notes: ISBN:978-3-030-39962-7; 978-3-030-39961-0
4456. Pomikło, D.; Bodzioch, A.; Pietrzak, A., and Kaszyński, P. C(3) functional derivatives of the blatter radical. *Organic Lett*. 2019; **21**:(17):6995-6999.
4457. Rankin, A. G. M.; Trébosc, J.; Paluch, P.; Lafon, O., and Amoureux, J.-P. Evaluation of excitation schemes for indirect detection of 14 N via solid-state HMQC NMR experiments. *J Magn Reson* . 2019; **303**:28-41.
4458. Richert, M.; Walczyk, M.; Cieślak, M.; Kaźmierczak-Barańska, J.; Królewska-Golińska, K.; Wrzeszcz, G.; Muzioł, T., and Biniak, S. Synthesis, X-ray structure, physicochemical properties and anticancer activity of mer and fac Ru(iii) triphenylphosphine complexes with a benzothiazole derivative as a co-ligand. *Dalton Transactions*. 2019; **48**:(28):10689-10702.
4459. Różga-Wijas, K. and Sierant, M. Daunorubicin-silsesquioxane conjugates (POSS-DAU) for theranostic drug delivery system: Characterization, biocompatibility and drug release study. *Reactive & Functional Polymers*. 2019; **143**:Article number 104332.
4460. Rubinsztajn, S.; Chojnowski, J.; Cypryk, M.; Mizerska, U.; Fortuniak, W., and Bak-Sypień, I. I. Kinetic

and mechanistic studies of the transformation of the catalyst, tris(pentafluorophenyl)borane, in the presence of silyl and germlyl hydrides. *J Catalysis*. 2019; **379**: 90-99.

4461. Różga-Wijas, K.; Sierant, M.; Wielgus, E., and Miksa, B. Polyhedral octasilsesquioxanes labelled with the photosensitive cationic phenosafranin dye as a new nanocarrier for therapy and cellular imaging. *Dyes and Pigments* . 2019; **161**:261-266.
4462. Sierant, M.; Szewczyk, R.; Dziergowska, A.; Królewska-Golińska, K.; Sochacka, E., and Nawrot, B. Studies on the 2-thiouridine-tRNA damage induced in the *Saccharomyces cerevisiae* yeast cells under oxidative stress conditions. *FEBS OPEN BIO*. 2019; **9**:190-190.
4463. Sobotta, L.; Ziental, D.; Śniechowska, J.; Długaszewska, J., and Potrzebowski, M. J. Lipid vesicle-loaded meso-substituted chlorins of high in vitro antimicrobial photodynamic activity. *Photochemical and Photobiological Sciences*. 2019; **18**(1):213-223.
4464. Sobotta, L.; Śniechowska, J.; Ziental, D.; Długaszewska, J., and Potrzebowski, M. J. Chlorins with (trifluoromethyl)phenyl substituents – Synthesis, lipid formulation and photodynamic activity against bacteria. *Dyes and Pigments*. 2019; **160**:292-300.
4465. Socka, M.; Sitko, M.; Boncel, S.; Kost, B.; Chrobok, A., and Brzeziński, M. Nanobiocatalyst from lipase non-covalently immobilized on multiwalled carbon nanotubes for copolymerization of γ -caprolactone and trimethylene carbonate. *Polym Degrad Stab*. 2019; **170**:Article number 109000.
4466. Sosnowski, S. and Szymański, R. A novel efficient hybrid algorithm for Monte Carlo simulation of controlled radical polymerization: The method integrating reactive and deactivated species. *Chemical Engineering Journal*. 2019; **358**:197-210.
4467. Sykuła, A.; Kowalska-Baron, A.; Dzeikala, A.; Bodzioch, A., and Łodyga-Chruscińska, E. An experimental and DFT study on free radical scavenging activity of hesperetin Schiff bases. *Chemical Physics*. 2019; **517**:91-103.
4468. Szczupak, P.; Sierant, M., and Nawrot, B. Studies on transformation of 2-thiouridine to 2-selenouridine catalyzed by *Escherichia coli* tRNA 2-selenouridine/geranyl-2-thiouridine synthase and its analogs. *FEBS OPEN BIO*. 2019; **9**:160-160.
4469. Szeleszczuk, Ł.; Pisklak, D. M.; Gubica, T.; Matjakowska, K.; Kaźmierski, S., and Zielińska-Pisklak, M. Application of combined solid-state NMR and DFT calculations for the study of piracetam polymorphism. *SOLID STATE NUCLEAR MAGNETIC RESONANCE*. 2019; **97**:17-24.
4470. Szymański, R. and Sosnowski, S. Cumulative steady state Monte Carlo method for processes with exchange between reactive species. Case of controlled radical copolymerization. *Chemical Engineering Journal*. 2019; **370**:432-443.
4471. Szymański, R. and Sosnowski, S. Stochasticity of the transfer of reactant molecules between nano-reactors affecting the reversible association $A + B \rightleftharpoons C$. *J Chem Phys*. 2019; **151**(17):Article number 174113.
4472. Szymański, W.; Lipa, S.; Fortuniak, W.; Chojnowski, J.; Pospiech, P.; Mizerska, U.; Słomkowski, S.; Nyczyk-Malinowska, A., and Hasik, M. Silicon oxycarbide (SiOC) ceramic microspheres – Structure and mechanical properties by nanoindentation studies. *Ceramics International*. 2019; **45**(9):11946-11954.
4473. Słomkowski, S.; Fellows, C. M.; Hiorns, R. C.; Jones, R. G.; Kubisa, P.; Luscombe, C. K.; Nakano, T.; Russell, G. T.; dos Santos, C. G.; Scholz, C.; Stingelin, N., and Walter, M. G. List of keywords for

polymer science (IUPAC Technical Report). Pure & Appl Chem. 2019; **91**:(6):997-1027.

4474. Turek, M. and Bałczewski, P. Farmaceutyczne kokryształy antagonistów receptora angiotensyny II. Chemistry. Environment. Biotechnology. 2019; **22**:13-19.
4475. Venâncio, T.; Oliveira, L. M.; Pawlak, T.; Ellena, J.; Boechat, N., and Brown, S. P. The use of variable temperature ¹³C solid-state MAS NMR and GIPAW DFT calculations to explore the dynamics of diethylcarbamazine citrate. Magn Reson Chem. 2019; **57**:(5):200-210.
4476. Von Baeckmann, C.; Wilhelm, H.; Spieckermann, F.; Strobel, S.; Polt, G.; Sowiński, P.; Piórkowska, E.; Bismarck, A., and Zehetbauer, M. The influence of crystallization conditions on the macromolecular structure and strength of β -polypropylene. Thermochimica Acta. 2019; **677**:131-138.
4477. Vozniak, I.; Hosseinneshad, R.; Morawiec, J., and Galeski, A. Nanofibrillar green composites of polylactide/polyhydroxyalkanoate produced in situ due to shear induced crystallization. Polymers. 2019; **11**:(11):Article number 1811.
4478. Wojtczak, E.; Biedroń, T., and Bednarek, M. Hydrolytic stability of polylactide stereocomplex microparticles containing metal ions. Polym Bull. 2019; **76**:(3):1135-1149.
4479. Żurawiński, R. and Łukasik, B. Concise synthesis of a new chiral cyclopentenone building block for prostaglandins and their derivatives. Eur J Org Chem. 2019; **Volume 2019**:(15):2612-2620.
4480. Adamus-Grabicka, A. A.; Markowicz-Piasecka, M.; Cieślak, M.; Królewska-Golińska, K.; Hikisz, P.; Kusz, J.; Małecka, M., and Budzisz, E. Biological evaluation of 3-benzylidenochromanones and their spiropyrazolines-based analogues. Molecules. 2020; **25**:(7):Article number 1613.
4481. Bartczak, Z. and Vozniak, A. Microbuckling instability and the second yield during the deformation of semicrystalline polyethylene. Polymers. 2020; **12**:(10):Article number: 2208.
4482. Bartos, P.; Anand, B.; Pietrzak, A., and Kaszyński, P. Functional planar blatter radical through pschorr-type cyclization. Organic Lett. 2020; **22**:(1):180-184.
4483. Bartos, P.; Young, V. G., and Kaszyński, P. Ring-Fused 1,4-Dihydro[1,2,4]triazin-4-yls through Photocyclization. Organic Lett. 2020; **22**:(10):3835-3840.
4484. Bałczewski, P. and Wilk, J. Quinquevalent phosphorus acids. Allen, D. W.; Loakes, D.; Higham, L. J., and Tebby, J. C., Eds. Organophosphorus Chemistry. Cambridge: Royal Society Chemistry; 2020; pp. 198-331.
Notes: ISBN: 978-178801864-7
4485. Bednarek, M.; Borska, K., and Kubisa, P. Crosslinking of Polylactide by High Energy Irradiation and Photo-Curing. Molecules. 2020; **25**:(21):Article number: 4919.
4486. Begini, F.; Krasowska, D.; Jasiak, A.; Drabowicz, J.; Santi, C., and Sancineto, L. Continuous flow synthesis of 2,2'-diselenobis(benzoic acid) and derivatives. REACTION CHEMISTRY & ENGINEERING. 2020; **5**:(4):641-644.
4487. Belica-Pacha, S.; Miłowska, K.; Ionov, M.; Bryszewska, M.; Buczkowski, A.; Budryn, G.; Oracz, J.; Zaczynska, D.; Wróblewska, A.; Urbaniak, P., and Pałecz, B. The impact of β -cyclodextrin on biological and chemical properties of mianserin hydrochloride in aqueous solution. J Mol Liq. 2020; **314**:Article number 113589.
4488. Bieszczad, B.; Garbicz, D. ; Trzybiński, D.; Dudek, M. K.; Woźniak, K.; Grzesiuk, E., and Mieczkowski,

A. Unsymmetrically-Substituted 5,12-dihydrodibenzo[b,f][1,4]diazocine-6,11-dione Scaffold—A Useful Tool for Bioactive Molecules Design. *Molecules*. 2020; **25**:(12):Article number 2855.

4489. Biscarini, P.; Bilotti, I.; Ferranti, F.; Bacchi, A.; Pelizzi, G.; Mikołajczyk, M., and Drabowicz, J. The Chiral 1:2 Adduct (S)(S)C(-)-589-Ethyl 2-Phenylbutyl Sulphide-Mercury (II) Chloride:(-)-589[(S)(S)C-Et(2-PhBu)S.(HgCl₂)₂]. Stereoselective Synthesis, Asymmetric Oxidation, Crystal and Molecular Structure and Circular Dichroism Spectra. *Molecules*. 2020; **25**:(15):Article number: 3398.
4490. Bojda, J.; Piórkowska, E., and Pluta, M. Shear-induced non-isothermal crystallization of poly(butylene adipate-co-terephthalate) . *Polymer Testing*. 2020; **85**:Article Number: 106420.
4491. Brzeziński, M.; Michalski, A.; Kost, B.; Socka, M.; Florczak, M.; Łapienis, G., and Biela, T. Simultaneous Stereocomplexation of Polylactides during Polymerization of d-LA in the Presence of a PLLA Template. *Macromol Chem Phys*. 2020; **221**:(8):Article Number: 1900571.
4492. Bucknall, C.; Altstadt, V.; Auhl, D.; Buckley, P.; Dijkstra, D.; Gałęski, A.; Gogelein, C.; Handge, U. A.; He, J. S.; Liu, C. Y.; Michler, G.; Piórkowska, E.; Slouf, M.; Vittorias, I., and Wu, J. J. Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical Report). Part 1: characterizing molecular weight. *Pure & Appl Chem*. 2020; **92**:(9):1469-1483.
4493. Bucknall, C.; Altstadt, V.; Auhl, D.; Buckley, P.; Dijkstra, D.; Gałęski, A.; Gogelein, C.; Handge, U. A.; He, J. S.; Liu, C. Y.; Michler, G.; Piórkowska, E.; Slouf, M.; Vittorias, I., and Wu, J. J. Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical Report). Part 2: crystallinity and supra molecular structure . *Pure & Appl Chem*. 2020; **92**:(9):1485-1501.
4494. Bucknall, C.; Altstadt, V.; Auhl, D.; Buckley, P.; Dijkstra, D.; Gałęski, A.; Gogelein, C.; Handge, U. A.; He, J. S.; Liu, C. Y.; Michler, G.; Piórkowska, E.; Slouf, M.; Vittorias, I., and Wu, J. J. Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical Report). Part 3: deformation, wear and fracture . *Pure & Appl Chem*. 2020; **92**:(9):1503-1519.
4495. Bucknall, C.; Altstadt, V.; Auhl, D.; Buckley, P.; Dijkstra, D.; Gałęski, A.; Gogelein, C.; Handge, U. A.; He, J. S.; Liu, C. Y.; Michler, G.; Piórkowska, E.; Slouf, M.; Vittorias, I., and Wu, J. J. Structure, processing and performance of ultra-high molecular weight polyethylene (IUPAC Technical Report). Part 4: sporadic fatigue crack propagation . *Pure & Appl Chem*. 2020; **92**:(9):1521-1536.
4496. Bujnicki, B.; Błaszczuk, J.; Chmielewski, M., and Drabowicz, J. Diastereoisomerically Pure, (S)-O-1,2-O-isopropylidene-(5-O-?-d-glucofuranosyl) t-butanesulfinate: Synthesis, Crystal Structure, Absolute Configuration and Reactivity. *Molecules*. 2020; **25**:(15):Article number: 3392.
4497. Błaszczuk, J. and Kielbasiński, P. Quarter of a century after: A glimpse at the conformation and mechanism of candida antarctica lipase b. *CRYSTALS*. 2020; **10**:(5):Article number 404.
4498. Chojnowski, J.; Słomkowski, S.; Fortuniak, W.; Mizerska, U., and Pospiech, P. Hydrophilic Polysiloxane Microspheres and Ceramic SiOC Microspheres Derived from Them . *J Inorg Organometal Polym Mat*. 2020; **30**:(1):56-68.
4499. Chollakup, R.; Uttayarat, P.; Chworoś, A., and Smittipong, W. Noncovalent sericin-chitosan scaffold: Physical properties and low cytotoxicity effect. *International Journal of Molecular Sciences*. 2020; **21**:(3):Article number 775.
4500. Cierpień, T.; Kielbasiński, P.; Kwiatkowska, M.; Łyżwa, P.; Lubelska, K.; Kuran, D.; Dąbrowska, A.; Kruszewska, H.; Mielczarek, L.; Chilmonczyk, Z., and Wiktorska, K. Fluoroaryl analogs of

sulforaphane – A group of compounds of anticancer and antimicrobial activity. *Bioorg Chem.* 2020; **94**:Article number 103454.

4501. Czernek, L. and Duchler, M. Exosomes as Messengers Between Mother and Fetus in Pregnancy. 2020; **21**:(12):4264.
4502. Drabowicz, J. Organophosphorus Compounds, Organosulfur Compounds, Stereochemistry, Stereogenic Center, Mechanism, Synthesis, Asymmetric Reactions Part 1. *Current Green Chemistry.* 2020; **7**:(2):14-142.
4503. Drabowicz, J.; Rzewnicka, A., and Żurawiński, R. Selenonium ylides: Syntheses, structural aspects, and synthetic applications. *Molecules.* 2020; **25**:(10):Article number 2420.
4504. Dudek, M. K.; Paluch, P., and Pindelska, E. Crystal structures of two furazidin polymorphs revealed by a joint effort of crystal structure prediction and NMR crystallography. *ACTA CRYSTALLOGRAPHICA SECTION B-STRUCTURAL SCIENCE CRYSTAL ENGINEERING AND MATERIALS.* 2020; **76**:(Part: 3):322-335.
4505. Dudek, M. K.; Paluch, P.; Śniechowska, J.; Nartowski, K. P.; Day, G. M., and Potrzebowski, M. J. Crystal structure determination of an elusive methanol solvate - hydrate of catechin using crystal structure prediction and NMR crystallography. *CRYSTENGCOMM.* 2020; **22**:(30):4969-4981.
4506. Dudek, M. K.; Śniechowska, J.; Wróblewska, A.; Kaźmierski, S., and Potrzebowski, M. j. Cocrystals "Divorce and Marriage": When a Binary System Meets an Active Multifunctional Synthon in a Ball Mill . *Chemistry-A European Journal.* 2020; **26**:(58):13264-13273.
4507. Duszyńska, A.; Danielewicz, A.; Kadłubowski, S.; Kozanecki, M.; Maniukiewicz, W.; Sowiński, P., and Szadkowska-Nicze, M. Influence of electron-beam irradiation on surface properties of magnetic iron oxide nanoparticles stabilized with citrate. *RADIATION PHYSICS AND CHEMISTRY.* 2020; **169**:(Special Issue: SI):Article Number: 107796.
4508. Fortuniak, W.; Chojnowski, J.; Mizerska, U.; Pospiech, P.; Zakrzewska, J., and Słomkowski, S. Polysiloxane Derived Macroporous Silicon Oxycarbide Microspheroidal Particles and Their Decoration with 1D Structures. *J Inorg Organometal Polym Mat.* 2020; **30**:(9):3574-3585.
4509. Gach-Janczak, K.; Drogosz-Stachowicz, J.; D³ugosz-Pokorska, A.; Jakubowski, R.; Janecki, T.; Szymański, J., and Janecka, A. A new hybrid γ -lactone induces apoptosis and potentiates anticancer activity of taxol in HL-60 human leukemia cells. *Molecules.* 2020; **25**:(7):Article number 1479.
4510. Ganicz, T.; Olejnik, K.; Różga-Wijas, K., and Kurjata, J. New Method of Paper Hydrophobization Based on Starch-cellulose-siloxane Interactions. *BIORESOURCES .* 2020; **15**:(2):4124-4142.
4511. Gałęski, A.; Bartczak, Z.; Vozniak, A.; Pawlak, A., and Walkenhorst, R. Morphology and Plastic Yielding of Ultrahigh Molecular Weight Polyethylene . *Macromolecules.* 2020; **53**:(14):6063-6077.
4512. Geoffrey, B.; Sanker, A.; Madaj, R.; Tresanco, M. S. V.; Upadhyay, M., and Gracia, J. A program to automate the discovery of drugs for West Nile and Dengue virus—programmatic screening of over a billion compounds on PubChem, generation of drug leads and automated in silico modelling. *J Biomolec Struct Dyn.* 2020.
4513. Ginzburg, A.; Ramakrishnan, V.; Rongo, L.; Rozanski, A.; Bouyahyi, M.; Jasinska-Walc, L., and Duchateau, R. The influence of polypropylene-block/graft-polycaprolactone copolymers on melt rheology, morphology, and dielectric properties of polypropylene/polycarbonate blends. *RHEOLOGICA ACTA.* 2020; **59**:(9):601-619.

4514. Gosecka, M. and Gosecki, M. Chemoresponsive polymer systems for selective molecular recognition of organic molecules in biological systems. *ACTA BIOMATERIALIA*. 2020; **116**:32-66.
4515. Gosecki, M.; Urbaniak, M.; Gostyński, B., and Gosecka, M. Influence of Glycoluril Molecular Clip Isomerization on the Mechanisms of Resorcinol Molecule Complexation. 2020; **124**:(15):8401-8410.
4516. Graczyk, A.; Pawłowska, R.; Jędrzejczyk, D., and Chworoś, A. Gold nanoparticles in conjunction with nucleic acids as a modern molecular system for cellular delivery. *Molecules*. 2020; **25**:(1):Article number: 204.
4517. Gudanis, D.; Kaniowski, D.; Kulik, K.; Baranowski, D.; Gdaniec, Z., and Nawrot, B. Formation of an RNA Quadruplex-Duplex Hybrid in Living Cells between mRNA of the Epidermal Growth Factor Receptor (EGFR) and a G-Rich Antisense Oligoribonucleotide. *CELLS*. 2020; **9**:(11):Article number: 2375.
4518. Guerra, J.; Valadao, A. L.; Vlachakis, D.; Polak, K.; Vila, I. K.; Taffoni, C.; Prabakaran, T.; Marriott, A. S.; Kaczmarek, R.; Houel, A.; Auzemery, B.; Déjardin, S.; Boudinot, P.; Nawrot, B.; Jones, N. J.; Paludan, S. R.; Kossida, S.; Langevin, C., and Laguerre, N. Lysyl-tRNA synthetase produces diadenosine tetraphosphate to curb STING-dependent inflammation. *Science Advances*. 2020; **6**:(21):Page eaax3333.
4519. Hande, A. A.; Baylure, P.; Kaszyński, P., and Chrostowska, A. Effect of π -System Extension on the Ionization Energy of the Planar Blatter Radical: Experimental and Theoretical Studies. *J Phys Chem A*. 2020; **124**:(47):9777-9782.
4520. Hande, A. A.; Darrigan, C. ; Bartos, P.; Baylure, P.; Pietrzak, A.; Kaszyński, P., and Chrostowska, A. UV-photoelectron spectroscopy of stable radicals: the electronic structure of planar Blatter radicals as materials for organic electronics. *Physical Chemistry Chemical Physics*. 2020; **22**:(41):23637-23644.
4521. Herc, A.; Bojda, J.; Nowacka, M.; Lewiński, P.; Maniukiewicz, W.; Piórkowska, E., and Kowalewska, A. Crystallization, structure and properties of polylactide/ladder poly(silsesquioxane) blends. *Polymer* . 2020; **201**:Article number 122563.
4522. Herc, A.; Lewiński, P.; Kaźmierski, S.; Bojda, J., and Kowalewska, A. Hybrid SC-polylactide/poly(silsesquioxane) blends of improved thermal stability. *THERMOCHIMICA ACTA*. 2020; **687**:Article Number: 178592.
4523. Herc, A.; Włodarska, M.; Nowacka, M.; Bojda, J.; Szymański, W., and Kowalewska, A. Supramolecular interactions between polylactide and model cyclosiloxanes with hydrogen bonding-capable functional groups. *Express Polymer Letters*. 2020; **14**:(2):134-153.
4524. Hosseinneshad, R.; Vozniak, I.; Morawiec, J., and Gałęski, A. Nanofibrillar green composites of polylactide/polyamide produced in situ due to shear induced crystallization. *Composites Communications*. 2020; **22**:Article number: 100512.
4525. Iovescu, A.; Stinga, G.; Maxim, M. E.; Gosecka, M.; Basińska, T.; Słomkowski, S.; Angelescu, D.; Petrescu, S.; Stanica, N.; Baran, A., and Anghel, D.-F. Chitosan-polyglycidol complexes to coating iron oxide particles for dye adsorption. *Carbohydrate Polymers*. 2020; **246**:Article number 116571.
4526. Jacob, L.; Rzeszotarska, E.; Pietrzak, A.; Young, V. G., and Kaszyński, P. Synthesis, Structural Analysis, and Functional Group Interconversion in the [*closo*-B₁₀H₈-1,10-X₂]²⁻ (X = CN, [OCrNMe₂]⁺, OCOR, and [OH₂]⁺) Derivatives. *Eur J Inorg Chem*. 2020;

2020;(32):3083-3093.

4527. Jakubowski, R.; Pietrzak, A.; Friedli, A. C., and Kaszyński, P. C(1)-Phenethyl Derivatives of [closo-1-CB11H12]- and [closo-1-CB9H10]- Anions: Difunctional Building Blocks for Molecular Materials. *Chemistry-A European Journal*. 2020; **26**:(72):17481-17494.
4528. Janicki, I. and Kielbasiński, P. Still–Gennari Olefination and its Applications in Organic Synthesis. *Advanced Synthesis & Catalysis*. 2020; **362**:(13):2552-2596.
4529. Janicki, I.; Kielbasiński, P.; Szeląg, J.; Głębski, A., and Szczesna-Antczak, M. Preparative scale application of *Mucor circinelloides* ene–reductase and alcohol dehydrogenase activity for the asymmetric bioreduction of α,β -unsaturated α -ketophosphonates. *Bioorg Chem*. 2020; **96**:Article number 103548.
4530. Janicki, I.; Łyżwa, P., and Kielbasiński, P. The first enzyme-promoted addition of nitromethane to imines (aza-Henry reaction). *Bioorg Chem*. 2020; **94**:Article Number: 103377.
4531. Jasiak, A.; Owsianik, K.; Gostyński, B.; Mielniczak, G.; Stevens, C. V., and Drabowicz, J. Experimental study on the microreactor-assisted synthesis of phosphinic chlorides with varying steric hindrance. *Organic Chemistry Frontiers*. 2020; **7**:(22):3664-3674.
4532. Jastrzębska, K.; Mikołajczyk, B., and Guga, P. LNA units present in [: R P-PS]-(DNA#LNA) chimeras enhance the thermal stability of parallel duplexes and triplexes formed with (2'-OMe)-RNA strands. *RSC Advances*. 2020; **10**:(38):22370-22376.
4533. Jäger, A.; Donato, R. K.; Perchacz, M.; Donato, K. Z.; Starż, Z.; Konefał, R.; Serkis-Rodzeń, M.; Raucchi, M. G.; Fuentefria, A. M., and Jäger, E. Human metabolite-derived alkylsuccinate/dilinoleate copolymers: From synthesis to application. *Journal of Materials Chemistry B*. 2020; **8**:(43):9980-9996.
4534. Jędrzejewska, H.; Wielgus, E.; Kaźmierski, S.; Rogala, H.; Wierzbicki, M.; Wróblewska, A.; Pawlak, T.; Potrzebowski, Marek J., and Szumna, A. Porous Molecular Capsules as Non-Polymeric Transducers of Mechanical Forces to Mechanophores. *Chemistry-A European Journal*. 2020; **26**:(7):1558-1566.
4535. Kaczmarek, R.; Korczyński, D.; Green, J. R., and Dembiński, R. Extension of the 5-alkynyluridine side chain via C-C-bond formation in modified organometallic nucleosides using the Nicholas reaction. *Beilstein Journal of Organic Chemistry*. 2020; **16**:1-8.
4536. Kaczmarek, R.; Ward, S.; Debnath, D.; Jacobs, T.; Stark, A. D.; Korczyński, D.; Kumar, A.; Sevilla, M. D.; Denisov, S. A.; Shcherbakov, V.; Pernot, P.; Mostafavi, M.; Dembiński, R., and Adhikary, A. One Way Traffic: Base-to-Backbone Hole Transfer in Nucleoside Phosphorodithioate. *Chemistry-A European Journal*. 2020; **26**:(43):9495-9505.
4537. Kaniowski, D.; Ebenryter-Olbinska, K.; Kulik, K.; Janczak, S.; Maciaszek, A.; Bednarska-Szczepaniak, K.; Nawrot, B., and Leśnikowski, Z. Boron clusters as a platform for new materials: composites of nucleic acids and oligofunctionalized carboranes (C2B10H12) and their assembly into functional nanoparticles. *Nanoscale*. 2020; **12**:(1):103-114.
4538. Kaniowski, D.; Kulik, K.; Ebenryter-Olbinska, K.; Wielgus, E.; Leśnikowski, Z., and Nawrot, B. Metallacarborane Complex Boosts the Rate of DNA Oligonucleotide Hydrolysis in the Reaction Catalyzed by Snake Venom Phosphodiesterase. *Biomolecules*. 2020; **10**:(5):Article number: 718.
4539. Kargarzadeh, H.; Gałęski, A., and Pawlak, A. PBAT green composites: Effects of kraft lignin particles on the morphological, thermal, crystalline, macro and micromechanical properties. *Polymer*. 2020;

203:Article number 122748.

4540. Kasperkiewicz, K.; Ponczek, M. B.; Owczarek, J.; Guga, P., and Budzisz, E. Antagonists of Vitamin K-popular coumarin drugs and new synthetic and natural coumarin derivatives. *Molecules*. 2020; **25**:(6):Article number 1465.
4541. Kałużyński, K.; Pretula, J.; Lewiński, P.; Kaźmierski, S., and Penczek, S. Catalysis in polymerization of cyclic esters. Catalyst and initiator in one molecule. Polymerization of γ -caprolactone. *J Catalysis*. 2020; **392**:97-107.
4542. Khalaji, M.; Wróblewska, A.; Wielgus, E.; Bujacz, G. D.; Dudek, M. K., and Potrzebowski, M. J. Structural variety of heterosynthons in linezolid cocrystals with modified thermal properties. *ACTA CRYSTALLOGRAPHICA SECTION B-STRUCTURAL SCIENCE CRYSTAL ENGINEERING AND MATERIALS*. 2020; **76**:892-912.
4543. Kost, B.; Brzeziński, M.; Socka, M.; Baško, M., and Biela, T. Biocompatible Polymers Combined with Cyclodextrins: Fascinating Materials for Drug Delivery Applications. *Molecules*. 2020; **25**:(15):Article number: 3404.
4544. Kost, B.; Brzeziński, M.; Zimnicka, M.; Socka, M.; Wielgus, E.; Słowianek, M., and Biela, T. PLA Stereocomplexed Microspheres Modified with Methyl- β -Cyclodextrin as an Atropine Delivery System. Synthesis and Characterization. *Materials Today Communications*. 2020; **25**:Article number 101605.
4545. Kost, B.; Svyntkivska, M.; Brzeziński, M.; Makowski, T.; Piórkowska, E.; Rajkowska, K.; Kunicka-Styczynska, A., and Biela, T. PLA/beta-CD-based fibres loaded with quercetin as potential antibacterial dressing materials. *Colloids and Surfaces B: Biointerfaces*. 2020; **190**:Article Number: 110949.
4546. Kowalewska, A. and Nowacka, M. Supramolecular interactions in hybrid polylactide blends-the structures, mechanisms and properties. *Molecules*. 2020; **25**:(15):Article number: 3351.
4547. Krajenta, J.; Pawlak, A., and Gałęski, A. All-polymer composites – A new approach with the use of disentangled semi-crystalline polymers Part II. Preparation of composites from partially disentangled polylactide
[Kompozyty w pe³ni polimerowe – Nowe podej³cie z u³yciem rozpl¹tanych cz³ciowo krystalicznych polimerów Cz. II. Otrzymywanie kompozytów zawieraj¹cych cz³ciowo rozpl¹tany polilaktyd]. *Polymers*. 2020; **65**:(4):262-267.
4548. Krajenta, J.; Polińska, M.; Łapienis, G., and Pawlak, A. The crystallization of poly(ethylene oxide) with limited density of macromolecular entanglements. *Polymer*. 2020; **197**:Article number: 122500.
4549. Krajenta, J.; Safandowska, M.; Pawlak, A., and Gałęski, A. All-polymer composites - a new approach with the use of disentangled semi-crystalline polymers Part I. Disentangling and properties of disentangled polylactide
[Kompozyty w pe³ni polimerowe - nowe podej³cie z u³yciem rozpl¹tanych cz³ciowo krystalicznych polimerów Cz. I. Rozpl¹tywanie i w³a³ciowości rozpl¹tanego polilaktydu]. *Polymers*. 2020; **65**:(3):165-173.
4550. Krasowska, D.; Sancineto, L.; Deska, M., and Drabowicz, J. Optically active selenoxides: Structural and synthetic aspects. *Symmetry-Basel*. 2020; **12**:(3):Article number 349.
4551. Kubisa, P. Kinetics of radical polymerization in ionic liquids. *Europ Polym J*. 2020; **133**:Article number 109778.

4552. Kulik, K.; Sadowska, K.; Wielgus, E.; Pacholczyk-Sienicka, B.; Sochacka, E., and Nawrot, B. Different oxidation pathways of 2-selenouracil and 2-thiouracil, natural components of transfer rna. *International Journal of Molecular Sciences*. 2020; **21**:(17):Article number: 5956.
4553. Langner, H. K.; Jastrzębska, K., and Caruthers, M. H. Synthesis and Characterization of Thiophosphoramidate Morpholino Oligonucleotides and Chimeras. *J Am Chem Soc*. 2020; **142**:(38):16240-16253.
4554. Leszczyńska, G.; Cypriak, M.; Gostyński, B.; Sadowska, K.; Herman, P.; Bujacz, G.; Łodyga-Chruścińska, E.; Sochacka, E., and Nawrot, B. C5-Substituted 2-Selenouridines Ensure Efficient Base Pairing with Guanosine; Consequences for Reading the NNG-3' Synonymous mRNA Codons. *International Journal of Molecular Sciences*. 2020; **21**:(8):Article number:: 2882.
4555. Makowski, T. Hydrophobization of cotton fabric with silanes with different substituents. *Cellulose*. 2020; **27**:1-9.
4556. Makowski, T.; Svyntkivska, M.; Piórkowska, E., and Kręgiel, D. Multifunctional polylactide nonwovens with 3D network of multiwall carbon nanotubes. *Appl Surf Sci*. 2020; **527**:Article number 146898.
4557. Matikainen, S.; Nyman, T. A., and Cypriak, W. Function and regulation of noncanonical caspase-4/5/11 inflammasome. *Journal of Immunology*. 2020; **204**:(12):3063-3069.
4558. ---. Inflammasomes: Exosomal miRNAs loaded for action. *Journal of Cell Biology*. 2020; **219**:(10):e202008130.
4559. Michalak, O.; Krzeczynski, P.; Cieślak, M.; Cmoch, P.; Cybulski, M.; Królewska-Golińska, K.; Kaźmierczak-Barańska, J.; Trzaskowski, B., and Ostrowska, K. Synthesis and anti-tumour, immunomodulating activity of diosgenin and tigogenin conjugates. *Journal of Steroid Biochemistry and Molecular Biology*. 2020; **198**:Article number 105573.
4560. Mikołajczyk, M.; Gajl, M.; Błaszczak, J.; Cypriak, M., and Gostyński, B. Nucleophilic substitution at tetracoordinate sulfur. Kinetics and mechanism of the chloride-chloride exchange reaction in arenesulfonyl chlorides: Counterintuitive Acceleration of Substitution at Sulfonyl Sulfur by ortho-Alkyl Groups and Its Origin . *Molecules*. 2020; **25**:(6):Article number 1428.
4561. Mkrtchyan, S. and Iaroshenko, V. Photoredox Functionalization of 3-Halogenchromones, 3-Formylchromones, and Chromone-3-carboxylic Acids: Routes to 3-Acylchromones. *J Org Chem*. 2020; **85**:(11):7152-7174.
4562. Mkrtchyan, S. and Iaroshenko, V. O. Visible-light-mediated arylation of ortho-hydroxyarylenaminones: direct access to isoflavones . *Chem Commun*. 2020; **56**:(17):2606-2609.
4563. Nowacka, M.; Herc, A., and Kowalewska, A. Thiol-ene addition of mercaptoalcohols to poly(vinylsiloxanes) under visible light photocatalysis – An approach towards cross-linkable hydrophilic silicones. *Polyhedron*. 2020; **185**:Article number: 114588.
4564. Nowacka, M.; Kowalewska, A., and Kręgiel, D. Farnesol-Containing Macromolecular Systems for Antibiofilm Strategies . *Surfaces*. 2020; **3**:(2):197-210.
4565. Nowacka, M.; Makowski, T., and Kowalewska, A. Hybrid fluorescent poly(Silsesquioxanes) with amide-and triazole-containing side groups for light harvesting and cation sensing. *Materials*. 2020; **13**:(20):Article number: 4491.
4566. Otulakowski, L.; Dworak, A.; Forys, A.; Gadzinowski, M.; Słomkowski, S.; Basińska, T., and Trzebicka,

B. Micellization of Polystyrene-b-Polyglycidol in Dioxane and Water/Dioxane Solutions. *Polymers*. 2020; **12**:(1):Article number: 200.

4567. Pakornpadungsit, P.; Prasopdee, T.; Swainson, N. M.; Chworoś, A., and Smitthipong, W. DNA:chitosan complex, known as a drug delivery system, can create a porous scaffold . *Polymer Testing*. 2020; **83**:Article number 106333.
4568. Pawlak, T.; Czajkowska-Szczykowska, D.; Jastrzębska, I.; Santillan, R.; Seroka, B.; Maj, J.; Morzycki, J. W.; Labra-Vazquez, P.; Farfan, N.; Bujacz, G. D., and Potrzebowski, M. J. Influence of Hydrogen/Fluorine Substitution on Structure, Thermal Phase Transitions, and Internal Molecular Motion of Aromatic Residues in the Crystal Lattice of Steroidal Rotors. *Crystal Growth & Design*. 2020; **20**:(4):2202-2216.
4569. Pawlikowska, E.; Kolesińska, B.; Nowacka, M., and Kregiel, D. A New Approach to Producing High Yields of Pulcherrimin from *Metschnikowia* Yeasts. *FERMENTATION-BASEL*. 2020; **6**:(4):Article number: 114.
4570. Pawłowska, K. A.; Hałasa, R.; Dudek, M. K.; Majdan, M.; Jankowska, K., and Granica, S. Antibacterial and anti-inflammatory activity of bistort (*Bistorta officinalis*) aqueous extract and its major components. Justification of the usage of the medicinal plant material as a traditional topical agent. *Journal of Ethnopharmacology*. 2020; **260**:Article number 113077.
4571. Perchacz, M.; Różański, A.; Kargarzadeh, H., and Gałęski, A. Cavitation in high density polyethylene/Al₂O₃ nanocomposites. *Composites Science and Technology*. 2020; **199**:Article number 108323.
4572. Petrovic, A. G.; Polavarapu, P. L.; Łopusiński, A.; Krasowska, D.; Wieczorek, W.; Szyrej, M.; Błaszczyk, J., and Drabowicz, J. Absolute Configuration and Conformation of (-)-R-t-Butylphenylphosphinoamidate: Chiroptical Spectroscopy and X-ray Analysis . *J Org Chem*. 2020; **85**:(22): 14456-14466.
4573. Pietrusiewicz, K. M.; Koprowski, M.; Drzazga, Z.; Parcheta, R.; Łastawiecka, E.; Demchuk, O. M., and Justyniak, I. Efficient oxidative resolution of 1-Phenylphosphol-2-Ene and diels-alder synthesis of enantiopure bicyclic and tricyclic P-Stereogenic C-P Heterocycles. *Symmetry-Basel*. 2020; **12**(3):Article number 346.
4574. Piórecka, K.; Janaszewska, A.; Majkowska, M.; Marcinkowska, M.; Kurjata, J.; Kaźmierski, S.; Radzikowska-Cieciura, E.; Kost, B.; Sowiński, P.; Klajnert-Maculewicz, B., and Stańczyk, W. A. Hydrophilic polyhedral oligomeric silsesquioxane, poss(OH)₃₂, as a complexing nanocarrier for doxorubicin and daunorubicin. *Materials*. 2020; **13**:(23):Article number 5512, 14 str.
4575. Piórecka, K.; Kurjata, J.; Bąk-Sypień, I.; Cypryk, M.; Steinke, U., and Stańczyk, W. A. Reasons for enhanced activity of doxorubicin on co-delivery with octa(3-aminopropyl)silsesquioxane. *RSC Advances*. 2020; **10**:(26):15579-15585.
4576. Piórecka, K.; Kurjata, J., and Stańczyk, W. A. Novel Polyhedral Silsesquioxanes [POSS(OH)₃₂] as Anthracycline Nanocarriers-Potential Anticancer Prodrugs. *Molecules*. 2020; **26**:(1):47.
4577. Piórecka, K.; Smith, D.; Kurjata, J.; Stańczyk, M., and Stańczyk, W. A. Synthetic routes to nanoconjugates of anthracyclines. *Bioorg Chem*. 2020; **96**:Article number 103617.
4578. Pluta, M.; Bojda, J.; Makowski, T.; Piórkowska, E.; Murariu, M.; Bonnaud, L., and Dubois, P. Significant modification of the surface morphology of polylactide (Pla) and pla-halloysite nanocomposites in the presence of n,n'-ethylenebis(stearamide) upon thermal treatment. *Express Polymer Letters*. 2020; **14**:(12):1155-1168.

4579. Radzikowska, E.; Kaczmarek, R.; Korczyński, D.; Krakowiak, A.; Mikołajczyk, B.; Baraniak, J.; Guga, P.; Wheeler, K. A.; Pawlak, T., and Nawrot, B. P-stereocontrolled synthesis of oligo(nucleoside N3 '-> O5 ' phosphoramidothioate)s - opportunities and limitations. *RSC Advances*. 2020; **10**:(58):35185-35197.
4580. Richert, M.; Trykowski, G. ; Walczyk, M.; Cieślak, M. J.; Kaźmierczak-Barańska, J.; Królewska-Golińska, K.; Sobczak, J. W., and Biniak, S. Modification of multiwalled carbon nanotubes with a ruthenium drug candidate - Indazolium[tetrachlorobis(1: H -indazole)ruthenate(iii)] (KP1019). *Dalton Transactions*. 2020; **49**:(46):16791-16800.
4581. Rubinsztajn, S.; Chojnowski, J.; Cypryk, M.; Mizerska, U.; Uznański, P., and Walkiewicz-Pietrzykowska, A. Reactions of titanium alkoxide with SiH containing polymers as a route to titanium/siloxane hybrid materials with enhanced refractive index. *Applied Organometallic Chemistry*. 2020; **34**:(5):Article number e5571.
4582. Rubinsztajn, S.; Mizerska, U.; Zakrzewska, J.; Uznanski, P.; Cypryk, M., and Fortuniak, W. Effect of temperature on B(C6F5)3-catalysed reduction of germanium alkoxides by hydrosilanes - a new route to germanium nanoparticles. *Dalton Transactions*. 2020; **49**:(22):7319-7323.
4583. Safandowska, M.; Różański, A., and Gałęski, A. Plasticization of polylactide after solidification: An effectiveness and utilization for correct interpretation of thermal properties. *Polymers*. 2020; **12**:(3):Article number 561.
4584. Shivakumar, K. I.; Pocięcha, D.; Szczytko, J.; Kapuściński, S.; Monobe, H., and Kaszyński, P. Photoconductive bent-core liquid crystalline radicals with a paramagnetic polar switchable phase. *J Mater Chem C*. 2020; **8**:(3):1083-1088.
4585. Skalik, J.; Koprowski, M.; Różycka-Sokołowska, E., and Bałczewski, P. The hetero-friedel-crafts-bradsher cyclizations with formation of ring carbon-heteroatom (P, s) bonds, leading to organic functional materials. *Materials*. 2020; **13**:(21):Article number: 4751.
4586. Socka, M.; Michalski, A.; Pelin, I. M.; Pawlak, A.; Tanasa, F.; Biela, T., and Baško, M. Preparation of biomimetic composites of hydroxyapatite and star-shaped poly(2,2-dimethyl trimethylene carbonate)s terminated with carboxyl end-groups. *Polymer*. 2020; **186**:Article number 122078.
4587. Suwara, J.; Łukasik, B.; Żurawiński, R.; Pawłowska, R. , and Chworoś, A. Highly Fluorescent Distyrylnaphthalene Derivatives as a Tool for Visualization of Cellular Membranes . *Materials*. 2020; **13**:(4):Article Number: 951 .
4588. Sztandera, K.; Marcinkowska, M.; Gorzkiewicz, M.; Janaszewska, A.; Laurent, R.; Zabłocka, M.; Mignani, S.; Majoral, J. P., and Klajnert-Maculewicz, B. In search of a phosphorus dendrimer-based carrier of rose bengal: Tyramine linker limits fluorescent and phototoxic properties of a photosensitizer. *International Journal of Molecular Sciences*. 2020; **21**:(12):Article number 4456.
4589. Szymański, R. Comment on "Synthesis of cyclic polymers and flaws of the Jacobson-Stockmayer theory" by H. R. Kricheldorf, et al., *Polym. Chem.*, 2020, 11, 2595. *Polymer Chemistry*. 2020; **11**:(38):6221-6225.
4590. Słowikowska, M.; Chajec, K.; Michalski, A.; Zapotoczny, S., and Wolski, K. Surface-initiated photoinduced iron-catalyzed atom transfer radical polymerization with ppm concentration of febr3 under visible light. *Materials*. 2020; **13**:(22):Article number: 5139.
4591. Trzeciak, K.; Kaźmierski, S.; Wielgus, E., and Potrzebowski, M. J. DiSupLo - New extremely easy and efficient method for loading of active pharmaceutical ingredients into the pores of MCM-41 mesoporous silica particles. *Microporous and Mesoporous Materials*. 2020; **308**:Article number:

4592. Trzeciak, K.; Paluch, P.; Pawlak, T.; Róžański, A.; Dudek, M. K., and Potrzebowski, M. J. The influence of the stereochemistry and C-end chemical modification of dermorphin derivatives on the peptide-phospholipid interactions. *BIOCHIMICA ET BIOPHYSICA ACTA-BIOMEMBRANES*. 2020; **1862**:(2):Article Number: 183066.
4593. Turek, M.; Pawłowska, B.; Różycka-Sokołowska, E.; Biczak, R.; Skalik, J.; Owsianik, K.; Marciniak, B., and Bałczewski, P. Ecotoxicity of ammonium chlorophenoxyacetate derivatives towards aquatic organisms: Unexpected enhanced toxicity upon oxygen by sulfur replacement. *Journal of Hazardous Materials*. 2020; **382**:Article number 121086.
4594. Turek, M.; Różycka-Sokołowska, E.; Owsianik, K.; Marciniak, B., and Bałczewski, P. Modification of the Microtox® Basic Solid Phase Test: A new application for the ecotoxicological studies on poorly soluble antihypertensive drugs. *Journal of Hazardous Materials*. 2020; **399**:Article number 122839.
4595. Urbaniak, M.; Gosecki, M.; Gostyński, B., and Gosecka, M. Synthesis of a monofunctional glycoluril molecular clip via cyclic imide formation on the convex site. *New J Chem*. 2020; **44**:(2):596-604.
4596. Uznański, P.; Walkiewicz-Pietrzykowska, A.; Jankowski, K.; Zakrzewska, J.; Wrobel, A. M.; Balcerzak, J., and Tyczkowski, J. Atomic Hydrogen Induced Chemical Vapor Deposition of Silicon Oxycarbide Thin Films Derived from Diethoxymethylsilane Precursor. *Applied Organometallic Chemistry*. 2020; **34**:(8):Article number e5674.
4597. Vert, M.; Chen, J. Z.; Hellwich, K. H.; Hodge, P.; Nakano, T.; Scholz, C.; Słomkowski, S., and Vohlidal, J. Nomenclature and terminology for linear lactic acid-based polymers (IUPAC Recommendations 2019). *Pure & Appl Chem*. 2020; **92**:(1):193-211.
4598. Vozniak, I.; Hosseinneshad, R.; Morawiec, J., and Gałęski, A. Microstructural evolution of poly(ϵ -caprolactone), its immiscible blend, and in situ generated nanocomposites. *Polymers*. 2020; **12**:(11):Article number: 2587, 14 str.
4599. Wirwis, A.; Mizerska, U.; Cypriak, M., and Trzeciak, A. M. The Heck synthesis of β -arylated ketones catalyzed by palladium immobilized on functional polysiloxane microspheres. *Applied Organometallic Chemistry*. 2020; **34**:(12):Article number: e5969.
4600. Wróblewska, A.; Śniechowska, J.; Kaźmierski, S.; Wielgus, E.; Bujacz, G.; Młostoń, G.; Chworoś, A.; Suwara, J., and Potrzebowski, M. J. Application of 1-Hydroxy-4,5-Dimethyl-Imidazole 3-Oxide as Cofomer in Formation of Pharmaceutical Cocrystals. *Pharmaceutics*. 2020; **12**:(4):Article number: 359.
4601. Zagórski, P. M.; Tokarz, P.; Gostyński, B., and Tokarz, P. Experimental and computational studies on the formation and biological properties of the simplest polyfluoroalkyl phosphonates. *New J Chem*. 2020; **44** : (26):10933-10945.
4602. Zielińska, A.; Siudem, P.; Paradowska, K.; Gralec, M.; Kaźmierski, S., and Wawer, I. Aronia melanocarpa fruits as a rich dietary source of chlorogenic acids and anthocyanins: 1H-NMR, HPLC-DAD, and chemometric studies. *Molecules*. 2020; **25**:(14):Article number: 3234.
4603. Łukasik, B.; Mikina, M. ; Mikołajczyk, M.; Pawłowska, R., and Żurawiński, R. A novel route to a chiral building block for the preparation of cyclopentenyl carbocyclic nucleosides. Synthesis and anticancer activity of enantiomeric neplanocins A. *RSC Advances*. 2020; **10**:(53):31838-31847.
4604. Ahankari, S.; Paliwal, P.; Subhedar, A., and Kargarzadeh, H. Recent Developments in

Nanocellulose-Based Aerogels in Thermal Applications: A Review . ACS NANO . 2021; **15**(3):3849-3874.

4605. Bandela, A. K.; Wagner, N.; Sadihov, H.; Morales-Reina, S.; Chotera-Ouda, A.; Basu, K.; Cohen-Luria, R.; de la Escosura, A., and Ashkenasy, G. Primitive selection of the fittest emerging through functional synergy in nucleopeptide networks. *Proc Natl Acad Sci USA*. 2021; **118**(9):Article Number: e2015285118 .
4606. Bartos, P.; Hande, A. A; Pietrzak, A.; Chrostowska, A., and Kaszyński, P. Substituent effects on the electronic structure of the flat Blatter radical: correlation analysis of experimental and computational data. *New J Chem*. 2021; **45**(48):22876-22887.
4607. Basińska, T.; Gadzinowski, M.; Mickiewicz, D., and Słomkowski, S. Functionalized Particles Designed for Targeted Delivery. *Polymers*. 2021; **13**(12):Article number: 2022.
4608. Bałczewski, P.; Kowalska, E.; Rożycka-Sokołowska, E.; Uznański, P.; Wilk, J.; Koprowski, M.; Owsianik, K., and Marciniak, B. Organosulfur Materials with High Photo- and Photo-Oxidation Stability: 10-Anthryl Sulfoxides and Sulfones and Their Photophysical Properties Dependent on the Sulfur Oxidation State. *Materials*. 2021; **14**(13):Article number: 3506.
4609. Bałczewski, P. and Owsianik, K. Quinquevalent phosphorus acids . Higham, L. J.; Allen, D. W., and Tebby, J. C., Eds. *Organophosphorus Chemistry*. Cambridge: Royal Society Chemistry; 2021; pp. 271-408.
Notes: 978-1-83916-205-3
4610. Bednarek, M.; Borska, K., and Kubisa, P. New Polylactide-Based Materials by Chemical Crosslinking of PLA. *Polymer Reviews*. 2021; **61**(3):493-519.
4611. Beloshenko, V.; Beygelzimer, Y.; Chishko, V.; Savchenko, B.; Sova, N.; Verbylo, D.; Voznyak, A., and Vozniak, I. Mechanical Properties of Flexible TPU-Based 3D Printed Lattice Structures: Role of Lattice Cut Direction and Architecture. *Polymers*. 2021; **13**(17):Article Number: 2986.
4612. Beloshenko, V.; Chishko, V.; Plavan, V.; Rezanova, N. ; Savchenko, B.; Sova, N., and Vozniak, I. Production of Filter Material from Polypropylene/Copolyamide Blend by Material Extrusion-Based Additive Manufacturing: Role of Production Conditions and ZrO₂ Nanoparticles. *3D Printing and Additive Manufacturing*. 2021; **8**(4):253-262.
4613. Beloshenko, V. A.; Vozniak, I.; Rezanova, N. M.; Savchenko, B. M.; Sova, N. V., and Chishko, V. V. Preparation of filtering materials from the mixtures of polypropylene-copolyamide using 3D-printing. New functional substances and materials for chemical engineering. Kijów: PH “Akademperiodyka”; 2021; p. 332.
Notes: ISBN: 978-966-360-444-2
4614. Bernat, R.; Maksym, P.; Tarnacka, M.; Koperwas, K.; Knapik-Kowalczyk, J.; Malarz, K.; Mrozek-Wilczkiewicz, A.; Dzienia, A. ; Biela, T.; Turczyn, R.; Orszulak, L.; Paluch, M.; Kamiński, K., and Hachuła, B. The effect of high-pressure on organocatalyzed ROP of γ -butyrolactone. *Polymer*. 2021; **233**:Article number: 124166.
4615. Bernat, R.; Maksym, P.; Tarnacka, M.; Malarz, K.; Mrozek-Wilczkiewicz, A.; Biela, T.; Golba, S.; Kaminska, E.; Paluch, M., and Kaminski, K. High pressure as a novel tool for the cationic ROP of gamma-butyrolactone. *RSC Advances*. 2021; **11**(55):34806-34819.
4616. Bieszczad, B.; Garbicz, D.; Świtalska, M.; Dudek M.K. ; Warszycki, D.; Wietrzyk, J.; Grzesiuk, E., and Mieczkowski, A. Improved hdac inhibition, stronger cytotoxic effect and higher selectivity against leukemias and lymphomas of novel, tricyclic vorinostat analogues. *Pharmaceuticals*. 2021;

14:(9):Article number: 851.

4617. Blauz, A.; Rychlik, B.; Plazuk, D.; Peccati, F.; Jimenez-Oses, G.; Steinke, U.; Sierant, M.; Trzeciak, K.; Skorupska, E., and Miksa, B. Biotin-phenosafranin as a new photosensitive conjugate for targeted therapy and imaging. *New J Chem.* 2021; **45**:(21):9691-9702.
4618. Bodzioch, A.; Pietrzak, A., and Kaszyński, P. Axially Chiral Stable Radicals: Resolution and Characterization of Blatter Radical Atropisomers. *Organic Lett.* 2021; **23**:(19):7508-7512.
4619. Bohush, A.; Góral, A.; Sierant, M.; Nawrot, B.; Leśniak, W., and Filipek, A. Sgt1 regulates α -synuclein subcellular localization and expression of parkinson's disease related genes, pink1 and park9. *Biomolecules.* 2021; **11** :(11):Article number: 1675.
4620. Bojda, J.; Piórkowska, E.; Łapienis, G., and Michalski, A. Shear-induced crystallization of star and linear poly(L-lactide)s. *Molecules.* 2021; **26**:(21):Article number: 6601.
4621. Borska, K.; Bednarek, M., and Pawlak, A. Reprocessable polylactide-based networks containing urethane and disulfide linkages. *European Polymer Journal.* 2021; **156**:Article number: 110636.
4622. Boulahia, R.; Załri, F.; Voznyak, Y., and Gloaguen, J.-M. Repeated equal-channel angular extrusion of polypropylene: Processing routes and back-pressure influence. *Materials Today Communications.* 2021; **26**:Article number101754.
4623. Brambilla, D.; Sola, L.; Ferretti, A. M.; Chiodi, E.; Zarovni, N.; Fortunato, D.; Criscuoli, M.; Dolo, V.; Giusti, I.; Murdica, V.; Czernek, L.; Duchler, M.; Vago, R.; Chiari, M., and Kluszczyrska, K. EV Separation: Release of Intact Extracellular Vesicles Immunocaptured on Magnetic Particles. *ANALYTICAL CHEMISTRY* . 2021; **93**:(13):5476-5483.
4624. Brzeziński, M.; Kost, B.; Gonciarz, W.; Krupa, A.; Socka, M., and Rogala, M. Nanocarriers based on block copolymers of l-proline and lactide: The effect of core crosslinking versus its pH-sensitivity on their cellular uptake. *European Polymer Journal.* 2021; **156**:Article number: 110572.
4625. Brzeziński, M.; Socka, M.; Makowski, T.; Kost, B.; Ciećśak, M., and Królewska-Golińska, K. Microfluidic-assisted nanoprecipitation of biodegradable nanoparticles composed of PTMC/PCL (co)polymers, tannic acid and doxorubicin for cancer treatment. *Colloids and Surfaces B: Biointerfaces.* 2021; **201**:Article number:111598 .
4626. Bujnicki, B.; Mielniczak, G.; Błaszczak, J.; Pokora-Sobczak, P.; Sieroń, L., and Drabowicz, J. The progress in crystal structure determination of organometallic complexes and their organic synthons containing selenium and stereogenic phosphorus as heteroatoms. *Phosphorus, Sulfur and Silicon and the Related Elements.* 2021.
4627. Ciastek-Iskrzycka S. ; Szczytko J. ; Monobe H. ; Pociecha D. ; Jasinski M. , and Kaszyński P. Paramagnetic ionic liquid crystals: Ion conductive bent-core derivatives of stable radicals. *Journal of Molecular Liquids.* 2021; **337**:Article number: 116028.
4628. Cierpień, T.; Kielbasiński, P.; Kwiatkowska, M.; Milczarek, M., and Wiktorska, K. Sulforaphane derivatives containing triazaphosphaadamantane (PTA) or o-carborane substituent. *Phosphorus, Sulfur and Silicon and the Related Elements.* 2021.
4629. Cieślak, M.; Napiórkowska, M.; Kaźmierczak- Barańska, J.; Królewska-Golińska, K.; Hawrył, A.; Wybrańska, I., and Nawrot, B. New succinimides with potent anticancer activity: Synthesis, activation of stress signaling pathways and characterization of apoptosis in leukemia and cervical cancer cells. *International Journal of Molecular Sciences.* 2021; **22**:(9):Article number: 4318.

4630. Cypryk, W. and Matikainen, S. NLRP3 inflammasome activation modulates exosomal RNA content and inhibits inflammatory responses in recipient cells. *ExRNA* . 2021; **3**:Article number: e12127.
4631. Czyłkowska, A.; Szczesio, M.; Raducka, A.; Rogalewicz, B.; Kręcisz, P.; Czarnecka, K.; Szymański, P.; Pitucha, M., and Pawlak, T. Cytotoxic Activity against A549 Human Lung Cancer Cells and ADMET Analysis of New Pyrazole Derivatives. *International Journal of Molecular Sciences* . 2021; **22**:(13):Article number: 6692.
4632. Dahlman, C. J.; Kennard, R. M.; Paluch, P.; Venkatesan, N. R.; Chabiny, M. L., and Manjunatha Reddy, G. N. Dynamic Motion of Organic Spacer Cations in Ruddlesden-Popper Lead Iodide Perovskites Probed by Solid-State NMR Spectroscopy. *Chem Mater*. 2021; **33**:(2):642-656.
4633. Dolot, R.; Krakowiak, A.; Kaczmarek, R.; Włodarczyk, A.; Pichlak, M., and Nawrot, B. Biochemical, crystallographic and biophysical characterization of histidine triad nucleotide-binding protein 2 with different ligands including a non-hydrolyzable analog of Ap4A. *Biochimica Et Biophysica Acta (BBA) - General Subjects*. 2021; **1865**:(11):Article number: 129968.
4634. Domanski, M. A.; Kraszewski, K.; Paluch, P., and Gunka, P. A. Arsenic(III)-oxide Intercalates with Potassium Chloride: Water-Induced Varieties and New Synthesis Methods. *Crystal Growth & Design*. 2021; **21** :(9):5215-5222.
4635. Druzbicki, K.; Gaboardi, M., and Fernandez-Alonso, F. Dynamics & Spectroscopy with Neutrons-Recent Developments & Emerging Opportunities. *Polymers*. 2021; **13**:(9):Article Number: 1440 .
4636. Druzbicki, K.; Lavén, R.; Armstrong, J.; Malavasi, L.; Fernandez-Alonso, F., and Karlsson, M. Cation Dynamics and Structural Stabilization in Formamidinium Lead Iodide Perovskites. *The Journal of Physical Chemistry Letters*. 2021; **12**:(14):3503-3508.
4637. Dudek, M.; Kaźmierski, S., and Potrzebowski, M. Fast and very fast MAS solid state NMR studies of pharmaceuticals. Webb, G. A., Ed. *Annual Reports on NMR Spectroscopy*. Oxford: Elsevier; 2021; pp. 97-189.
Notes: ISBN: 978-0-12-824613-9
4638. Dumbovic G. ; Braunschweig U. ; Langner H.K. ; Smallegan M. ; Biayna J. ; Hass E.P. ; Jastrzębska K. ; Blencowe B. ; Cech T.R. ; Caruthers M.H. , and Rinn J.L. Nuclear compartmentalization of TERT mRNA and TUG1 lncRNA is driven by intron retention. *Nature Communications*. 2021; **12**:(1):Article number: 3308.
4639. Gadzinowski, M.; Mickiewicz, D., and Basińska, T. Spherical versus prolate spheroidal particles in biosciences: Does the shape make a difference? *Polym Adv Technol*. 2021; **32**:(10):3867-3876.
4640. Ganicz, T. and Rózga-Wijas, K. Siloxane-starch-based hydrophobic coating for multiple recyclable cellulosic materials. *Materials*. 2021; **14**:(17):Article number: 4977.
4641. Gleńsk, M.; Dudek, M. K.; Ciach, M., and Włodarczyk, M. Isolation and structural determination of flavan-3-ol derivatives from the *Polypodium vulgare* L. rhizomes water extract. *NATURAL PRODUCT RESEARCH*. 2021; **35**:(9):1474-1483.
4642. Gleńsk M. ; Dudek M.K. ; Rybacka A. ; Włodarczyk M. , and Fecka I. Triterpenoids from strawberry *Fragaria × ananassa* Duch. cultivar Senga Sengana leaves. *Industrial Crops and Products*. 2021; **169**:Article number: 113668.
4643. Gosecka, M. and Gosecki, M. Antimicrobial polymer-based hydrogels for the intravaginal therapies—engineering considerations. *Pharmaceutics*. 2021; **13**:(9):Article number: 1393.

4644. Gosecki, M.; Gosecka, M., and Urbaniak, M. Oxidative esterification of aliphatic alpha,omega-diols, an alternative route to polyester precursors for the synthesis of polyurethanes. *Polymer Chemistry*. 2021; **12**:7031-7037.
4645. Gosecki, M.; Setala, H.; Virtanen, T., and Ryan, A. J. A facile method to control the phase behavior of hydroxypropyl cellulose. *Carbohydrate Polymers*. 2021; **251**: Article Number: 117015 .
4646. Gosecki, M.; Ziemczonek, P.; Maczugowska, P.; Czaderna-Lekka, A.; Kozanecki, M., and Gosecka, M. The influence of 2-acrylamidephenylboronic acid on the phase behaviour of its copolymers with N-isopropylacrylamide in aqueous solution. *Polymer Chemistry*. 2021; **12**:(22):3264-3275.
4647. Graczyk, A.; Pawłowska, R., and Chworoś, A. Functional RNA-AuNP conjugates for gene expression regulation based on the GFP example. 2021; **11**: 127-127.
4648. Graczyk, A.; Pawłowska, R., and Chworoś, A. Gold Nanoparticles as Carriers for Functional RNA Nanostructures. *Bioconjugate Chemistry*. 2021; **32**:(8):1667-1674.
4649. Guschlbauer, J.; Shaughnessy, K. H.; Pietrzak, A.; Chung, M-Ch.; Sponsler, M. B., and Kaszyński, P. [*clos*_o-B₁₀H₈-1,10-(CN)₂]₂ as a Conduit of Electronic Effects: Comparative Studies of Fe···Fe Communication in [$\{(\eta^5\text{-Cp})(\text{dppe})\text{Fe}\}_2\{\mu_2\text{-(NC-X-CN)}\}\}^{n+}$ ($n = 0, 2$). *Organometallics*. 2021; **40**:(15):2504-2515.
4650. Górską-Jakubowska, S.; Klimaszewska, M.; Podsadni, P.; Kaleta, B.; Zagożdżon, R.; Górską, S.; Gamian, A.; Strączek, T.; Kapusta, Cz.; Cieślak, M.; Kaźmierczak-Barańska, J.; Nawrot, B., and Turło, J. Selenium-containing exopolysaccharides isolated from the culture medium of *lentinula edodes*: Structure and biological activity. *International Journal of Molecular Sciences*. 2021; **22**:(23):Article number: 13039.
4651. Han, J. L.; Dembiński, R.; Soloshonok, V. A., and Klika, K. D. A Call for a Change in Policy Regarding the Necessity for SDE Tests to Validate the Veracity of the Outcome of Enantioselective Syntheses, the Inherent Chiral State of Natural Products, and Other Cases Involving Enantioenriched Samples. *Molecules*. 2021; **26**:(13):Article number: 3994.
4652. Horodecka, K. and Duchler, M. Crispr/cas9: Principle, applications, and delivery through extracellular vesicles. *International Journal of Molecular Sciences*. 2021; **22**:(11):Article number: 6072.
4653. Hosseinneshad, R. Shear-Induced and Nanofiber-Nucleated Crystallization of Novel AliphaticAromatic Copolyesters Delineated for In Situ Generation of Biodegradable Nanocomposites . *Polymers*. 2021; **13**:(14):Article number: 2315.
4654. Hosseinneshad, R.; Vozniak, I.; Morawiec, J., and Gałęski, A. Evolution of green in-situ generated polyamide nanofibers controlled by viscoelasticity. *Express Polymer Letters*. 2021; **15**:(3):250-261.
4655. Hosseinneshad, R.; Vozniak, I., and Zairi, F. In Situ Generation of Green Hybrid Nanofibrillar Polymer-Polymer CompositesA Novel Approach to the Triple Shape Memory Polymer Formation . *Polymers*. 2021; **13**:(12):Article number: 1900.
4656. Jabłońska, J.; Jankowski, K.; Tomasik, M.; Cykalewicz, D.; Uznański, P.; Całuch, S.; Szybowicz, M.; Zakrzewska, J., and Mazurek, P. Preparation of silver nanoparticles in a high voltage AC arc in water. *SN Applied Sciences*. 2021; **3**:(2):Article number: 244.
4657. Jakubowski, R.; Pecyna, J.; Ali, M. o.; Pietrzak, A.; Friedli, A. C., and Kaszyński, P. Polar derivatives of [closo-1-CB9H10](-) and [closo-1-CB11H12](-) anions as high Delta epsilon additives to a nematic host: a comparison of the CH2CH2 and COO linking groups . *Dalton Transactions*. 2021;

4658. Jasinska-Walc, L.; Bouyahyi, M.; Kruszynski, J.; Tercjak, A.; Różański, A.; Troisi, E. M.; Liu, Y.; Yang, L.; Ivashkiv, O.; Sienkiewicz, M., and Duchateau, R. Preparation of Well-Compatibilized PP/PC Blends and Foams Thereof. *ACS APPLIED POLYMER MATERIALS* . 2021; **3**:(11).
4659. Jaszczak-Wilke, E.; Polkowska, Z.; Koprowski, M.; Owsianik, K.; Mitchell, A. E., and Bałczewski, P. Amygdalin: Toxicity, Anticancer Activity and Analytical Procedures for Its Determination in Plant Seeds. *Molecules*. 2021; **26** :(8):Article number : 2253.
4660. Kaczmarek, R.; Twardy, D. J.; Olson, T. L.; Korczyński, D.; Andrei, G.; Snoeck, R.; Dolot, R.; Wheeler, K. A., and Dembiński, R. Extension of fuoropyrimidine nucleosides with 5-alkynyl substituent: Synthesis, high fluorescence, and antiviral effect in the absence of free ribose hydroxyl groups. *European Journal of Medicinal Chemistry*. 2021; **209**: Article Number: 112884 .
4661. Kamiński, K.; Ludwiczak, J.; Jasiński, M.; Bukala, A.; Madaj, R.; Szczepaniak, K., and Dunin-Horkawicz, S. Rossmann-toolbox: a deep learning-based protocol for the prediction and design of cofactor specificity in Rossmann fold proteins. *Briefings in Bioinformatics*. 2021; **23**:(1):1-11.
4662. Kandil, K.; Kaoua, S. A.; Mesbah, A.; Voznyak, Y; Zairi, F., and Zairi, F. A novel bio-inspired hydrogel-based lattice structure to mechanically mimic human annulus fibrosus: A finite element study. *International Journal of Mechanical Sciences*. 2021; **211**:Article number: 106775.
4663. Kaniowski, D.; Ebenryter-Olbińska, K.; Kulik, K.; Suwara, J.; Cypriak, W.; Jakóbiak-Kolon, A.; Leśnikowski, Z., and Nawrot, B. Composites of nucleic acids and boron clusters (C₂ B₁₀ H₁₂) as functional nanoparticles for downregulation of EGFR oncogene in cancer cells. *International Journal of Molecular Sciences*. 2021; **22**:(9):Article number: 4863 .
4664. Kapuscinski, S.; Abdulmojeed, M. B.; Schafer, T. E.; Pietrzak, A.; Hietsoi, O.; Friedli, A. C., and Kaszyński, P. Photonic materials derived from the [closo-B₁₀H₁₀](2-) anion: tuning photophysical properties in [closo-B₁₀H₈-1-X-10-(4-Y-NC₅H₅)](-) . *INORGANIC CHEMISTRY FRONTIERS*. 2021; **8**:(4):1066-1082.
4665. Kapuściński, Sz.; Szczytko, J.; Pocięcha, D.; Jasiński, M., and Kaszyński, P. Discs, dumbbells and superdiscs: Molecular and supermolecular architecture dependent magnetic behavior of mesogenic Blatter radical derivatives. *Materials Chemistry Frontiers*. 2021; **5**:(17):6512-6521.
4666. Khalaji, M.; Potrzebowski, M. J., and Dudek, M. K. Virtual Cocrystal Screening Methods as Tools to Understand the Formation of Pharmaceutical Cocrystals - A Case Study of Linezolid, a Wide-Range Antibacterial Drug. *Crystal Growth & Design*. 2021; **21**:(4):2301-2314.
4667. Klimaszewska, M.; Górka, S.; Łapienis, G.; Kaleta, B.; Górka, S.; Kaszowska, M.; Dawidowski, M.; Gamian, A.; Zagożdżon, R.; Gorski, A., and Turło, J. Identification of the Primary Structure of Selenium-Containing Polysaccharides Selectively Inhibiting T-Cell Proliferation. *Molecules*. 2021; **26**(17):Article number: 5404.
4668. Kolasa, M.; Galita, G.; Majsterek, I.; Kucharska, E.; Czerczak, K.; Wasko, J.; Becht, A.; Fraczyk, J.; Gajda, A.; Pietrzak, L.; Szymański, Ł.; Krakowiak, A.; Draczyński, Z., and Kolesińska, B. Screening of Self-Assembling of Collagen IV Fragments into Stable Structures Potentially Useful in Regenerative Medicine . *International Journal of Molecular Sciences*. 2021; **22**:(24):Article number: 13584.
4669. Kopka, B.; Kost, B.; Rajkowska, K.; Pawlak, A.; Kunicka-Styczyńska, A.; Biela, T., and Baško, M. A simple strategy for efficient preparation of networks based on poly(2-isopropenyl-2-oxazoline), poly(ethylene oxide), and selected biologically active compounds: Novel hydrogels with

antibacterial properties . *Soft Matter*. 2021; **17**:10683-10695.

4670. Kost, B. and Baško, M. Synthesis and properties of l-lactide/1,3-dioxolane copolymers: preparation of polyesters with enhanced acid sensitivity . *Polymer Chemistry*. 2021; **12**:(17):2551-2562.
4671. Kost, B.; Gonciarz, W.; Krupa, A.; Socka, M.; Rogala, M.; Biela, T., and Brzeziński, M. pH-tunable nanoparticles composed of copolymers of lactide and allyl-glycidyl ether with various functionalities for the efficient delivery of anti-cancer drugs. *Colloids and Surfaces B: Biointerfaces*. 2021; **204**:Article number: 111801 .
4672. Kowalewska, A.; Bojda, J.; Palusiak, M.; Markiewicz, E.; Ławniczak, P.; Nowacka, M.; So³tysiak, J.; Różański, A., and Piórkowska, E. Supramolecular interactions involving fluoroaryl groups in hybrid blends of polylactide and ladder polysilsesquioxanes. *Polymer Testing*. 2021; **94**:Article number: 107033.
4673. Kowalewska, A.; Herc, A. S.; Bojda, J.; Nowacka, M.; Svyntkivska, M.; Piórkowska, E.; Kaczorowski, W., and Szymański, W. Phase structure and properties of ternary polylactide/ poly(Methyl methacrylate)/polysilsesquioxane blends . *Polymers*. 2021; **13**:(7):Article number: 1033.
4674. Koźmiński, P.; Gawęda, W.; Rzewuska, M.; Kopatys, A.; Kujda, Sz.; Dudek, M. K.; Halik, P. K.; Królicki, L. , and Gniazdowska, E. Physicochemical and Biological Study of ^{99m}Tc and ⁶⁸Ga Radiolabelled Ciprofloxacin and Evaluation of [^{99m}Tc]Tc-CIP as Potential Diagnostic Radiopharmaceutical for Diabetic Foot Syndrome Imaging . *Tomography*. 2021; **7**:(4):829-842.
4675. Krasowska, D.; Karpowicz, R., and Drabowicz, J. Chiral Polythiophenes: Part I: Syntheses of Monomeric Precursors. *Molecules*. 2021; **26**:(14):Article number: 4205.
4676. Krasowska, D.; Wysocki, S.; Janicka, M.; Girek, T.; Mielniczak, A., and Drabowicz, J. Chiral polymers based on thiophenes functionalized at the 3-position with a pendant containing a stereogenic sulfur atom. Synthetic and structural aspects . *Polymer Chemistry*. 2021; **12**:(11):1707-1719.
4677. Krzystyniak, M.; Druzbicki, K.; Tolnai, I., and Fabian, M. Local structure and dynamics of tungsten oxide-based glasses: insights from concurrent neutron diffraction and Compton scattering. *Journal of Physics Communications*. 2021; **5**:(7):Article number: 075013.
4678. Kubisa, P.; Łapienis, G., and Biela, T. Star-shaped copolymers with PLA-PEG arms and their potential applications as biomedical materials . *Polym Adv Technol*. 2021; **32**:(10):3857-3866.
4679. Kudzin, M. H.; Giełdowska, M.; Krata A.A. ; Sulak, E.; Urbaniak, P., and Drabowicz, J. Phosphorylation of chitosan (chitin) surface with PCl₃. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2021:DZCHO.
4680. Kudzin, M. H.; Mrozińska, Z.; Giełdowska, M.; Krata A.A. ; Urbaniak, P., and Drabowicz, J. Phosphorylation of the cellulose surface with PCl₃ and P(O)Cl₃. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2021.
4681. Kwiatkowska, M.; Błaszczuk, J.; Sieroń, L., and Kielbasinski, P. Enzymatic Approach to the Synthesis of Enantiomerically Pure Hydroxy Derivatives of 1,3,5-Triaza-7-phosphaadamantane. *J Org Chem*. 2021; **86**:(13):8556-8562.
4682. Kwiatkowska, M. and Kielbasiński, P. Attempts at the enzymatic synthesis of chiral ester derivatives of 1,3,5-triaza-7-phosphaadamantane (PTA). *Phosphorus, Sulfur and Silicon and the Related Elements*. 2021.
4683. Lalik, E.; Druzbicki, K.; Irvine, G.; Gutmann, M.; Rudie, S.; Manuel, P.; Petukček, V., and Krzystyniak,

M. Interplay between Local Structure and Nuclear Dynamics in Tungstic Acid: A Neutron Scattering Study. *J Phys Chem C*. 2021; **125**:(43):23864-23879.

4684. Luginbuhl, B. R.; Raval, P.; Pawlak, T.; Du, Z.; Wang, T.; Kupgan, G.; Schopp, N.; Chae, S.; Yoon, S.; Yi, A.; Kim, H. J.; Coropceanu, V.; Brédas, J-L.; Nguyen, T-Q., and Manjunatha Reddy, G-N. Resolving Atomic-Scale Interactions in Nonfullerene Acceptor Organic Solar Cells with Solid-State NMR Spectroscopy, Crystallographic Modelling, and Molecular Dynamics Simulations. *Adv Materials*. 2021; **34**:(6):Article number: 2105943.
4685. Madaj, R.; Geoffrey, B.; Sanker, A., and Valluri, P. P. Target2DeNovoDrug: a novel programmatic tool for in silico-deep learning based de novo drug design for any target of interest. *J Biomolec Struct Dyn*. 2021:DZCHB.
4686. Madaj, R.; Gostyński, B.; Pawłowska, R., and Chworoś, A. Tissue-Nonspecific Alkaline Phosphatase (TNAP) as the Enzyme Involved in the Degradation of Nucleotide Analogues in the Ligand Docking and Molecular Dynamics Approaches . *Biomolecules*. 2021; **11**:(8):Article number: 1104.
4687. Madaj, R.; Pawłowska, R., and Chworoś A. In silico exploration of binding of selected bisphosphonate derivatives to placental alkaline phosphatase via docking and molecular dynamics. *J Mol Graph Model*. 2021; **103**:Article number: 107801.
4688. Madaj, R.; Sroczynski, W.; Sójka, M.; Olejnik, T. P., and Sobiecka, E. Batch mode reactor for 3,5-dinitrosalicylic acid degradation by phanerochaete chrysosporium. *Processes*. 2021; **9**:(1):Article number: 105, 9 str.
4689. Madalińska, L.; Kielbasiński, P., and Kwiatkowska, M. Enzymatic kinetic resolution in the synthesis of new precursors of P-chiral organophosphorus catalysts: phosphines and their P-boranes. *Phosphorus, Sulfur and Silicon and the Related Elements*. 2021.
4690. Majoral, J. P.; Zablocka, M.; Ciepluch, K.; Milowska, K.; Bryszewska, M.; Shcharbin, D.; Katir, N.; El Kadib, A.; Camina, A-M., and Mignani, S. Hybrid phosphorus-viologen dendrimers as new soft nanoparticles: Design and properties. *Organic Chemistry Frontiers*. 2021; **8**:(16):4607-4622.
4691. Makarewicz, C.; Safandowska, M.; Idczak, R., and Różański, A. Positron Annihilation Lifetime Spectroscopic Analysis of Plastic Deformation of High-Density Polyethylene. *Macromolecules*. 2021; **54**:(20):9649-9662.
4692. Maliszewska-Olejniczak, K.; Kaniowski, D.; Araszkievicz, M.; Tyminska, K., and Korgul, A. Molecular Mechanisms of Specific Cellular DNA Damage Response and Repair Induced by the Mixed Radiation Field During Boron Neutron Capture Therapy. *FRONTIERS IN ONCOLOGY* . 2021; **11**:Article Number: 676575 .
4693. Mignani, S.; Shi, X.; Zablocka, M., and Majoral, J.-P. Dendritic Macromolecular Architectures: Dendrimer-Based Polyion Complex Micelles. *Biomacromolecules*. 2021; **22**:(2):262-274.
4694. Mikołajczyk, M.; Ziemnicka, B.; Krzywański, J.; Cypryk, M., and Gostyński, B. Nucleophilic Substitution at Tetracoordinate Phosphorus. Stereochemical Course and Mechanisms of Nucleophilic Displacement Reactions at Phosphorus in Diastereomeric cis- and trans-2-Halogeno-4-methyl-1,3,2-dioxaphosphorinan-2-thiones: Experimental and DFT Studies. *Molecules*. 2021; **26**:(12):Article number: 3655.
4695. Miksa, B.; Steinke, U.; Trzeciak, K.; Śniechowska, J., and Różański, A. Thermostable Fluorescent Capsules with the Cross-Linked Heterocyclic Polymer Shell from Poly(pyrrole-phenosafranin) . *Macromol Chem Phys*. 2021; **222**:(7):Article Number: 2000396 .

4696. Mizerska, U.; Fortuniak, W.; Makowski, T.; Syntkivska, M.; Piórkowska, E.; Kowalczyk, D.; Brzezinski, S., and Kregiel, D. Antibacterial electroconductive rGO modified cotton fabric. *Polym Adv Technol.* 2021; **32**:(10):3975-3981.
4697. Mizerska, U.; Fortuniak, W.; Rubinsztajn, M., and Chojnowski, J. Impact of cross-linker on the structure and hydrophilic–hydrophobic properties of polyhydromethylsiloxane-derived microspheres. *Polym Adv Technol.* 2021; **32**:(10):3967-3974.
4698. Mkrtchyan, S. and Iaroshenko, V. O. Arylation of ortho-Hydroxyarylenaminones by Sulfonium Salts and Arenesulfonyl Chlorides: An Access to Isoflavones. *J Org Chem.* 2021; **86**:(7):4896-4916.
4699. Mkrtchyan, S. and Iaroshenko, V. O. Mechanochemical synthesis of aromatic sulfonamides. *Chem Commun.* 2021; **57**:(84):1102911032.
4700. Mkrtchyan, S.; Jakubczyk, M.; Lanka, S.; Pittelkow, M., and Iaroshenko, V. O. Cu-Catalyzed Arylation of Bromo-Difluoro-Acetamides by Aryl Boronic Acids, Aryl Trialkoxysilanes and Dimethyl-Aryl-Sulfonium Salts: New Entries to Aromatic Amides. *Molecules.* 2021; **26**:(10):Article Number: 2957 .
4701. Mkrtchyan, S.; Jakubczyk, M.; Lanka, S.; Yar, M.; Ayub, K.; Shkooor, M.; Pittelkow, M., and Iaroshenko, V. O. Mechanochemical Transformation of CF₃ Group: Synthesis of Amides and Schiff Bases. *Advanced Synthesis & Catalysis.* 2021; **363**:(24):5448-5460.
4702. Mohd, N. H.; Kargarzadeh, H.; Miyamoto, M.; Uemiya, S.; Sharer, N.; Baharum, A.; Peng, T. L.; Ahmad, I.; Yarmo, M. A., and Othaman, R. Aminosilanes grafted nanocrystalline cellulose from oil palm empty fruit bunch aerogel for carbon dioxide capture. *Journal of Materials Research and Technology.* 2021; **13**:2287-2296.
4703. Nowacka, M.; Rygała, A.; Kregiel, D., and Kowalewska, A. New Antiadhesive Hydrophobic Polysiloxanes. *Molecules.* 2021; **26**:(4):Article Number: 814 .
4704. Paluch, P.; Kupče, Ě.; Trébosc, J.; Lafon, O., and Amoureux, J.-P. Hadamard acquisition of ¹³C¹³C 2-D correlation NMR spectra. *Magn Reson Chem.* 2021; **59**:(3):247-256.
4705. Pawlak, A. Splątania polimerów a ich zdolnořć do odkształcania na przykładzie polipropylenu. Modyfikacja polimerów : stan i perspektywy w roku 2021. Wrocław: Wydawnictwo Tempo s.c.; 2021; pp. 229-232.
4706. Pawlak, A.; Borska, K., and Bednarek, M. Sieci polilaktydowe zawierające połączenia uretanowe i disiarczkowe. Modyfikacja polimerów : stan i perspektywy w roku 2021. Wrocław: Wydawnictwo Tempo s.c.; 2021. Notes: ISBN: 978-83-86520-25-1
4707. Pawlak, A.; Vozniak, I.; Krajenta, J.; Beloshenko, V., and Gałęski, A. Strain-induced consolidation of partially disentangled polypropylene. *Express Polymer Letters.* 2021; **15**:(10):940-956.
4708. Pawlak T. ; Sudgen I. ; Bujacz G. ; Iuga D. ; Brown S.P. , and Potrzebowski M.J. Synergy of Solid-State NMR, Single-Crystal X-ray Diffraction, and Crystal Structure Prediction Methods: A Case Study of Teriflunomide (TFM). *Crystal Growth & Design.* 2021; **21**:(6):3328-3343.
4709. Pawlak, T.; Szczesio, M., and Potrzebowski, M. J. Single-crystal x-ray and solid-state nmr characterisation of and-1184 and its hydrochloride form. *Materials.* 2021; **14**:(23):Article number: 7175.
4710. Pawłowska, R.; Suwara, J.; Łukasik, B.; Źurawiński, R., and Chworoř, A. The adenosine carbocyclic analogue and its impact on human squamous carcinoma cells. 2021; **11**, 426-426.

4711. Penczek, S. Preface. *Polym Adv Technol*. 2021; **32**:(10):3834-3834.
4712. Penczek, S.; Pretula, B., and Słomkowski, S. Ring-opening polymerization. *Chemistry Teacher International*. 2021; **3**:(2):33-57.
4713. Penczek, S. and Pretula, J. Activated Monomer Mechanism (AMM) in Cationic Ring-Opening Polymerization. The Origin of the AMM and Further Development in Polymerization of Cyclic Esters. *ACS Macro Letters*. 2021; **10**:(11):1377-1397.
4714. Pietrzak, A.; Guschlbauer, J., and Kaszyński, P. Structure of a fe4o6-heteradamantane-type hexacation stabilized by chelating organophosphine oxide ligands. *Materials*. 2021; **14**:(22):Article number: 6840.
4715. Piórecka, K.; Kurjata, J., and Stańczyk, W. Nanoarchitectonics: Complexes and Conjugates of Platinum Drugs with Silicon Containing Nanocarriers. An Overview. *International Journal of Molecular Sciences*. 2021; **22**:(17):Article number:: 9264.
4716. Podskoczyj, K.; Kulik, K.; Wasko, J.; Nawrot, B.; Suzuki, T., and Leszczyńska, G. Synthesis and properties of the anticodon stem-loop of human mitochondrial tRNAMetcontaining the disease-related G or m1G nucleosides at position 37. *Chem Commun*. 2021; **57**:(93):12540-12543.
4717. Polińska, M.; Różański, A.; Gałęski, A., and Bojda, J. The Modulus of the Amorphous Phase of Semicrystalline Polymers. *Macromolecules*. 2021; **54**:(19):9113-9123.
4718. Pospiech, P.; Olejnik, K.; Mizeerska, U., and Zakrzewska, J. Influence of polysiloxane microspheres on hydrophobicity, structure and mechanical properties of paper materials. *Cellulose*. 2021; **28**:(3):1687-1702.
4719. Priya Dharshini, K.; Fang, H.; Ramya Devi, D.; Yang, J.-X.; Luo, R.-H.; Zheng, Y.-T.; Brzeziński, M., and Vedha Hari, B. N. pH-sensitive chitosan nanoparticles loaded with dolutegravir as milk and food admixture for paediatric anti-HIV therapy. *Carbohydrate Polymers*. 2021; **256**:Article number 117440.
4720. Rahmanian, V. and Gałęski, A. Cavitation in strained polyethylene/nanographene nanocomposites. *Polymer*. 2021; **232**:Article number: 124158.
4721. Richert, M.; Mikstaka, R.; Walczyk, M.; Cieślak, M.; Kaźmierczak-Barańska, J.; Królewska-Golińska, K.; Muzioł, T. M., and Biniak, S. Gold(I) complexes with p-donor ligands and their biological evaluation. *Processes*. 2021; **9**:(12):Article number: 2100.
4722. Rosli, N. A.; Karamanlioglu, M.; Kargarzadeh, H., and Ahmad, I. Comprehensive exploration of natural degradation of poly(lactic acid) blends in various degradation media: A review. *International Journal of Biological Macromolecules*. 2021; **187**:732-741.
4723. Rubinsztajn, S.; Chojnowski, J.; Mizerska, U.; Baško, M.; Uznański, P.; Walkiewicz-Pietrzykowska, A., and Cypriak, M. Reactions of Zirconium (IV) n -Propoxide with SiH-Functional Polysiloxanes as a Route to Siloxane–Zirconium Hybrid Materials with Enhanced Refractive Index. *Macromol Rapid Comm*. 2021; **42**:(5):Article number: 200601.
4724. Różga-Wijas, K.; Bąk-Sypień, I.; Turecka, K.; Narajczyk, M., and Waleron, K. Cationic Phenosafranin Photosensitizers Based on Polyhedral Oligomeric Silsesquioxanes for Inactivation of Gram-Positive and Gram-Negative Bacteria. *International Journal of Molecular Sciences*. 2021; **22**:(24):13373.
4725. Różański, A.; Polińska, M.; Gałęski, A., and Bojda, J. Modu ł fazy amorficznej polimerów

krystalizujących. Modyfikacja polimerów. Stan i perspektywy w roku 2021. Wrocław: Wydawnictwo Tempo s.c. ; 2021.
Notes: ISBN: 978-83-86520-25-1

4726. Safandowska, M.; Makarewicz, C.; Róžański, A., and Idczak, R. Rola mikrostruktury fazy amorficznej we w³aeciwoæciach barierowych polilaktydu i jego mieszanin. Modyfikacja polimerów. Stan i perspektywy w roku 2021. Wrocław: Wydawnictwo Tempo s.c.; 2021; pp. 304-307.
Notes: ISBN: 978-83-86520-25-1
4727. Safandowska, M. and Róžański, A. Ring-banded spherulites in polylactide and its blends. *Polymer Testing*. 2021; **100**:Article number: 107230.
4728. Salomończyk, G. A Fast and Convenient Synthesis of New Water-Soluble, Polyanionic Dendrimers . *Molecules*. 2021; **26**:(16):Article number : 4754.
4729. Sierant, M.; Szewczyk, R.; Królewska-Golińska, K.; Dziergowska, A.; Bernat, P.; Sochacka, E., and Nawrot, B. Intracellular damage of mcm5S2U-tRNA induced by oxidative stress. 2021; **11**: 489-489.
4730. Slouf, M.; Gajdosova, V.; Krajenta, J, and Pawlak, A. Macromechanical and micromechanical properties of polymers with reduced density of entanglements. *Polym Eng Sci*. 2021; **61**:(6):1773-1790.
4731. Sosnowski, S.; Szymański, R.; Lorandi, F.; Olszewski, M.; Sobieski, J.; Yin, R.; Bockstaller, M. R., and Matyjaszewski, K. Distribution of Alternating Sequences in Methyl Methacrylate/ n-Butyl Acrylate Copolymers Prepared by Atom Transfer Radical Polymerization. *Macromolecules*. 2021; **54**: (21):9837-9849.
4732. Sowiński, P.; Piórkowska, E.; Boyer, S. A. E., and Haudin, J.-M. High-pressure crystallization of ipp nucleated with 1,3:2,4-bis(3,4-dimethylbenzylidene)sorbitol. *Polymers*. 2021; **13**:(1):Article number 145, 15 str.
4733. Subhedar, A.; Bhadauria, S.; Ahankari, S., and Kargarzadeh, H. Nanocellulose in biomedical and biosensing applications: A review. *International Journal of Biological Macromolecules*. 2021; **166**:587-600.
4734. Suwara, J.; Radzikowska-Cieciura, E.; Madaj, R.; Graczyk, A., and Pawłowska, R. The influence of ectonucleotidases expression on ATP-dependent extracellular signalling. 2021; **11**: 426-426.
4735. Svyntkivska, M.; Makowski, T.; Piórkowska, E.; Brzeziński, M.; Herc, A., and Kowalewska, A. Modification of Polylactide Nonwovens with Carbon Nanotubes and Ladder Poly(silsesquioxane). *Molecules*. 2021; **26**:(5):Article Number: 1353 .
4736. Szczupak, P.; Sierant, M., and Nawrot, B. Substrate specificity of the MBP-SelU fusion protein (Escherichia coli tRNA 2-selenouridine synthase). 2021; **11**: 128-128.
4737. Szymański, R. On the Possibility of Different Reactivity of Growing Radicals in Controlled and Free Radical Polymerizations. The Concept of the Reaction Cage in Controlled Radical Polymerization. *Macromol Theory Simul*. 2021; **30**:(2):Article number: 2000078 .
4738. Tomaszewska-Antczak, A. and Guga, P. Acyclic Nucleic Acids with Phosphodiester Linkages—Synthesis, Properties and Potential Applications. *Applied Sciences*. 2021; **11**:(24):Article number: 12125.
4739. Trzeciak K. ; Chotera-Ouda, A.; Bąk-Sypień, I., and Potrzebowski, M. J. Mesoporous Silica Particles as Drug Delivery SystemsThe State of the Art in Loading Methods and the Recent Progress in Analytical Techniques for Monitoring These Processes. *Pharmaceutics*. 2021; **13**:(7):Article

number : 950.

4740. Trzeciak K. ; Kaźmierski S. ; Druzbicki K. , and Potrzebowski M.J. Mapping of Guest Localization in Mesoporous Silica Particles by Solid-State NMR and Ab Initio Modeling: New Insights into Benzoic Acid and p-Fluorobenzoic Acid Embedded in MCM-41 via Ball Milling. *J Phys Chem C*. 2021; **125**:(18):10096-10109.
4741. Turecka, K.; Chylewska, A.; Rychłowski, M.; Zakrzewska, J., and Waleron, K. Antibacterial Activity of Co(III) Complexes with Diamine Chelate Ligands against a Broad Spectrum of Bacteria with a DNA Interaction Mechanism . *Pharmaceutics*. 2021; **13**:(7):Article number: 946.
4742. Turek, M.; Różycka-Sokołowska, E.; Koprowski, M.; Marciniak, B., and Bałczewski, P. Role of Hydrogen Bonds in Formation of Co-amorphous Valsartan/Nicotinamide Compositions of High Solubility and Durability with Anti-hypertension and Anti-COVID-19 Potential. *Molecular Pharmaceutics*. 2021; **18**:(5):1970-1984.
4743. Vozniak, A. and Bartczak, Z. Deformation of Poly-l-lactid acid (PLLA) under Uniaxial Tension and Plane-Strain Compression . *Polymers*. 2021; **13**:Article number: 4432.
4744. Vozniak, I.; Beloshenko, V.; Savchenko, B., and Voznyak, A. Improvement of mechanical properties of polylactide by equal channel multiple angular extrusion. *J Appl Polym Sci*. 2021; **138**:(4):Article number: 49720.
4745. Vozniak, I; Zairi, F.; Hosseinneshad, R.; Morawiec, J., and Gałęski, A. Design of hybrid PLA/PBS/POM composite based on In-Situ formation of interpenetrating fiber networks. *Composites Part A - Applied Science and Manufacturing*. 2021; **151**:Article number: 106667.
4746. Vazquez-Fernandez, I.; Druzbicki, K.; Fernandez-Alonso, F.; Mukhopadhyay, S.; Nockemann, P.; Parker, S. P.; Rudić, S.; Stana, S-M.; Tomkinson, J.; Yeadon, D. J.; Seddon, K. R., and Plechkova, N. V. Spectroscopic Signatures of Hydrogen-Bonding Motifs in Protonic Ionic Liquid Systems: Insights from Diethylammonium Nitrate in the Solid State. *J Phys Chem C*. 2021; **125**: (44):24463-24476.
4747. Waciński, P.; Gadzinowski, M.; Dąbrowski, W.; Szumiło, K.; Waciński, J.; Oru, N.; Vicaut, E.; Czuczwar, S. ; Kocki, J.; Basińska, T., and Słomkowski, S. Anti-Inflammatory Effect of Very High Dose Local Vessel Wall Statin Administration: Poly(L,L-Lactide) Biodegradable Microspheres with Simvastatin for Drug Delivery System (DDS). *International Journal of Molecular Sciences* . 2021; **22**:(14):Article number: 7486.
4748. Wojtala, M.; Rybaczek, D.; Wielgus, E.; Sobalska-Kwapis, M.; Strapagiel, D., and Balcerczyk, A. The role of lysine-specific demethylase 1 (LSD1) in shaping the endothelial inflammatory response. *Cellular Physiology and Biochemistry*. 2021; **55**:(5):569-589.
4749. Wróbel, A. and Uznański, P. Hard silicon carbonitride thin-film coatings by remote hydrogen plasma chemical vapor deposition using aminosilane and silazane precursors. 2: Physical, optical, and mechanical properties of deposited films . *Plasma Processes and Polymers*. 2021; **18**:(4):Article number: e2000241.
4750. ---. Hard silicon carbonitride thin-film coatings produced by remote hydrogen plasma chemical vapor deposition using aminosilane and silazane precursors. 1: Deposition mechanism, chemical structure, and surface morphology. *Plasma Processes and Polymers*. 2021; **18**:(5):Article number: 2000240 .
4751. Wróblewska, A.; Lauriol, G.; Mlostoń, G.; Bantreil, X., and Lamaty, F. Expedient synthesis of N Oxy-Heterocyclic Carbenes (NOHC) ligands and metal complexes using mechanochemistry. *J Organomet Chem*. 2021; **949**:Article number :121914.

4752. Zainuddin, N.; Ahmad, I.; Zulfakar, M. H.; Kargarzadeh, H., and Ramli, S. Cetyltrimethylammonium bromide-nanocrystalline cellulose (CTAB-NCC) based microemulsions for enhancement of topical delivery of curcumin. *Carbohydrate Polymers*. 2021; **254**:Article number 117401.
4753. Zakrzewska, J. and Uznański, P. Synthesis and characterization of bis(amine)palladium(ii) carboxylate complexes as precursors of palladium nanoparticles . *Dalton Transactions*. 2021; **50**:(20):6933-6948.
4754. Ziemczonek, P.; Gosecka, M.; Gosecki, M.; Marcinkowska, M.; Janaszewska, A., and Klajnert-Maculewicz, B. Star-Shaped Poly(furfuryl glycidyl ether)-Block-Poly(glycerol glycerol ether) as an Efficient Agent for the Enhancement of Nifuratel Solubility and for the Formation of Injectable and Self-Healable Hydrogel Platforms for the Gynaecological Therapies . *International Journal of Molecular Sciences*. 2021; **22**:(16):Article number: 8386.
4755. Cierpień, T.; Rzewnicka, A.; Żurawiński, R.; Drabowicz, J., and Kielbasiński, P. 23rd International Conference on Phosphorus Chemistry Conference Materials. Częstochowa: Wydawnictwo Naukowe Uniwersytetu Humanistyczno-Przyrodniczego im. Jana Długosza w Częstochowie; 2021; ISBN: 978-83-66536-41-8 .
4756. Cierpień, T.; Tokarz, P.; Rykowski, S.; 63. Zjazd Naukowy Polskiego Towarzystwa Chemicznego Książka Abstraktów. Warszawa: Polskie Towarzystwo Chemiczne ; 2021; ISBN: 978-83-60988-32-9 .
4757. Kulik, K.; Sadowska, K.; Wielgus, E.; Pacholczyk-Sienicka, B.; Sochacka, E., and Nawrot, B. 2-Selenouridine, a Modified Nucleoside of Bacterial tRNAs, Its Reactivity in the Presence of Oxidizing and Reducing Reagents. *International Journal of Molecular Sciences*. 2022; **23**:(14):Article number: 7973.
4758. Cierpień, T.; Drabowicz, J., and Kielbasiński, P. 9th Workshop of the Multidisciplinary Network SeS Redox and Catalysis (WSeS-9) Workshop Materials. Częstochowa: Wydawnictwo Naukowe Uniwersytetu Humanistyczno-Przyrodniczego im. Jana Długosza w Częstochowie; 2022; ISBN: 978-83-66536-83-8.
4759. Piórecka, K.; Kurjata, J., and Stańczyk, W. Acriflavine, an Acridine Derivative for Biomedical Application: Current State of the Art. *J Med Chem*. 2022; **65**:(17):11415-11432.
4760. Cierpień, T.; Drabowicz, J., and Kielbasiński, P. Afterword: Twenty third international conference on phosphorus chemistry. *Phosphorus, Sulfur and Silicon and the Related Elements* . 2022; **197**:(5-6):661-661.
4761. Dudek, M. K. and Druzbicki, K. Along the road to crystal structure prediction (CSP) of pharmaceutical-like molecules. *CRYSTENGCOMM*. 2022; **24**:(9):1665-1678.
4762. Makowski, T.; Syntkivska, M.; Piórkowska, E.; Mizerska, U.; Fortuniak, W.; Kowalczyk, D.; Brzeziński, S., and Kręgiel, D. Antibacterial Electroconductive Composite Coating of Cotton Fabric. *Materials*. 2022; **15**:(3):Article number: 1072.
4763. Robescu, M. S.; Cendron, L.; Bacchin, A.; Wagner, K.; Reiter, T.; Janicki, I.; Merusic, K.; Illek, M.; Aleotti, M.; Bergantino, E., and Hall, M. Asymmetric Proton Transfer Catalysis by Stereocomplementary Old Yellow Enzymes for C=C Bond Isomerization Reaction. *ACS CATALYSIS*. 2022; **12**:(12):7396-7405.
4764. Rzewnicka, A.; Krysiak, J.; Mikina, M.; Żurawiński, R.; Sobczak, A., and Sieroń, L. Asymmetric synthesis of a cyclopropanecarboxylic acid derivative - the potential agonist/antagonist of GABA receptors. *Phosphorus, Sulfur and Silicon and the Related Elements* . 2022; **197**:(5-6):593-596.

4765. Suwara, J. ; Radzikowska-Cieciura, E.; Chworoś, A., and Pawłowska, R. The ATP-dependent pathways and human diseases . *Current Medicinal Chemistry*. 2022; **30**:(11):1232-1255.
4766. Safandowska, M.; Makarewicz, C.; Różański, A., and Idczak, R. Barrier Properties of Semicrystalline Polylactide: The Role of the Density of the Amorphous Regions. *Macromolecules*. 2022; **55**:(22):10077-10089.
4767. Dembiński, R.; Gariaqoza, Y., and Kaczmarek, R. Bicyclic 5-6 Systems: Two Heteroatoms 1:1. Black, D.; Cossy, J., and Stevens, Ch. V., Editors. *Comprehensive Heterocyclic Chemistry IV*. Elsevier; 2022; pp. 135-187.
Notes: ISBN: 9780128186558
4768. Drabowicz, J.; Karpowicz, R.; Krasowska, D., and Stevens Ch.V. Bicyclic Systems With Bridgehead (Ring Junction): Phosphorus, Arsenic, Antimony, or Bismuth Atoms. Black, D.; Cossy, J., and Stevens, Ch., Editors. *Comprehensive Heterocyclic Chemistry IV*. Elsevier; 2022; pp. 367-412.
Notes: ISBN: 9780128186565
4769. Kregiel, D.; Nowacka, M.; Rygala, A., and Vadkertiova, R. Biological Activity of Pulcherrimin from the Meschnikowia pulcherrima Clade. *Molecules*. 2022; **27**:(6):Article number: 1855.
4770. Mousavi, S. M.; Hashemi, S. A.; Kalashgrani, M. Y.; Rahmanian, V.; Gholami, A.; Chiang, W. H., and Lai, C. W. Biomedical Applications of an Ultra-Sensitive Surface Plasmon Resonance Biosensor Based on Smart MXene Quantum Dots (SMQDs). *Biosensors*. 2022; **12**:(9):Article number: 743.
4771. Salari, M.; Rahmanian, V.; Hashemi, S. A.; Chiang, W-H.; Lai, Ch. W.; Mousavi, S. M., and Gholami, A. Bioremediation Treatment of Polyaromatic Hydrocarbons for Environmental Sustainability. *Water (Switzerland)*. 2022; **14**:(23):Article number: 3980.
4772. Kaniowski, D.; Kulik, K.; Suwara, J.; Ebenryter-Olbińska, K., and Nawrot, B. Boron Clusters as Enhancers of RNase H Activity in the Smart Strategy of Gene Silencing by Antisense Oligonucleotides. *International Journal of Molecular Sciences*. 2022; **23**:(20):Article number: 12190.
4773. Gosecki, M. and Gosecka, M. Boronic Acid Esters and Anhydrates as Dynamic Cross-Links in Vitrimers. *Polymers*. 2022; **14**:(4):Article number: 842.
4774. Grabowski, M.; Kost, B.; Gostyński, B., and Bednarek, M. Can tetraphenylethane (TPE) “iniferter” groups be introduced into polymer chains by coupling TPE diol with diisocyanates? *Polymer*. 2022; **246**:Article number: 124738.
4775. Lewiński, P.; Kałużyński, K.; Pretula, J.; Mielniczak, G., and Penczek, S. Catalysis in polymerization of cyclic esters. Catalyst and initiator in one molecule. *Polymerization of lactide. J Catalysis*. 2022; **405**:249-264.
4776. Kałużyński, K.; Pretula, J.; Kaźmierski, S.; Lewiński, P.; Cypryk, M., and Penczek, S. Cationic polymerization of cyclic trimethylene carbonate induced with initiator and catalyst in one molecule: Polymer structure, kinetics and DFT. *J Catalysis*. 2022; **415**:200-217.
4777. Kapuściński, Sz.; Hietsoi, O.; Pietrzak, A.; Friedli , A. C., and Kaszyński, P. [closo-B10H8-1,10-(COOH)2]2-: a building block for functional materials? *Chem Commun*. 2022; **58**:(6):851-854.
4778. Raval, P.; Trebose, J.; Pawlak, T.; Nishiyama, Y.; Brown, S. P., and Reddy, G. N. M. Combining heteronuclear correlation NMR with spin-diffusion to detect relayed Cl-H-H and N-H-H proximities in molecular solids. *SOLID STATE NUCLEAR MAGNETIC RESONANCE*. 2022; **120**:Article number: 101808.

4779. Gosecka, M.; Gosecki, M., and Urbaniak, M. Composite Dynamic Hydrogels Constructed on Boronic Ester Cross-Links with NIR-Enhanced Diffusivity. *Biomacromolecules*. 2022; **23**:(3):948-959.
4780. Drabowicz, J.; Karpowicz, R.; Krasowska, D.; Sancineto, L., and Stevens, Ch. Compounds Containing a Spiro Phosphorus Atom. Black, D.; Cossy, J., and Stevens, Ch., Editors. *Comprehensive Heterocyclic Chemistry IV*. Elsevier; 2022; pp. 633-740.
4781. Koprowski, M.; owsianik, K.; Knopik, L.; Vivek, V.; Romaniuk, A.; Różycka-Sokołowska, E., and Bałczewski, P. Comprehensive Review on Synthesis, Properties, and Applications of Phosphorus (P-III, P-IV, P-V) Substituted Acenes with More Than Two Fused Benzene Rings. *Molecules*. 2022; **27**:(19):Article number: 6611.
4782. Cedeno, R.; Cruz-Cabeza, A.; Drummond-Brydson, R.; Dudek, M. K.; Edkins, K.; Fichthorn, K.; Finney, A. R.; Ford, I.; Galloway, J. M.; Grossier, R.; Kim, J.; Kuttner, C.; Maini, L.; Meldrum, F.; Miller, M.; Morris, P.; Nilsson Lill, S. O. ; Pokroy, B.; Price, S.; Rietveld, I. B.; Rimer, J. Roberts K.; Rogal, J.; Salvalaglio, M.; Sefcik, J.; Sun, W.; Veesler, S.; Vekilov, P.; Wheatcroft, H.; Whittaker, M., and Zhao, R. Controlling polymorphism: general discussion. *Faraday Discussions*. 2022; **235**:508-535.
4783. Karpus, A.; Mignani, S.; Zabłocka, M., and Majoral, J. P. Crown Macromolecular Derivatives: Stepwise Design of New Types of Polyfunctionalized Phosphorus Dendrimers. *J Org Chem*. 2022; **87**:(5):3433-3441.
4784. Michalak, P.; Paluch, P., and Guńka, P. A. Crystal Structure and Energetics of Arsenic(III)-Oxide Intercalates with Rubidium Chloride and Their Comparison with Isostructural Intercalates of Potassium Halides. *Crystal Growth & Design*. 2022; **22**:(1):711-717.
4785. Freymond, C.; Guinault, A.; Gervais, M.; Pluta, M.; Makowski, T.; Piórkowska, E., and Sollogoub, C. Crystallization behavior and morphological features of ethylene-vinyl alcohol 44 copolymer. *Express Polymer Letters*. 2022; **16**:(4):338-353.
4786. Sowiński, P. and Veluri, S. Piórkowska E. Crystallization of Isotactic Polypropylene Nanocomposites with Fibrillated Poly(tetrafluoroethylene) under Elevated Pressure. *Polymers*. 2022; **14**:(1):Article number: 88 .
4787. Barangizi, H. and Pawlak, A. Crystallization of partially disentangled polypropylene in nanocomposites with aluminum oxide. *Polymer*. 2022; **254**:Article number:125049.
4788. Strom, A.; Shah, R.; Dolot, R.; Rogers, M. S.; Tong, C-L.; Wang, D.; Xia, Y.; Lipscomb, J. D., and Wagner, C. R. Dynamic Long-Range Interactions Influence Substrate Binding and Catalysis by Human Histidine Triad Nucleotide-Binding Proteins (HINTs), Key Regulators of Multiple Cellular Processes and Activators of Antiviral ProTides. *Biochemistry*. 2022; **61**:(23):2648-2661.
4789. Kaniowski, D.; Suwara, J.; Ebenryter-Olbińska, K.; Jakóbi-Kolon, A., and Nawrot, B. EGFR-Targeted Cellular Delivery of Therapeutic Nucleic Acids Mediated by Boron Clusters. *International Journal of Molecular Sciences*. 2022; **23**:(23):Article number: 14793.
4790. Madalińska, L.; Kielbasiński, P., and Kwiatkowska, M. Enzymatic Desymmetrisation of Prochiral Phosphines and Phosphine P-Sulfides as a Route to P-Chiral Catalysts. *Catalysts*. 2022; **12**:(2):Article number: 171.
4791. Pawłowska, R.; Fastyn, J.; Graczyk, A.; Radzikowska-Cieciura, E., and Chworoś, A. The epithelial-mesenchymal transition of A431 cells after treatment with ATP, ADP, AMP and adenosine. 2022; **12**: (P-01.1-116): 109-109.
4792. Szczupak, P.; Sierant, M.; Wielgus, E.; Radzikowska-Cieciura, E.; Kulik, K.; Krakowiak, A.; Kuwerska, P.;

Leszczyńska, G., and Nawrot, B. Escherichia coli tRNA 2-Selenouridine Synthase (SelU): Elucidation of Substrate Specificity to Understand the Role of S-Geranyl-tRNA in the Conversion of 2-Thio-into 2-Selenouridines in Bacterial tRNA. *CELLS*. 2022; **11**:(9):Article number: 1522.

4793. Szczupak, P.; Radzikowska-Cieciura, E.; Kulik, K.; Madaj, R.; Sierant, M.; Krakowiak, A., and Nawrot, B. Escherichia coli tRNA 2-selenouridine synthase SelU selects its prenyl substrate to accomplish its enzymatic function. *Bioorg Chem*. 2022; **122**:Article number: 105739.
4794. Korkus, E.; Dąbrowski, G.; Szustak, M.; Czaplicki, S.; Madaj, R.; Chworoś, A.; Koziolkiewicz, M.; Konopka, I., and Gandaszewska-Darmach, E. Evaluation of the anti-diabetic activity of sea buckthorn pulp oils prepared with different extraction methods in human islet EndoC-betaH1 cells. *NFS Journal*. 2022; **27**:54-66 .
4795. Zawadzińska, K.; Gadocha, Z.; Pabian, K.; Wróblewska, A., and Wielgus, E. The First Examples of [3+2] Cycloadditions with the Participation of (E)-3,3,3-Tribromo-1-Nitroprop-1-Ene. *Materials*. 2022; **15**:(21):Article number: 7584.
4796. Dolot, R. ; Maciaszek, A.; Mikołajczyk, B., and Nawrot, B. First High-Resolution Crystal Structures of DNA:2'-O-Methyl-RNA Heteroduplexes. *CRYSTALS*. 2022; **12**:(6):Article number: 760.
4797. Hosseinneshad, R.; Vozniak , I.; Romano, D.; Rastogi, S.; Regnier, G.; Piórkowska, E., and Gałęski, A. Formation of UHMWPE Nanofibers during Solid-State Deformation. *Nanomaterials*. 2022; **12**:(21):Article number: 3825.
4798. Woliński, P.; Kącka-Zych, A.; Mirosław, B.; Wielgus, E.; Olszewska, A., and Jasiński, R. Green, one-pot synthesis of 1,2-oxazine-type herbicides via non-catalyzed Hetero Diels-Alder reactions comprising (2E)-3-aryl-2-nitroprop-2-enenitriles. *Journal of Cleaner Production*. 2022; **356**:Article number: 131878.
4799. Anderson, M.; Bennett, M.; Cedeno, R.; Dudek, M. K.; Fichthorn, K.; Finney, A. R.; Ford, I.; Freeman, C.; Hare, A.; Hewson, C.; Hill, A.; Kim, J.; Kirschhock, C.; Kuttner, C.; Meldrum, F.; Nilsson Lill, O.; Pooley, R.; Rietveld, I. B.; Rimer, J.; Roberts, K.; Rogal, J.; Salvalaglio, M.; Sefcik, J.; un, W.; Thompson, D.; Tong, J.; Trueman, M., and Vekilov, P. Growing crystals by design: general discussion. *Faraday Discussions*. 2022; **235**:383-405.
4800. Sowiński, P.; Veluri, S.; Piórkowska, E.; Kwieciński, K.; Boyer, S. A. E., and Haudin, J-M. High-pressure crystallization of iPP nanocomposites with montmorillonite and carbon nanotubes. *THERMOCHIMICA ACTA*. 2022; **716**:Article number: 179318.
4801. Mousavi, S. M.; Hashemi, S. A.; Rahmanian, V.; Kalashgrani, M. Y.; Gholami, A.; Omidifar, N., and Chiang, W.-H. Highly Sensitive Flexible SERS-Based Sensing Platform for Detection of COVID-19. *Biosensors*. 2022; **12**:(7):Article number: 466.
4802. Janicki, I. and Kielbasiński, P. Highly Z-Selective Horner-Wadsworth-Emmons Olefination Using Modified Still-Gennari-Type Reagents. *Molecules*. 2022; **27**:(20):Article number: 7138.
4803. Rosli, N. A.; Khairudin, F. A.; Kargarzadeh, H.; Othaman, R., and Ahmad, I. Hydrophobic-oleophilic gamma-irradiated modified cellulose nanocrystal/gelatin aerogel for oil absorption. 2022; **219**: 213-223.
4804. Kost, B.; Baško, M.; Bednarek, M.; Socka, M.; Kopka, B.; Łapienis, G.; Biela, T.; Kubisa, P., and Brzeziński, M. The influence of the functional end groups on the properties of polylactide-based materials. *Progress in Polymer Science*. 2022; **130**:Article number: 101556.
4805. Bocian, W.; Naumczuk, B.; Urbanowicz, M.; Sitkowski, J.; Bednarek, E.; Wiktorska, K.; Pogorzelska, A.;

Wielgus, E., and Kozerski, L. Insight on the Interaction between the Camptothecin Derivative and DNA Oligomer Mimicking the Target of Topo I Inhibitors. *Molecules*. 2022; **27** :(20):Article number: 6946.

4806. Krakowiak, A.; Czernek, L.; Pichlak, M., and Kaczmarek, R. Intracellular HINT1-Assisted Hydrolysis of Nucleoside 5'-O-Selenophosphate Leads to the Release of Hydrogen Selenide That Exhibits Toxic Effects in Human Cervical Cancer Cells. *International Journal of Molecular Sciences*. 2022; **23**:(2):Article number: 607.
4807. Penczek, S.; Biela, T.; Cypryk, M.; Duda, A.; Łapienis, G.; Kubisa, P.; Pretula, J.; Słomkowski, S., and Szymański, R. Ionic and Coordination Ring-Opening Polymerization. Matyjaszewski, K.; Gnanou, Y.; Hadjichristidis, N., and Muthukumar, M., Editors. *Macromolecular Engineering: From Precise Synthesis to Macroscopic Materials and Applications*. Second Edition ed. 2022; pp. 115-238. Notes: ISBN: 9783527344550
4808. Gleńsk, M.; Dudek, M. K.; Kinkade, P.; Santos, E. C. S.; Glinski, V. B.; Ferreira, D.; Seweryn, E.; Kaźmierski, S.; Calixto, J. B., and Glinski, J. A. Isolation of Echimidine and Its C-7 Isomers from *Echium plantagineum* L. and Their Hepatotoxic Effect on Rat Hepatocytes. *Molecules*. 2022; **27**:(9):Article number: 2869.
4809. Patyra, A.; Kołakowski, M.; Dudek, M. K., and Kiss, A. Isolation of trachelogenin 4-O-beta-D-glucoside from the fruits of *Carthamus tinctorius* L. *BIULETYN WYDZIAŁU FARMACEUTYCZNEGO WARSZAWSKIEGO UNIWERSYTETU MEDYCZNEGO*. 2022(2):24-30.
4810. Patyra, A.; Dudek, M. K., and Kiss, A. K. LC-DAD-ESI-MS/MS and NMR Analysis of Conifer Wood Specialized Metabolites. *CELLS*. 2022; **11**:(20):Article number: 3332.
4811. Sosnowski, S. and Szymański, R. Living polymerization in nano-scale volumes. Impact of process conditions on polymerization kinetics and product characteristics . *Chemical Engineering Journal*. 2022; **449**:Article number: 137729.
4812. Morga, M.; Nattich-Rak, M.; Adamczyk, Z.; Mickiewicz, D.; Gadzinowski, M., and Basińska, T. Mechanisms of Anisotropic Particle Deposition: Prolate Spheroid Layers on Mica. *J Phys Chem C*. 2022; **126**:(43):18550-18559.
4813. Jakubczyk, M.; Mkrtchyan, S.; Shkhor, M.; Lanka, S.; Budzak, S.; Ilias, M.; Skorsepa, M., and Iaroshenko, V. O. Mechanochemical Conversion of Aromatic Amines to Aryl Trifluoromethyl Ethers. *J Am Chem Soc*. 2022; **144**:(23):10438-10445.
4814. Bujnicki, B.; Sowiński, P.; Makowski, T.; Krasowska, D.; Pokora-Sobczak, P.; Shkyluk, I.; Drabowicz, J., and Piórkowska, E. Microbiologically Pure Cotton Fabrics Treated with Tetrabutylammonium OXONE as Mild Disinfection Agent. *Materials*. 2022; **15**:(21):Article number: 7749.
4815. Kost, B.; Kunicka-Styczyńska, A.; Plucińska, A.; Rajkowska, K.; Baško, M., and Brzeziński, M. Microfluidic preparation of antimicrobial microparticles composed of L-lactide/1,3-dioxolane (co)polymers loaded with quercetin. *FOOD CHEMISTRY*. 2022; **396**:Article number: 133639.
4816. Jiang, Q; Boulahia, R.; Zairi, F.; Vozniak, I.; Qu, Z.; Gloaguen, J-M., and Liu, X. Microstructure and Mechanical Properties of Severely Deformed Polypropylene in ECAE (Equal Channel Angular Extrusion) via Routes A and C. *Polymers*. 2022; **14**:(23):Article number: 5287.
4817. Graczyk, A.; Radzikowska-Cieciura, E.; Kaczmarek, R.; Pawłowska, R., and Chworoś, A. Modified nucleotides for chemical and enzymatic synthesis of therapeutic RNA. *Current Medicinal Chemistry*. 2022; **30**:(11):1320-1347.

4818. Denisov, S. A.; Ward, S.; Shcherbakov, V.; Stark, A. D.; Kaczmarek, R.; Radzikowska-Cieciura, E.; Debnath, D.; Jacobs, T.; Kumar, A.; Sevilla, M. D.; Pernot, P.; Dembiński, R.; Mostafavi, M., and Adhikary, A. Modulation of the Directionality of Hole Transfer between the Base and the Sugar-Phosphate Backbone in DNA with the Number of Sulfur Atoms in the Phosphate Group. *J Phys Chem B*. 2022; **126**(2):430-442.
4819. Potrzebowska, N.; Cavani, O. ; Kaźmierski, S.; Wegrowe, J. E.; Potrzebowski, M. J., and Clochard, M. C. Molecular dynamics between amorphous and crystalline phases of e-beam irradiated piezoelectric PVDF thin films employing solid-state NMR spectroscopy. *Polym Degrad Stab*. 2022; **195**:Article number : 109786.
4820. Veluri, S.; Bora, D.; Gupta, U. N.; Sadiku, E. R.; Reddy, A. B., and Jayaramudu, J. Morphological Characterization of Bio-nanocomposites. Muthukumar, Ch.; Thiagamani, S. M. K.; Krishnasamy, S.; Nagarajan, R., and Siengchin, S., Editors. *Polymer Based Bio-nanocomposites Properties, Durability and Applications*. Singapore: Springer; 2022; pp. 1-29.
Notes: ISBN: 978-981-16-8577-4
4821. Khalaji, M.; Paluch, P.; Potrzebowski, M., and Dudek, M. Narrowing down the conformational space with solid-state NMR in crystal structure prediction of linezolid cocrystals. 2022; **121**: Article number: 101813.
4822. Jankowski, K.; Jabłońska, J.; Uznański, P.; Całuch, S.; Szybowski, M.; Brzozowski, R.; Ostafin, A.; Kwaśny, M., and Tomasik, M. Necked gold nanoparticles prepared by submerged alternating current arc discharge in water. *RSC Advances*. 2022; **12**(52):33955-33963.
4823. Turek, M. ; Biczak, R.; Pawłowska, B.; Różycka-Sokołowska, E.; Owsianik, K.; Marciniak, B., and Bałczewski, P. The need to change the approach to the safe use of herbicides by developing chiral and environmentally friendly formulations: A series of enantioselective (R)- and (S)-phenylethylammonium chloroacetates. *Green Chemistry*. 2022; **24**(4):1693-1703.
4824. Savchenko, B.; Sova, N.; Beloshenko, V.; Debeluy, B.; Slieptsov, A., and Vozniak, I. New Approach for Extrusion Additive Manufacturing of Soft and Elastic Articles from Liquid-PVC-Based Consumable Materials. *Polymers*. 2022; **14**(21):Article number: 4683.
4825. Grabowski, M.; Kost, B.; Kubisa, P., and Bednarek, M. A New Approach to The Synthesis of Polylactide/Polyacrylonitrile Block Copolymers. *Polymers*. 2022; **14**(8):Article number: 1529.
4826. Mickiewicz, D.; Gadzinowski, M.; Makowski, T.; Szymański, W.; Słomkowski, S., and Basińska, T. New Class of Polymer Materials—Quasi-Nematic Colloidal Particle Self-Assemblies: The Case of Assemblies of Prolate Spheroidal Poly(Styrene/Polyglycidol) Particles. *Polymers*. 2022; **14**(22):Article number: 4859.
4827. Pawlak, T.; Paluch, P.; Dolot, R.; Bujacz, G. , and Potrzebowski, M. New salts of teriflunomide (TFM) – Single crystal X-ray and solid state NMR investigation. *Solid State Nucl Magn Res*. 2022; **122**:Article number: 101820.
4828. Paluch, P.; Augustyniak, R.; Org, M-L.; Vanatalu, K.; Kaldma, A.; Samoson, A., and Stanek, J. NMR Assignment of Methyl Groups in Immobilized Proteins Using Multiple-Bond C-13 Homonuclear Transfers, Proton Detection, and Very Fast MAS. *FRONTIERS IN MOLECULAR BIOSCIENCES*. 2022; **9**:Article number: 828785.
4829. Stukan, I.; Gryzik, M.; Hoser, G.; Want, A.; Grabowska-Pyrzewicz, W.; Zdioruk, M.; Napiórkowska, M.; Cieślak, M.; Królewska-Golińska, K.; Nawrot, B.; Basak, G., and Wojda, U. Novel Dicarboximide BK124.1 Breaks Multidrug Resistance and Shows Anticancer Efficacy in Chronic Myeloid Leukemia Preclinical Models and Patients' CD34(+)/CD38(-) Leukemia Stem Cells. *CANCERS*.

2022; **14**:(15):Article number: 3641.

4830. Mikołajczyk, M.; Cypriak, M.; Gostyński, B., and Kowalczewski, J. Nucleophilic Substitution at Heteroatoms—Identity Substitution Reactions at Phosphorus and Sulfur Centers: Do They Proceed in a Concerted (S_N2) or Stepwise ($A-E$) Way? *Molecules*. 2022; **27**:(3):Article number: 599.
4831. Mikołajczyk, M.; Bujnicki, B.; Drabowicz, J., and Cypriak, M. Nucleophilic Substitution at Tricoordinate Sulfur—Alkaline Hydrolysis of Optically Active Dialkoxysulfonium Salts: Stereochemistry, Mechanism and Reaction Energetics. *Molecules*. 2022; **27**:(23):Article number: 8212.
4832. Kula, K.; Łapczuk, A.; Sadowski, M.; Kras, J.; Zawadzińska, K.; Demchuk, O. M.; Gaurav, G. K.; Wróblewska, A., and Jasiński, R. On the Question of the Formation of Nitro-Functionalized 2,4-Pyrazole Analogs on the Basis of Nitrylimine Molecular Systems and 3,3,3-Trichloro-1-Nitroprop-1-Ene. *Molecules*. 2022; **27**:(23):Article number: 8409.
4833. Ziental, D.; Zając, J.; Lewandowski, K.; Długaszewska, J.; Potrzebowski, M. J., and Sobotta, Ł. Oxospirochlorins as new promising photosensitizers against priority pathogens. *Dyes and Pigments*. 2022; **201**:Article number: 110240.
4834. Lambov, M.; Maier, P.; Jasinski, M.; Szczytko, J.; Kaszyński, P., and Lehmann, M. Paramagnetic supramolecular mesogens: A new paradigm in self-assembled magnetic materials. *JOURNAL OF MATERIALS CHEMISTRY C*. 2022; **10**:(22):8728-8739.
4835. Miksa, B. The Phenazine Scaffold Used as Cytotoxic Pharmacophore Applied in Bactericidal, Antiparasitic and Antitumor Agents. *HELVETICA CHIMICA ACTA* . 2022; **105**:Article number: e202200066.
4836. Bartos, P.; Celeda, M.; Pietrzak, A., and Kaszyński, P. Planar Blatter radicals through Bu_3SnH - and TMS_3SiH -assisted cyclization of aryl iodides: Azaphilic radical addition. *Organic Chemistry Frontiers*. 2022; **9**:(4):929-938.
4837. Makarewicz, C.; Safandowska, M.; Idczak, R., and Różański, A. Plastic Deformation of Polypropylene Studied by Positron Annihilation Lifetime Spectroscopy. *Macromolecules*. 2022; **55**:(22):10062-10076.
4838. Kopka, B. ; Kost, B., and Baško, M. Poly(2-isopropenyl-2-oxazoline) as a reactive polymer for materials development. 2022; **13** : (33): 4736-4746.
4839. Mizerska, U.; Fortuniak, W.; Chojnowski, J.; Rubinsztajn, S.; Zakrzewska, J.; Bąk-Sypień, I., and Nyczyk-Malinowska, A. Porous SiC and SiC/Cf Ceramic Microspheres Derived from Polyhydromethylsiloxane by Carbothermal Reduction. *Materials*. 2022; **15**:(1):Article number: 81.
4840. Suwara, J. Powrót do przeszłości : nowe życie starych leków w terapiach antynowotworowych dzięki wykorzystaniu nowoczesnych systemów ich dostarczania. Danielewska, A. and Młodoch-Mendoń, I., Editors. *Choroby XXI wieku diagnostyka, prewencja i leczenie*. Lublin: Wydawnictwo Naukowe TYGIEL sp. z o.o. 2022; pp. 87-100.
Notes: ISBN: 978-83-67104-55-5
4841. Adamczyk, Z.; Pomorska, A.; Sadowska, M.; Nattich-Rak, M. G.; Morga, M.; Basińska, T.; Mickiewicz, D., and Gadzinowski, M. QCM-D Investigations of Anisotropic Particle Deposition Kinetics: Evidences of the Hydrodynamic Slip Mechanisms. *ANALYTICAL CHEMISTRY* . 2022; **94**:(28):10234-10244.
4842. Bałczewski, P.; Owsianik, K., and Turek, M. Quinquevalent phosphorus acids. Higham, L. J.; Allen, D. W., and Tebby, J. C., Editors. *Organophosphorus Chemistry: Volume 51* . Cambridge: Royal Society Chemistry; 2022; pp. 181-327.

4843. Mousavi, S. M.; Hashemi, S. A.; Kalashgrani, M. Y.; Kurniawan, D.; Gholami, A.; Rahmanian, V.; Omidifar, N., and Chiang, W.-H. Recent Advances in Inflammatory Diagnosis with Graphene Quantum Dots Enhanced SERS Detection. *Biosensors*. 2022; **12**:(7):Article number: 461.
4844. Twardy, D. J.; Wheeler, K. A.; Torok, B., and Dembiński, R. Recent Advances in the Synthesis of Isoquinoline-Fused Benzimidazoles. *Molecules*. 2022; **27**:(7).
Notes: 10.3390/molecules27072062 doi
4845. Gobis, K. ; Szczesio, M.; Olczak, A.; Pawlak, T.; Augustynowicz-Kopeć, E.; Krause, M., and Głowska M.L. Relationship between the Crystal Structure and Tuberculostatic Activity of Some 2-Amidinouthiosemicarbazone Derivatives of Pyridine. *Materials*. 2022; **15**:(1):Article number: 349.
4846. Varghese, R. T.; Cherian, R. M.; Antony, T.; Tharayil, A.; Das, H.; Kargarzadeh, H.; Chirayil, C. j., and Thomas, S. A review on the best bioadsorbent membrane- nanocellulose for effective removal of pollutants from aqueous solutions. *CARBOHYDRATE POLYMER TECHNOLOGIES AND APPLICATIONS*. 2022; **3**:Article number: 100209.
4847. Cherianab, R. M.; Tharayil, A.; Varghese, R. T.; Antony, T.; Kargarzadeh, H.; Chirayil, C. J., and Thomas, S. A review on the emerging applications of nano-cellulose as advanced coatings. *Carbohydrate Polymers*. 2022; **282**:Article number: 119123.
4848. Gosecka, M.; Jaworska-Krych, D.; Gosecki, M.; Wielgus, E.; Marcinkowska, M.; Janaszewska, A., and Klajnert-Maculewicz, B. Self-Healable, Injectable Hydrogel with Enhanced Clotrimazole Solubilization as a Potential Therapeutic Platform for Gynecology. *Biomacromolecules*. 2022; **23**:(10):4203-4219.
4849. Nowacka, M. and Kowalewska, A. Self-Healing Silsesquioxane-Based Materials. *Polymers*. 2022; **14**:(9):Article number: 1869.
4850. Defize, T.; Bouyahyi, M.; Róžański, A.; Yang, L. T.; Patham, B.; Sweere, T.; Hochstadt, S.; Hansen, M. R.; Bernaerts, K. V.; Jasińska-Walc, L., and Duchateau, R. Self-Organization of Graft Copolymers and Retortable iPP-Based Nanoporous Films Thereof. *ACS APPLIED POLYMER MATERIALS* . 2022; **4**: (10):6897-6907.
4851. Mizerska, U.; Rubinsztajn, S.; Chojnowski, J.; Cypryk, M.; Uznański, P.; Walkiewicz-Pietrzykowska, A., and Fortuniak, W. Self-Restructuring of Polyhydromethylsiloxanes by the Hydride Transfer Process: A New Approach to the Cross-Linking of Polysiloxanes and to the Fabrication of Thin Polysiloxane Coatings. *Materials*. 2022; **15**:(19):Article number: 6981.
4852. Czernek, L.; Pęczek, Ł., and Duchler, M. Small Extracellular Vesicles Loaded with Immunosuppressive miRNAs Leads to an Inhibition of Dendritic Cell Maturation. *ARCHIVUM IMMUNOLOGIAE ET THERAPIAE EXPERIMENTALIS*. 2022; **70**:(1):Article number: 27.
4853. Pawlak, T.; Osajca, M.; Szczesio, M., and Potrzebowski, M. J. Solid-State Study of the Structure, Dynamics, and Thermal Processes of Safinamide Mesylate-A New Generation Drug for the Treatment of Neurodegenerative Diseases. *Molecular Pharmaceutics*. 2022; **19**:(1):287-302.
4854. Svyntkivska, M.; Makowski, T.; De Boer, E. L., and Piórkowska, E. Solution electrospinning and properties of poly(ethylene 2,5-furandicarboxylate) fibers. *Polymer Testing*. 2022; **113**:Article number : 107677.
4855. Herc, A. S.; Dudek, M. K.; Kaźmierski, S.; Bojda, J.; Kaczorowski W. ; Januszewicz, B., and Kowalewska, A. Spontaneous formation of hierarchical structures in some polylactide/polysilsesquioxane blends.

4856. Narayanan, V. H. B.; Lewandowski, A.; Durai, R.; Gonciarz, W.; Wawrzyniak, P., and Brzeziński, M. Spray-dried tenofovir alafenamide-chitosan nanoparticles loaded oleogels as a long-acting injectable depot system of anti-HIV drug. *International Journal of Biological Macromolecules*. 2022; **222**:473-486.
4857. Kosińska, A.; Virieux, D.; Pirat, J. L.; Czarnecka, K.; Girek, M.; Szymański, P.; Wojtulewski, S.; Vasudevan, S.; Chworoś, A., and Rudolf, B. Synthesis and Biological Studies of Novel Aminophosphonates and Their Metal Carbonyl Complexes (Fe, Ru). *International Journal of Molecular Sciences*. 2022; **23**:(15):Article number: 8091.
4858. Jastrzębska, K.; Maciaszek, A.; Dolot, R.; Tomaszewska-Antczak, A.; Mikołajczyk, B., and Guga, P. Synthesis and hybridizing properties of P-stereodefined chimeric [PS]-{DNA:RNA} and [PS]-{DNA:(2'-OMe)-RNA} oligomers. *RSC Advances*. 2022; **12**:(41):26815-26824.
4859. Cichoń, K.; Kost, B., and Baško, M. Synthesis and properties of ABA-triblock copolymers from polyester A-blocks and easily degradable polyacetal B-blocks. *Polymer Chemistry*. 2022; **13**:(36):5243-5259.
4860. Kałużyński, K.; Pretula, J.; Lewiński, P.; Kaźmierski, S., and Penczek, S. Synthesis and Properties of Functionalized Poly(ϵ -caprolactone); Chain Polymerization Followed by Polycondensation in One Pot with Initiator and Catalyst in One Molecule. *Synthesis and Molecular Structures. Macromolecules*. 2022; **55**:(6):2210-2221.
4861. Gadzinowski, M.; Kasprów, M.; Basińska, T.; Słomkowski, S.; Otulakowski, Ł.; Trzebicka, B., and Makowski, T. Synthesis, Hydrophilicity and Micellization of Coil-Brush Polystyrene-*b*-(polyglycidol-*g*-polyglycidol) Copolymer—Comparison with Linear Polystyrene-*b*-polyglycidol . *Polymers*. 2022; **14**:(2):Article number: 253.
4862. Błaszczuk, J.; Pokora-Sobczak, P.; Mielniczak, G.; Bujnicki, B.; Sieroń, L. , and Drabowicz, J. The synthons containing sulfur and stereogenic phosphorus as heteroatoms: on the way to crystal structure determination of supramolecular complexes of organometallic and organic compounds. *Phosphorus, Sulfur and Silicon and the Related Elements* . 2022; **197** :(5-6):545-548.
4863. Fellows, C. M.; Jones, R. G.; Keddie, D. J.; Luscombe, C. K.; Matson, J. B.; Matyjaszewski, K.; Merna, J.; Moad, G.; Nakano, T.; Penczek, S.; Russell, G. T., and Topham, P. D. Terminology for chain polymerization (IUPAC Recommendations 2021). *Pure & Appl Chem*. 2022; **94**:(9):1093-1147.
4864. Kapuściński, Sz.; Anand, B.; Bartos, P.; Fernandez J.M.G. , and Kaszyński, P. Tethered Blatter Radical for Molecular Grafting: Synthesis of 6-Hydroxyhexyloxy, Hydroxymethyl, and Bis(hydroxymethyl) Derivatives and Their Functionalization. *Molecules*. 2022; **27**:(4):Article number: 1176.
4865. Le, B. T.; Paul, S.; Jastrzębska, K.; Langer, H.; Caruthers, M. H., and Veedu, R. N. Thiomorpholino oligonucleotides as a robust class of next generation platforms for alternate mRNA splicing. *Proceedings of the National Academy of Sciences of the United States of America*. 2022; **119**:(36):Article number: e2207956119.
4866. Jacob, L.; Rzeszotarska, E. ; Koyioni, M.; Jakubowski, R.; Pociecha, D.; Pietrzak, A., and Kaszyński, P. Tunable Intermolecular Charge Transfer in Ionic Liquid Crystalline Derivatives of the [closob-B10H10](2-)-Anion. *Chem Mater*. 2022; **34**:(14):6476-6491.
4867. Kluszczyńska, K.; Pęczek, Ł.; Róžański, A.; Czernek, L., and Duchler, M. U6/miR-211 expression ratio as a purity parameter for HEK293 cell-derived exosomes. *Acta Biochimica Polonica*. 2022; **69**:(2):409-415.

4868. Anderson, M. W.; Bennett, M.; Ceden, R.; Colfen, H.; Cox, S. J.; Cruz-Cabeza, A. J.; De Yoreo, J.; Drummond-Brydson, R.; Dudek, M. K.; Fichthorn, K. A.; Finney, A. R.; Ford, I.; Galloway, J. M.; Gebauer, D.; Grossier, R.; Harding, J. H.; Hare, A.; Horvıth, D.; Hunter, L.; Kim, J.; Kimura, Y.; Kirschhock, C. E. A.; Kiselev, A. A.; Kras, W.; Kuttner, C.; Lee, A. Y.; Liao, Z.; Maini, L.; Nilsson Lill, S. O.; Pellens, N.; Price, S. L.; Rietveld, I. B.; Rimer, J. D.; Roberts, K. J.; Rogal, J.; Salvalaglio, M.; Sandei, I.; Schuszt, G.; Sefcik, J.; Sun, W.; ter Horst, J. H.; Ukrainczyk, M.; Van Driessche, A. E. S.; Veessler, S.; Vekilov, P. G.; Verma, V.; Whale, T.; Wheatcroft, H. P., and Zegliński, J. Understanding crystal nucleation mechanisms: where do we stand? General discussion. *Faraday Discussions*. 2022; **235**:219-272.
4869. Raval, P.; Dhennin, M.; Vezin, H.; Pawlak, T.; Roussel, P.; Nguyen, T-Q., and Reddy, G. N. M. Understanding the p-doping of spiroOMeTAD by tris(pentafluorophenyl)borane. *Electrochimica Acta*. 2022; **424**:Article number: 140602.
4870. Dresler, E.; Wróblewska, A., and Jasiński, R. Understanding the Regioselectivity and the Molecular Mechanism of [3 + 2] Cycloaddition Reactions between Nitrous Oxide and Conjugated Nitroalkenes: A DFT Computational Study. *Molecules*. 2022; **27**:(23):Article number: 8441.
4871. Marin-Villa, P.; Aruzo, A.; Druzbicki, K., and Fernandez-Alonso, F. Unraveling the Ordered Phase of the Quintessential Hybrid Perovskite MAPbI₃ Thermophysics to the Rescue. *The Journal of Physical Chemistry Letters* . 2022; **13**:(36):8422-8428.
4872. Zissimou, G.; Bartos, P.; Pietrzak, A., and Kaszyński, P. "upper" Ring Expansion of the Planar Blatter Radical via Photocyclization: Limitations and Impact on the Electronic Structure. *J Org Chem*. 2022; **87**:(7):4829-4837.
4873. Mangiavacchi, F.; Mazzeo, G.; Graziani, M. Ch.; Marini, F.; Drabowicz, J.; Wielgus, E.; Sancineto, L.; Longhi, G.; Vivani, R.; Abbate, S., and Santi, C. Vibrational and Electronic Circular Dichroism Study of Chiral Seleno Compounds Prepared from a Naphthol Based Diselenide. *Eur J Org Chem*. 2022; **2022**:(23):Article number: e202200282.
4874. Cierpiął, T.; Drabowicz, J., and Kiełbasiński, P. XXIII International Symposium „Advances in the Chemistry of Heteroorganic Compounds” Symposium Materials. Częstochowa: Wydawnictwo Naukowe Uniwersytetu Humanistyczno-Przyrodniczego im. Jana Długosza w Częstochowie; 2022; ISBN: 978-83-66536-72-2.
4875. Chotera-Ouda, A.; Jeziora, A.; Kaźmierski, S.; Dolot, R.; Dudek, M. K., and Potrzebowski, M. J. “Crystal memory” Affects the Properties of Peptide Hydrogels – The Case of the Cyclic Tyr-Tyr dipeptide. *Chemistry-A European Journal*. 2022; **28**:(65):Article Number: e202202005.